Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 424968

Station: LA VERKIN, UT

Climate Division: UT 2

NWS Call Sign:

Elevation: 3,220 Feet Lat: 37°12N Lon: 113°16W

									r	Гетре	eratur	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	53.4	27.4	40.4	74	1971	21	46.3	1986	-2	1963	13	32.9	1973	764	0	.0	.0	21.7	.4	23.8	.0
Feb	59.8	32.2	46.0	80+	1986	25	51.4	1995	2	1989	7	39.5	1979	532	0	.0	.0	24.8	.3	14.2	.0
Mar	66.5	37.8	52.2	89	1964	29	57.6	1989	10	1966	3	45.8	1973	405	8	.0	.0	30.1	.0	6.2	.0
Apr	74.8	43.0	58.9	95+	1981	30	65.6	1989	21	1975	3	50.4	1975	229	46	.0	1.6	29.9	.0	1.8	.0
May	84.0	50.5	67.3	103	1996	12	73.5	1997	23	1967	1	61.2	1977	74	145	.5	8.6	31.0	.0	.1	.0
Jun	94.4	58.6	76.5	111	1954	22	80.9	1985	34	1983	2	72.1	1995	4	349	7.1	23.5	30.0	.0	.0	.0
Jul	98.9	65.3	82.1	114	2001	3	85.6	1981	46+	1963	1	79.1	1974	0	530	15.7	29.6	31.0	.0	.0	.0
Aug	96.6	64.3	80.5	111	1981	7	84.0	1996	39	1954	27	76.4	1976	0	478	10.1	28.1	31.0	.0	.0	.0
Sep	89.5	56.4	73.0	107	1957	8	77.4	1979	31	1965	18	67.1	1986	12	251	1.2	16.0	30.0	.0	.0	.0
Oct	77.6	44.8	61.2	97	1980	1	68.0	1988	17+	1971	30	56.1	1984	176	57	.0	2.8	30.8	.0	1.5	.0
Nov	62.7	33.4	48.1	85	1999	6	53.8	1981	12+	1952	27	42.8	2000	510	1	.0	.0	27.5	.0	13.0	.0
Dec	54.0	26.9	40.5	74	1957	12	46.9	1980	1	1990	23	33.9	1990	760	0	.0	.0	23.1	.2	25.0	.0
					Jul			Jul		Jan			Jan								
Ann	76.0	45.1	60.6	114	2001	3	85.6	1981	-2	1963	13	32.9	1973	3466	1865	34.6	110.2	340.9	.9	85.6	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 056-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1950-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 424968

Station: LA VERKIN, UT

Climate Division: UT 2 NWS Call Sign: Elevation: 3,220 Feet Lat: 37°12N Lon: 113°16W

										Pı	recipit	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s			M	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual _j indic	precipita ated an		ll be equ		· less tha	in the
	Medi					Extremes	8			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.56	1.03	1.60	1980	29	6.15	1980	.00	1976	5.8	4.0	1.0	.1	.04	.13	.34	.55	.80	1.09	1.44	1.89	2.52	3.58	4.64
Feb	1.59	1.43	1.62	1980	14	4.63	1993	.00+	1974	6.1	3.7	1.1	.1	.00	.15	.43	.68	.94	1.23	1.57	1.98	2.54	3.46	4.36
Mar	1.78	1.41	1.75	1975	26	5.19	1978	.00+	1997	6.5	4.4	1.1	.2	.00	.07	.29	.54	.84	1.19	1.62	2.16	2.94	4.28	5.61
Apr	.78	.53	.75	1994	28	3.37	1988	.00	1984	3.9	2.4	.4	.0	.01	.04	.12	.22	.34	.49	.68	.93	1.28	1.90	2.52
May	.55	.28	1.15	1951	15	2.33	1977	.00+	1986	3.8	1.8	.2	.0	.00	.00	.06	.14	.24	.35	.49	.67	.93	1.37	1.81
Jun	.28	.08	1.10	1972	22	1.70	1972	.00+	2000	1.6	.9	.1	@	.00	.00	.00	.00	.00	.09	.19	.32	.51	.82	1.13
Jul	.71	.66	1.56	1969	24	2.31	1984	.00+	1993	4.0	1.9	.3	.1	.00	.00	.11	.22	.35	.49	.66	.88	1.18	1.70	2.21
Aug	1.10	.96	1.98	1982	24	3.59	1982	.03	1996	5.0	2.6	.6	.1	.13	.21	.36	.52	.68	.86	1.08	1.34	1.70	2.30	2.88
Sep	.88	.66	1.75	1972	19	3.51	1997	.00+	1993	4.0	1.9	.6	.1	.00	.00	.06	.16	.29	.47	.70	1.01	1.48	2.30	3.16
Oct	.94	.88	1.07	1971	24	2.63	1974	.00+	1999	4.0	2.4	.6	@	.00	.00	.20	.36	.52	.70	.92	1.19	1.54	2.14	2.73
Nov	1.08	.84	2.07	1995	1	3.26	1987	.00	1989	4.0	2.5	.7	.1	.01	.06	.18	.33	.50	.70	.96	1.30	1.77	2.60	3.43
Dec	.77	.42	1.13	1992	28	3.03	1984	.00+	1998	4.0	2.2	.4	@	.00	.00	.13	.25	.38	.54	.72	.95	1.27	1.80	2.33
Ann	12.02	11.30	2.07	Nov 1995	1	6.15	Jan 1980	.00+	Jun 2000	52.7	30.7	7.1	.8	6.47	7.43	8.72	9.74	10.68	11.61	12.59	13.70	15.08	17.13	18.96

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1950-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 424968

Station: LA VERKIN, UT

Climate Division: UT 2 NWS Call Sign: Elevation: 3,220 Feet Lat: 37°12N Lon: 113°16W

		ll Fall Depth Depth Snow Fall Snow Fall Snow Depth Snow Depth Snow Depth Snow Depth Snow Depth																					
		Snow Snow Snow Snow Pepth Median M															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.7	.0	#	0	12.0	1974	5	15.5	1974	1	1973	9	#	1973	.8	.7	.2	@	@	.1	.0	.0	.0
Feb	.7	.0	0	0	5.0	1989	4	7.0	1987	0	0	0	0	0	.4	.3	.1	@	.0	.0	.0	.0	.0
Mar	.2	.0	0	0	2.0	1971	1	2.0	1971	0	0	0	0	0	.2	.1	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	1.0	1976	16	1.0	1976	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	1.0	1971	29	1.0	1971	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Nov	.1	.0	0	0	2.0	1983	25	2.0	1983	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Dec	.3	.0	0	0	2.0	1972	8	3.0	1972	0	0	0	0	0	.3	.2	.0	.0	.0	.0	.0	.0	.0
Ann	3.0	.0	N/A	N/A	12.0	Jan 1974	5	15.5	Jan 1974	1	Jan 1973	9	#	Jan 1973	1.8	1.4	.3	@	@	.1	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 424968

Lon: 113°16W

Lat: 37°12N

Elevation: 3,220 Feet

197

Station: LA VERKIN, UT

Climate Division: UT 2 NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated	(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/24	5/16	5/10	5/05	5/01	4/26	4/21	4/15	4/07
32	4/30	4/20	4/14	4/08	4/03	3/28	3/22	3/16	3/06
28	4/16	4/06	3/30	3/23	3/18	3/12	3/05	2/26	2/16
24	3/18	3/09	3/02	2/24	2/19	2/13	2/07	1/31	1/22
20	3/01	2/19	2/12	2/06	2/01	1/26	1/20	1/13	1/03
16	2/13	2/03	1/26	1/19	1/12	1/04	12/25	0/00	0/00
			Fa	ll Freeze Da	tes (Month/D	ay)			•
Tomp (F)		Pro	bability of e	arlier date i	n fall (beginn	ing Aug 1) t	than indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/06	10/11	10/15	10/18	10/21	10/24	10/27	10/31	11/05
32	10/15	10/20	10/24	10/27	10/30	11/01	11/04	11/08	11/13
28	10/26	10/31	11/03	11/06	11/09	11/12	11/15	11/18	11/23
24	11/05	11/10	11/14	11/17	11/20	11/23	11/26	11/30	12/05
20	11/17	11/23	11/27	12/01	12/04	12/08	12/11	12/16	12/22
16	12/02	12/11	12/18	12/25	12/31	1/07	1/18	0/00	0/00
<u>.</u>				Freeze I	ree Period			•	
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	202	192	185	179	173	167	161	154	144
32	241	230	222	215	209	203	196	189	178
28	271	259	250	243	236	229	221	213	200
24	304	294	286	279	273	267	261	253	242
20	342	328	319	311	304	298	290	282	271
16	>365	>365	>365	>365	>365	342	329	318	305

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 424968

Station: LA VERKIN, UT

Climate Division: UT 2 NWS Call Sign: Elevation: 3,220 Feet Lat: 37°12N Lon: 113°16W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	764	532	405	229	74	4	0	0	12	176	510	760	3466
60	609	393	269	137	28	0	0	0	2	89	364	605	2496
57	516	312	199	93	14	0	0	0	0	54	282	512	1982
55	457	261	159	68	8	0	0	0	0	37	232	450	1672
50	314	148	79	27	2	0	0	0	0	11	125	306	1012
32	21	1	0	0	0	0	0	0	0	0	0	15	37

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	280	393	626	808	1094	1335	1553	1501	1229	904	481	277	10481
55	3	9	71	186	388	645	840	788	539	228	23	0	3720
57	0	4	49	150	332	585	778	726	479	184	13	0	3300
60	0	1	26	104	254	495	685	633	391	126	5	0	2720
65	0	0	8	46	145	349	530	478	251	57	1	0	1865
70	0	0	1	17	67	214	375	326	135	19	0	0	1154

						Growing Degree Units (2) Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)																		
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	87	209	390	575	853	1104	1315	1262	1001	666	261	86	87	296	686	1261	2114	3218	4533	5795	6796	7462	7723	7809
45	5 28 101 249 429 698 954 1160 1107 851 514 144												28	129	378	807	1505	2459	3619	4726	5577	6091	6235	6257
50	1 37 130 290 545 804 1005 952 701 365 62											0	1	38	168	458	1003	1807	2812	3764	4465	4830	4892	4892
55	0	5	56	169	394	654	850	797	551	231	19	0	0	5	61	230	624	1278	2128	2925	3476	3707	3726	3726
60	0 0 10 80 254 504 695 642 403 119 0										0	0	0	10	90	344	848	1543	2185	2588	2707	2707	2707	
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 86 163 269 384 546 674 804 788 634 441 203 91											91	86	249	518	902	1448	2122	2926	3714	4348	4789	4992	5083

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf