Climate Division: TX 5

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 419830

Station: WINK WINKLER CO AP, TX

NWS Call Sign: INK Elevation: 2,807 Feet Lat: 31°47N Lon: 103°12W

									r	Temp	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	58.9	27.8	43.4	87	1970	24	48.4	1999	-14	1962	11	38.8	1979	672	0	.0	.0	24.1	.9	22.0	.0
Feb	65.3	32.4	48.9	91	1940	29	55.3	2000	-6	1985	2	43.9	1973	452	0	.0	.0	25.0	.4	14.6	@
Mar	72.9	39.8	56.4	97	1940	31	62.0	1974	9	1989	5	51.7	1987	275	7	.0	.8	30.2	.0	5.8	.0
Apr	81.3	48.0	64.7	102	1996	27	69.8	1972	20	1939	7	59.5	1987	92	82	.2	7.0	29.9	.0	1.2	.0
May	89.1	58.2	73.7	111	2000	24	81.3	1996	32	1967	2	69.1	1992	14	281	2.7	16.5	31.0	.0	.0	.0
Jun	95.5	66.7	81.1	117	1994	27	87.2	1990	45	1970	2	77.4	1987	0	483	9.1	24.7	30.0	.0	.0	.0
Jul	96.1	69.9	83.0	111+	1989	2	87.6	1980	57+	1994	13	78.1	1975	0	558	9.7	27.5	31.0	.0	.0	.0
Aug	94.5	68.5	81.5	111	1959	30	86.3	1977	56+	1989	8	77.0	1971	0	511	6.3	26.0	31.0	.0	.0	.0
Sep	88.1	61.6	74.9	109	1959	1	81.7	1977	33	1996	29	67.0	1974	10	305	1.7	16.4	30.0	.0	.0	.0
Oct	79.9	49.8	64.9	105	2000	2	68.9	1998	22	1993	31	58.3	1976	78	73	.2	5.0	30.7	.0	1.0	.0
Nov	68.1	36.7	52.4	92	1987	2	57.4	1983	0	1938	24	45.2	1976	387	7	.0	.1	28.1	.1	9.3	.0
Dec	60.2	28.5	44.4	86	1954	4	49.7	1984	2	1989	23	37.2	1989	641	0	.0	.0	25.3	.5	20.9	.0
Ann	79.2	49.0	64.1	117	Jun 1994	27	87.6	Jul 1980	-14	Jan 1962	11	37.2	Dec 1989	2621	2307	29.9	124.0	346.3	1.9	74.8	@

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 307-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1938-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 419830

Station: WINK WINKLER CO AP, TX

Climate Division: TX 5 NWS Call Sign: INK Elevation: 2,807 Feet Lat: 31°47N Lon: 103°12W

										Pı	ecipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	n Total						ays (3)	Proba	ability th		nonthly/	annual _I indic	orecipita ated am	ount			less tha	n the
	Medi	ans(1)				Extremes	•			ս	aily Pre	приацо	n		Th	ese value	s were det	ermined i	from the i	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.41	.28	1.28	1975	23	1.44	1991	.00	1971	3.6	1.2	.2	@	.01	.03	.08	.14	.20	.28	.38	.50	.67	.97	1.27
Feb	.48	.36	1.37	1989	16	1.67	1987	.00+	1999	3.0	1.5	.1	@	.00	.00	.03	.12	.21	.31	.44	.60	.81	1.18	1.55
Mar	.32	.12	1.66	1990	9	3.00	1990	.00+	1994	1.7	.9	.2	@	.00	.00	.00	.02	.08	.15	.24	.37	.56	.89	1.23
Apr	.53	.38	1.68	1952	17	4.77	1981	.00+	1998	2.5	1.5	.2	.1	.00	.00	.03	.11	.21	.33	.47	.65	.90	1.33	1.78
May	1.34	.85	3.32	1992	24	8.67	1992	.01	1998	4.4	3.0	.8	.4	.03	.08	.21	.37	.57	.82	1.14	1.57	2.19	3.29	4.40
Jun	1.83	1.39	4.09	1979	1	4.85	1979	.00	1990	4.7	3.2	1.2	.5	.02	.08	.27	.50	.79	1.14	1.58	2.17	3.02	4.50	6.01
Jul	1.95	1.58	2.87	1986	2	5.87	1991	.01	1980	4.9	3.2	1.3	.6	.06	.15	.35	.60	.89	1.26	1.72	2.32	3.18	4.69	6.21
Aug	1.29	1.29	2.46	1986	26	3.31	1986	.02	1983	5.5	2.9	.8	.2	.10	.18	.34	.52	.72	.95	1.22	1.57	2.05	2.86	3.66
Sep	2.14	1.37	4.25	1964	12	9.07	1980	.00	2000	5.9	3.5	1.4	.5	.04	.17	.44	.74	1.08	1.48	1.97	2.60	3.47	4.97	6.45
Oct	1.51	1.00	5.64	1940	11	5.62	1974	.00+	1992	4.5	2.4	.9	.4	.00	.00	.12	.30	.54	.84	1.24	1.77	2.53	3.90	5.30
Nov	.55	.37	1.76	1978	4	2.29	1978	.00+	1999	2.6	1.3	.4	.1	.00	.00	.00	.05	.14	.26	.41	.63	.94	1.51	2.09
Dec	.57	.26	.96	1991	21	3.07	1986	.00+	1996	3.4	1.5	.3	.0	.00	.00	.03	.10	.19	.31	.47	.67	.97	1.50	2.04
Ann	12.92	11.25	5.64	Oct 1940	11	9.07	Sep 1980	.00+	Sep 2000	46.7	26.1	7.8	2.8	6.53	7.61	9.08	10.25	11.33	12.41	13.55	14.84	16.46	18.89	21.06

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1938-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 419830

Station: WINK WINKLER CO AP, TX

Climate Division: TX 5 NWS Call Sign: INK Elevation: 2,807 Feet Lat: 31°47N Lon: 103°12W

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	ın Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.1	.7	#	0	8.0	1983	1	11.0	1974	7	1974	24	#	1997	1.0	.7	.2	.1	.0	.6	.1	.1	.0
Feb	.4	.0	#	0	4.0	1985	1	4.0	1985	2	1980	9	#	1980	.2	.1	.1	.0	.0	.1	.0	.0	.0
Mar	.2	.0	#	0	4.6	1989	4	4.6	1989	3	1989	5	#	1989	.1	.0	@	.0	.0	@	@	.0	.0
Apr	.1	.0	0	0	2.0	1983	7	2.0	1983	#	1983	7	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1996	21	#+	1996	#	1993	30	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.4	.0	#	0	5.0	1976	12	6.0	1976	2	1980	16	#	1980	.1	.1	.1	@	.0	.1	.0	.0	.0
Dec	.6	.0	#	0	5.7	1998	11	5.7	1998	3+	1998	12	#	1998	.3	.2	.1	@	.0	.2	.1	.0	.0
Ann	3.8	.7	N/A	N/A	8.0	Jan 1983	1	11.0	Jan 1974	7	Jan 1974	24	#+	Dec 1998	1.7	1.1	.5	.1	.0	1.0	.2	.1	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

Elevation: 2,807 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 419830

Lon: 103°12W

Lat: 31°47N

Station: WINK WINKLER CO AP, TX

16

>365

>365

Climate Division: TX 5 NWS Call Sign: INK

				Freez	ze Data										
			Spri	ng Freeze D	ates (Month	/Day)									
Freeze Data Spring Freeze Dates (Month/Day)															
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	4/25	4/21	4/18	4/16	4/13	4/11	4/08	4/05	4/01						
32	4/17	4/12	4/08	4/05	4/02	3/30	3/27	3/23	3/18						
28	4/04	3/29	3/24	3/20	3/17	3/13	3/09	3/04	2/26						
24	4/01	3/24	3/18	3/13	3/08	3/03	2/26	2/20	2/12						
20	3/17	3/07	2/28	2/22	2/16	2/11	2/04	1/28	1/18						
16	2/28	2/18	2/10	2/04	1/29	1/22	1/16	1/08	12/26						
<u> </u>		J	Fal	l Freeze Da	tes (Month/I	Oay)		,-I	1						
T (E)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
1emp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	10/09	10/14	10/19	10/22	10/25	10/29	11/01	11/05	11/11						
32	10/18	10/24	10/28	11/01	11/04	11/07	11/11	11/15	11/21						
28	10/25	10/31	11/04	11/08	11/11	11/14	11/18	11/22	11/28						
24	11/04	11/10	11/15	11/18	11/22	11/25	11/29	12/04	12/10						
20	11/12	11/20	11/26	12/01	12/06	12/10	12/15	12/21	12/29						
16	11/14	11/26	12/05	12/12	12/20	12/27	1/05	1/15	2/04						
		J	1	Freeze F	ree Period	1		,-I	1						
T (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	215	208	203	199	195	190	186	181	174						
32	237	230	224	220	215	211	206	201	194						
28	263	255	249	244	239	234	228	222	214						
24	292	280	272	265	258	252	244	236	225						
24	292	200	212	203	250	202	- 11	200	223						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

331

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

343

Complete documentation available from:

322

313

295

283

305

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 419830

Station: WINK WINKLER CO AP, TX

Climate Division: TX 5 NWS Call Sign: INK Elevation: 2,807 Feet Lat: 31°47N Lon: 103°12W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	672	452	275	92	14	0	0	0	10	78	387	641	2621
60	517	316	149	32	2	0	0	0	1	24	257	487	1785
57	425	240	92	14	0	0	0	0	0	10	191	397	1369
55	365	193	62	7	0	0	0	0	0	5	153	338	1123
50	226	100	17	0	0	0	0	0	0	1	79	205	628
32	4	0	0	0	0	0	0	0	0	0	0	3	7

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	355	472	755	980	1291	1473	1581	1534	1285	1018	611	385	11740
55	3	21	104	297	578	783	868	821	595	310	74	7	4461
57	1	12	71	244	516	723	806	759	535	253	52	3	3975
60	0	4	36	172	425	633	713	666	446	174	28	1	3298
65	0	0	7	82	281	483	558	511	305	73	7	0	2307
70	0	0	0	28	161	336	403	358	183	20	0	0	1489

	Growing Degree Units (Monthly) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec J																							
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
														Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	182 303 529 757 1060 1252 1347 1298 1062 786 399												182	485	1014	1771	2831	4083	5430	6728	7790	8576	8975	9178
45	90 188 382 608 905 1102 1192 1143 912 631 269												90	278	660	1268	2173	3275	4467	5610	6522	7153	7422	7527
50	33	99	249	460	750	952	1037	988	762	479	159	42	33	132	381	841	1591	2543	3580	4568	5330	5809	5968	6010
55	5	41	138	324	595	802	882	833	612	338	77	12	5	46	184	508	1103	1905	2787	3620	4232	4570	4647	4659
60	0 11 56 200 440 652 727 678 466 208 27										0	0	11	67	267	707	1359	2086	2764	3230	3438	3465	3465	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	50/86 180 249 377 490 673 798 870 850 690 508 293 193												180	429	806	1296	1969	2767	3637	4487	5177	5685	5978	6171

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf