Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471676

Station: CLINTONVILLE, WI

Climate Division: WI 5

NWS Call Sign:

Elevation: 800 Feet Lat: 44°37N Lon: 88°45W

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	ber of Days (3)		
Month	Daily Max	Daily Min	Mean	Mean Highest Daily(2) Year Day			Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	23.3	3.7	13.5	53	1964	22	23.3	1990	-35	1982	17	1.8	1977	1597	0	.0	.0	.1	23.3	30.8	12.6
Feb	28.7	8.4	18.6	59	2000	27	30.0	1998	-31+	1996	4	8.0	1979	1302	0	.0	.0	.5	16.2	27.7	8.2
Mar	39.3	19.4	29.4	78	2000	8	38.9	2000	-26	1962	2	22.3	1989	1105	0	.0	.0	5.3	6.7	27.7	2.1
Apr	54.1	31.9	43.0	92	1980	23	48.9	1986	6	1954	3	36.7	1975	659	0	.0	@	19.2	.6	15.7	.0
May	67.7	43.5	55.6	93	1959	2	62.7	1977	19	1961	5	49.6	1983	320	28	.0	.1	29.9	.0	2.8	.0
Jun	76.5	52.9	64.7	101	1988	21	70.5	1988	31+	1972	10	59.0	1982	95	86	@	2.1	30.0	.0	@	.0
Jul	80.6	57.8	69.2	106	1995	14	74.0	1988	38+	1972	4	63.6	1992	23	154	.1	3.0	31.0	.0	.0	.0
Aug	77.8	54.8	66.3	104	1955	21	72.4	1995	34	1967	31	62.7	1977	66	106	.1	1.3	31.0	.0	.0	.0
Sep	69.4	45.2	57.3	97	1953	2	63.9	1998	22	1974	22	51.2	1974	247	16	.0	.3	29.9	.0	1.7	.0
Oct	57.5	34.3	45.9	89	1963	6	53.2	1971	15+	1976	28	40.6	1976	593	0	.0	.0	24.6	.0	12.7	.0
Nov	41.5	23.5	32.5	73+	1999	10	39.3	1999	-10+	1976	30	25.6	1976	975	0	.0	.0	7.0	5.3	24.9	.5
Dec	27.9	10.8	19.4	62+	2001	6	27.5	1997	-23	1989	21	8.9	1976	1416	0	.0	.0	.6	19.0	30.4	7.1
Ann	53.7	32.2	43.0	106	Jul 1995	14	74.0	Jul 1988	-35	Jan 1982	17	1.8	Jan 1977	8398	390	.2	6.8	209.1	71.1	174.4	30.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 020-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471676

Station: CLINTONVILLE, WI

Climate Division: WI 5 NWS Call Sign: Elevation: 800 Feet Lat: 44°37N Lon: 88°45W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recipi	itatio	on Total Extremes					ean N of D	ays (3)	Proba		M	nonthly/	annual j indic	precipita ated am	babilit ation will nount vs Probal incomplet	ll be equ	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.28	1.22	1.52	1971	4	2.94	1996	.10	1981	8.9	4.2	.5	.1	.30	.42	.60	.77	.94	1.12	1.31	1.55	1.86	2.35	2.82
Feb	.98	.94	1.25	1977	24	2.91	1981	.18	1982	6.7	3.1	.4	@	.18	.27	.41	.55	.68	.83	1.00	1.20	1.46	1.89	2.30
Mar	2.11								1999	8.2	5.0	1.3	.3	.36	.55	.86	1.14	1.44	1.76	2.13	2.57	3.17	4.13	5.05
Apr	2.63	2.63 2.40 2.34 1981 4 4.87 1981 .59							1989	9.7	6.3	1.7	.4	.87	1.12	1.49	1.80	2.10	2.41	2.75	3.14	3.65	4.44	5.16
May	3.48	2.91	3.72	1970	31	8.00	1973	.92	1988	9.7	6.7	2.3	.8	1.16	1.49	1.97	2.38	2.78	3.18	3.63	4.15	4.81	5.85	6.80
Jun	3.62	2.80	2.86	1993	9	10.31	1993	.88	1988	10.0	6.9	2.4	.8	.83	1.17	1.70	2.18	2.65	3.16	3.72	4.39	5.28	6.68	8.01
Jul	4.08	3.78	3.01	1953	28	8.64	1993	1.09	1981	10.1	6.9	2.7	1.2	1.40	1.78	2.34	2.82	3.28	3.75	4.26	4.86	5.62	6.81	7.90
Aug	4.15	3.92	3.45	1958	10	9.44	1995	1.21	1999	10.3	7.4	2.9	1.1	1.23	1.62	2.21	2.72	3.22	3.74	4.31	4.99	5.86	7.22	8.49
Sep	3.61	3.40	3.45	1965	19	8.50	1986	.39	1976	10.3	6.7	2.5	.8	.79	1.12	1.65	2.13	2.61	3.12	3.70	4.38	5.29	6.73	8.09
Oct	2.39	2.32	2.62	1960	31	5.84	1995	.32	2000	8.4	5.2	1.6	.6	.64	.86	1.21	1.51	1.81	2.12	2.47	2.88	3.42	4.27	5.06
Nov	2.28	2.28 1.93 2.50 1984 1 5.39 1985 .00							1976	8.3	4.9	1.4	.5	.35	.65	1.04	1.36	1.67	2.00	2.37	2.80	3.37	4.27	5.11
Dec	1.43 1.44 1.25 1968 19 3.09 1971 .24 1							1993	8.6	4.6	.6	.1	.30	.43	.64	.83	1.02	1.22	1.45	1.73	2.10	2.69	3.24	
Ann	32.04 32.72 3.72 31 10.31 00							Nov 1976	109.2	67.9	20.3	6.7	23.69	25.33	27.42	29.00	30.39	31.74	33.12	34.65	36.49	39.15	41.44	

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471676

Station: CLINTONVILLE, WI

Climate Division: WI 5 NWS Call Sign: Elevation: 800 Feet Lat: 44°37N Lon: 88°45W

		Snow (inches) Snow Totals Extremes (2)																					
																	Mea	n Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa				Snow Depth >= Thresholds		
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	12.5	10.0	7	7	16.0	1971	4	32.0	1971	24	1971	31	20	1971	6.9	4.7	1.4	.4	.1	28.5	22.1	18.5	7.5
Feb	8.1	8.0	7	6	8.0	1971	22	22.5	1971	25	1971	5	20+	1979	4.6	3.1	.8	.2	.0	23.8	20.3	16.5	7.4
Mar	7.9	5.9	4	2	14.0	1997	14	21.0	1972	25	1972	7	16	1975	3.8	2.7	1.0	.4	@	12.3	8.1	6.5	4.1
Apr	2.6	1.5	#	#	7.0	1977	4	16.0	1977	14	1975	1	5	1975	1.1	.9	.3	.1	.0	1.9	.9	.5	.3
May	#	.0	#	0	#	1997	1	#+	1997	#	1997	1	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	2.7	1992	20	2.7	1992	3	1992	20	#+	1997	.2	.1	.0	.0	.0	.1	@	.0	.0
Nov	4.0	3.3	#	#	7.0	1971	26	13.2	1995	9	1977	28	2	1985	2.3	1.4	.5	.2	.0	3.6	1.5	.6	.0
Dec	10.1	9.8	3	2	11.0	1985	2	24.4	1985	17	1985	6	12	1985	5.9	4.0	1.3	.4	@	21.8	12.9	7.4	2.6
Ann	45.4	38.5	N/A	N/A	16.0	Jan 1971	4	32.0	Jan 1971	25+	Mar 1972	7	20+	Feb 1979	24.8	16.9	5.3	1.7	.1	92.0	65.8	50.0	21.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471676

1971-2000

Station: CLINTONVILLE, WI

Climate Division: WI 5 NWS Call Sign:

Elevation: 800 Feet Lat: 44°37N Lon: 88°45W

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
icmp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/08	6/03	5/30	5/27	5/24	5/21	5/18	5/14	5/09
32	5/22	5/17	5/14	5/11	5/09	5/06	5/03	4/30	4/25
28	5/12	5/07	5/04	5/01	4/28	4/25	4/22	4/18	4/14
24	4/25	4/21	4/18	4/16	4/14	4/12	4/10	4/07	4/03
20	4/16	4/12	4/09	4/06	4/03	4/01	3/29	3/26	3/22
16	4/09	4/05	4/02	3/30	3/27	3/25	3/22	3/19	3/14
			Fa	ll Freeze Da	tes (Month/I	Day)			•
Temp (F)		Pro	bability of e	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)	
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/06	9/10	9/14	9/16	9/19	9/22	9/24	9/28	10/02
32	9/17	9/21	9/24	9/27	9/29	10/02	10/04	10/07	10/11
28	9/23	9/29	10/03	10/06	10/09	10/13	10/16	10/20	10/26
24	10/03	10/09	10/14	10/18	10/21	10/25	10/29	11/02	11/09
20	10/20	10/25	10/28	10/31	11/03	11/06	11/09	11/12	11/17
16	11/01	11/06	11/10	11/13	11/16	11/18	11/22	11/25	11/30
		•		Freeze F	ree Period			•	•
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	137	130	125	121	117	113	109	104	98
32	162	156	151	147	143	139	135	130	124
28	187	179	173	168	164	159	154	149	141
24	213	205	199	194	189	185	180	174	166
20	229	224	220	216	213	210	206	202	197
16	252	245	241	236	233	229	225	220	213

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CLINTONVILLE, WI

COOP ID: 471676

Climate Division: WI 5 NWS Call Sign: Elevation: 800 Feet Lat: 44°37N Lon: 88°45W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1597	1302	1105	659	320	95	23	66	247	593	975	1416	8398
60	1442	1162	950	512	206	37	4	19	136	442	825	1261	6996
57	1349	1078	857	425	150	18	0	7	86	356	735	1168	6229
55	1287	1022	795	370	118	10	0	3	60	302	675	1106	5748
50	1132	882	642	244	57	2	0	0	19	185	527	951	4641
32	593	408	192	13	0	0	0	0	0	6	117	435	1764

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	19	30	109	344	731	981	1153	1063	758	436	132	42	5798
55	0	0	0	10	137	301	440	353	129	19	0	0	1389
57	0	0	0	6	107	248	378	295	94	11	0	0	1139
60	0	0	0	2	69	177	289	214	54	4	0	0	809
65	0	0	0	0	28	86	154	106	16	0	0	0	390
70	0	0	0	0	9	28	62	37	3	0	0	0	139

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0 1 31 180 510 764 929 847 556 245 40												0	1	32	212	722	1486	2415	3262	3818	4063	4103	4104
45	0 0 10 100 362 614 774 692 409 141 16											0	0	0	10	110	472	1086	1860	2552	2961	3102	3118	3118
50	0	0	3	51	231	465	619	537	272	68	2	0	0	0	3	54	285	750	1369	1906	2178	2246	2248	2248
55	0	0	0	23	133	321	464	383	159	26	0	0	0	0	0	23	156	477	941	1324	1483	1509	1509	1509
60	0	0	0	7	63	190	310	235	80	5	0	0	0	0	0	7	70	260	570	805	885	890	890	890
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	0 0 23 123 314 483 608 542 338 154 25											0	0	0	23	146	460	943	1551	2093	2431	2585	2610	2610

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf