Climate Division: MN 6

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 215598

Lon: 92°45W

Station: MOOSE LAKE 1 SSE, MN

Elevation: 1,110 Feet Lat: 46°26N

									r	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes			Degree Base T	Days (1) emp 65	Mean Number of Days (3)							
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	19.7	-2.7	8.5	54	1973	25	20.1	1990	-53	1972	15	-3.3	1982	1753	0	.0	.0	.1	26.5	31.0	16.9
Feb	27.5	3.6	15.6	57+	1981	18	30.1	1998	-41+	1982	3	4.2	1989	1385	0	.0	.0	.5	18.0	27.9	12.0
Mar	38.6	16.2	27.4	73+	1987	7	36.3	2000	-39	1962	1	18.8	1975	1166	0	.0	.0	4.4	8.6	29.1	4.7
Apr	54.6	28.1	41.4	92	1980	21	47.5	1987	-8+	1975	4	33.7	1975	710	0	.0	@	19.3	.7	21.0	.1
May	69.0	39.0	54.0	92	1949	3	61.3	1977	16+	1971	3	48.5	1979	353	12	.0	.1	29.8	.0	7.4	.0
Jun	76.7	47.7	62.2	95+	1963	30	66.5	1995	26	1988	9	56.7	1985	125	41	.0	.9	30.0	.0	.5	.0
Jul	81.0	54.1	67.6	101+	1988	28	71.6	1988	34	1972	4	60.4	1992	46	125	.1	2.5	31.0	.0	.0	.0
Aug	78.2	53.3	65.8	98+	1988	16	70.0+	1998	30	1950	20	60.5	1977	83	105	.0	1.3	31.0	.0	.1	.0
Sep	68.5	44.5	56.5	97	1976	7	63.2	1998	18	1974	22	51.3	1974	268	13	.0	.1	29.4	.0	3.2	.0
Oct	55.8	33.6	44.7	87+	1992	2	49.8	1973	5+	1976	27	39.1	1976	628	0	.0	.0	22.4	.2	14.1	.0
Nov	36.8	20.3	28.6	72	1975	4	37.7	1999	-31	1976	28	20.8	1985	1094	0	.0	.0	4.1	11.0	26.5	1.9
Dec	23.4	4.4	13.9	57+	1982	2	25.0	1997	-46	1983	19	.1	1983	1585	0	.0	.0	.2	24.6	30.8	12.6
Ann	52.5	28.5	40.5	101+	Jul 1988	28	71.6	Jul 1988	-53	Jan 1972	15	-3.3	Jan 1982	9196	296	.1	4.9	202.2	89.6	191.6	48.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

NWS Call Sign:

Issue Date: February 2004 067-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 215598

Station: MOOSE LAKE 1 SSE, MN

Climate Division: MN 6 NWS Call Sign: Elevation: 1,110 Feet Lat: 46°26N Lon: 92°45W

										Pı	recipi	tation	(incl	nes)													
	Mea	ans/	P	recip	itatio	on Total						ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels													
	Medi	ans(1)				Extremes	8			և	aily Pre	cipitatio	n	These values were determined from the incomplete gamma distribution													
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95			
Jan	.94	.86	1.51	1975	11	3.39	1975	.05	1981	6.9	3.1	.2	.1	.14	.22	.35	.48	.62	.77	.94	1.15	1.43	1.90	2.34			
Feb	.69	.54	1.41	1971	27	2.13	1971	.04	1982	4.9	2.2	.2	@	.06	.11	.21	.30	.41	.52	.66	.84	1.08	1.48	1.88			
Mar	1.48	1.42	1.68	1977	12	3.97	1977	.49	1993	6.3	4.2	.7	.1	.42	.56	.77	.96	1.14	1.32	1.53	1.77	2.09	2.59	3.05			
Apr	1.92	1.83	2.52	2001	23	4.90	1994	.10	1980	6.9	4.9	1.2	.2	.31	.47	.75	1.02	1.29	1.59	1.93	2.35	2.90	3.81	4.68			
May	2.99	3.11	2.50+	1979	10	4.65	1991	.53	1976	9.5	6.7	2.0	.6	1.18	1.46	1.85	2.18	2.48	2.80	3.13	3.52	4.02	4.78	5.47			
Jun	4.50	4.31	4.15	1953	20	7.70	1996	1.30	1987	10.9	7.8	3.3	1.2	1.82	2.23	2.82	3.30	3.75	4.22	4.71	5.29	6.02	7.13	8.14			
Jul	4.35	4.39	4.50	1952	17	11.35	1972	1.18	1989	10.1	7.4	3.1	1.2	1.57	1.98	2.57	3.06	3.54	4.02	4.55	5.16	5.94	7.15	8.25			
Aug	4.07	4.27	4.42	1989	31	7.39	1990	.64	1976	9.2	6.7	2.7	1.0	1.27	1.65	2.23	2.72	3.20	3.69	4.23	4.87	5.69	6.97	8.15			
Sep	3.51	2.74	3.95	1985	3	7.54	1986	.57	1974	9.8	6.8	1.9	.6	.78	1.10	1.62	2.08	2.55	3.04	3.60	4.26	5.14	6.53	7.85			
Oct	2.49	2.31	2.35	1971	28	8.22	1971	.40	1976	8.2	5.4	1.7	.6	.42	.63	1.00	1.34	1.69	2.07	2.51	3.04	3.75	4.89	5.99			
Nov	1.86	1.54	1.74	1996	17	4.65	1996	.29	1976	7.3	4.6	1.2	.4	.40	.57	.84	1.09	1.34	1.60	1.90	2.26	2.73	3.48	4.20			
Dec	.83	.82	1.12	1977	18	2.08	1982	.09	1999	6.7	3.0	.2	.1	.17	.25	.37	.48	.59	.71	.85	1.01	1.23	1.57	1.90			
Ann	29.63	28.54	4.50	Jul 1952	17	11.35	Jul 1972	.04	Feb 1982	96.7	62.8	18.4	6.1	21.64	23.20	25.20	26.70	28.04	29.32	30.65	32.11	33.88	36.44	38.64			

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

Elevation: 1,110 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 215598

Lon: 92°45W

Station: MOOSE LAKE 1 SSE, MN

Climate Division: MN 6 NWS Call Sign:

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)				ow Fa		Snow Depth >= Thresholds							
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	9.1	9.2	11	10	11.3	1996	18	26.3	1975	31	1975	31	23	1997	6.6	3.4	1.1	.1	.1	-9.9	-9.9	-9.9	-9.9
Feb	5.5	4.8	14	14	8.0	1971	27	15.2	1971	30	1975	2	28	1975	4.2	2.1	.3	.2	.0	-9.9	-9.9	-9.9	-9.9
Mar	6.8	5.6	11	10	7.6	1988	12	20.6	1975	33	1979	9	27	1975	3.4	2.4	.7	.3	.0	21.3	20.5	19.8	17.7
Apr	2.9	2.0	2	#	7.0	1995	19	10.1	1983	26	1975	6	16	1975	1.4	1.1	.4	.1	.0	4.9	4.1	3.5	2.5
May	.1	.0	#	0	.5	1989	6	1.0	1991	1+	1991	5	#+	1991	.1	.0	.0	.0	.0	.1	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.7	.0	#	0	4.0	1995	24	7.3	1995	2	1995	22	#+	1997	.5	.3	@	.0	.0	.3	.0	.0	.0
Nov	6.4	3.9	1	1	10.2	1991	2	31.2	1991	21	1991	6	13	1991	3.5	2.5	.9	.3	.1	5.9	2.0	1.3	.4
Dec	7.2	6.8	6	5	10.0	1982	28	21.0	1982	21	1982	31	17	1983	5.9	3.0	.3	.1	@	24.9	14.4	9.1	.8
Ann	38.7	32.3	N/A	N/A	11.3	Jan 1996	18	31.2	Nov 1991	33	Mar 1979	9	28	Feb 1975	25.6	14.8	3.7	1.1	.2	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Lat: 46°26N

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 215598

Lon: 92°45W

Lat: 46°26N

Elevation: 1,110 Feet

Station: MOOSE LAKE 1 SSE, MN

Climate Division: MN 6 NWS Call Sign:

Freeze Data Spring Freeze Dates (Month/Day) Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F) .10 .20 .30 .40 .60 .70 .80 .90 36 6/25 6/19 6/15 6/11 6/08 6/05 6/01 5/28 5/22 32 6/12 6/06 6/01 5/29 5/25 5/22 5/18 5/14 5/08 28 5/30 5/24 5/20 5/16 5/12 5/09 5/05 5/01 4/24 4/28 24 5/14 5/08 5/04 5/01 4/24 4/21 4/17 4/11 20 5/02 4/27 4/23 4/19 4/16 4/13 4/10 4/01 4/06 4/22 4/17 4/08 16 4/14 4/11 4/05 4/02 3/30 3/25 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 36 8/16 8/24 8/29 9/03 9/07 9/11 9/15 9/21 9/28 32 9/03 9/08 9/12 9/15 9/18 9/21 9/24 9/28 10/03 28 9/15 9/19 9/23 9/26 9/29 10/02 10/05 10/08 10/13 24 9/23 9/28 10/03 10/06 10/09 10/13 10/16 10/20 10/26 20 10/06 10/13 10/17 10/21 10/25 10/28 11/01 11/06 11/12 10/23 10/27 10/30 11/03 16 10/17 11/06 11/09 11/14 11/19 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 122 111 103 96 90 84 77 36 69 58 32 143 133 126 120 115 109 103 96 87 28 162 154 148 143 139 134 129 123 115 24 193 183 176 170 164 158 152 145 136 179 162 20 219 209 202 196 191 185 172

213

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

218

Derived from 1971-2000 serially complete daily data

232

16

224

Complete documentation available from:

198

192

184

208

203

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 215598

Station: MOOSE LAKE 1 SSE, MN

Climate Division: MN 6 NWS Call Sign: Elevation: 1,110 Feet Lat: 46°26N Lon: 92°45W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1753	1385	1166	710	353	125	46	83	268	628	1094	1585	9196		
60	1598	1245	1011	562	226	49	10	28	152	475	944	1430	7730		
57	1505	1161	918	474	164	23	4	12	98	387	854	1337	6937		
55	1443	1105	856	417	128	12	0	6	69	331	794	1275	6436		
50	1288	965	702	286	61	2	0	0	23	207	646	1120	5300		
32	745	498	239	24	0	0	0	0	0	9	201	593	2309		

Base	Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	14	37	95	304	682	907	1101	1046	735	404	97	32	5454		
55	0	0	0	7	97	229	388	339	114	12	0	0	1186		
57	0	0	0	4	71	179	330	283	82	7	0	0	956		
60	0	0	0	1	40	115	244	206	47	2	0	0	655		
65	0	0	0	0	12	41	125	105	13	0	0	0	296		
70	0	0	0	0	2	9	47	40	2	0	0	0	100		

	Growing Degree U																									
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)													
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
40	0	1	12	127	439	667	861	803	504	206	16	0	0	1	13	140	579	1246	2107	2910	3414	3620	3636	3636		
45	0	0	2	58	296	517	706	648	358	109	5	0	0	0	2	60	356	873	1579	2227	2585	2694	2699	2699		
50	0	0	0	23	174	370	551	493	228	46	0	0	0	0	0	23	197	567	1118	1611	1839	1885	1885	1885		
55	0	0	0	7	87	232	396	341	126	17	0	0	0	0	0	7	94	326	722	1063	1189	1206	1206	1206		
60	0	0	0	1	40	116	245	203	60	1	0	0	0	0	0	1	41	157	402	605	665	666	666	666		
Base		Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)												
50/86	1/86 0 0 13 113 303 427 551 514 312 125 11 0										0	0	0	13	126	429	856	1407	1921	2233	2358	2369	2369			

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf