Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 218679

Station: WARROAD, MN

Climate Division: MN 1

NWS Call Sign:

Elevation: 1,069 Feet Lat: 48°55N Lon: 95°19W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					U	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	12.1	-10.2	1.0	45	1981	24	13.6	1990	-47	1949	20	-12.1	1982	1988	0	.0	.0	.0	28.8	31.0	21.7
Feb	20.5	-3.8	8.4	56	1958	25	25.3	1998	-48	1966	19	-3.3	1989	1588	0	.0	.0	.1	21.8	28.0	15.7
Mar	32.6	9.9	21.3	73	1963	31	33.2	2000	-33	1962	1	12.5	1996	1358	0	.0	.0	1.9	13.3	29.7	7.5
Apr	49.4	25.3	37.4	93	1980	21	46.9	1987	-14	1954	2	29.4	1996	830	0	.0	.1	14.8	1.9	21.8	.4
May	64.8	40.9	52.9	94+	1964	22	62.7	1977	14+	1967	2	44.7	1979	397	21	.0	.3	28.3	.1	5.6	.0
Jun	74.1	51.6	62.9	98	1995	18	70.0	1988	20	1952	6	56.3	1982	130	65	.0	.9	30.0	.0	.1	.0
Jul	79.0	55.6	67.3	100	1988	6	73.6	1989	37	1983	5	60.3	1992	57	128	@	1.6	31.0	.0	.0	.0
Aug	77.6	53.3	65.5	101	1989	2	70.9	1983	30	1964	22	59.1	1977	89	103	@	1.2	31.0	.0	@	.0
Sep	66.3	42.1	54.2	94	1978	5	58.8	1998	18	1965	26	49.2	1993	328	5	.0	.2	28.5	.0	2.8	.0
Oct	52.9	31.2	42.1	86	1961	6	48.2	1973	2+	1988	30	37.8	1991	711	0	.0	.0	18.7	.7	15.9	.0
Nov	32.6	15.6	24.1	73	1975	5	34.2	1999	-30	1958	29	14.4	1985	1227	0	.0	.0	2.9	14.8	28.1	3.5
Dec	17.6	-1.6	8.0	50+	1982	3	22.0	1997	-40	1967	31	-3.0	2000	1769	0	.0	.0	@	26.5	30.9	16.2
Ann	48.3	25.8	37.1	101	Aug 1989	2	73.6	Jul 1989	-48	Feb 1966	19	-12.1	Jan 1982	10472	322	.0	4.3	187.2	107.9	193.9	65.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 103-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 218679

Station: WARROAD, MN

Climate Division: MN 1 NWS Call Sign: Elevation: 1,069 Feet Lat: 48°55N Lon: 95°19W

										Pı	recipit	tation	(incl	nes)										
	Mo	ans/	P	recip	itatio	on Total	S			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated am		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.63	.55	.66	1975	11	1.97	1989	.16	1985	6.7	2.3	.1	.0	.17	.23	.32	.40	.48	.56	.65	.76	.90	1.12	1.32
Feb	.55	.46	.94	1983	27	1.51	1987	.00+	1996	4.4	1.9	.2	.0	.00	.00	.15	.25	.34	.44	.55	.69	.87	1.17	1.46
Mar	.69	.52	1.03	1989	13	2.75	1983	.07	1984	5.0	2.2	.2	@	.07	.12	.21	.31	.41	.53	.67	.84	1.08	1.47	1.86
Apr	1.21	1.21 1.01 2.49 1974 21 3.79 1974 .00 19							1988	5.1	2.8	.7	.2	.11	.25	.45	.63	.81	1.00	1.22	1.49	1.85	2.42	2.98
May	2.40	1.95	2.05	1956	11	5.55	1999	.41	1980	9.4	5.6	1.4	.4	.68	.90	1.25	1.55	1.84	2.15	2.48	2.88	3.40	4.21	4.97
Jun	3.78	3.33	3.51	1991	13	8.25	1991	.76	1974	11.2	7.3	2.3	.7	1.16	1.52	2.05	2.51	2.96	3.42	3.93	4.52	5.29	6.50	7.61
Jul	3.64	3.64	2.60	1948	30	7.19	1982	.69	1972	10.8	6.7	2.1	1.0	1.28	1.62	2.12	2.54	2.94	3.35	3.80	4.33	5.00	6.03	6.98
Aug	2.95	2.86	2.45	1985	4	7.59	2000	.45	1990	9.6	5.3	1.7	.6	.63	.90	1.34	1.73	2.12	2.54	3.02	3.59	4.33	5.53	6.66
Sep	2.62	2.23	3.04	1955	18	8.23	1991	.23	1979	9.7	5.8	1.4	.4	.42	.65	1.03	1.39	1.76	2.16	2.63	3.19	3.95	5.17	6.35
Oct	1.80	1.44	1.92	1996	18	5.84	1998	.11	1992	7.9	4.2	1.1	.4	.21	.35	.60	.85	1.12	1.42	1.77	2.20	2.79	3.76	4.71
Nov	1.19	1.08	1.27	1986	8	3.96	2000	.03	1976	6.2	3.3	.7	.1	.12	.21	.38	.54	.72	.92	1.16	1.45	1.85	2.51	3.16
Dec	.63	.56	.65	1960	5	1.88	1996	.18	1980	5.6	2.5	@	.0	.17	.23	.33	.40	.48	.56	.65	.76	.90	1.12	1.32
Ann	22.09	22.16	3.51	Jun 1991	13	8.25	Jun 1991	.00+	Feb 1996	91.6	49.9	11.9	3.8	14.89	16.25	18.01	19.36	20.56	21.73	22.94	24.29	25.93	28.32	30.40

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 218679

Station: WARROAD, MN

Climate Division: MN 1 NWS Call Sign: Elevation: 1,069 Feet Lat: 48°55N Lon: 95°19W

										Snov	v (incl	nes)											
						Sno	ow To	tals									Mea	n Nui	mber	of Day	VS (1)		
	Means/Medians (1) Extremes (2) Highest															ow Fa					Depth esholo		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.7	6.7	13	11	7.0	1989	7	16.1	1975	31	1996	19	24+	1997	3.9	2.5	.8	.3	.0	-9.9	-9.9	-9.9	-9.9
Feb	6.8	5.0	13	14	5.0	1977	24	16.3	1987	31	1979	22	25	1997	2.5	2.0	.6	.1	.0	-9.9	-9.9	-9.9	-9.9
Mar	5.6	4.0	9	8	10.0	1988	8	16.0	1988	31	1979	2	24	1997	1.9	1.5	.8	.3	.1	-9.9	-9.9	-9.9	-9.9
Apr	1.9	.2	2	#	6.0	1996	3	11.1	1975	25	1996	4	17	1989	.9	.6	.3	.1	.0	.2	.0	.0	.0
May	.0	.0	0	0	.2	1976	2	.2	1976	0	0	0	0	0	@	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1974	30	#	1974	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.6	.0	#	0	6.0	1979	31	6.0	1979	3	1988	28	#+	1997	.2	.2	.1	@	.0	@	.0	.0	.0
Nov	2.4	-99.9	2	1	12.0	1977	20	12.0	1977	24	1977	21	6	1995	2.5	2.2	1.3	.4	.1	-9.9	-9.9	-9.9	-9.9
Dec	5.8	6.0	7	6	7.0	1972	31	9.0	1978	29	1995	18	22	1995	3.5	2.9	.9	.3	.0	-9.9	-9.9	-9.9	-9.9
Ann	29.8	-9.9	N/A	N/A	12.0	Nov 1977	20	16.3	Feb 1987	31+	Jan 1996	19	25	Feb 1997	15.4	11.9	4.8	1.5	.2	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 218679

Station: WARROAD, MN

Climate Division: MN 1 NWS Call Sign:

VS Call Sign: Elevation: 1,069 Feet Lat: 48°55N Lon: 95°19W

				Freez	e Data										
			Spri	ng Freeze D	ates (Month	/Day)									
Tomn (F)	Probability of later date in spring (thru Jul 31) than indicated(*) 10														
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	6/15	6/09	6/05	6/01	5/29	5/25	5/21	5/17	5/11						
32	5/31	5/26	5/22	5/19	5/16	5/13	5/10	5/07	5/02						
28	5/18	5/14	5/12	5/09	5/07	5/05	5/02	4/29	4/25						
24	5/11	5/06	5/03	4/30	4/27	4/24	4/22	4/18	4/14						
20	4/26	4/22	4/19	4/17	4/14	4/12	4/10	4/07	4/03						
16	4/20	4/16	4/13	4/10	4/08	4/05	4/03	3/30	3/26						
-		•	Fal	l Freeze Da	tes (Month/I	Day)		•	1						
To (E)		Pro	bability of ea	arlier date i	n fall (begini	ning Aug 1) t	han indicate	ed(*)							
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/25	8/31	9/04	9/07	9/10	9/13	9/17	9/21	9/26						
32	9/12	9/16	9/19	9/21	9/23	9/25	9/27	9/30	10/03						
28	9/18	9/22	9/26	9/28	10/01	10/04	10/06	10/10	10/14						
24	9/26	10/02	10/06	10/10	10/13	10/16	10/20	10/24	10/29						
20	10/11	10/17	10/21	10/24	10/27	10/30	11/03	11/06	11/12						
16	10/20	10/25	10/28	10/31	11/03	11/06	11/09	11/12	11/17						
			•	Freeze F	ree Period										
Tomar (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	131	122	115	109	104	99	93	86	77						
32	151	143	138	133	129	125	120	115	107						
28	164	158	154	150	146	143	139	135	129						
24	189	182	177	172	168	164	159	154	147						
20	216	209	204	199	195	191	186	181	174						
16	227	221	216	212	209	205	201	196	190						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 218679

Lon: 95°19W

Station: WARROAD, MN

Climate Division: MN 1

Elevation: 1,069 Feet Lat: 48°55N

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree I	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1988	1588	1358	830	397	130	57	89	328	711	1227	1769	10472
60	1833	1448	1203	681	274	58	15	32	197	556	1077	1614	8988
57	1740	1364	1110	594	211	31	6	14	132	464	987	1521	8174
55	1678	1308	1048	537	174	19	1	8	96	404	927	1459	7659
50	1523	1168	893	402	100	5	0	1	34	266	778	1304	6474
32	969	687	393	76	3	0	0	0	0	19	311	770	3228

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	5	23	58	237	650	925	1094	1038	667	331	74	24	5126
55	0	0	0	8	109	254	382	332	73	3	0	0	1161
57	0	0	0	5	83	206	325	277	49	1	0	0	946
60	0	0	0	2	53	143	241	201	25	0	0	0	665
65	0	0	0	0	21	65	128	103	5	0	0	0	322
70	0	0	0	0	7	20	52	40	1	0	0	0	120

										Gro	wing l	Degre	e Uni	ts (2)										
Base														Growing Degree Units (Accumulated Monthly)										
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	0 0 4 102 436 689 855 796 454 160 11												0	4	106	542	1231	2086	2882	3336	3496	3507	3507
45	0 0 0 55 303 539 700 641 315 80 5												0	0	0	55	358	897	1597	2238	2553	2633	2638	2638
50	0	0	0	21	191	394	545	486	191	34	0	0	0	0	0	21	212	606	1151	1637	1828	1862	1862	1862
55	0	0	0	9	107	255	392	333	101	10	0	0	0	0	0	9	116	371	763	1096	1197	1207	1207	1207
60	0	0	0	1	48	143	241	196	43	1	0	0	0	0	0	1	49	192	433	629	672	673	673	673
Base	Growing Degree Units for Corn (Monthly)											Growing Degree Units for Corn (Accumulated Monthly)												
50/86	10/86 0 0 1 85 268 423 546 498 265 92 9 0												0	0	1	86	354	777	1323	1821	2086	2178	2187	2187

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

NWS Call Sign:

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf