Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 428668

Lon: 112°26W

Station: THIOKOL PLANT 78, UT

Climate Division: UT 3 NWS Call Sign:

									r	Гетр	eratu	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max					Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0					
Jan	33.3	12.5	22.9	53	2000	16	32.0	1994	-28	1984	18	13.4	1979	1305	0	.0	.0	.5	13.3	30.4	6.5
Feb	40.1	17.1	28.6	65	1986	27	38.2	1995	-29+	1982	5	16.9	1985	1019	0	.0	.0	4.4	6.2	26.7	3.3
Mar	50.6	26.3	38.5	73+	1986	28	45.1	1986	-5	1964	8	28.3	1976	823	0	.0	.0	16.6	.7	25.6	.3
Apr	60.9	32.1	46.5	85+	1987	26	52.8	1992	11+	1968	8	40.2	1975	555	0	.0	.0	25.7	.0	16.9	.0
May	70.9	39.7	55.3	90	2001	24	61.2	1992	15	1965	6	49.8	1975	311	10	.0	.0	30.2	.0	5.2	.0
Jun	82.5	47.6	65.1	103	1970	23	71.2	1988	29+	1968	30	59.5	1998	103	104	.1	6.8	30.0	.0	.3	.0
Jul	91.6	54.4	73.0	105	2000	23	77.3	1989	35+	1968	1	66.8	1993	8	257	1.6	21.5	31.0	.0	.0	.0
Aug	90.5	53.5	72.0	107	2000	2	77.0	2000	30	1964	30	68.3	1975	9	226	1.0	19.1	31.0	.0	@	.0
Sep	79.5	43.6	61.6	98+	1995	1	68.8	1990	20+	1970	25	56.7	1971	153	49	.0	3.6	29.9	.0	3.1	.0
Oct	64.7	32.3	48.5	88	1992	1	54.6	1988	10	1991	24	43.7	1984	513	0	.0	.0	28.2	.1	17.0	.0
Nov	46.9	22.8	34.9	72	1999	6	41.6	1999	-17+	1979	28	29.3	1994	904	0	.0	.0	11.9	1.9	26.9	.6
Dec	35.5	13.8	24.7	60	1995	1	32.0	1977	-27	1972	10	14.9	1990	1251	0	.0	.0	1.4	10.1	30.2	3.3
Ann	62.3	33.0	47.6	107	Aug 2000	2	77.3	Jul 1989	-29+	Feb 1982	5	13.4	Jan 1979	6954	646	2.7	51.0	240.8	32.3	182.3	14.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 098-A

Elevation: 4,600 Feet Lat: 41°43N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1962-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 428668

Station: THIOKOL PLANT 78, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,600 Feet Lat: 41°43N Lon: 112°26W

										Pı	recipi	tation	(incl	nes)										
	Mo	ans/	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated am		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.19	1.08	1.05	1993	9	3.14	1980	.06	1994	7.9	3.8	.4	.1	.18	.29	.46	.62	.79	.98	1.19	1.45	1.80	2.37	2.91
Feb	1.15	1.04	1.25	1976	9	3.11	1998	.00	1997	6.5	3.7	.4	.1	.04	.13	.29	.45	.63	.84	1.09	1.40	1.84	2.56	3.27
Mar	1.30	1.10	1.56	1975	25	3.72	1995	.19	1999	7.9	3.8	.6	.1	.25	.37	.56	.74	.92	1.11	1.33	1.59	1.93	2.49	3.02
Apr	1.33	1.12	1.15	2001	7	3.16	1986	.18	1985	7.9	4.2	.6	@	.23	.34	.54	.72	.90	1.11	1.34	1.62	1.99	2.59	3.17
May	1.99	1.60	1.42	1966	10	5.74	1980	.02	1972	8.7	5.2	1.3	.2	.17	.31	.58	.85	1.15	1.50	1.91	2.42	3.13	4.31	5.46
Jun	1.13	.93	1.96	1964	7	3.84	1997	.00+	2000	4.5	2.7	.8	.2	.00	.00	.21	.40	.60	.82	1.08	1.41	1.86	2.61	3.34
Jul	.87	.69	1.15	1998	24	2.70	1984	.00+	1988	3.7	2.0	.6	.1	.00	.03	.12	.24	.39	.56	.77	1.05	1.45	2.13	2.83
Aug	.87	.61	2.45	1977	18	3.63	1977	.00	1985	3.9	2.1	.5	.2	.03	.10	.22	.34	.48	.64	.83	1.06	1.38	1.93	2.46
Sep	1.18	1.01	2.26	1982	26	4.64	1982	.00	1974	5.0	3.0	.7	.1	.02	.10	.25	.41	.60	.82	1.09	1.44	1.92	2.74	3.56
Oct	1.35	1.43	1.79	1963	30	3.88	1981	.00	1978	5.9	3.3	.8	.1	.05	.16	.35	.55	.77	1.01	1.30	1.66	2.16	2.99	3.80
Nov	1.17	1.11	1.19	1994	12	3.33	1987	.00	1993	8.2	3.4	.5	.1	.07	.18	.36	.53	.71	.91	1.15	1.44	1.84	2.49	3.12
Dec	.96	.71	1.00	1983	1	4.43	1983	.00	1976	7.2	3.4	.2	@	.02	.08	.21	.34	.49	.67	.89	1.16	1.55	2.21	2.86
Ann	14.49	14.61	2.45	Aug 1977	18	5.74	May 1980	.00+	Jun 2000	77.3	40.6	7.4	1.3	8.21	9.32	10.80	11.96	13.01	14.06	15.15	16.39	17.91	20.18	22.18

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1962-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 428668

Station: THIOKOL PLANT 78, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,600 Feet Lat: 41°43N Lon: 112°26W

										Snov	w (incl	hes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	7.3	5.0	4	3	6.0	1979	18	21.1	1982	19	1984	3	16	1984	3.5	2.5	.6	.1	.0	14.6	5.5	3.6	2.2
Feb	4.7	5.5	4	1	7.0	2000	24	13.6	1976	20	1984	11	17	1984	2.0	1.9	.4	.1	.0	4.6	2.4	2.2	2.1
Mar	.8	.0	1	#	4.0	1974	2	4.2	1974	17	1984	6	6	1985	.4	.3	.1	.0	.0	.7	.4	.3	.1
Apr	.1	.0	#	0	1.0	1982	6	1.0	1982	2	1974	10	#+	1982	.1	@	.0	.0	.0	@	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	#	1994	1	#	1994	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.1	.0	0	0	2.0	1995	6	2.0	1995	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	#	0	.0	0	0	.0	0	#	1987	10	#	1987	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	#	0	.0	0	0	.0	0	#	1997	11	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	#	0	1.0	1971	31	1.0	1971	1	1971	31	#	1971	@	@	.0	.0	.0	@	.0	.0	.0
Nov	1.7	1.0	#	#	7.5	1975	28	10.2	1983	13	1975	28	3	1985	1.6	1.1	.2	@	.0	2.7	1.7	.5	@
Dec	6.2	5.5	2	1	10.5	1984	16	27.5	1971	20	1983	31	11	1983	3.6	2.5	.6	.2	@	9.9	6.2	2.8	.8
Ann	20.9	17.0	N/A	N/A	10.5	Dec 1984	16	27.5	Dec 1971	20+	Feb 1984	11	17	Feb 1984	11.2	8.3	1.9	.4	@	32.5	16.2	9.4	5.2

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 428668

Station: THIOKOL PLANT 78, UT

Climate Division: UT 3 NWS Call Sign:

Lon: 112°26W Elevation: 4,600 Feet Lat: 41°43N

				Freez	e Data										
			Spri	ng Freeze D	ates (Month/	(Day)									
Temn (F)	Probability of later date in spring (thru Jul 31) than indicated (*) 10														
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/01	6/25	6/20	6/16	6/13	6/09	6/05	5/31	5/25						
32	6/12	6/05	5/31	5/27	5/23	5/19	5/15	5/10	5/03						
28	5/24	5/18	5/15	5/11	5/08	5/05	5/02	4/29	4/23						
24	5/11	5/04	4/29	4/25	4/21	4/18	4/13	4/09	4/02						
20	4/30	4/20	4/12	4/06	3/31	3/25	3/19	3/11	3/01						
16	4/13	4/03	3/27	3/21	3/15	3/10	3/04	2/24	2/15						
		•	Fal	l Freeze Dat	tes (Month/D	ay)	•	1	•						
To (E)		Pro	bability of ea	arlier date ii	ı fall (beginn	ing Aug 1) t	han indicate	ed(*)							
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	9/01	9/06	9/10	9/13	9/16	9/18	9/22	9/25	9/30						
32	9/11	9/15	9/19	9/22	9/24	9/27	9/30	10/03	10/08						
28	9/19	9/24	9/27	9/30	10/03	10/06	10/09	10/13	10/18						
24	9/26	10/03	10/07	10/11	10/14	10/18	10/22	10/26	11/01						
20	10/13	10/19	10/23	10/27	10/30	11/02	11/06	11/10	11/15						
16	10/27	11/01	11/05	11/08	11/11	11/14	11/17	11/21	11/26						
			l	Freeze F	ree Period		l .	II.							
T (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))							
temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	119	111	104	99	94	89	84	78	69						
32	147	139	134	129	124	119	114	109	101						
28	171	163	157	152	147	142	137	131	123						
24	201	192	186	180	175	170	165	158	150						
20	251	237	228	220	212	204	196	187	173						
16	272	261	253	246	240	234	227	219	208						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 428668

Station: THIOKOL PLANT 78, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,600 Feet Lat: 41°43N Lon: 112°26W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1305	1019	823	555	311	103	8	9	153	513	904	1251	6954
60	1150	879	668	411	185	44	1	1	71	361	754	1096	5621
57	1057	795	577	329	125	23	0	0	39	275	664	1003	4887
55	995	739	520	277	91	14	0	0	24	223	604	941	4428
50	843	611	378	168	34	3	0	0	5	114	456	786	3398
32	357	221	57	5	0	0	0	0	0	1	73	278	992

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	75	125	257	440	722	991	1271	1240	886	511	159	50	6727
55	0	0	7	22	101	315	558	527	220	21	0	0	1771
57	0	0	1	14	72	264	496	465	175	11	0	0	1498
60	0	0	0	6	39	195	404	373	117	4	0	0	1138
65	0	0	0	0	10	104	257	226	49	0	0	0	646
70	0	0	0	0	2	44	132	106	14	0	0	0	298

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	e Units (Accumu	lated Mo	nthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	9	67	220	482	755	1022	988	643	279	34	1	0	9	76	296	778	1533	2555	3543	4186	4465	4499	4500
45													0	0	19	134	467	1072	1939	2772	3266	3426	3435	3435
50	0	0	0	47	201	456	712	678	353	68	0	0	0	0	0	47	248	704	1416	2094	2447	2515	2515	2515
55	0	0	0	17	100	313	557	523	222	19	0	0	0	0	0	17	117	430	987	1510	1732	1751	1751	1751
60	0	0	0	1	39	193	403	370	115	3	0	0	0	0	0	1	40	233	636	1006	1121	1124	1124	1124
Base	ase Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 0 9 66 180 334 487 631 619 446 242 40 0											0	0	9	75	255	589	1076	1707	2326	2772	3014	3054	3054

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf