Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 245735

Lon: 113°58W

Station: MISSOULA 2 NE, MT

Climate Division: MT 1 NWS Call Sign:

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	32.5	16.8	24.7	58	1989	30	34.1	1994	-27	1979	1	7.4	1979	1250	0	.0	.0	.5	12.4	28.6	3.9
Feb	39.3	20.9	30.1	65	1995	24	36.9	1992	-23	1989	3	16.7	1989	977	0	.0	.0	2.7	5.8	25.6	1.6
Mar	48.1	27.0	37.6	75	1978	29	44.0	1992	-4	1976	2	32.7	1976	851	0	.0	.0	12.4	1.2	24.2	.1
Apr	57.1	32.7	44.9	87+	1987	28	51.0	1987	16+	1982	8	38.5	1975	604	0	.0	.0	22.2	@	14.0	.0
May	65.3	39.6	52.5	93	1986	30	59.0	1993	21+	1985	12	47.8	1974	392	3	.0	.2	29.2	.0	4.3	.0
Jun	73.4	45.9	59.7	97	1974	19	65.4	1986	30	1984	1	55.2	1981	191	30	.0	1.6	30.0	.0	.2	.0
Jul	82.3	50.5	66.4	104	1973	10	73.3	1985	30	1971	7	58.2	1993	84	127	.2	7.1	31.0	.0	@	.0
Aug	82.2	49.9	66.1	102	1969	24	70.1	1994	31+	1992	25	60.0	1980	81	113	.0	7.5	30.9	.0	.1	.0
Sep	71.2	41.7	56.5	97+	1988	3	63.7	1990	21	1970	14	50.8	1985	282	25	.0	.8	29.1	.0	2.7	.0
Oct	57.4	32.6	45.0	84	2001	1	52.0	1988	2	1971	29	41.6	1985	620	0	.0	.0	23.3	.3	13.9	.0
Nov	40.5	24.5	32.5	73	1999	12	39.9	1999	-10	1985	23	21.9	1985	976	0	.0	.0	4.6	4.9	24.4	.6
Dec	32.1	17.0	24.6	61+	1980	15	32.6	1980	-30	1983	23	12.9	1983	1254	0	.0	.0	.5	14.9	29.0	2.3
Ann	56.8	33.3	45.1	104	Jul 1973	10	73.3	Jul 1985	-30	Dec 1983	23	7.4	Jan 1979	7562	298	.2	17.2	216.4	39.5	167.0	8.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 108-A

(1) From the 1971-2000 Monthly Normals

Elevation: 3,420 Feet Lat: 46°54N

- (2) Derived from station's available digital record: 1966-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 245735

Station: MISSOULA 2 NE, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 3,420 Feet Lat: 46°54N Lon: 113°58W

										Pı	recipi	tation	(incl	hes)										
	Me	ans/	P	recip	itatio	on Total					ean N of D	ays (3	3)	Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	an the
	Medi	ans(1)				Extremes	,			, D	any 116	стриацо	11		Th	ese value	s were det	termined	from the	incomplet	e gamma	distribut	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.35	1.17	.95	1982	23	2.72	1982	.29	1985	14.2	4.9	.2	.0	.38	.50	.70	.87	1.03	1.21	1.40	1.63	1.92	2.39	2.82
Feb	1.05	.88	1.08	1975	7	2.70	1986	.18+	1977	11.5	3.5	.2	@	.23	.32	.48	.62	.75	.90	1.07	1.27	1.53	1.95	2.35
Mar	1.21	.99	1.00	1972	18	2.57	1972	.44	1986	12.6	3.8	.3	@	.40	.51	.68	.82	.96	1.10	1.26	1.44	1.67	2.03	2.37
Apr	1.43	1.25	1.12	1994	22	3.46	1994	.26	1977	11.3	4.4	.4	.1	.42	.56	.76	.94	1.11	1.29	1.49	1.72	2.02	2.49	2.93
May	2.38	2.06	1.98	1980	25	7.51	1980	.73	1974	12.8	6.4	1.2	.3	.66	.89	1.23	1.53	1.82	2.13	2.47	2.87	3.39	4.20	4.97
Jun	2.10	2.04	2.15	1974	20	4.43	1998	.46	1977	12.7	5.6	1.0	.2	.57	.77	1.07	1.34	1.60	1.87	2.17	2.53	3.00	3.74	4.42
Jul	1.28	1.05	1.30	1983	10	3.86	1983	.06	1985	8.5	4.0	.4	.1	.16	.26	.45	.62	.81	1.02	1.26	1.56	1.97	2.63	3.27
Aug	1.23	.98	1.35	1968	15	3.96	1985	.10	1994	8.3	3.7	.6	.0	.21	.32	.50	.67	.84	1.03	1.24	1.50	1.85	2.41	2.95
Sep	1.30	1.13	1.12+	1985	12	4.28	1985	.05	1979	8.1	3.9	.5	.1	.16	.26	.45	.63	.82	1.03	1.28	1.59	2.01	2.69	3.36
Oct	1.08	.89	1.40	2000	1	4.15	1975	.03	1987	9.0	3.3	.3	.1	.13	.22	.37	.52	.68	.86	1.06	1.31	1.66	2.22	2.77
Nov	1.20	1.18	.72	1980	7	2.74	1998	.30	1976	12.6	4.3	.2	.0	.31	.43	.60	.75	.90	1.06	1.24	1.44	1.71	2.14	2.54
Dec	1.43	1.24	.70	1996	29	4.90	1996	.25	1976	13.9	5.0	.2	.0	.32	.45	.66	.85	1.04	1.24	1.46	1.73	2.08	2.64	3.17
Ann	17.04	16.37	2.15	Jun 1974	20	7.51	May 1980	.03	Oct 1987	135.5	52.8	5.5	.9	11.65	12.68	14.00	15.01	15.91	16.78	17.69	18.69	19.92	21.70	23.24

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1966-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 245735

Station: MISSOULA 2 NE, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 3,420 Feet Lat: 46°54N Lon: 113°58W

										Snov	w (incl	nes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	VS (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	13.6	12.1	5	5	11.5	1982	23	33.9	1982	21	1982	23	14	1979	11.4	4.8	1.0	.4	@	24.5	20.3	12.0	2.4
Feb	9.2	8.8	4	2	13.5	1975	7	22.3	1986	22	1979	3	13	1979	8.3	3.1	.8	.4	@	16.8	11.2	7.8	3.2
Mar	7.6	6.3	1	#	8.0	1977	19	20.8	1997	15	1997	12	9	1997	6.9	2.4	.7	.3	.0	5.1	2.7	1.5	.2
Apr	1.9	1.0	#	#	4.1	1989	17	9.5	1982	2	1982	6	#+	2000	2.8	.8	.1	.0	.0	.2	.0	.0	.0
May	.4	#	#	0	5.0	1978	23	5.5	1978	4	1978	23	#+	1986	.4	.1	@	@	.0	@	@	.0	.0
Jun	#	.0	0	0	#	1999	8	#+	1999	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	#	0	.4	1972	25	.5	1972	#	1999	27	#	1999	.1	.0	.0	.0	.0	.0	.0	.0	.0
Oct	1.2	.2	#	0	6.5	1975	21	8.3	1975	5	1973	31	#+	1999	1.2	.3	.1	@	.0	.4	.1	@	.0
Nov	7.9	6.3	1	#	7.0	1991	27	17.8	1971	9	1996	19	3	1996	7.1	2.8	.7	.2	.0	7.4	2.0	1.0	.0
Dec	13.0	10.5	3	2	12.6	1996	25	58.5	1996	25	1996	29	10	1996	10.9	4.5	1.0	.3	@	21.5	11.2	5.0	.5
Ann	54.8	45.2	N/A	N/A	13.5	Feb 1975	7	58.5	Dec 1996	25	Dec 1996	29	14	Jan 1979	49.1	18.8	4.4	1.6	@	75.9	47.5	27.3	6.3

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 245735

Lon: 113°58W

Lat: 46°54N

Station: MISSOULA 2 NE, MT

Climate Division: MT 1 NWS Call Sign:

S Call Sign: Elevation: 3,420 Feet

				Freez	ze Data				
			Sprii	ng Freeze D	ates (Month/	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	7/01	6/23	6/18	6/14	6/09	6/05	5/31	5/26	5/19
32	6/09	6/03	5/30	5/26	5/23	5/19	5/16	5/11	5/05
28	5/19	5/14	5/10	5/06	5/03	4/30	4/27	4/23	4/17
24	5/01	4/25	4/20	4/17	4/13	4/09	4/06	4/01	3/26
20	4/16	4/08	4/02	3/28	3/23	3/19	3/14	3/08	2/28
16	3/31	3/23	3/17	3/12	3/07	3/02	2/25	2/20	2/12
		_	Fal	l Freeze Da	tes (Month/D	Day)			•
To (E)		Pro	bability of ea	rlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/30	9/03	9/06	9/09	9/12	9/14	9/17	9/20	9/25
32	9/06	9/11	9/14	9/17	9/20	9/23	9/26	9/30	10/05
28	9/15	9/21	9/25	9/29	10/02	10/05	10/09	10/13	10/19
24	9/30	10/06	10/10	10/14	10/17	10/20	10/24	10/28	11/03
20	10/18	10/24	10/28	10/31	11/04	11/07	11/11	11/15	11/21
16	10/29	11/05	11/09	11/13	11/17	11/20	11/24	11/29	12/05
1		1		Freeze F	ree Period		•	•	•
Town (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	117	109	103	98	94	89	84	78	70
32	143	135	129	124	120	115	110	104	96
28	178	169	162	156	151	146	140	134	124
24	212	203	197	191	186	181	176	169	160
20	256	245	238	231	225	219	212	204	193
16	286	275	267	260	254	248	241	233	222

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 245735

Station: MISSOULA 2 NE, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 3,420 Feet Lat: 46°54N Lon: 113°58W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1250	977	851	604	392	191	84	81	282	620	976	1254	7562
60	1095	837	696	454	251	95	30	28	172	465	826	1099	6048
57	1002	753	603	367	178	54	14	13	119	374	736	1006	5219
55	940	697	541	311	137	34	9	7	89	314	676	944	4699
50	788	557	390	185	60	8	0	1	36	180	529	789	3523
32	310	158	37	2	0	0	0	0	0	2	122	289	920

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	82	105	209	389	634	829	1066	1055	733	406	136	58	5702
55	0	0	0	7	58	173	362	348	132	5	0	0	1085
57	0	0	0	4	37	133	305	293	101	2	0	0	875
60	0	0	0	1	17	84	228	215	65	1	0	0	611
65	0	0	0	0	3	30	127	113	25	0	0	0	298
70	0	0	0	0	0	7	55	44	8	0	0	0	114

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	1	6	52	181	393	596	827	818	501	190	22	0	1	7	59	240	633	1229	2056	2874	3375	3565	3587	3587
45	0 0 14 87 250 446 672 663 355 92 8												0	0	14	101	351	797	1469	2132	2487	2579	2587	2587
50	0 0 0 39 138 302 518 509 227 32 0											0	0	0	0	39	177	479	997	1506	1733	1765	1765	1765
55	0	0	0	12	64	179	367	357	124	8	0	0	0	0	0	12	76	255	622	979	1103	1111	1111	1111
60	0	0	0	0	22	88	227	218	54	0	0	0	0	0	0	0	22	110	337	555	609	609	609	609
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	36 0 5 47 126 244 367 518 512 322 135 11											0	0	5	52	178	422	789	1307	1819	2141	2276	2287	2287

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf