

Climatology of the United States

No. 20

1971-2000

Station: MUNDAY, TX

COOP ID: 416146

Climate Division: TX 2

NWS Call Sign:

Elevation: 1,480 Feet Lat: 33° 27N

Lon: 99° 37W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	54.8	28.1	41.5	88	1969	8	47.2	1989	-9	1947	4	31.7	1979	731	0	.0	.0	22.4	2.0	20.4	@
Feb	60.3	32.3	46.3	93+	1996	22	54.5	1976	-8	1985	2	34.9	1978	527	4	.0	.2	22.6	1.0	12.4	.1
Mar	68.6	39.9	54.3	101	1971	27	61.0	1974	6+	1948	11	49.5	1996	341	8	.1	1.3	29.3	.1	5.5	.0
Apr	77.7	49.4	63.6	104	1972	12	69.3	1972	26+	1975	3	57.6	1997	115	71	.1	4.7	29.9	.0	.8	.0
May	84.9	59.3	72.1	112	2000	25	78.3	1998	37	1994	1	68.1	1992	21	241	1.9	11.7	31.0	.0	.0	.0
Jun	92.2	68.0	80.1	117+	1994	28	85.2	1980	49+	1983	8	75.8	1989	0	454	4.8	21.7	30.0	.0	.0	.0
Jul	96.5	71.2	83.9	116	1978	15	89.3	1980	55+	1989	23	79.2	1990	0	585	11.3	28.5	31.0	.0	.0	.0
Aug	95.3	70.0	82.7	116	1943	3	86.7	2000	53	1966	24	76.4	1971	0	546	10.3	26.9	31.0	.0	.0	.0
Sep	87.8	62.5	75.2	110	1977	27	82.8	1977	35	1984	30	68.6	1974	10	313	2.4	16.9	30.0	.0	.0	.0
Oct	78.3	51.2	64.8	105	1977	1	69.5	1979	23	1993	31	55.1	1976	95	88	.3	4.4	30.7	.0	.4	.0
Nov	65.9	39.1	52.5	92	1952	1	59.1	1999	14	1976	29	44.1	1976	385	10	.0	@	27.3	.1	6.4	.0
Dec	56.5	30.9	43.7	91	1954	4	48.2	1977	-9	1989	23	32.1	1983	661	0	.0	.0	23.8	1.2	16.8	.1
Ann	76.6	50.2	63.4	117+	Jun 1994	28	89.3	Jul 1980	-9+	Dec 1989	23	31.7	Jan 1979	2886	2320	31.2	116.3	339.0	4.4	62.7	.2

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1912-2001

(3) Derived from 1971-2000 serially complete daily data

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: MUNDAY, TX

COOP ID: 416146

Climate Division: TX 2

NWS Call Sign:

Elevation: 1,480 Feet Lat: 33°27N

Lon: 99°37W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.00	.62	2.00+	1999	29	3.53	1991	.00+	1986	3.9	2.4	.6	.1	.00	.00	.21	.38	.55	.75	.98	1.26	1.64	2.27	2.90
Feb	1.54	1.17	2.53	1938	15	4.06	1997	.00+	1999	4.0	2.9	.9	.4	.00	.07	.28	.50	.76	1.06	1.42	1.88	2.53	3.63	4.73
Mar	1.69	1.59	3.55	2000	22	5.16	1999	.07	1971	4.6	3.2	1.2	.4	.17	.30	.53	.76	1.02	1.30	1.64	2.06	2.63	3.57	4.50
Apr	1.91	1.52	5.00	1967	12	7.40	1990	.10	1980	4.8	3.3	1.5	.4	.13	.25	.49	.75	1.05	1.39	1.80	2.32	3.04	4.27	5.48
May	3.85	3.22	4.31	1971	29	10.25	1980	.40	1996	6.9	5.1	2.3	.9	.44	.73	1.27	1.80	2.37	3.02	3.77	4.70	5.96	8.05	10.09
Jun	3.46	3.23	8.00	1930	14	10.80	1982	.14	1994	6.1	4.8	2.2	1.3	.48	.76	1.26	1.74	2.24	2.80	3.44	4.23	5.29	7.03	8.71
Jul	1.70	1.44	3.85	1992	2	5.18	1975	.02	1999	4.5	3.1	1.1	.4	.09	.19	.39	.62	.88	1.19	1.56	2.05	2.72	3.87	5.02
Aug	2.68	2.08	6.99	1978	4	8.63	1978	.00	2000	5.5	4.1	1.6	.6	.20	.48	.91	1.30	1.71	2.16	2.68	3.31	4.16	5.55	6.89
Sep	3.22	2.94	6.96	1988	18	8.06	1988	.00	2000	5.4	4.1	1.9	.9	.10	.33	.77	1.23	1.74	2.33	3.04	3.93	5.17	7.26	9.31
Oct	2.73	1.71	4.13	1960	18	8.31	1972	.00	1992	5.9	4.1	1.8	.9	.04	.18	.50	.87	1.30	1.82	2.46	3.29	4.47	6.49	8.53
Nov	1.38	1.30	2.43	1995	1	3.79	1992	.00	1999	4.2	2.5	.9	.3	.03	.12	.30	.49	.71	.97	1.28	1.68	2.24	3.19	4.13
Dec	1.20	1.08	3.36	1932	22	4.17	1984	.00	1996	3.7	2.5	.7	.2	.02	.07	.21	.37	.56	.79	1.07	1.44	1.97	2.89	3.81
Ann	26.36	26.15	8.00	Jun 1930	14	10.80	Jun 1982	.00+	Sep 2000	59.5	42.1	16.7	6.8	17.70	19.34	21.46	23.08	24.53	25.94	27.41	29.03	31.01	33.90	36.42

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1912-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: MUNDAY, TX

COOP ID: 416146

Climate Division: TX 2

NWS Call Sign:

Elevation: 1,480 Feet

Lat: 33°27N

Lon: 99°37W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.7	.5	#	0	5.3	1994	31	6.7	1973	5	1994	31	#+	2000	.8	.5	.2	.1	.0	.5	.1	@	.0
Feb	1.7	.0	#	0	5.0	1978	17	7.0	1978	1	1973	18	#+	1994	.8	.6	.3	.1	.0	.3	.0	.0	.0
Mar	.3	.0	#	0	4.5	1998	7	4.5	1998	#+	1996	26	#+	1996	.1	.1	.1	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	#	0	.0	0	0	.0	0	1	1993	29	#	1993	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	1.3	.0	#	0	6.0	1980	17	12.0	1980	2	1972	21	#+	1993	.4	.4	.2	.1	.0	@	.0	.0	.0
Dec	.8	.0	#	0	6.0	1971	3	6.0	1971	4	2000	13	#+	2000	.3	.2	.2	.1	.0	.1	@	.0	.0
Ann	5.8	.5	N/A	N/A	6.0+	Nov 1980	17	12.0	Nov 1980	5	Jan 1994	31	#+	Dec 2000	2.4	1.8	1.0	.4	.0	.9	.1	@	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: MUNDAY, TX

COOP ID: 416146

Climate Division: TX 2

NWS Call Sign:

Elevation: 1,480 Feet

Lat: 33°27N

Lon: 99°37W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/17	4/13	4/10	4/08	4/06	4/03	4/01	3/29	3/25
32	4/13	4/08	4/04	3/31	3/28	3/25	3/22	3/18	3/13
28	4/06	3/29	3/24	3/19	3/14	3/10	3/05	2/28	2/20
24	3/22	3/13	3/07	3/02	2/25	2/20	2/15	2/08	1/31
20	3/09	2/28	2/22	2/16	2/11	2/05	1/30	1/23	1/12
16	2/23	2/14	2/08	2/02	1/27	1/21	1/13	12/30	0/00
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/09	10/16	10/21	10/25	10/29	11/02	11/07	11/12	11/19
32	10/26	10/31	11/05	11/08	11/12	11/15	11/19	11/23	11/29
28	11/02	11/08	11/12	11/16	11/19	11/23	11/26	12/01	12/06
24	11/11	11/18	11/24	11/28	12/03	12/07	12/12	12/17	12/25
20	11/14	11/25	12/03	12/10	12/16	12/23	12/30	1/08	1/21
16	12/02	12/11	12/17	12/23	12/28	1/04	1/12	0/00	0/00
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	230	222	216	211	206	201	196	191	182
32	249	242	237	232	228	223	219	213	206
28	276	267	260	254	249	244	238	232	222
24	314	302	294	287	280	273	266	258	246
20	>365	342	322	311	303	295	287	277	265
16	>365	>365	>365	363	342	330	320	310	297

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: MUNDAY, TX

COOP ID: 416146

Climate Division: TX 2 NWS Call Sign: Elevation: 1,480 Feet Lat: 33° 27N Lon: 99° 37W

Degree Days to Selected Base Temperatures (° F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	731	527	341	115	21	0	0	0	10	95	385	661	2886
60	578	397	209	46	4	0	0	0	1	37	258	509	2039
57	489	324	146	22	1	0	0	0	0	17	194	421	1614
55	432	279	112	13	0	0	0	0	0	10	157	365	1368
50	297	183	48	2	0	0	0	0	0	2	83	235	850
32	25	13	0	0	0	0	0	0	0	0	1	12	51

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	317	415	690	946	1244	1443	1608	1569	1294	1016	615	373	11530
55	11	36	89	269	531	753	895	856	604	313	81	13	4451
57	6	25	62	218	470	693	833	794	544	258	59	8	3970
60	2	14	31	152	380	603	740	701	455	185	33	2	3298
65	0	4	8	71	241	454	585	546	313	88	10	0	2320
70	0	0	0	23	131	310	430	393	190	31	2	0	1510

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	183	291	517	749	1032	1217	1384	1345	1086	815	435	225	183	474	991	1740	2772	3989	5373	6718	7804	8619	9054	9279
45	96	187	375	599	877	1067	1229	1190	936	662	304	130	96	283	658	1257	2134	3201	4430	5620	6556	7218	7522	7652
50	40	104	245	452	722	917	1074	1035	786	510	192	58	40	144	389	841	1563	2480	3554	4589	5375	5885	6077	6135
55	8	50	143	313	569	767	919	880	636	366	103	19	8	58	201	514	1083	1850	2769	3649	4285	4651	4754	4773
60	0	15	68	191	416	617	764	725	490	230	43	1	0	15	83	274	690	1307	2071	2796	3286	3516	3559	3560
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	160	217	346	484	670	805	895	875	704	522	284	174	160	377	723	1207	1877	2682	3577	4452	5156	5678	5962	6136

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf