Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 470349

Lon: 90°58W

Station: ASHLAND EXP FARM, WI

Climate Division: WI 1 NWS Call Sign:

Temperature (°F) Degree Days (1) Mean (1) Mean Number of Days (3) **Extremes** Base Temp 65 Max Max Max Max Min Min Highest Lowest Daily Daily Highest Lowest Month(1) Month(1) Cooling >= >= >= <= <= <= Month Mean Year Day Year Year Day Year Heating Max Min Daily(2) Daily(2) Mean Mean 100 90 50 32 32 0 19.9 -.4 9.8 52 1973 25 20.4 1990 -41 1982 17 -1.2 1979 1715 0 .0 .0 .1 25.1 31.0 14.9 Jan 23 27.1 4.8 16.0 59 1984 30.9 1998 -40 1979 17 3.3 1979 1374 0 .0 .0 .9 17.4 27.7 10.6 Feb Mar 36.8 17.0 26.9 80 1986 31 34.5 2000 -30+1984 19.1 1984 1182 0 .0 .0 4.0 8.8 28.7 4.2 -2+ 1975 Apr 50.2 28.6 39.4 90+1952 28 46.7 1987 1972 8 32.1 768 0 .0 .0 15.4 1.0 20.7 .1 May 64.8 39.3 52.1 93+ 1986 31 57.9 1998 16 +1978 1 45.6 1983 412 10 .0 .3 28.3 .0 7.8 .0 73.9 49.0 3 Jun 61.5 97+ 1995 19 66.5 1988 28 +1982 56.0 1982 138 31 .0 1.1 29.8 .0 .6 .0 Jul 79.3 55.1 67.2 103 27 72.5 33 1969 61.6 1992 48 .2 2.6 31.0 0. .0 1988 1988 6 116 .0 1977 77.1 53.7 65.4 103 1948 24 69.4 1983 30 1967 22 60.4 71 83 .0 1.8 31.0 .0 .0 .0 Aug 7 Sep 67.8 45.1 56.5 100 1976 61.4 1998 23 +1967 29 50.8 1993 267 10 @ .3 29.6 .0 2.2 0. 34.2 39.3 Oct 56.2 45.2 88 1992 2 50.8 1973 10 1988 30 1976 614 0 .0 .0 22.9 .1 12.9 .0 38.2 22.2 30.2 74+ 1999 9 38.2 1999 -16 1976 28 22.2 1995 1044 0 .0 .0 5.1 25.5 .9 Nov 8.0 Dec 24.8 7.3 16.1 60 +1982 3 25.4 1997 -28+1983 19 3.4 1983 1517 0 .0 .0 .3 20.9 30.5 8.8 Jul Jul Jan Jan 51.3 29.7 40.5 103 +1988 27 72.5 1988 -41 1982 17 -1.2 1979 9150 250 .2 6.1 198.4 187.6 39.5 81.3 Ann

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 007-A

(1) From the 1971-2000 Monthly Normals

Elevation: 650 Feet Lat: 46°34N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

⁺ Also occurred on an earlier date(s)

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 470349

Station: ASHLAND EXP FARM, WI

Climate Division: WI 1 NWS Call Sign: Elevation: 650 Feet Lat: 46°34N Lon: 90°58W

| | | | | | | | | | | Pı | recipi | tation | (incl | nes) | | | | | | | | | | |
|-------|-------------|-------------|---------------------|-------------|--------|-----------------------|-------------|----------------------|-------------|---|------------|------------|------------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | P | recip | itatio | on Total | S | | | Mean Number of Days (3) Daily Precipitation | | | | Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution | | | | | | | | | | |
| | Mea Medi | | | | | Extremes | 3 | | | | | | | | | | | | | | | | | |
| Month | Mean | Med- ian | Highest Daily(2) | Year | Day | Highest Monthly(1) | Year | Lowest Monthly(1) | Year | >= 0.01 | >= 0.10 | >= 0.50 | >= 1.00 | .05 | .10 | .20 | .30 | .40 | .50 | .60 | .70 | .80 | .90 | .95 |
| Jan | 1.26 | 1.31 | 1.30 | 1997 | 10 | 4.41 | 1996 | .03 | 1981 | 9.0 | 3.2 | .4 | @ | .16 | .26 | .44 | .61 | .80 | 1.00 | 1.24 | 1.54 | 1.94 | 2.60 | 3.24 |
| Feb | .81 | .62 | 1.50 | 2001 | 26 | 2.90 | 1981 | .09 | 1993 | 7.1 | 2.4 | .3 | .0 | .13 | .20 | .32 | .43 | .55 | .67 | .81 | .98 | 1.21 | 1.59 | 1.94 |
| Mar | 1.86 | 1.53 | 2.44 | 1977 | 12 | 5.87 | 1977 | .46 | 1999 | 8.1 | 3.8 | 1.0 | .3 | .50 | .68 | .95 | 1.18 | 1.41 | 1.66 | 1.93 | 2.25 | 2.66 | 3.32 | 3.93 |
| Apr | 2.07 | 2.14 | 4.25 | 2001 | 23 | 4.15 | 1981 | .56 | 1988 | 8.7 | 5.2 | .8 | .3 | .72 | .92 | 1.20 | 1.44 | 1.67 | 1.91 | 2.16 | 2.46 | 2.85 | 3.44 | 3.99 |
| May | 2.74 | 2.58 | 2.61 | 1953 | 21 | 5.29 | 1993 | .62 | 1990 | 10.5 | 5.8 | 1.8 | .4 | .79 | 1.05 | 1.44 | 1.78 | 2.11 | 2.46 | 2.84 | 3.29 | 3.88 | 4.80 | 5.65 |
| Jun | 3.65 | 3.47 | 3.25 | 1952 | 25 | 6.58 | 1998 | 1.41 | 1987 | 11.9 | 7.8 | 2.3 | .7 | 1.56 | 1.89 | 2.35 | 2.73 | 3.08 | 3.44 | 3.83 | 4.27 | 4.83 | 5.68 | 6.45 |
| Jul | 4.03 | 3.57 | 3.48 | 1951 | 4 | 8.99 | 1982 | .56 | 1989 | 10.8 | 6.7 | 2.8 | 1.0 | .91 | 1.28 | 1.87 | 2.41 | 2.94 | 3.50 | 4.13 | 4.89 | 5.88 | 7.47 | 8.96 |
| Aug | 3.93 | 3.78 | 4.88 | 1978 | 23 | 8.77 | 1972 | 1.28 | 1996 | 11.1 | 6.5 | 2.3 | 1.0 | 1.45 | 1.82 | 2.35 | 2.79 | 3.21 | 3.64 | 4.11 | 4.65 | 5.34 | 6.40 | 7.37 |
| Sep | 3.70 | 3.21 | 4.70 | 1985 | 3 | 10.00 | 1985 | .86 | 1976 | 12.0 | 7.3 | 1.9 | .7 | 1.08 | 1.44 | 1.96 | 2.42 | 2.87 | 3.33 | 3.84 | 4.44 | 5.22 | 6.44 | 7.58 |
| Oct | 2.51 | 2.15 | 2.83 | 1950 | 2 | 5.96 | 1971 | .65 | 1999 | 10.9 | 5.5 | 1.7 | .4 | .65 | .89 | 1.25 | 1.57 | 1.89 | 2.22 | 2.59 | 3.02 | 3.60 | 4.50 | 5.34 |
| Nov | 2.36 | 1.74 | 2.36 | 1975 | 20 | 8.45 | 1975 | .51 | 1981 | 9.3 | 4.6 | 1.3 | .5 | .38 | .59 | .93 | 1.26 | 1.59 | 1.96 | 2.37 | 2.88 | 3.56 | 4.67 | 5.73 |
| Dec | 1.10 | 1.14 | 1.85 | 1970 | 3 | 2.80 | 1996 | .13 | 1979 | 9.6 | 3.4 | .4 | @ | .20 | .30 | .46 | .61 | .77 | .93 | 1.12 | 1.35 | 1.65 | 2.13 | 2.59 |
| Ann | 30.02 | 30.31 | 4.88 | Aug 1978 | 23 | 10.00 | Sep 1985 | .03 | Jan 1981 | 119.0 | 62.2 | 17.0 | 5.3 | 21.46 | 23.12 | 25.24 | 26.86 | 28.29 | 29.67 | 31.10 | 32.67 | 34.59 | 37.36 | 39.75 |

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 470349

Station: ASHLAND EXP FARM, WI

Climate Division: WI 1 NWS Call Sign:

Elevation: 650 Feet Lat: 46°34N Lon: 90°58W

| | | | | | | | | | | Snov | w (incl | hes) | | | | | | | | | | | | |
|-------|----------------------|------------------------|-----------------------|-------------------------|----------------------------------|--------------|-------|------------------------------------|-------------|-----------------------------------|-------------|------|---|-------------|-------------------------|------|-------------------------|-----|------|-------|------|------|---------|--|
| | | | | | | Sn | ow To | tals | | | | | | | Mean Number of Days (1) | | | | | | | | | |
| | Means/Medians (1) | | | | | Extremes (2) | | | | | | | | | | | Snow Fall >= Thresholds | | | | | | n ds | |
| Month | Snow Fall Mean | Snow Fall Median | Snow Depth Mean | Snow Depth Median | Highest Daily Snow Fall | Year | Day | Highest Monthly Snow Fall | Year | Highest Daily Snow Depth | Year | Day | Highest Monthly Mean Snow Depth | Year | 0.1 | 1.0 | 3.0 | 5.0 | 10.0 | 1 | 3 | 5 | 10 | |
| Jan | 14.7 | 15.0 | 12 | 11 | 9.5 | 1988 | 12 | 28.3 | 1975 | 36 | 1996 | 19 | 23 | 1996 | 8.7 | 4.6 | 1.7 | .6 | .0 | 26.5 | 24.8 | 23.2 | 14.8 | |
| Feb | 8.6 | 8.1 | 12 | 12 | 16.0 | 1990 | 16 | 21.4 | 1971 | 34+ | 1996 | 2 | 30 | 1996 | 6.6 | 3.2 | .8 | .3 | @ | 23.9 | 22.7 | 21.6 | 16.4 | |
| Mar | 9.8 | 8.7 | 8 | 5 | 13.0 | 1985 | 4 | 25.5 | 1975 | 30+ | 1996 | 8 | 25 | 1996 | 4.6 | 2.6 | 1.1 | .6 | .1 | 17.9 | 16.4 | 14.3 | 10.2 | |
| Apr | 3.9 | 2.8 | 1 | 2 | 11.5 | 1985 | 1 | 12.5 | 1985 | 25 | 1996 | 4 | 10 | 1996 | 1.7 | 1.3 | .5 | .3 | @ | 3.8 | 3.0 | 2.5 | 1.4 | |
| May | .0 | .0 | # | 0 | .3 | 1996 | 1 | .3 | 1996 | #+ | 1997 | 12 | # | 2000 | .1 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | |
| Jun | .0 | .0 | 0 | 0 | .0 | 0 | 0 | .0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | |
| Jul | .0 | .0 | 0 | 0 | .0 | 0 | 0 | .0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | |
| Aug | .0 | .0 | 0 | 0 | .0 | 0 | 0 | .0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | |
| Sep | .0 | .0 | 0 | 0 | .0 | 0 | 0 | .0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | |
| Oct | .2 | .0 | # | 0 | 2.0 | 1989 | 17 | 2.0 | 1989 | 1+ | 1982 | 21 | # | 1982 | .2 | .1 | .0 | .0 | .0 | .1 | .0 | .0 | .0 | |
| Nov | 6.2 | 5.4 | 1 | 1 | 12.0 | 1991 | 30 | 25.5 | 1975 | 17 | 1991 | 30 | 5 | 1991 | 4.2 | 2.2 | .7 | .2 | @ | 7.1 | 3.8 | 2.3 | .4 | |
| Dec | 11.4 | 10.8 | 5 | 3 | 13.0 | 1995 | 14 | 20.6 | 1989 | 20+ | 1983 | 27 | 15+ | 1984 | 8.0 | 4.4 | 1.0 | .4 | @ | 21.0 | 16.4 | 11.4 | 4.6 | |
| Ann | 54.8 | 50.8 | N/A | N/A | 16.0 | Feb 1990 | 16 | 28.3 | Jan 1975 | 36 | Jan 1996 | 19 | 30 | Feb 1996 | 34.1 | 18.4 | 5.8 | 2.4 | .1 | 100.3 | 87.1 | 75.3 | 47.8 | |

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 470349

Lon: 90°58W

Lat: 46°34N

Elevation: 650 Feet

Station: ASHLAND EXP FARM, WI

Climate Division: WI 1

NWS Call Sign:

| | | | | Freez | ze Data | | | | |
|----------|-------|-------|----------------|---------------|----------------|---------------|---------------|-------|-------|
| | | | Spri | ng Freeze D | ates (Month/ | Day) | | | |
| Temp (F) | | P | robability of | later date i | n spring (thr | u Jul 31) tha | an indicated | (*) | |
| Temp (r) | .10 | .20 | .30 | .40 | .50 | .60 | .70 | .80 | .90 |
| 36 | 6/23 | 6/18 | 6/14 | 6/12 | 6/09 | 6/06 | 6/03 | 5/31 | 5/26 |
| 32 | 6/17 | 6/12 | 6/07 | 6/04 | 6/01 | 5/28 | 5/25 | 5/21 | 5/15 |
| 28 | 6/01 | 5/26 | 5/22 | 5/19 | 5/16 | 5/13 | 5/09 | 5/05 | 4/30 |
| 24 | 5/15 | 5/09 | 5/05 | 5/02 | 4/29 | 4/26 | 4/23 | 4/19 | 4/13 |
| 20 | 5/03 | 4/28 | 4/24 | 4/21 | 4/18 | 4/15 | 4/11 | 4/08 | 4/02 |
| 16 | 4/19 | 4/14 | 4/11 | 4/08 | 4/05 | 4/02 | 3/30 | 3/27 | 3/22 |
| | | | Fal | l Freeze Da | tes (Month/D | ay) | | | |
| To (E) | | Pro | bability of ea | arlier date i | n fall (beginn | ing Aug 1) t | than indicate | ed(*) | |
| Temp (F) | .10 | .20 | .30 | .40 | .50 | .60 | .70 | .80 | |
| 36 | 8/28 | 9/02 | 9/06 | 9/09 | 9/12 | 9/15 | 9/18 | 9/22 | 9/27 |
| 32 | 9/12 | 9/16 | 9/18 | 9/21 | 9/23 | 9/25 | 9/28 | 9/30 | 10/04 |
| 28 | 9/19 | 9/23 | 9/26 | 9/29 | 10/02 | 10/04 | 10/07 | 10/10 | 10/15 |
| 24 | 10/02 | 10/07 | 10/11 | 10/15 | 10/18 | 10/21 | 10/25 | 10/29 | 11/03 |
| 20 | 10/14 | 10/18 | 10/22 | 10/25 | 10/27 | 10/30 | 11/02 | 11/06 | 11/10 |
| 16 | 10/26 | 10/30 | 11/02 | 11/05 | 11/07 | 11/10 | 11/12 | 11/16 | 11/20 |
| _ | | | | Freeze I | ree Period | | | | |
| Tomn (F) | | | Probability | of longer th | an indicated | freeze free p | eriod (Days) | | |
| Temp (F) | .10 | .20 | .30 | .40 | .50 | .60 | .70 | .80 | .90 |
| 36 | 115 | 108 | 103 | 99 | 95 | 91 | 86 | 81 | 74 |
| 32 | 133 | 126 | 122 | 118 | 114 | 110 | 106 | 101 | 94 |
| 28 | 159 | 152 | 147 | 142 | 138 | 134 | 130 | 124 | 117 |
| 24 | 194 | 186 | 181 | 176 | 171 | 167 | 162 | 156 | 149 |
| 20 | 217 | 209 | 203 | 197 | 192 | 187 | 182 | 176 | 167 |
| 16 | 234 | 228 | 223 | 219 | 215 | 212 | 207 | 203 | 196 |

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 470349

Station: ASHLAND EXP FARM, WI

Climate Division: WI 1 NWS Call Sign: Elevation: 650 Feet Lat: 46°34N Lon: 90°58W

| | | | | Deg | ree Days t | o Selected | Base Tem | peratures | (°F) | | | | |
|-------|------|------|------|-----|------------|------------|------------|-----------|------|-----|------|------|------|
| Base | | | | | | Heatin | g Degree l | Days (1) | | | | | |
| Below | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Ann |
| 65 | 1715 | 1374 | 1182 | 768 | 412 | 138 | 48 | 71 | 267 | 614 | 1044 | 1517 | 9150 |
| 60 | 1560 | 1234 | 1027 | 620 | 279 | 55 | 10 | 19 | 149 | 461 | 894 | 1362 | 7670 |
| 57 | 1467 | 1150 | 934 | 532 | 212 | 27 | 3 | 6 | 95 | 372 | 804 | 1269 | 6871 |
| 55 | 1405 | 1094 | 872 | 475 | 173 | 15 | 0 | 2 | 67 | 315 | 744 | 1207 | 6369 |
| 50 | 1250 | 954 | 717 | 339 | 95 | 3 | 0 | 0 | 21 | 192 | 595 | 1052 | 5218 |
| 32 | 704 | 481 | 233 | 39 | 2 | 0 | 0 | 0 | 0 | 6 | 161 | 526 | 2152 |

| Base | | | | | | Coolin | g Degree l | Days (1) | | | | | |
|-------|-----|-----|-----|-----|-----|--------|------------|----------|-----|-----|-----|-----|------|
| Above | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Ann |
| 32 | 13 | 31 | 75 | 261 | 623 | 884 | 1091 | 1035 | 733 | 415 | 107 | 32 | 5300 |
| 55 | 0 | 0 | 0 | 6 | 81 | 208 | 378 | 325 | 109 | 11 | 0 | 0 | 1118 |
| 57 | 0 | 0 | 0 | 3 | 59 | 160 | 318 | 267 | 78 | 6 | 0 | 0 | 891 |
| 60 | 0 | 0 | 0 | 1 | 33 | 99 | 233 | 186 | 42 | 2 | 0 | 0 | 596 |
| 65 | 0 | 0 | 0 | 0 | 10 | 31 | 116 | 83 | 10 | 0 | 0 | 0 | 250 |
| 70 | 0 | 0 | 0 | 0 | 1 | 5 | 41 | 24 | 1 | 0 | 0 | 0 | 72 |

| | Growing Degree Units (2) | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--------------------------------|-----|-----|-----|---------|-----------|----------|----------|-------|-----|-----|-----|--|-----|-----|---------|----------|-----------|----------|---------|---------|------|------|------|
| Base | Growing Degree Units (Monthly) | | | | | | | | | | | | Growing Degree Units (Accumulated Monthly) | | | | | | | | | | | |
| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| 40 | 0 | 0 | 14 | 110 | 388 | 663 | 856 | 809 | 524 | 221 | 26 | 0 | 0 | 0 | 14 | 124 | 512 | 1175 | 2031 | 2840 | 3364 | 3585 | 3611 | 3611 |
| 45 | 0 | 0 | 5 | 58 | 252 | 514 | 701 | 654 | 378 | 120 | 10 | 0 | 0 | 0 | 5 | 63 | 315 | 829 | 1530 | 2184 | 2562 | 2682 | 2692 | 2692 |
| 50 | 0 | 0 | 0 | 27 | 148 | 366 | 546 | 499 | 244 | 59 | 2 | 0 | 0 | 0 | 0 | 27 | 175 | 541 | 1087 | 1586 | 1830 | 1889 | 1891 | 1891 |
| 55 | 0 | 0 | 0 | 8 | 81 | 235 | 394 | 345 | 136 | 23 | 0 | 0 | 0 | 0 | 0 | 8 | 89 | 324 | 718 | 1063 | 1199 | 1222 | 1222 | 1222 |
| 60 | 0 | 0 | 0 | 4 | 33 | 125 | 245 | 203 | 67 | 3 | 0 | 0 | 0 | 0 | 0 | 4 | 37 | 162 | 407 | 610 | 677 | 680 | 680 | 680 |
| Base | | | | Gro | wing De | gree Unit | s for Co | rn (Mont | thly) | | • | | | | Gr | owing D | egree Un | its for C | orn (Acc | umulate | d Month | ly) | | |
| 50/86 | 0 | 0 | 12 | 92 | 255 | 416 | 547 | 513 | 319 | 142 | 16 | 0 | 0 | 0 | 12 | 104 | 359 | 775 | 1322 | 1835 | 2154 | 2296 | 2312 | 2312 |

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf