Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253910

Station: HOLDREGE, NE

Climate Division: NE 8

NWS Call Sign:

Elevation: 2,320 Feet Lat: 40°26N Lon: 99°22W

	Ionth Daily Max Mean Highest Daily(2) Year Day Month(1) Mean Year Daily(2) Year Daily(2) Year Daily(2) Year Daily(2) Year Day Month(1) Mean Year Mean Heating Mean Cooling Series >= >= >= <=																				
	Mea	n (1)						Extr	emes						•	Mean Number of				Days (3)	
Month			Mean	-	Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0
Jan	34.1	12.5	23.3	74	1990	11	34.4	1986	-21	1974	12	9.3	1979	1293	0	.0	.0	4.8	12.6	30.6	5.4
Feb	40.0	17.5	28.8	78+	1995	26	37.8	1991	-19	1981	11	14.1	1978	1014	0	.0	.0	9.0	8.7	26.2	2.8
Mar	49.6	25.6	37.6	89	1968	30	45.3	1986	-12+	1978	4	29.9	1975	850	0	.0	.0	16.8	3.4	22.8	.7
Apr	61.5	36.0	48.8	95	1989	23	56.3	1981	11+	1994	7	43.0	1983	489	2	.0	.4	25.0	.3	9.5	.0
May	71.4	47.9	59.7	100	1967	25	64.4	1987	22	1967	2	52.7	1995	209	43	.0	.9	30.7	.0	.6	.0
Jun	82.5	57.6	70.1	108	1988	22	75.8	1988	38	1969	2	64.6	1982	35	187	.7	7.1	29.9	.0	.0	.0
Jul	87.2	62.7	75.0	112+	1954	12	78.9	1980	42	1971	30	69.9	1992	1	309	2.0	12.8	31.0	.0	.0	.0
Aug	85.1	60.6	72.9	107+	1955	26	80.8	1983	42+	1967	27	67.6	1992	17	260	.8	10.1	31.0	.0	.0	.0
Sep	77.2	50.9	64.1	104	1948	1	70.4	1998	26+	1995	23	59.3	1993	107	78	.1	4.1	29.7	.0	.6	.0
Oct	65.1	38.7	51.9	94+	1997	3	55.1	1974	8	1997	27	45.7	1976	408	1	.0	.3	27.9	.2	6.2	.0
Nov	47.3	25.1	36.2	82	1980	7	46.0	1999	-11	1976	28	27.8	1985	864	0	.0	.0	14.3	3.8	23.2	.4
Dec	36.8	16.1	26.5	80	1964	23	34.0	1979	-29	1989	23	9.3	1983	1195	0	.0	.0	5.9	10.2	30.2	2.9
Ann	61.5	37.6	49.6	112+	Jul 1954	12	80.8	Aug 1983	-29	Dec 1989	23	9.3+	Dec 1983	6482	880	3.6	35.7	256.0	39.2	149.9	12.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 061-A

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HOLDREGE, NE COOP ID: 253910

Climate Division: NE 8 NWS Call Sign: Elevation: 2,320 Feet Lat: 40°26N Lon: 99°22W

										Pı	recipi	tation	(incl	nes)										
			P	recip	itatio	n Total	s			M	ean N	lumbo ays (3	_	Proba	ability th	nat the n				tion wil		ıal to or	less tha	ın the
	Medi					Extremes	i.			D	aily Pre	cipitatio	n		Th	Mese values	•		-		oility Levo e gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.52	.44	.95	1980	16	1.59	1992	.00+	1997	3.7	1.3	.3	.0	.00	.05	.14	.23	.31	.40	.51	.64	.82	1.11	1.40
Feb	.51	.35	1.57	1984	18	1.85	1984	.00+	1996	3.4	1.6	.2	.1	.00	.02	.09	.16	.24	.35	.47	.62	.85	1.23	1.61
Mar	2.08	1.72	2.90	1987	17	6.63	1987	.06	1994	6.6	4.0	1.3	.4	.11	.23	.48	.76	1.08	1.46	1.92	2.51	3.34	4.76	6.18
Apr	2.28	2.09	2.17	1979	25	5.41	1977	.01	1989	7.5	4.9	1.5	.4	.29	.48	.80	1.12	1.45	1.82	2.25	2.78	3.50	4.67	5.81
May	4.40	4.29	3.76	1950	8	9.31	1995	.89	1992	10.9	7.7	3.2	1.1	1.52	1.94	2.54	3.05	3.54	4.05	4.60	5.24	6.06	7.33	8.50
Jun	3.65	2.99	4.74	1989	25	7.58	1975	.93	1973	8.6	5.9	2.3	1.0	.86	1.20	1.73	2.21	2.68	3.19	3.75	4.42	5.31	6.71	8.02
Jul	4.12	2.78	4.85+	2000	4	15.40	1993	.23	1997	8.3	6.1	2.6	1.3	.42	.73	1.29	1.87	2.49	3.19	4.01	5.03	6.43	8.75	11.02
Aug	3.23	2.88	3.26	1969	31	8.37	1993	.75	1976	7.7	5.2	2.4	1.0	.95	1.26	1.72	2.12	2.50	2.91	3.35	3.88	4.56	5.62	6.61
Sep	1.99	1.48	2.85	1950	20	9.88	1973	.02	1984	6.0	4.3	1.3	.5	.14	.26	.52	.79	1.10	1.45	1.88	2.42	3.17	4.44	5.70
Oct	1.44	.96	2.52	1968	16	6.13	1984	.00	1999	4.8	2.8	1.1	.3	.07	.20	.42	.63	.85	1.11	1.41	1.78	2.28	3.12	3.94
Nov	1.30	1.13	1.58	1975	20	3.72	1983	.00+	1999	4.7	2.7	.8	.3	.00	.08	.28	.47	.69	.94	1.23	1.60	2.12	2.98	3.83
Dec	.49	.37	1.48	1953	3	1.49	1982	.00	1996	3.2	1.8	.1	.0	.02	.06	.13	.20	.28	.36	.47	.60	.79	1.10	1.40
Ann	26.01+	24.54+	4.85+	Jul 2000	4	15.40	Jul 1993	.00+	Nov 1999	75.4	48.3	17.1	6.4	17.12	18.79	20.96	22.63	24.12	25.57	27.09	28.77	30.82	33.82	36.44

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253910

Station: HOLDREGE, NE

Climate Division: NE 8 NWS Call Sign:

Elevation: 2,320 Feet Lat: 40°26N Lon: 99°22W

		Median Mean Median Snow Sno																					
		Snow Fall Snow Depth Median Mean Median Media															Mea	n Nu	nber	of Day	yS (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	5.1	5.0	2	1	9.2	1990	20	11.0	1985	17	1984	1	6	1993	3.3	2.0	.6	.2	.0	14.4	6.1	2.9	.5
Feb	4.9	3.4	1	1	10.5	1994	22	18.5	1994	17	1994	23	7	1993	2.4	1.7	.5	.2	@	9.7	4.6	2.7	.7
Mar	6.0	4.5	1	#	12.1	1987	24	22.0	1987	12+	1987	30	3	1987	2.9	2.0	.7	.3	.1	5.1	2.3	1.0	.3
Apr	2.2	.2	#	#	8.0	1994	12	13.0	1994	6	1996	15	1	1987	1.0	.7	.2	.1	.0	1.2	.3	.1	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.3	.0	#	0	8.0	1985	29	8.0	1985	5	1985	29	#	1985	@	@	@	@	.0	.1	.1	@	.0
Oct	.8	.0	#	0	9.0	1997	26	9.0	1997	9	1997	26	1	1997	.2	.2	.1	.1	.0	.3	.1	.1	.0
Nov	4.4	2.8	1	#	10.0	1983	28	19.0+	1983	16	1983	29	4	1975	2.0	1.4	.4	.2	@	4.2	1.8	1.0	.4
Dec	4.8	4.2	1	1	8.0	1982	28	12.0+	1983	19	1983	31	15	1983	2.6	1.8	.5	.1	.0	9.1	4.3	2.1	1.1
Ann	28.5	20.1	N/A	N/A	12.1	Mar 1987	24	22.0	Mar 1987	19	Dec 1983	31	15	Dec 1983	14.4	9.8	3.0	1.2	.1	44.1	19.6	9.9	3.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253910

Lon: 99°22W

Lat: 40°26N

Station: HOLDREGE, NE

Climate Division: NE 8 NWS Call Sign:

VS Call Sign: Elevation: 2,320 Feet

				Freez	ze Data								
			Spri	ng Freeze D	ates (Month/	Day)							
Probability of earlier date in fall (beginning Aug 1) than indicated(*) Probability of earlier date in spring (thrust) 10 10 10 10 10 10 10 1													
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	5/18	5/14	5/12	5/09	5/07	5/05	5/03	4/30	4/26				
32	5/12	5/07	5/03	4/30	4/27	4/24	4/21	4/17	4/12				
28	4/25	4/21	4/18	4/16	4/13	4/11	4/08	4/05	4/01				
24	4/15	4/12	4/09	4/07	4/04	4/02	3/31	3/28	3/25				
20	4/10	4/05	4/01	3/29	3/26	3/23	3/20	3/16	3/11				
16	4/05	3/29	3/23	3/19	3/15	3/11	3/07	3/01	2/22				
			Fal	ll Freeze Da	tes (Month/D	ay)		1	•				
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)					
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	9/16	9/21	9/24	9/27	9/30	10/03	10/05	10/09	10/13				
32	9/20	9/26	9/30	10/04	10/07	10/10	10/14	10/18	10/24				
28	10/05	10/10	10/14	10/17	10/20	10/23	10/26	10/29	11/04				
24	10/14	10/19	10/22	10/25	10/28	10/31	11/03	11/06	11/11				
20	10/19	10/25	10/29	11/02	11/05	11/08	11/12	11/16	11/21				
16	10/29	11/04	11/09	11/13	11/17	11/20	11/24	11/29	12/05				
			•	Freeze F	ree Period			•	•				
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	162	156	152	148	145	142	138	134	128				
32	187	178	172	167	162	157	152	146	138				
28	208	201	197	193	189	185	181	176	170				
24	220	215	212	209	206	203	200	196	191				
20	245	238	232	227	223	219	214	209	201				
16	274	264	257	251	246	240	234	227	217				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HOLDREGE, NE

Climate Division: NE 8 NWS Call Sign: Elevation: 2,320 Feet Lat: 40°26N Lon: 99°22W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1293	1014	850	489	209	35	1	17	107	408	864	1195	6482
60	1138	874	695	347	113	9	0	4	40	260	714	1040	5234
57	1045	793	602	269	71	4	0	1	18	182	624	947	4556
55	983	742	542	221	50	2	0	0	10	137	567	885	4139
50	832	611	399	122	16	0	0	0	0	57	428	738	3203
32	354	233	64	1	0	0	0	0	0	0	89	281	1022

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	84	143	237	503	856	1142	1331	1266	961	616	215	108	7462
55	0	8	2	33	193	454	618	553	281	39	3	0	2184
57	0	3	0	21	152	396	556	491	229	22	0	0	1870
60	0	0	0	9	101	312	463	401	161	8	0	0	1455
65	0	0	0	2	43	187	309	260	78	1	0	0	880
70	0	0	0	0	13	94	170	144	29	0	0	0	450

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	8	39	126	325	638	923	1103	1044	748	414	94	15	8	47	173	498	1136	2059	3162	4206	4954	5368	5462	5477
45	0 13 66 208 485 773 948 889 601 283 40											0	0	13	79	287	772	1545	2493	3382	3983	4266	4306	4306
50	0 2 28 115 338 623 793 734 455 171 14											0	0	2	30	145	483	1106	1899	2633	3088	3259	3273	3273
55	0	0	5	60	210	475	638	579	321	87	2	0	0	0	5	65	275	750	1388	1967	2288	2375	2377	2377
60	0 0 1 24 105 333 484 426 203 31 0										0	0	0	1	25	130	463	947	1373	1576	1607	1607	1607	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	/ 86 15 44 102 221 382 597 726 689 472 267 75										22	15	59	161	382	764	1361	2087	2776	3248	3515	3590	3612	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf