Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: RESERVE, LA 1971-2000 COOP ID: 167767

Climate Division: LA 9 NWS Call Sign: Elevation: 15 Feet Lat: 30°05N Lon: 90°37W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	61.4	41.1	51.3	84	1957	29	61.7	1974	11	1982	11	43.3	1977	444	3	.0	.0	26.2	.1	6.9	.0
Feb	64.9	44.1	54.5	87	1957	5	60.8	1976	16+	1951	2	44.8	1978	304	8	.0	.0	25.9	.1	3.8	.0
Mar	71.5	51.0	61.3	90	1955	17	67.1	1985	23	1980	3	55.0	1996	163	47	.0	.0	30.4	.0	.8	.0
Apr	77.8	56.6	67.2	92+	1948	29	72.4	1979	34+	1987	1	62.5	1993	47	113	.0	.3	30.0	.0	.0	.0
May	84.6	64.4	74.5	98	1951	31	78.6	2000	42	1999	16	70.9	1988	3	297	.0	3.8	31.0	.0	.0	.0
Jun	89.3	70.5	79.9	99+	1948	25	83.2	1998	53	1984	1	77.6	1983	0	447	.0	15.3	30.0	.0	.0	.0
Jul	91.2	72.7	82.0	101+	1954	1	85.0	1998	60+	1967	15	79.0	1994	0	525	.2	23.0	31.0	.0	.0	.0
Aug	90.9	72.2	81.6	103	2000	31	84.9	1999	59	1967	12	78.9	1992	0	513	.1	22.2	31.0	.0	.0	.0
Sep	87.3	68.7	78.0	99+	1953	27	81.4	1980	45+	1967	29	75.1	1975	0	389	.0	11.5	30.0	.0	.0	.0
Oct	79.5	57.9	68.7	96	1998	3	73.4	1984	32	1952	30	62.0	1976	48	162	.0	1.1	31.0	.0	.0	.0
Nov	71.0	50.0	60.5	88	1984	2	67.7	1985	25	1976	30	52.4	1976	198	62	.0	.0	29.5	.0	.9	.0
Dec	64.2	43.3	53.8	84	1956	8	63.1	1971	9+	1989	23	43.4	1989	368	18	.0	.0	28.2	.1	5.4	.0
Ann	77.8	57.7	67.8	103	Aug 2000	31	85.0	Jul 1998	9+	Dec 1989	23	43.3	Jan 1977	1575	2584	.3	77.2	354.2	.3	17.8	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 044-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 167767

Station: RESERVE, LA

Climate Division: LA 9 NWS Call Sign: Elevation: 15 Feet Lat: 30°05N Lon: 90°37W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total					ean N of D	ays (3	5)	Proba	ability th		nonthly/	annual j	precipita ated an	babilit ation wi nount	ll be equ		less tha	an the
	Medi	ans(1)				Extreme	•			"	any 11c	стриацо	11		Th	ese value	s were de	termined	from the	incomplet	te gamma	distribut	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	6.23	4.95	5.89	1965	23	17.97	1998	1.19	1971	10.4	7.7	3.9	2.3	1.31	1.88	2.80	3.63	4.46	5.35	6.36	7.57	9.16	11.71	14.12
Feb	5.42	5.11	6.05	1956	16	14.63	1988	.52	1989	8.1	6.3	3.5	2.0	.73	1.17	1.95	2.70	3.49	4.37	5.38	6.62	8.30	11.04	13.69
Mar	5.82	5.46	5.77	1990	10	12.51	1990	2.69	1981	8.3	6.3	3.6	2.2	2.24	2.78	3.55	4.19	4.80	5.42	6.09	6.86	7.85	9.37	10.75
Apr	5.12	4.52	8.20	1953	25	15.11	1991	.23	1999	6.3	4.8	2.5	1.7	.39	.72	1.38	2.08	2.87	3.77	4.85	6.22	8.12	11.32	14.47
May	5.20	4.28	7.40	1995	9	18.43	1995	.20	1998	7.3	6.0	2.9	1.8	.50	.88	1.59	2.31	3.10	3.98	5.03	6.34	8.14	11.13	14.06
Jun	6.67	6.50	7.10	2001	7	16.46	1983	.83	1979	10.2	8.2	4.6	2.6	1.39	2.00	2.98	3.87	4.77	5.73	6.81	8.11	9.83	12.57	15.17
Jul	6.42	6.89	3.03	1986	28	11.96	1997	1.34	2000	12.6	10.1	4.1	1.9	2.54	3.13	3.97	4.67	5.33	6.00	6.72	7.56	8.62	10.25	11.73
Aug	5.35	4.91	3.90	1988	10	15.68	1977	.86	1980	11.2	8.3	3.7	1.4	1.50	2.01	2.78	3.45	4.10	4.79	5.54	6.44	7.60	9.42	11.12
Sep	5.70	4.73	5.80	1948	4	20.08	1998	.25	1997	9.3	7.1	3.9	1.8	.87	1.35	2.18	2.97	3.78	4.68	5.71	6.96	8.65	11.40	14.03
Oct	3.39	3.00	4.97	1993	30	11.22	1985	.00	1978	5.6	4.4	2.1	1.3	.53	.98	1.55	2.02	2.49	2.98	3.52	4.17	5.01	6.35	7.60
Nov	4.83	4.43	5.30	1992	4	13.90	2000	.16	1985	7.6	5.7	3.0	1.7	.64	1.03	1.72	2.39	3.10	3.88	4.78	5.90	7.40	9.87	12.25
Dec	4.66	4.72	5.69	1982	4	8.58	1976	1.51	1998	8.2	6.1	2.8	1.7	1.98	2.41	3.00	3.48	3.93	4.39	4.89	5.45	6.17	7.26	8.25
Ann	64.81	63.14	8.20	Apr 1953	25	20.08	Sep 1998	.00	Oct 1978	105.1	81.0	40.6	22.4	44.08	48.02	53.11	57.00	60.47	63.84	67.33	71.21	75.93	82.81	88.79

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 167767

Station: RESERVE, LA

Climate Division: LA 9 NWS Call Sign:

Elevation: 15 Feet Lat: 30°05N Lon: 90°37W

										Snov	w (inc	hes)												
						Sno	ow To	tals									Mea	n Nu	mber	of Da	ys (1)			
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					onow Depth Thresholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	.0	.0	0	0	.5	1973	10	.5	1973	0	0	0	0	0	@	.0	.0	.0	.0	.0	.0	.0	.0	
Feb	.0	.0	#	0	1.0	1988	6	1.0	1988	1	1988	6	#	1988	@	@	.0	.0	.0	@	.0	.0	.0	
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Dec	#	.0	#	0	#	1989	23	#+	1989	#	1989	26	#	1989	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Ann	#	.0	N/A	N/A	1.0	Feb 1988	6	1.0	Feb 1988	1	Feb 1988	6	#+	Dec 1989	@	@	.0	.0	.0	@	.0	.0	.0	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 167767

Station: RESERVE, LA Climate Division: LA 9

NWS Call Sign:

Elevation: 15 Feet

Lat: 30°05N	Lon:	90°37W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	3/27	3/19	3/14	3/09	3/04	2/28	2/23	2/17	2/10
32	3/18	3/09	3/03	2/26	2/21	2/16	2/11	2/05	1/27
28	3/04	2/23	2/17	2/11	2/06	1/31	1/25	1/18	1/03
24	2/13	2/01	1/23	1/14	12/31	0/00	0/00	0/00	0/00
20	1/26	1/11	12/23	0/00	0/00	0/00	0/00	0/00	0/00
16	1/08	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•			Fa	ll Freeze Dat	tes (Month/L	Day)			1
Tomp (F)		Pro	bability of e	arlier date ii	n fall (beginr	ning Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	11/02	11/09	11/14	11/19	11/23	11/27	12/01	12/06	12/13
32	11/21	11/27	12/01	12/05	12/09	12/12	12/16	12/20	12/27
28	11/26	12/06	12/13	12/20	12/26	1/01	1/07	1/16	2/01
24	12/19	12/28	1/05	1/13	1/25	0/00	0/00	0/00	0/00
20	1/03	1/18	2/07	0/00	0/00	0/00	0/00	0/00	0/00
16	1/15	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
				Freeze F	ree Period				ı
Tomas (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	292	282	275	269	263	257	251	244	234
32	314	306	300	295	290	285	280	274	265
28	>365	>365	339	327	319	312	304	296	285
24	>365	>365	>365	>365	>365	>365	>365	342	319
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 167767

Station: RESERVE, LA

Climate Division: LA 9 NWS Call Sign: Elevation: 15 Feet Lat: 30°05N Lon: 90°37W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	444	304	163	47	3	0	0	0	0	48	198	368	1575
60	320	185	78	11	0	0	0	0	0	15	114	244	967
57	254	130	42	4	0	0	0	0	0	7	74	184	695
55	217	100	26	1	0	0	0	0	0	4	53	149	550
50	136	41	6	0	0	0	0	0	0	0	20	77	280
32	8	0	0	0	0	0	0	0	0	0	0	0	8

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	604	629	907	1056	1317	1437	1548	1536	1379	1137	855	673	13078
55	100	84	220	368	604	747	835	823	689	428	218	109	5225
57	75	59	174	310	542	687	773	761	629	369	179	82	4640
60	48	30	117	227	449	597	680	668	539	284	128	49	3816
65	3	8	47	113	297	447	525	513	389	162	62	18	2584
70	2	0	13	40	159	297	370	358	242	72	24	6	1583

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)								Growi	ng Degre	e Units (Accumu	lated Mo	onthly)			
												Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	380 434 671 824 1077 1204 1312 1303 1149 900 623 4											447	380	814	1485	2309	3386	4590	5902	7205	8354	9254	9877	10324
45	253 304 518 674 922 1054 1157 1148 999 745 475											312	253	557	1075	1749	2671	3725	4882	6030	7029	7774	8249	8561
50	153	193	373	526	767	904	1002	993	849	590	339	195	153	346	719	1245	2012	2916	3918	4911	5760	6350	6689	6884
55	79	104	239	379	612	754	847	838	699	436	219	112	79	183	422	801	1413	2167	3014	3852	4551	4987	5206	5318
60	60 33 46 130 242 458 604 692 683 549 291 122 5										57	33	79	209	451	909	1513	2205	2888	3437	3728	3850	3907	
Base	se Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	86 222 256 411 539 750 850 915 903 807 600 385										267	222	478	889	1428	2178	3028	3943	4846	5653	6253	6638	6905	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf