Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 243013

Lon: 108°19W

Station: FLATWILLOW 4 ENE, MT

Climate Division: MT 4 NWS Call Sign:

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					U	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	34.8	9.2	22.0	69	1931	29	36.4	1986	-42	1997	11	5.2	1979	1334	0	.0	.0	5.3	11.2	29.3	9.1
Feb	41.0	13.9	27.5	76+	1992	27	38.8	1991	-46+	1936	17	13.4	1989	1051	0	.0	.0	9.3	7.3	25.9	5.3
Mar	49.3	21.5	35.4	80	1978	30	44.6	1986	-30	1960	3	26.8	1996	918	0	.0	.0	16.4	3.2	26.4	1.3
Apr	59.8	29.8	44.8	91	1952	28	51.1	1987	-14	1940	11	35.9	1975	606	0	.0	@	24.3	.7	17.0	.1
May	69.4	38.6	54.0	98	1934	29	58.4	1985	8	1954	3	49.1	1974	346	5	.0	.7	29.8	@	4.9	.0
Jun	78.4	47.5	63.0	107	1936	27	73.0	1988	28	1969	13	58.1	1998	129	66	.2	3.5	30.0	.0	.2	.0
Jul	85.8	52.0	68.9	108+	1963	22	73.7	2000	34	1918	26	60.7	1993	47	167	.9	11.1	31.0	.0	.0	.0
Aug	85.7	50.7	68.2	108+	1961	5	74.8	1983	30	1992	25	62.1	1974	73	172	.4	11.5	31.0	.0	@	.0
Sep	74.5	41.2	57.9	104	1950	4	65.4	1998	8	1926	24	51.1	1985	256	40	.1	2.7	29.2	.0	2.9	.0
Oct	62.8	32.2	47.5	92+	1992	1	50.7	1974	-18	1925	28	41.8	1984	543	0	.0	.1	26.8	.4	13.6	.1
Nov	45.7	20.0	32.9	81	1917	2	43.3	1999	-29	1921	19	13.8	1985	964	0	.0	.0	13.6	5.0	25.2	2.1
Dec	37.1	11.5	24.3	70	1956	29	35.8	1999	-48	1924	18	5.3	1983	1261	0	.0	.0	6.6	9.5	29.0	6.1
Ann	60.4	30.7	45.5	108+	Jul 1963	22	74.8	Aug 1983	-48	Dec 1924	18	5.2	Jan 1979	7528	450	1.6	29.6	253.3	37.3	174.4	24.1

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 054-A

(1) From the 1971-2000 Monthly Normals

Elevation: 3,138 Feet Lat: 46°51N

- (2) Derived from station's available digital record: 1913-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 243013

Station: FLATWILLOW 4 ENE, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 3,138 Feet Lat: 46°51N Lon: 108°19W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total						ays (3)	Proba	ability th		nonthly/	annual j	precipita ated am	babilit ation will nount vs Probal	l be equ		less tha	ın the
	Medi	ians(1)				Extremes	5			D	aily Pre	cipitatio	n		Th	ese value	s were de	ermined	from the	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.57	.40	1.04	1996	27	2.22	1971	.03	1987	5.4	2.0	.1	@	.04	.08	.16	.23	.32	.42	.54	.69	.90	1.25	1.59
Feb	.34	.24	.60+	1978	12	1.48	1978	.00	1977	3.4	.9	.1	.0	.01	.03	.08	.13	.18	.24	.32	.42	.56	.79	1.02
Mar	.70	.59	1.12	1942	14	1.53	1980	.15	1976	6.1	2.5	.1	.0	.19	.25	.36	.44	.53	.62	.72	.84	1.00	1.24	1.47
Apr	1.19	1.10	1.57	1970	28	3.55	1991	.13	1981	7.0	4.0	.5	.0	.23	.33	.51	.67	.83	1.01	1.21	1.45	1.77	2.28	2.76
May	2.64	2.36	3.15+	1962	13	6.48	1981	.72	1992	10.2	5.9	1.5	.5	.88	1.13	1.50	1.81	2.11	2.42	2.76	3.15	3.66	4.45	5.18
Jun	2.32	1.94	2.65	1992	16	5.82	1992	.29	1985	9.3	5.9	1.4	.3	.67	.89	1.22	1.51	1.79	2.08	2.40	2.78	3.28	4.05	4.77
Jul	1.46	1.30	1.69	1975	6	6.89	1993	.03	1984	6.6	3.8	.6	.3	.14	.25	.45	.65	.87	1.12	1.41	1.78	2.28	3.12	3.93
Aug	1.25	1.15	1.62	1918	21	3.20	1985	.05	1996	6.1	3.2	.6	.1	.18	.28	.46	.64	.82	1.02	1.25	1.53	1.91	2.53	3.12
Sep	.98	.72	2.05	1941	7	3.36	1986	.00	1990	5.0	2.8	.5	.2	.04	.12	.26	.41	.56	.74	.95	1.21	1.56	2.16	2.75
Oct	.89	.92	1.90	1937	4	1.96	1980	.03	1987	4.8	2.5	.5	.1	.13	.21	.33	.46	.59	.73	.89	1.09	1.36	1.80	2.22
Nov	.48	.51	.75	1978	12	1.51	1978	.03	1972	4.7	2.0	.1	.0	.05	.09	.15	.22	.29	.37	.46	.58	.74	1.01	1.27
Dec	.48	.39	.83	1955	23	1.81	1989	.00	1991	4.6	1.7	@	.0	.03	.08	.15	.22	.30	.38	.48	.60	.76	1.02	1.28
Ann	13.30+	12.96+	3.15+	May 1962	13	6.89	Jul 1993	.00+	Dec 1991	73.2	37.2	6.0	1.5	8.77	9.62	10.73	11.58	12.33	13.07	13.84	14.70	15.74	17.27	18.60

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1913-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 243013

Station: FLATWILLOW 4 ENE, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 3,138 Feet Lat: 46°51N Lon: 108°19W

					Highest Daily Snow Fall Day Snow Fall Snow Depth Snow Depth																		
	Snow Totals																Mea	n Nui	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Fall	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.4	4.0	3	1	6.0	1989	23	21.0	1989	25	1978	31	18	1978	3.9	3.3	.8	.2	.0	-9.9	-9.9	-9.9	-9.9
Feb	4.0	2.5	2	#	6.0	1978	12	15.0	1979	23	1978	12	23	1978	2.4	1.9	.4	.2	.0	.8	.1	.0	.0
Mar	5.2	3.5	1	#	7.0	1985	2	19.0	1985	14	1985	3	7	1985	3.0	2.4	.6	.1	.0	2.7	.8	.2	.0
Apr	3.0	1.0	#	#	10.0	1973	20	14.0	1973	11	1973	20	1	1997	1.2	1.0	.4	.1	@	1.0	.5	.2	.0
May	.6	.0	#	0	4.0	1983	11	9.0	1983	8	1983	12	#+	2000	.3	.3	.1	.0	.0	.1	.1	@	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.3	.0	#	0	3.0	1983	19	3.5	1984	5	1984	24	#+	2000	.2	.1	@	.0	.0	.1	.0	.0	.0
Oct	2.0	.3	#	#	10.0	1980	16	16.0	1980	12	1985	8	1	1985	.8	.6	.2	.1	.1	.6	.3	.1	.1
Nov	3.6	3.5	1	#	8.0	1978	12	9.0	1976	13	1985	30	6	1985	2.3	1.9	.5	.1	.0	2.4	.8	.3	.0
Dec	6.1	6.0	2	1	10.0	1984	23	17.5	1977	18	1989	20	8	1985	3.4	3.0	.6	.2	@	4.2	2.2	.8	.6
Ann	31.2	20.8	N/A	N/A	10.0+	Dec 1984	23	21.0	Jan 1989	25	Jan 1978	31	23	Feb 1978	17.5	14.5	3.6	1.0	.1	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 243013

Station: FLATWILLOW 4 ENE, MT

Climate Division: MT 4 NWS Call Sign:

NWS Call Sign: Elevation: 3,138 Feet Lat: 46°51N Lon: 108°19W

				Freez	e Data								
			Spri	ng Freeze D	ates (Month	/Day)							
Tomn (F)	Spring Freeze Dates (Month/Day) Spring Freeze Dates (Month/Day)												
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	6/26	6/19	6/15	6/11	6/07	6/03	5/30	5/25	5/19				
32	6/05	5/31	5/27	5/24	5/21	5/18	5/15	5/11	5/06				
28	5/22	5/17	5/14	5/11	5/08	5/06	5/03	4/29	4/25				
24	5/08	5/04	4/30	4/27	4/24	4/22	4/19	4/15	4/11				
20	4/29	4/24	4/20	4/17	4/14	4/11	4/08	4/04	3/30				
16	4/19	4/13	4/10	4/06	4/03	3/31	3/28	3/25	3/19				
-		•	Fal	l Freeze Da	tes (Month/I	Day)	•						
Tomp (F)		Pro	bability of ea	arlier date i	n fall (begini	ning Aug 1) t	han indicate	d(*)					
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	8/27	8/31	9/03	9/06	9/09	9/12	9/14	9/18	9/22				
32	9/07	9/12	9/15	9/18	9/20	9/23	9/26	9/29	10/04				
28	9/16	9/20	9/24	9/26	9/29	10/02	10/05	10/08	10/13				
24	9/22	9/28	10/02	10/06	10/09	10/13	10/16	10/20	10/26				
20	9/28	10/05	10/10	10/14	10/18	10/22	10/26	10/31	11/06				
16	10/13	10/20	10/24	10/29	11/02	11/06	11/10	11/15	11/22				
-		•	•	Freeze F	ree Period		•						
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
remp (F)	.10	.20							.90				
36	116	108	103	98	93	89	84	79	71				
32	145	137	131	126	122	117	113	107	99				
28	163	156	151	147	143	139	135	130	123				
24	188	181	176	171	167	163	158	153	146				
20	213	204	197	191	186	181	175	168	159				
16	241	231	224	217	211	206	199	192	182				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 243013

Station: FLATWILLOW 4 ENE, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 3,138 Feet Lat: 46°51N Lon: 108°19W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1334	1051	918	606	346	129	47	73	256	543	964	1261	7528
60	1182	918	763	459	211	56	14	29	153	389	814	1106	6094
57	1096	839	670	374	144	28	6	16	104	299	733	1015	5324
55	1040	786	609	321	107	17	1	9	77	241	676	962	4846
50	895	657	463	201	42	3	0	2	29	121	538	815	3766
32	444	285	90	8	0	0	0	0	0	2	175	366	1370

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	133	159	195	392	682	927	1143	1122	774	482	200	128	6337
55	16	15	1	15	76	254	431	418	161	8	12	11	1418
57	10	12	0	9	51	205	374	363	129	3	9	2	1167
60	3	7	0	3	25	143	288	283	87	1	0	0	840
65	0	0	0	0	5	66	167	172	40	0	0	0	450
70	0	0	0	0	0	22	82	91	15	0	0	0	210

										Gro	wing	Degre	e Uni	ts (2)											
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)												
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	16	31	77	217	465	718	920	904	567	300	61	18	16	47	124	341	806	1524	2444	3348	3915	4215	4276	4294	
45	3 7 30 118 318 568 765 749 422 176 26											4	3	10	40	158	476	1044	1809	2558	2980	3156	3182	3186	
50	0 2 5 55 192 418 610 594 286 91 8											0	0	2	7	62	254	672	1282	1876	2162	2253	2261	2261	
55	0	0	0	16	94	273	455	440	172	42	0	0	0	0	0	16	110	383	838	1278	1450	1492	1492	1492	
60	0	0	0	2	36	149	304	289	88	10	0	0	0	0	0	2	38	187	491	780	868	878	878	878	
Base	Growing Degree Units for Corn (Monthly)											•			Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86	6 15 39 81 180 311 445 580 570 379 222 60											23	15	54	135	315	626	1071	1651	2221	2600	2822	2882	2905	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf