Station: PORT O CONNOR, TX

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 417186

Climate Division: TX 8 NWS Call Sign: Elevation: 5 Feet Lat: 28°26N Lon: 96°26W

					Temperature (°F) Extremes																
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	60.6	47.9	54.3	80+	1989	2	60.3	1989	16	1949	31	46.9	1978	355	22	.0	.0	27.3	.0	2.4	.0
Feb	63.7	51.1	57.4	84	1971	27	64.1	2000	16	1949	1	48.5	1978	238	25	.0	.0	25.7	.1	1.3	.0
Mar	69.6	58.6	64.1	88+	2000	30	68.6	2000	24	1980	2	59.1	1996	97	68	.0	.0	30.8	.0	.2	.0
Apr	75.1	64.8	70.0	92	1971	24	73.7	1981	38+	1988	11	65.0	1987	17	165	.0	@	30.0	.0	.0	.0
May	80.7	72.1	76.4	97+	1984	4	80.7	1996	51	1955	30	73.0	1976	0	354	.0	.2	31.0	.0	.0	.0
Jun	86.0	77.4	81.7	97	1984	26	84.1	1980	59+	1975	1	78.8	1988	0	501	.0	7.4	30.0	.0	.0	.0
Jul	88.2	79.5	83.9	99	2001	27	86.3	1998	66	1972	7	81.3	1987	0	584	.0	17.4	31.0	.0	.0	.0
Aug	89.4	78.8	84.1	100	1954	31	86.7	1999	62	1966	26	80.8	1992	0	593	.1	22.5	31.0	.0	.0	.0
Sep	86.5	75.3	80.9	105	2000	6	84.2	1986	52	1985	30	77.4	1979	0	477	@	9.6	30.0	.0	.0	.0
Oct	81.1	67.0	74.1	93+	1995	2	76.8	1973	37	1976	21	65.1	1976	8	289	.0	.9	31.0	.0	.0	.0
Nov	71.9	58.1	65.0	93	1988	5	73.1	1973	29	1976	29	55.4	1976	126	125	.0	@	29.6	.0	.2	.0
Dec	64.1	49.8	57.0	85	1994	6	64.5	1984	10	1989	23	46.7	1989	286	36	.0	.0	28.7	.1	1.4	.0
Ann	76.4	65.0	70.7	105	Sep 2000	6	86.7	Aug 1999	10	Dec 1989	23	46.7	Dec 1989	1127	3239	.1	58.0	356.1	.2	5.5	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 235-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 417186

Station: PORT O CONNOR, TX

Climate Division: TX 8 NWS Call Sign: Elevation: 5 Feet Lat: 28°26N Lon: 96°26W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3)	Proba	ability th		nonthly/	annual j	precipita ated am	ount	ies (1)		less tha	in the
	Medi	ans(1)				Extremes	3			п	aily Pre	сірітатіо	n		Th	ese value	s were det	ermined	from the	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.07	2.72	3.30	1979	11	8.97	1989	.00+	2000	6.8	3.7	1.4	.6	.00	.00	.64	1.24	1.81	2.42	3.10	3.93	5.06	6.83	8.57
Feb	2.20	1.98	3.98	1982	26	8.63	1982	.00+	2000	6.5	3.6	1.3	.4	.00	.00	.45	.81	1.20	1.63	2.13	2.76	3.61	5.02	6.41
Mar	1.73	1.23	3.11	1979	21	5.29	1997	.00+	2000	4.9	2.1	.8	.3	.00	.00	.37	.67	.97	1.30	1.69	2.17	2.81	3.89	4.94
Apr	1.55	1.27	7.75	1957	16	4.67	1976	.00+	1999	4.7	2.3	1.2	.3	.00	.00	.12	.35	.62	.95	1.35	1.88	2.62	3.90	5.19
May	3.70	3.55	4.87	1977	22	11.80	1981	.00+	1998	7.1	4.7	2.7	1.5	.00	.21	.75	1.31	1.93	2.64	3.49	4.55	6.04	8.55	11.03
Jun	2.77	2.07	4.45	1961	10	9.34	1981	.00+	1998	6.1	3.4	1.5	.7	.00	.00	.50	.96	1.44	1.99	2.64	3.45	4.56	6.43	8.26
Jul	3.05	1.74	12.50	1976	10	18.89	1976	.00+	2000	4.5	3.5	1.4	.9	.00	.00	.10	.51	1.04	1.71	2.54	3.64	5.23	7.97	10.81
Aug	2.94	2.62	8.15	1996	31	9.43	1975	.00+	2000	6.7	4.7	1.8	.8	.00	.00	.96	1.48	1.97	2.48	3.06	3.74	4.61	6.04	7.40
Sep	4.97	3.88	6.92	1979	19	18.56	1979	.00+	2000	6.9	4.6	2.2	1.4	.00	.00	1.80	2.68	3.48	4.32	5.25	6.35	7.71	9.96	12.08
Oct	4.45	3.54	12.20	1984	20	24.51	1984	.00+	2000	5.8	4.3	2.5	1.5	.00	.00	.90	1.76	2.59	3.47	4.46	5.69	7.34	9.93	12.49
Nov	2.53	1.94	3.51	1963	9	7.52	1982	.00+	1999	5.6	3.5	1.4	.7	.00	.00	.57	1.07	1.54	2.04	2.58	3.25	4.16	5.55	6.92
Dec	1.82	1.35	4.70	1971	5	7.45	1971	.00+	2000	6.4	3.3	1.2	.4	.00	.00	.20	.49	.82	1.21	1.66	2.25	3.07	4.43	5.80
Ann	34.78	36.05	12.50	Jul 1976	10	24.51	Oct 1984	.00+	Dec 2000	72.0	43.7	19.4	9.5	11.60	14.89	19.72	23.82	27.76	31.83	36.27	41.46	48.13	58.48	68.02

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 417186

Station: PORT O CONNOR, TX

Climate Division: TX 8 NWS Call Sign: Elevation: 5 Feet Lat: 28°26N Lon: 96°26W

										Snov	w (incl	hes)												
						Sno	ow To	tals									Mea	n Nui	mber	of Day	ys (1)			
	Mean	s/Medi	ians (1)	1					Extre	mes (2)							ow Fa			Snow Depth >= Thresholds				
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	#	.0	#	0	#	1975	13	#+	1975	#	1973	12	#	1973	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Feb	.1	.0	0	0	1.3	1973	9	1.3	1973	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0	
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Nov	#	.0	0	0	#	1976	29	#	1976	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Dec	#	.0	0	0	#	1973	21	#	1973	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Ann	.1	.0	N/A	N/A	1.3	Feb 1973	9	1.3	Feb 1973	#	Jan 1973	12	#	Jan 1973	.1	.1	.0	.0	.0	.0	.0	.0	.0	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

Elevation:

5 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 417186

Lon: 96°26W

Lat: 28°26N

Station: PORT O CONNOR, TX

Climate Division: TX 8

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			-
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	3/18	3/06	2/25	2/17	2/09	2/01	1/23	1/08	0/00
32	3/04	2/21	2/13	2/05	1/29	1/20	1/06	0/00	0/00
28	2/14	2/02	1/23	1/14	1/03	12/15	0/00	0/00	0/00
24	2/03	1/22	1/12	12/31	0/00	0/00	0/00	0/00	0/00
20	1/03	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•			Fal	l Freeze Da	tes (Month/D	ay)		•	-
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	11/14	11/22	11/28	12/04	12/09	12/14	12/21	12/30	0/00
32	11/30	12/10	12/17	12/24	12/31	1/08	1/19	0/00	0/00
28	12/21	1/02	1/10	1/19	1/31	0/00	0/00	0/00	0/00
24	12/26	1/08	1/19	2/01	0/00	0/00	0/00	0/00	0/00
20	1/10	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
				Freeze F	ree Period	•	•	•	.
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	>365	>365	330	314	302	292	281	269	253
32	>365	>365	>365	>365	338	325	314	304	290
28	>365	>365	>365	>365	>365	>365	>365	341	322
24	>365	>365	>365	>365	>365	>365	>365	>365	342
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: PORT O CONNOR, TX

COOP ID: 417186

Climate Division: TX 8 NWS Call Sign: Elevation: 5 Feet Lat: 28°26N Lon: 96°26W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	355	238	97	17	0	0	0	0	0	8	126	286	1127
60	234	142	34	2	0	0	0	0	0	2	63	180	657
57	177	98	15	0	0	0	0	0	0	0	38	130	458
55	144	72	8	0	0	0	0	0	0	0	26	100	350
50	73	28	1	0	0	0	0	0	0	0	9	44	155
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base	Cooling Degree Days (1) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Ann 690 712 994 1138 1376 1491 1607 1616 1467 1303 990 774 14158 131 140 380 448 662 804 804 903 777 500 326 161 6113														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	690	712	994	1138	1376	1491	1607	1616	1467	1303	990	774	14158		
55	121	140	289	448	663	801	894	903	777	590	326	161	6113		
57	93	109	234	388	601	741	832	841	717	529	278	129	5492		
60	57	70	160	300	508	651	739	748	627	437	213	86	4596		
65	22	25	68	165	354	501	584	593	477	289	125	36	3239		
70	8	8	18	67	206	351	429	438	327	159	61	14	2086		

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	444	497	731	897	1145	1260	1372	1371	1226	1050	746	525	444	941	1672	2569	3714	4974	6346	7717	8943	9993	10739	11264
45	306	361	576	747	990	1110	1217	1216	1076	895	599	381	306	667	1243	1990	2980	4090	5307	6523	7599	8494	9093	9474
50												249	181	418	844	1441	2276	3236	4298	5359	6285	7025	7476	7725
55	87	128	283	447	680	810	907	906	776	586	314	135	87	215	498	945	1625	2435	3342	4248	5024	5610	5924	6059
60	36	54	148	300	525	660	752	751	626	437	194	65	36	90	238	538	1063	1723	2475	3226	3852	4289	4483	4548
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)		
50/86	228	268	440	600	835	929	1000	985	889	738	467	291	228	496	936	1536	2371	3300	4300	5285	6174	6912	7379	7670

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf