Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 101551

Lon: 114°52W

Station: CASTLEFORD 2 N, ID

Climate Division: ID 7 NWS Call Sign:

									, .	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	35.3	20.2	27.8	62	1971	31	36.3	1998	-23	1984	18	16.2	1979	1155	0	.0	.0	1.8	9.7	28.5	1.8
Feb	42.8	24.8	33.8	69	1992	29	40.2	1992	-14+	1989	7	23.1	1985	874	0	.0	.0	8.6	3.2	23.9	.8
Mar	52.8	29.8	41.3	80	1978	29	47.7	1986	0	1976	2	33.8	1985	734	0	.0	.0	21.0	.2	22.1	@
Apr	62.6	34.9	48.8	89+	2000	27	55.6	1987	14	1997	6	41.3	1975	492	4	.0	.0	27.6	.0	11.3	.0
May	71.2	41.4	56.3	95+	1964	19	62.6	1992	22	1972	1	52.1	1975	280	10	.0	.4	30.7	.0	3.3	.0
Jun	80.3	48.3	64.3	103	1974	16	69.8	1986	30	1995	7	59.9	1995	101	80	.1	4.8	30.0	.0	.2	.0
Jul	87.3	53.6	70.5	105	1978	14	74.8	1998	34	1981	8	63.2	1993	22	192	.1	14.3	31.0	.0	.0	.0
Aug	85.7	52.3	69.0	102	1979	4	72.4	1971	33	1964	30	63.9	1976	32	156	.2	9.3	31.0	.0	.0	.0
Sep	76.1	44.5	60.3	96+	2000	14	66.5	1990	15	1985	29	53.9	1985	179	38	.0	1.0	30.0	.0	1.9	.0
Oct	63.9	35.8	49.9	89	1992	1	57.3	1988	11	1971	29	45.2	1984	470	1	.0	.0	28.6	@	10.5	.0
Nov	46.6	27.0	36.8	79	1980	7	44.2	1999	-5	1985	23	26.2	1985	846	0	.0	.0	12.3	2.2	22.3	.2
Dec	36.1	20.3	28.2	64	1981	6	36.3	1995	-26	1990	23	13.3	1985	1141	0	.0	.0	3.0	8.6	28.5	2.0
					Jul			Jul		Dec			Dec								
Ann	61.7	36.1	48.9	105	1978	14	74.8	1998	-26	1990	23	13.3	1985	6326	481	.4	29.8	255.6	23.9	152.5	4.8

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 021-A

(1) From the 1971-2000 Monthly Normals

Elevation: 3,825 Feet Lat: 42°33N

- (2) Derived from station's available digital record: 1963-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 101551

Station: CASTLEFORD 2 N, ID

Climate Division: ID 7 NWS Call Sign: Elevation: 3,825 Feet Lat: 42°33N Lon: 114°52W

										Pı	recipi	tation	(incl	nes)										
			P	recip	itatio	on Total	s			M	ean N	Numbo Pays (3		Proba	ability th	nat the r		annual j			ies (1) Il be equ	ıal to or	less tha	ın the
	Medi					Extremes	s			D	aily Pre	cipitatio	n		Th		•		•		bility Leve e gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.32	1.22	1.02	1974	12	2.92	1972	.22	1977	7.1	4.1	.6	@	.28	.40	.60	.77	.95	1.14	1.35	1.60	1.94	2.48	2.98
Feb	.87	.67	.63	1998	4	2.97	1986	.01	1997	7.3	3.5	.2	.0	.10	.16	.28	.40	.53	.68	.85	1.06	1.35	1.83	2.29
Mar	1.08	.88	1.10	1993	17	3.48	1989	.02	1992	7.8	4.0	.4	@	.13	.21	.37	.52	.68	.86	1.06	1.32	1.67	2.25	2.80
Apr	.97	.88	.89	1994	25	2.51	1997	.19	1985	6.1	3.5	.3	.0	.21	.30	.44	.57	.70	.84	.99	1.17	1.41	1.80	2.16
May	1.36	1.37	2.04	1983	1	3.62	1996	.00	1992	6.7	4.3	.7	.1	.15	.32	.54	.74	.94	1.15	1.39	1.68	2.06	2.67	3.26
Jun	.81	.64	1.70	1984	10	3.11	1984	.00+	1994	4.5	2.6	.3	@	.00	.11	.26	.39	.52	.66	.82	1.01	1.27	1.69	2.09
Jul	.22	.07	.66	1965	1	1.11	1982	.00+	2000	1.6	.7	@	.0	.00	.00	.00	.00	.00	.06	.15	.26	.41	.67	.91
Aug	.34	.15	.69	1968	18	2.01	1983	.00+	1999	2.1	1.0	.2	.0	.00	.00	.00	.00	.07	.16	.27	.41	.61	.94	1.28
Sep	.62	.46	.98	1978	5	2.78	1978	.00+	1999	2.9	1.7	.4	.0	.00	.00	.00	.10	.24	.39	.56	.78	1.08	1.58	2.07
Oct	.67	.57	.88	1989	25	2.05	1975	.00+	1988	3.7	2.2	.2	.0	.00	.00	.12	.25	.37	.51	.66	.85	1.11	1.51	1.92
Nov	1.10	.98	.93	1967	19	2.90	1988	.00+	1993	6.6	3.7	.5	.0	.00	.13	.33	.51	.69	.88	1.11	1.37	1.74	2.33	2.91
Dec	.94	.60	3.01	1970	8	2.79	1996	.00+	1999	6.2	3.2	.1	.0	.00	.00	.15	.32	.49	.68	.90	1.18	1.56	2.18	2.79
Ann	10.30	9.78	3.01	Dec 1970	8	3.62	May 1996	.00+	Jul 2000	62.6	34.5	3.9	.1	6.27	7.00	7.96	8.71	9.38	10.04	10.73	11.51	12.46	13.87	15.10

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1963-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 101551

Station: CASTLEFORD 2 N, ID

Climate Division: ID 7 NWS Call Sign: Elevation: 3,825 Feet Lat: 42°33N Lon: 114°52W

										Snov	w (inc	hes)											
		Median Median Snow Fall Snow Fall Snow Depth Snow Depth Snow Depth 3.7 1 1 6.0 1979 10 11.8 1979 8 1982 3 4 19 1.0 1 # 6.0 1972 24 14.8 1976 9 1996 5 4 19 .0 # 0 6.1 1974 2 6.1+ 1974 4+ 1996 23 #+ 19 .0 # 0 3.2 1982 1 7.2 1975 #+ 1975 6 #+ 19 .0 0 0 6.5 1971 21 6.5 1971 0 0 0 0 .0 0 0 0 0 0 0 0 0 0 0 .0 0 0 0 0 0 0 0 0 0 0 </th <th></th> <th>Mea</th> <th>n Nu</th> <th>mber</th> <th>of Day</th> <th>ys (1)</th> <th></th> <th></th>															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.5	3.7	1	1	6.0	1979	10	11.8	1979	8	1982	3	4	1982	2.8	1.8	.5	.2	.0	9.3	4.1	1.6	.0
Feb	2.8	1.0	1	#	6.0	1972	24	14.8	1976	9	1996	5	4	1985	1.4	1.0	.4	.1	.0	3.1	1.4	.1	.0
Mar	.8	.0	#	0	6.1	1974	2	6.1+	1974	4+	1996	23	#+	1996	.7	.4	.1	@	.0	.5	.1	.0	.0
Apr	.4	.0	#	0	3.2	1982	1	7.2	1975	#+	1975	6	#+	1975	.3	.1	.1	.0	.0	.0	.0	.0	.0
May	.3	.0	0	0	6.5	1971	21	6.5	1971	0	0	0	0	0	.2	.1	@	@	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	2.0	1971	31	2.0	1971	#	1971	31	#	1971	@	@	.0	.0	.0	.0	.0	.0	.0
Nov	1.7	.0	#	0	6.0	1985	9	28.0	1985	14	1985	29	5	1985	1.0	.6	.2	@	.0	1.1	.8	.6	.1
Dec	2.5	1.5	1	#	8.0	1994	5	9.4	1981	14	1985	1	10	1985	1.8	1.1	.4	.1	.0	3.0	1.3	.3	.0
Ann	13.1	6.2	N/A	N/A	8.0	Dec 1994	5	28.0	Nov 1985	14+	Dec 1985	1	10	Dec 1985	8.2	5.1	1.7	.4	.0	17.0	7.7	2.6	.1

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 101551

Lon: 114°52W

Lat: 42°33N

Station: CASTLEFORD 2 N, ID

Climate Division: ID 7 NWS Call Sign:

NWS Call Sign:

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/25	6/19	6/14	6/10	6/06	6/03	5/30	5/25	5/18
32	6/07	5/31	5/26	5/22	5/18	5/14	5/10	5/05	4/29
28	5/17	5/11	5/07	5/04	5/01	4/27	4/24	4/20	4/15
24	4/30	4/23	4/19	4/15	4/11	4/08	4/04	3/30	3/24
20	4/17	4/08	3/31	3/25	3/20	3/14	3/08	3/01	2/19
16	3/14	3/07	3/02	2/25	2/21	2/17	2/13	2/08	2/01
•			Fal	l Freeze Da	tes (Month/D	ay)	•		•
Toma (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/03	9/08	9/11	9/14	9/16	9/19	9/21	9/24	9/29
32	9/08	9/13	9/17	9/20	9/23	9/26	9/29	10/03	10/08
28	9/22	9/28	10/02	10/06	10/09	10/13	10/16	10/21	10/27
24	10/03	10/09	10/13	10/16	10/20	10/23	10/26	10/30	11/05
20	10/17	10/23	10/28	11/01	11/04	11/08	11/12	11/16	11/23
16	10/29	11/04	11/08	11/12	11/16	11/20	11/24	11/28	12/04
				Freeze F	ree Period				
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	124	116	110	105	101	96	92	86	78
32	150	142	137	132	127	123	118	112	104
28	185	177	171	166	161	156	151	145	137
24	218	208	202	196	191	186	180	173	164
20	265	253	244	236	229	222	214	205	193
16	297	287	279	273	267	261	255	247	237

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 3,825 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CASTLEFORD 2 N, ID

ORD 2 N, ID COOP ID: 101551

Climate Division: ID 7 NWS Call Sign: Elevation: 3,825 Feet Lat: 42°33N Lon: 114°52W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1155	874	734	492	280	101	22	32	179	470	846	1141	6326
60	1000	734	579	353	157	38	4	6	89	321	696	986	4963
57	907	650	488	276	101	17	1	2	51	240	606	893	4232
55	845	594	427	230	72	10	0	1	33	191	547	831	3781
50	695	464	287	136	24	1	0	0	8	93	407	682	2797
32	241	109	16	3	0	0	0	0	0	1	67	229	666

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	109	159	305	505	753	969	1193	1147	849	554	211	112	6866
55	0	0	3	42	112	288	480	435	192	31	1	0	1584
57	0	0	1	28	79	236	419	374	150	18	0	0	1305
60	0	0	0	14	42	167	329	285	97	6	0	0	940
65	0	0	0	4	10	80	192	156	38	1	0	0	481
70	0	0	0	0	1	28	92	65	10	0	0	0	196

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	2	36	112	276	508	732	958	913	617	329	65	9	2	38	150	426	934	1666	2624	3537	4154	4483	4548	4557
45	0 5 41 160 359 582 803 758 467 199 24											0	0	5	46	206	565	1147	1950	2708	3175	3374	3398	3398
50	0	0	8	77	224	433	648	603	327	97	3	0	0	0	8	85	309	742	1390	1993	2320	2417	2420	2420
55	0	0	0	29	115	293	494	448	198	35	0	0	0	0	0	29	144	437	931	1379	1577	1612	1612	1612
60	0	0	0	7	49	170	341	299	100	7	0	0	0	0	0	7	56	226	567	866	966	973	973	973
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	0/86 0 28 95 202 342 468 607 587 414 238 47												0	28	123	325	667	1135	1742	2329	2743	2981	3028	3031

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf