# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 210018** 

Station: ADA, MN

**Climate Division: MN 1** 

**NWS Call Sign:** 

Elevation: 910 Feet Lat: 47°18N Lon: 96°31W

									r	Гетр	eratu	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	l v l Maan		Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	14.3	-5.4	4.5	53	1981	24	18.3	1990	-43	1994	18	-8.1	1979	1879	0	.0	.0	@	26.8	31.0	18.8
Feb	21.4	2.3	11.9	65	1958	25	26.4	1998	-43+	1996	2	-2.5	1979	1488	0	.0	.0	.3	19.0	27.8	12.1
Mar	34.0	16.3	25.2	78	1967	30	36.3	1973	-30	1980	1	15.5	1996	1237	0	.0	.0	4.4	9.9	27.5	4.5
Apr	53.1	31.3	42.2	100	1980	21	50.0	1987	-8	1979	6	33.3	1979	686	1	@	.1	20.2	1.0	16.5	.2
May	68.5	44.7	56.6	97	1964	21	65.9	1977	12	1967	3	48.5	1979	296	34	.0	.9	30.0	.0	3.8	.0
Jun	76.3	55.0	65.7	98+	1988	19	72.7	1988	31	1964	1	59.8	1982	84	103	.0	2.3	30.0	.0	.0	.0
Jul	80.7	58.9	69.8	105	1988	27	74.1	1989	37	1967	3	63.6	1992	29	178	.3	5.2	31.0	.0	.0	.0
Aug	80.1	56.7	68.4	104	1976	18	75.7	1983	33+	1982	27	62.7	1977	57	163	.4	5.2	31.0	.0	.0	.0
Sep	69.2	45.5	57.4	100+	1978	6	62.6	1978	20+	1974	22	50.7	1993	251	22	.1	1.2	29.5	.0	2.1	.0
Oct	55.4	33.3	44.4	93	1963	5	50.9	1973	7	1951	31	40.2	1993	641	0	.0	@	23.7	.6	12.8	.0
Nov	34.2	17.8	26.0	74	1953	17	35.9	1999	-28+	1996	26	15.0	1985	1170	0	.0	.0	4.5	12.2	26.8	2.7
Dec	20.0	2.7	11.4	56	1962	1	23.8	1997	-37	1967	31	-2.4	1983	1664	0	.0	.0	.2	23.9	30.9	13.6
Ann	50.6	29.9	40.3	105	Jul 1988	27	75.7	Aug 1983	-43+	Feb 1996	2	-8.1	Jan 1979	9482	501	.8	14.9	204.8	93.4	179.2	51.9

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 001-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 210018** 

Station: ADA, MN

Climate Division: MN 1 NWS Call Sign: Elevation: 910 Feet Lat: 47°18N Lon: 96°31W

										Pı	recipi	tation	(incl	nes)										
	Me	owa!	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	ın the
	Medi					Extremes	8			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.83	.84	.66	1982	22	1.89	1982	.14	1991	5.4	3.0	.2	.0	.20	.28	.40	.51	.61	.73	.85	1.00	1.20	1.50	1.79
Feb	.59	.61	.77	1955	20	1.42	1998	.04	1988	4.2	2.4	.1	.0	.10	.15	.24	.32	.40	.49	.59	.72	.88	1.15	1.41
Mar	1.03	.86	1.24	1970	3	2.37	1995	.00	1986	4.8	3.1	.5	@	.26	.41	.57	.71	.83	.95	1.09	1.25	1.45	1.76	2.05
Apr	1.69	1.37	2.41	1964	21	6.01	1986	.00+	1988	5.7	3.7	1.0	.3	.00	.16	.46	.72	1.00	1.31	1.67	2.10	2.70	3.68	4.63
May	3.05	3.00	4.51	1981	22	9.19	1985	.32	1980	7.7	5.7	1.6	.6	.74	1.03	1.47	1.87	2.26	2.68	3.14	3.69	4.42	5.56	6.64
Jun	4.32	4.48	3.31	1964	18	8.17	1975	.66	1972	9.5	7.3	3.0	1.2	1.38	1.79	2.39	2.91	3.41	3.93	4.49	5.16	6.02	7.35	8.58
Jul	3.40	3.35	3.80	1952	20	7.53	1995	.26	1989	7.8	6.3	2.0	.8	.69	1.00	1.50	1.95	2.42	2.91	3.47	4.14	5.03	6.45	7.80
Aug	2.84	2.46	2.35	1960	25	7.15	1974	.98	1975	7.2	5.4	1.9	.7	.91	1.18	1.58	1.92	2.24	2.58	2.95	3.39	3.95	4.83	5.63
Sep	2.37	2.03	2.98	1973	24	8.06	1973	.04	1974	6.4	4.7	1.5	.5	.33	.53	.87	1.19	1.54	1.92	2.36	2.90	3.62	4.81	5.95
Oct	2.03	1.64	2.65	1971	17	7.49	1971	.03	1992	5.7	4.0	1.4	.6	.10	.21	.45	.72	1.04	1.41	1.86	2.45	3.27	4.68	6.09
Nov	1.08	.98	1.58	1974	1	3.14	2000	.00+	1999	4.4	3.3	.5	.1	.00	.23	.45	.62	.78	.95	1.13	1.34	1.63	2.08	2.50
Dec	.70	.60	1.36	1982	2	1.64	1982	.19	1989	4.9	2.6	.1	.1	.20	.27	.37	.46	.54	.63	.73	.85	1.00	1.23	1.45
Ann	23.93	24.78	4.51	May 1981	22	9.19	May 1985	.00+	Nov 1999	73.7	51.5	13.8	4.9	16.75	18.13	19.90	21.25	22.45	23.61	24.81	26.14	27.76	30.10	32.14

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1948-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ADA, MN

Climate Division: MN 1 NWS Call Sign:

Elevation: 910 Feet Lat: 47°18N

Lon: 96°31W

**COOP ID: 210018** 

		Snow (inches)  Snow Totals  Extremes (2)  Highest																					
		Snow Fall   Median   Snow Depth   Median   Median   Snow Fall   12.0   9   10   10.0   1982   22   29.0   1989   32   1982   24   24   1997   3.7   10   9   7.0   1991   23   14.0   1991   29   1997   12   27   1997															Mea	ın Nu	mber	of Da	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	13.8	12.0	9	10	10.0	1982	22	29.0	1989	32	1982	24	24	1997	4.6	3.8	1.4	.6	.1	-9.9	-9.9	-9.9	-9.9
Feb	5.7	3.7	10	9	7.0	1991	23	14.0	1991	29	1997	12	27	1997	3.0	2.4	.6	.1	.0	-9.9	-9.9	-9.9	-9.9
Mar	6.9	5.9	4	2	10.0	1997	4	23.2	1997	36	1997	4	27	1997	2.7	2.2	.8	.3	.1	-9.9	-9.9	-9.9	-9.9
Apr	.8	.0	#	0	6.3	1997	6	6.3	1997	15	1996	4	4	1979	.4	.3	.1	.1	.0	1.3	.8	.3	.0
May	.0	.0	0	0	.3	1997	12	.3	1997	0	0	0	0	0	@	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.7	.0	#	0	6.0	1972	30	6.0	1972	6	1972	30	#+	2000	.2	.2	.1	@	.0	.1	.1	.1	.0
Nov	7.3	5.0	2	#	8.0	1998	19	21.0	1985	33	1977	20	17	1977	2.2	1.8	1.0	.3	.0	-9.9	-9.9	-9.9	-9.9
Dec	7.5	6.0	5	2	12.0	1972	30	21.0	1988	26	1977	11	19	1977	4.2	3.7	1.0	.3	@	-9.9	-9.9	-9.9	-9.9
Ann	42.7	32.6	N/A	N/A	12.0	Dec 1972	30	29.0	Jan 1989	36	Mar 1997	4	27+	Mar 1997	17.3	14.4	5.0	1.7	.2	-9.9	-9.9	-9.9	-9.9

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 210018** 

Station: ADA, MN

Climate Division: MN 1 NWS Call Sign: Elevation: 910 Feet Lat: 47°18N Lon: 96°31W

				Freez	e Data									
			Spri	ng Freeze D	ates (Month	/Day)								
Probability of later date in spring (thru Jul 31) than indicated(*)   10   20   30   40   50   60   70   80   90     36   5/29   5/26   5/23   5/21   5/19   5/17   5/15   5/12   5/09     32   5/22   5/18   5/16   5/13   5/11   5/09   5/07   5/04   4/30     28   5/13   5/09   5/06   5/03   5/01   4/28   4/26   4/23   4/19     24   5/07   5/01   4/26   4/22   4/18   4/15   4/11   4/06   3/31     20   4/24   4/19   4/15   4/12   4/09   4/06   4/03   3/30   3/25     16   4/16   4/11   4/08   4/05   4/02   3/31   3/28   3/24   3/20     Fall Freeze Dates (Month/Day)    Femp (F)   Probability of earlier date in fall (beginning Aug 1) than indicated(*)   36   9/06   9/06   9/12   9/12   9/16   9/19   9/21   9/24   9/27     37   9/16   9/06   9/06   9/12   9/16   9/16   9/19   9/21   9/24   9/27     38   9/06   9/06   9/12   9/12   9/16   9/16   9/19   9/21   9/24   9/27     39   9/16   9/16   9/19   9/21   9/24   9/27														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	5/29	5/26	5/23	5/21	5/19	5/17	5/15	5/12	5/09					
32	5/22	5/18	5/16	5/13	5/11	5/09	5/07	5/04	4/30					
28	5/13	5/09	5/06	5/03	5/01	4/28	4/26	4/23	4/19					
24	5/07	5/01	4/26	4/22	4/18	4/15	4/11	4/06	3/31					
20	4/24	4/19	4/15	4/12	4/09	4/06	4/03	3/30	3/25					
16	4/16	4/11	4/08	4/05	4/02	3/31	3/28	3/24	3/20					
			Fa	ll Freeze Da	tes (Month/I	Day)		•						
Tomn (F)		Pro	bability of e	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/06	9/09	9/12	9/14	9/16	9/19	9/21	9/24	9/27					
32	9/14	9/18	9/20	9/23	9/25	9/27	9/30	10/02	10/06					
28	9/20	9/25	9/28	10/01	10/04	10/07	10/10	10/13	10/18					
24	9/27	10/02	10/06	10/10	10/13	10/16	10/20	10/24	10/29					
20	10/06	10/12	10/17	10/20	10/24	10/27	10/31	11/05	11/11					
16	10/17	10/23	10/26	10/29	11/01	11/04	11/07	11/11	11/16					
		•		Freeze F	ree Period									
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	136	130	126	123	120	116	113	109	104					
32	152	147	143	139	136	133	130	126	120					
28	174	168	163	159	156	152	148	143	137					
24	200	192	186	182	177	172	167	162	154					
20	223	214	208	202	197	192	186	180	171					
16	232	225	220	216	212	209	204	200	193					

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ADA, MN

COOP ID: 210018

Climate Division: MN 1 NWS Call Sign: Elevation: 910 Feet Lat: 47°18N Lon: 96°31W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1879	1488	1237	686	296	84	29	57	251	641	1170	1664	9482
60	1724	1348	1082	541	188	30	7	19	142	487	1020	1509	8097
57	1631	1264	989	457	136	14	0	8	90	397	930	1416	7332
55	1569	1208	927	404	106	8	0	4	64	338	870	1354	6852
50	1414	1068	773	283	51	1	0	0	20	210	722	1199	5741
32	874	602	303	35	0	0	0	0	0	11	271	673	2769

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	17	39	89	340	762	1010	1172	1129	761	393	91	33	5836
55	0	0	0	19	155	327	459	420	135	7	0	0	1522
57	0	0	0	12	123	274	397	362	101	3	0	0	1272
60	0	0	0	6	82	200	311	279	63	1	0	0	942
65	0	0	0	1	34	103	178	163	22	0	0	0	501
70	0	0	0	0	12	39	85	80	6	0	0	0	222

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov   Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0 1 17 188 560 790 955 907 567 230 24													1	18	206	766	1556	2511	3418	3985	4215	4239	4239
45	0 0 3 112 418 640 800 752 419 126 9												0	0	3	115	533	1173	1973	2725	3144	3270	3279	3279
50	0	0	0	59	285	490	645	597	285	63	1	0	0	0	0	59	344	834	1479	2076	2361	2424	2425	2425
55	0	0	0	25	174	344	490	443	169	21	0	0	0	0	0	25	199	543	1033	1476	1645	1666	1666	1666
60	0	0	0	9	87	207	339	295	90	6	0	0	0	0	0	9	96	303	642	937	1027	1033	1033	1033
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86	<b>0/86</b> 0 0 11 139 359 500 626 589 353 149 15											0	0	0	11	150	509	1009	1635	2224	2577	2726	2741	2741

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf