Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 086065

Station: MYAKKA RIVER STATE PARK, FL

Lat: 27°14N **Climate Division: FL 4 NWS Call Sign:** Elevation: 20 Feet Lon: 82°19W

									ŗ	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	74.9	49.8	62.4	89+	1975	30	69.8	1993	18	1981	13	52.0	1981	181	84	.0	.0	30.9	.0	2.1	.0
Feb	77.1	50.9	64.0	91	1985	24	70.1	1982	22	1989	25	56.8	1978	115	86	.0	.4	28.1	.0	1.0	.0
Mar	81.7	55.1	68.4	93+	1991	26	74.3	1997	28	1986	2	63.5	1971	37	143	.0	2.3	31.0	.0	.3	.0
Apr	85.7	58.4	72.1	98+	1999	24	76.4	1991	34	1971	8	66.7	1987	10	220	.0	8.1	30.0	.0	.0	.0
May	91.1	63.9	77.5	104	1989	26	81.3	1995	43	1971	5	74.7	1992	0	386	.3	21.6	31.0	.0	.0	.0
Jun	92.5	69.5	81.0	105	1985	5	85.2	1998	50	1984	1	78.5	1976	0	480	.8	25.5	30.0	.0	.0	.0
Jul	93.0	71.3	82.2	101+	1996	25	84.8	1998	55	1964	27	80.2	1974	0	531	.2	27.5	31.0	.0	.0	.0
Aug	93.0	72.2	82.6	104	1998	4	85.0	1998	60	2001	22	80.8	1972	0	546	.2	27.8	31.0	.0	.0	.0
Sep	91.6	71.5	81.6	103	1999	29	83.2	1991	53	1968	2	79.7	1976	0	496	.1	23.6	30.0	.0	.0	.0
Oct	87.2	65.1	76.2	97+	1990	4	80.0	1985	42	1977	18	71.9	1987	2	347	.0	11.1	31.0	.0	.0	.0
Nov	81.4	58.1	69.8	95	1998	21	75.8	1986	24	1970	25	65.3	2000	24	167	.0	.9	30.0	.0	.0	.0
Dec	76.3	52.2	64.3	90+	1978	8	69.8	1998	18	1962	13	57.6	1989	120	97	.0	.1	30.9	.0	1.2	.0
Ann	85.5	61.5	73.5	105	Jun 1985	5	85.2	Jun 1998	18+	Jan 1981	13	52.0	Jan 1981	489	3583	1.6	148.9	364.9	.0	4.6	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 053-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climate Division: FL 4

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 086065

Station: MYAKKA RIVER STATE PARK, FL

NWS Call Sign:

Elevation: 20 Feet Lat: 27°14N Lon: 82°19W

										Pı	ecipi	tation	(incl	nes)										
			P	recipi	itatio	on Total	s			M	ean N	lumbo ays (3		Proba	ability th	nat the n		annual j				ıal to or	less tha	n the
	Medi					Extremes	i			D	aily Pre	cipitatio	n		Th		•		•	vs Probal incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.15	2.77	3.70	1999	23	9.30	1993	.00	1974	5.6	4.4	1.9	1.1	.16	.44	.92	1.38	1.87	2.42	3.07	3.88	4.98	6.79	8.56
Feb	2.88	2.41	6.15	1998	16	11.28	1998	.02	1999	5.4	3.9	1.9	1.1	.20	.39	.75	1.15	1.59	2.10	2.72	3.50	4.58	6.41	8.22
Mar	3.49	2.73	4.70	2001	29	12.88	1987	.29	1977	5.2	4.1	2.0	1.2	.34	.59	1.07	1.55	2.08	2.68	3.38	4.26	5.46	7.46	9.42
Apr	2.16	1.56	4.00	1993	1	8.93	1997	.00	1981	4.5	3.2	1.5	.8	.03	.14	.40	.69	1.03	1.44	1.95	2.61	3.53	5.13	6.73
May	3.12	3.03	4.71	1977	11	7.95	1975	.02	2000	5.6	4.5	2.1	1.0	.25	.46	.87	1.30	1.77	2.32	2.97	3.80	4.94	6.85	8.73
Jun	9.10	7.66	8.75	1992	26	26.16	1992	2.49	1980	12.8	10.6	5.7	2.8	2.46	3.32	4.63	5.78	6.91	8.10	9.41	10.97	13.00	16.18	19.15
Jul	9.65	9.76	5.27	1995	17	19.34	1973	1.81	1972	16.2	13.1	6.0	3.3	3.50	4.41	5.72	6.81	7.86	8.93	10.09	11.44	13.17	15.84	18.28
Aug	9.48	8.10	4.96	1949	13	19.85	1981	3.44	1991	16.4	13.6	6.8	3.3	3.86	4.73	5.96	6.97	7.92	8.89	9.93	11.13	12.65	14.98	17.10
Sep	8.12	8.13	10.10	1962	21	21.08	1979	2.29	1972	12.8	10.2	5.2	2.5	2.64	3.41	4.55	5.52	6.45	7.41	8.46	9.70	11.28	13.75	16.03
Oct	3.17	2.71	8.30	1951	2	8.59	1995	.00	1974	6.3	4.5	2.3	1.0	.19	.49	.98	1.45	1.94	2.49	3.13	3.91	4.98	6.74	8.44
Nov	2.25	1.31	7.25	1997	14	10.19	1997	.03	1991	4.7	3.6	1.4	.6	.13	.26	.54	.84	1.19	1.59	2.09	2.72	3.60	5.11	6.61
Dec	2.34	1.42	3.34	1983	15	10.89	1997	.10	1991	4.7	3.4	1.3	.7	.14	.27	.56	.88	1.24	1.66	2.17	2.83	3.74	5.30	6.85
Ann	58.91	57.11	10.10	Sep 1962	21	26.16	Jun 1992	.00+	Apr 1981	100.2	79.1	38.1	19.4	41.42	44.79	49.12	52.41	55.34	58.17	61.10	64.34	68.27	73.98	78.93

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 086065

Lon: 82°19W

Station: MYAKKA RIVER STATE PARK, FL

Climate Division: FL 4 NWS Call Sign: Elevation: 20 Feet

										Snov	w (inc	hes)											
		Fall Fall Depth Median Median															Mea	ın Nu	nber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	#	.0	#	0	#	1989	23	#	1989	#	1989	23	#	1989	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	#	.0	N/A	N/A	#	Dec 1989	23	#	Dec 1989	#	Dec 1989	23	#	Dec 1989	.0	.0	.0	.0	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Lat: 27°14N

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 086065

Station: MYAKKA RIVER STATE PARK, FL

Climate Division: FL 4 NWS Call Sign: Elevation: 20 Feet Lat: 27°14N Lon: 82°19W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	3/19	3/09	3/03	2/25	2/19	2/14	2/07	1/31	1/20
32	3/07	2/23	2/15	2/08	2/01	1/25	1/17	1/06	0/00
28	2/11	1/29	1/18	1/04	0/00	0/00	0/00	0/00	0/00
24	1/28	1/15	12/31	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
·			Fa	ll Freeze Dat	tes (Month/D	ay)			
Temp (F)		Pro	bability of ea	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	11/17	11/26	12/03	12/09	12/14	12/20	12/26	1/02	1/14
32	12/10	12/18	12/24	12/29	1/03	1/08	1/14	1/22	0/00
28	12/22	1/04	1/15	1/29	0/00	0/00	0/00	0/00	0/00
24	1/06	1/21	2/10	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•			•	Freeze F	ree Period	•		1	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	338	320	311	303	297	290	283	275	265
32	>365	>365	>365	348	334	324	315	305	293
28	>365	>365	>365	>365	>365	>365	>365	>365	334
24	>365	>365	>365	>365	>365	>365	>365	>365	355
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MYAKKA RIVER STATE PARK, FL

COOP ID: 086065

Climate Division: FL 4 NWS Call Sign: Elevation: 20 Feet Lat: 27°14N Lon: 82°19W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	181	115	37	10	0	0	0	0	0	2	24	120	489
60	103	52	9	0	0	0	0	0	0	0	4	52	220
57	65	28	2	0	0	0	0	0	0	0	1	28	124
55	46	18	1	0	0	0	0	0	0	0	0	18	83
50	18	5	0	0	0	0	0	0	0	0	0	5	28
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base	Cooling Degree Days (1) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Ann 941 895 1129 1201 1409 1470 1554 1569 1486 1368 1133 1001 15156														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	941	895	1129	1201	1409	1470	1554	1569	1486	1368	1133	1001	15156		
55	274	269	417	511	696	780	841	856	796	655	443	305	6843		
57	231	223	356	451	634	720	779	794	736	593	384	253	6154		
60	176	163	269	361	541	630	686	701	646	500	297	185	5155		
65	84	86	143	220	386	480	531	546	496	347	167	97	3583		
70	44	33	58	107	234	330	376	391	346	204	73	37	2233		

										Gro	wing	Degre	e Uni	ts (2)											
Base					Growin	g Degree	Units (N	Monthly)					Growing Degree Units (Accumulated Monthly)												
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	701	703	885	966	1167	1233	1311	1326	1250	1121	894	757	701	1404	2289	3255	4422	5655	6966	8292	9542	10663	11557	12314	
45	547 559 730 816 1012 1083 1156 1171 1100 966 744												547	1106	1836	2652	3664	4747	5903	7074	8174	9140	9884	10487	
50												452	402	820	1396	2062	2919	3852	4853	5869	6819	7630	8224	8676	
55	265	286	421	516	702	783	846	861	800	656	447	311	265	551	972	1488	2190	2973	3819	4680	5480	6136	6583	6894	
60	156	169	277	366	547	633	691	706	650	501	304	190	156	325	602	968	1515	2148	2839	3545	4195	4696	5000	5190	
Base	e Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)	l .		
50/86	1/86 456 467 591 642 772 832 891 901 863 774 604 4											498	456	923	1514	2156	2928	3760	4651	5552	6415	7189	7793	8291	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf