### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 425186** 

Station: LOGAN UTAH STATE UNIV, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,790 Feet Lat: 41°45N Lon: 111°48W

									r	Гетр	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	32.2	16.9	24.6	60	1974	17	32.4	2000	-23	1930	22	14.2	1979	1255	0	.0	.0	.7	14.9	28.7	3.5
Feb	37.3	20.7	29.0	63+	1950	27	38.1	1995	-23	1933	10	17.7	1985	1008	0	.0	.0	2.8	8.2	24.7	1.5
Mar	47.7	29.8	38.8	74+	1943	28	46.0	1992	-4	1960	1	28.4	1976	814	0	.0	.0	12.6	1.7	19.7	.0
Apr	57.1	36.8	47.0	86	1962	20	53.6	1987	9	1936	2	39.9	1975	542	1	.0	.0	22.2	@	9.5	.0
May	66.9	44.5	55.7	90	1936	13	61.7	1992	22	1967	1	50.7	1975	302	14	.0	.0	29.2	.0	1.6	.0
Jun	77.7	52.3	65.0	98+	1937	21	70.7	1988	33+	1962	4	59.1	1998	101	101	.0	2.6	29.9	.0	.0	.0
Jul	86.7	59.5	73.1	102	1931	24	77.4	2000	38	1968	1	64.5	1993	14	265	.1	11.6	31.0	.0	.0	.0
Aug	85.8	58.7	72.3	101	2000	1	75.9	2000	37	1960	23	68.1	1976	10	236	.1	9.4	31.0	.0	.0	.0
Sep	74.7	49.6	62.2	97	1995	2	69.3	1990	26+	1965	18	56.1	1986	150	64	.0	.9	29.6	.0	.6	.0
Oct	61.5	39.3	50.4	85+	1992	1	58.2	1988	14	1971	30	43.7	1984	456	3	.0	.0	26.3	.2	5.5	.0
Nov	44.6	28.2	36.4	70+	1931	7	44.9	1999	-16	1955	16	29.7	2000	859	0	.0	.0	9.5	3.5	20.3	.3
Dec	33.7	18.1	25.9	66	1995	2	33.7	1995	-21+	1972	11	16.7	1990	1212	0	.0	.0	1.5	13.9	28.7	1.9
Ann	58.8	37.9	48.4	102	Jul 1931	24	77.4	Jul 2000	-23+	Feb 1933	10	14.2	Jan 1979	6723	684	.2	24.5	226.3	42.4	139.3	7.2

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 059-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1928-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 425186

Station: LOGAN UTAH STATE UNIV, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,790 Feet Lat: 41°45N Lon: 111°48W

										Pı	recipi	tation	(incl	hes)										
	M		P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	in the
		ans/ ans(1)				Extremes	S			D	aily Pre	cipitatio	n		Th				_	vs Probai incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.56	1.29	1.20	1980	14	4.19	1998	.49	1984	11.8	4.8	.5	.1	.43	.58	.80	1.00	1.19	1.39	1.61	1.88	2.22	2.75	3.25
Feb	1.61	1.48	1.36	1986	18	4.44	1986	.18	1988	10.1	4.8	.7	.1	.40	.56	.79	1.00	1.20	1.42	1.66	1.95	2.32	2.91	3.47
Mar	2.15	2.12	1.41	1994	23	4.44	1982	.70	1979	11.0	6.2	.9	.1	.75	.95	1.25	1.50	1.73	1.98	2.24	2.55	2.95	3.57	4.13
Apr	2.12	2.14	1.73	1957	23	5.80	1986	.27	1977	10.5	6.3	.9	.1	.43	.62	.93	1.22	1.51	1.81	2.16	2.58	3.14	4.02	4.87
May	2.39	1.97	1.34	1948	8	4.90	1987	.17	1972	11.1	6.3	1.1	.2	.56	.78	1.13	1.45	1.76	2.09	2.46	2.90	3.47	4.39	5.25
Jun	1.34	1.33	2.02	1964	7	3.79	1998	.09	1978	6.0	3.4	1.0	@	.11	.20	.38	.57	.77	1.01	1.28	1.64	2.12	2.93	3.73
Jul	.98	1.02	1.40	1997	12	2.79	1993	.00	1988	4.7	2.5	.6	.1	.01	.04	.14	.27	.42	.61	.84	1.16	1.61	2.41	3.22
Aug	.98	.60	1.94	1977	19	5.04	1977	.00	1985	5.1	2.3	.5	.2	.01	.05	.15	.28	.43	.62	.86	1.17	1.61	2.39	3.17
Sep	1.56	1.14	1.83	1978	18	5.76	1982	.03	1987	6.3	3.6	.9	.3	.07	.15	.32	.53	.77	1.06	1.41	1.87	2.53	3.65	4.79
Oct	2.06	2.18	1.64	1994	15	4.75	1981	.00+	1988	7.6	4.4	1.4	.4	.00	.48	.91	1.23	1.53	1.84	2.18	2.56	3.08	3.89	4.64
Nov	1.56	1.38	1.35	1958	16	5.05	1985	.04	1976	10.1	4.9	.4	@	.29	.43	.66	.87	1.09	1.32	1.58	1.90	2.33	3.01	3.65
Dec	1.58	1.45	1.46	1955	24	5.92	1983	.08	1976	10.5	5.1	.5	@	.26	.39	.62	.84	1.07	1.31	1.59	1.93	2.38	3.12	3.83
Ann	19.89	19.84	2.02	Jun 1964	7	5.92	Dec 1983	.00+	Oct 1988	104.8	54.6	9.4	1.6	12.04	13.47	15.35	16.81	18.13	19.42	20.78	22.30	24.16	26.92	29.35

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1928-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 425186** 

Lon: 111°48W

Station: LOGAN UTAH STATE UNIV, UT

Climate Division: UT 3 NWS Call Sign: Elevation: 4,790 Feet Lat: 41°45N

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>yS</b> (1)		
	Mean	s/Medi	ans (1)	ı					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	12.0	10.9	5	5	11.4	1997	23	29.9	1982	16	1971	14	11+	1989	8.4	4.3	1.2	.4	@	23.7	19.8	16.2	4.0
Feb	10.4	8.4	4	3	13.4	1989	2	24.4	1990	22	1989	2	15	1985	6.3	3.6	1.2	.5	@	17.8	13.1	8.9	3.6
Mar	9.7	8.0	1	1	10.3	1994	23	26.1	1977	18+	1985	4	12	1985	4.8	3.0	1.3	.5	@	7.6	4.8	2.7	1.1
Apr	4.5	3.1	#	1	8.0	1976	26	12.5	1976	8+	1976	26	1+	1976	2.2	1.5	.6	.1	.0	1.8	.9	.3	.0
May	.9	.0	#	0	4.5	1983	12	6.2	1975	4+	1979	8	#	1999	.5	.3	.1	.0	.0	.2	.1	.0	.0
Jun	#	.0	#	0	#	1973	18	#	1973	0	0	0	#	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	#	0	1.5	1978	18	1.5	1978	2	1978	18	#	1978	.0	.0	.0	.0	.0	@	.0	.0	.0
Oct	2.2	.0	#	0	6.5	1984	27	16.0	1971	7+	1996	26	1+	1996	1.0	.6	.3	.2	.0	1.0	.4	.2	.0
Nov	6.5	3.9	1	0	9.0	1975	29	32.5	1985	15	1975	30	5	1985	4.4	2.0	.8	.3	.0	6.1	3.5	1.2	.4
Dec	13.7	13.8	3	3	10.0	1981	22	25.4	1990	23	1983	27	11	1983	7.5	4.3	2.0	.8	@	20.1	13.8	7.9	1.9
Ann	60.0	48.1	N/A	N/A	13.4	Feb 1989	2	32.5	Nov 1985	23	Dec 1983	27	15	Feb 1985	35.1	19.6	7.5	2.8	@	78.3	56.4	37.4	11.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 425186** 

Lon: 111°48W

Lat: 41°45N

Station: LOGAN UTAH STATE UNIV, UT

**Climate Division: UT 3** 

**NWS Call Sign:** 

				Freez	e Data										
			Spri	ng Freeze D	ates (Month/	Day)									
Freeze Dates   Spring Freeze Dates   Month/Day    Temp (F)															
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	6/06	5/30	5/26	5/22	5/19	5/15	5/11	5/07	5/01						
32	5/20	5/14	5/09	5/06	5/02	4/29	4/25	4/21	4/14						
28	5/04	4/27	4/22	4/18	4/14	4/10	4/06	4/01	3/25						
24	4/17	4/10	4/04	3/31	3/26	3/22	3/17	3/12	3/04						
20	4/08	4/01	3/26	3/21	3/17	3/12	3/08	3/02	2/22						
16	3/24	3/17	3/12	3/08	3/04	2/28	2/24	2/19	2/12						
-			Fal	l Freeze Dat	tes (Month/D	ay)	•	•	•						
To (E)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	9/16	9/22	9/26	9/29	10/02	10/05	10/08	10/12	10/18						
32	9/26	10/02	10/06	10/09	10/13	10/16	10/20	10/24	10/29						
28	10/13	10/18	10/22	10/25	10/28	10/31	11/04	11/07	11/13						
24	10/23	10/28	10/31	11/03	11/06	11/09	11/12	11/15	11/20						
20	10/30	11/04	11/08	11/11	11/14	11/17	11/20	11/24	11/29						
16	11/07	11/13	11/17	11/20	11/24	11/27	12/01	12/05	12/11						
1		1	•	Freeze F	ree Period		•		•						
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	1							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	161	152	146	141	136	131	125	119	110						
32	191	181	174	168	163	157	151	145	135						
28	224	214	208	202	197	191	185	179	169						
24	251	242	235	229	224	219	213	206	197						
20	267	258	252	246	242	237	231	225	216						
16	292	282	276	270	264	259	253	246	236						

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 4,790 Feet

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: LOGAN UTAH STATE UNIV, UT

COOP ID: 425186

Climate Division: UT 3 NWS Call Sign: Elevation: 4,790 Feet Lat: 41°45N Lon: 111°48W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1255	1008	814	542	302	101	14	10	150	456	859	1212	6723		
60	1100	868	660	402	180	41	3	1	73	312	709	1057	5406		
57	1007	784	570	321	123	21	0	0	43	235	619	964	4687		
55	945	728	512	271	92	12	0	0	28	190	561	902	4241		
50	790	591	373	168	36	2	0	0	8	98	420	747	3233		
32	311	187	56	7	0	0	0	0	0	1	74	257	893		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	79	103	265	455	735	991	1274	1248	905	571	205	68	6899
55	0	0	8	30	114	313	561	535	242	47	2	0	1852
57	0	0	4	19	83	261	499	473	197	31	1	0	1568
60	0	0	1	10	48	192	408	381	138	14	0	0	1192
65	0	0	0	1	14	101	265	236	64	3	0	0	684
70	0	0	0	0	2	42	146	115	22	0	0	0	327

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (	Accumu	lated Mo	nthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	1	11	89	238	494	752	1028	1001	664	341	65	7	1	12	101	339	833	1585	2613	3614	4278	4619	4684	4691
45	0 1 37 139 347 602 873 846 516 216 23												0	1	38	177	524	1126	1999	2845	3361	3577	3600	3601
50	0 0 8 67 219 455 718 691 372 116 3												0	0	8	75	294	749	1467	2158	2530	2646	2649	2649
55	0	0	0	25	120	316	563	536	246	49	0	0	0	0	0	25	145	461	1024	1560	1806	1855	1855	1855
60	0	0	0	10	52	194	411	383	137	13	0	0	0	0	0	10	62	256	667	1050	1187	1200	1200	1200
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	<b>1/86</b> 0 5 49 139 283 470 675 661 414 205 36												0	5	54	193	476	946	1621	2282	2696	2901	2937	2939

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf