## Climatography of the United States No. 20

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 109065

Station: TETONIA EXPERIMENT STN, ID

1971-2000

**Climate Division: ID10 NWS Call Sign:** Elevation: 6,170 Feet Lat: 43°51N Lon: 111°17W

									, , , , , , , , , , , , , , , , , , ,	Temp	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	27.0	3.5	15.3	59	1981	1	22.8	1981	-39	1963	19	3.6	1979	1542	0	.0	.0	.1	20.5	30.7	10.5
Feb	33.1	8.2	20.7	60	1963	6	27.5	1995	-37+	1985	4	12.0	1985	1241	0	.0	.0	.5	11.5	28.1	7.7
Mar	39.8	16.0	27.9	65	1972	22	35.1	1986	-20+	1966	5	18.9	1976	1151	0	.0	.0	4.1	4.1	30.3	2.3
Apr	49.2	25.1	37.2	79	1992	30	44.5	1987	-7	1983	5	28.7	1975	836	0	.0	.0	14.7	.3	25.1	.2
May	60.6	32.8	46.7	83+	2001	26	52.7	1992	7	1967	1	40.3	1975	568	0	.0	.0	26.4	.0	14.5	.0
Jun	70.5	39.2	54.9	95	1988	26	61.0	1988	19	1966	5	49.2	1998	311	7	.0	.3	29.6	.0	3.8	.0
Jul	78.7	44.3	61.5	98	1955	15	65.9	1989	28	1952	7	54.0	1993	147	38	.0	.6	31.0	.0	.6	.0
Aug	77.9	42.8	60.4	97	1955	3	63.9	2000	22	1992	26	55.2	1980	167	24	.0	.8	31.0	.0	1.5	.0
Sep	68.6	34.0	51.3	90+	2001	24	56.7	1990	6	1985	30	46.2	1971	412	2	.0	@	28.5	.0	11.2	.0
Oct	55.6	25.1	40.4	81	1992	3	49.3	1988	-8	1972	30	33.6	1984	765	0	.0	.0	22.5	.4	25.1	.2
Nov	37.8	14.7	26.3	67+	1999	8	37.6	1999	-23	1955	16	17.8	1979	1163	0	.0	.0	5.1	9.1	28.9	3.3
Dec	27.9	4.2	16.1	57	1999	1	26.0	1980	-45	1983	23	5.5	1978	1518	0	.0	.0	.3	19.2	30.6	10.6
Ann	52.2	24.2	38.2	98	Jul 1955	15	65.9	Jul 1989	-45	Dec 1983	23	3.6	Jan 1979	9821	71	.0	1.7	193.8	65.1	230.4	34.8

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 098-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1952-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

**Climate Division: ID10** 

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 109065** 

**Station: TETONIA EXPERIMENT STN, ID** 

**NWS Call Sign:** 

Elevation: 6,170 Feet Lat: 43°51N Lon: 111°17W

										Pı	recipit	tation	(incl	nes)										
			P	recipi	itatio	n Total	S			M	ean N	lumbo ays (3		Proba	bility th		nonthly/	annual <sub>I</sub> indic	precipita ated am	nount	ll be equ		less tha	ın the
	Mea Medi					Extremes	5			D	aily Pred	cipitatio	n		Th		-		-		bility Lev te gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.00	1.75	1.13	1991	8	4.85	2000	.35	1992	10.6	5.6	.5	@	.49	.68	.97	1.23	1.49	1.76	2.06	2.43	2.90	3.65	4.35
Feb	1.19	1.17	1.06	2000	25	2.77	1999	.05	1991	7.8	3.8	.2	@	.27	.38	.56	.71	.87	1.04	1.22	1.45	1.74	2.21	2.65
Mar	1.28							1978	7.2	3.5	.3	@	.26	.37	.56	.73	.91	1.09	1.30	1.55	1.89	2.42	2.93	
Apr	1.36							1980	7.6	4.0	.4	.0	.51	.64	.82	.97	1.12	1.26	1.43	1.61	1.85	2.22	2.55	
May	2.61	2.53	1.45	1993	7	5.79	1981	.59	1979	11.0	6.9	1.3	.2	.75	1.00	1.37	1.70	2.01	2.34	2.71	3.13	3.69	4.56	5.36
Jun	1.67	1.29	1.22	1965	26	5.41	1998	.03	1988	7.1	4.5	.7	@	.25	.40	.64	.87	1.11	1.37	1.67	2.04	2.53	3.33	4.10
Jul	1.29	.93	1.34	1984	23	3.43	1987	.00	1988	5.0	3.0	.7	.1	.07	.19	.39	.58	.78	1.00	1.26	1.58	2.02	2.75	3.45
Aug	1.26	1.19	2.35	1973	21	3.43	1973	.10	1992	6.4	3.7	.5	@	.16	.26	.44	.61	.80	1.01	1.25	1.54	1.95	2.60	3.24
Sep	1.38	1.37	1.16	1985	12	3.45	1985	.00	1987	5.9	3.5	.7	.1	.08	.21	.42	.63	.84	1.08	1.36	1.70	2.16	2.93	3.67
Oct	1.43	1.20	1.10	1994	6	4.43	1994	.06	1978	6.4	4.1	.6	@	.15	.26	.46	.66	.87	1.11	1.39	1.74	2.22	3.01	3.78
Nov	1.48	1.48	.86	1994	30	3.01	1983	.02	1976	7.9	3.7	.2	.0	.18	.29	.50	.71	.92	1.17	1.45	1.80	2.28	3.07	3.83
Dec	1.66	1.33	1.12	1987	9	5.29	1996	.19	1986	8.8	4.9	.5	@	.31	.46	.70	.93	1.15	1.40	1.68	2.02	2.47	3.19	3.87
Ann	18.61	18.41	2.35	Aug 1973	21	5.79	May 1981	.00+	Jul 1988	91.7	51.2	6.6	.4	12.73	13.85	15.29	16.39	17.38	18.33	19.32	20.41	21.75	23.69	25.37

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1952-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 109065** 

Station: TETONIA EXPERIMENT STN, ID

Climate Division: ID10 NWS Call Sign: Elevation: 6,170 Feet Lat: 43°51N Lon: 111°17W

										Snov	w (incl	hes)											
		Snow Totals															Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	23.7	-99.9	4	4	9.0	1978	26	47.4	1996	12	1971	12	5+	1975	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Feb	2.5	-99.9	2	#	3.0	1978	3	10.0	1978	8	1976	4	5	1975	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Mar	1.4	.0	1	#	5.0	1974	7	7.0	1974	10	1976	29	6	1976	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Apr	.9	.0	1	0	6.0	1974	12	6.0	1974	8	1975	9	5	1977	.2	.2	.1	.1	.0	.2	.0	.0	.0
May	.6	.0	#	0	3.0	1986	7	7.5	1986	#	1997	2	#	1997	.2	.2	.1	.0	.0	.0	.0	.0	.0
Jun	#	.0	#	0	#	1995	6	#	1995	#	1995	6	#	1995	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.3	.0	#	0	2.0	1971	30	2.0+	1978	2	1971	30	#	1971	.1	.1	.0	.0	.0	.1	.0	.0	.0
Oct	.7	.0	#	0	8.0	1975	22	8.0	1975	8	1975	22	2	1971	.3	.3	.2	.1	.0	.2	.2	.1	.0
Nov	9.2	-99.9	#	0	8.0	1975	27	46.0	1975	8	1971	29	1	1971	1.6	1.4	1.0	.6	.0	.2	.0	.0	.0
Dec	3.5	-99.9	4	#	8.0	1977	22	10.5	1977	59	1996	27	28	1996	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Ann	42.8	-9.9	N/A	N/A	9.0	Jan 1978	26	47.4	Jan 1996	59	Dec 1996	27	28	Dec 1996	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

Climatography of the United States No. 20

1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 109065** 

Lon: 111°17W

Lat: 43°51N

Station: TETONIA EXPERIMENT STN, ID

**Climate Division: ID10** 

**NWS Call Sign:** 

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	7/26	7/21	7/17	7/14	7/12	7/09	7/06	7/02	6/27
32	7/15	7/09	7/05	7/01	6/27	6/23	6/20	6/15	6/09
28	6/22	6/16	6/11	6/07	6/04	5/31	5/27	5/23	5/17
24	5/28	5/22	5/19	5/15	5/12	5/09	5/06	5/03	4/27
20	5/16	5/11	5/07	5/03	4/30	4/27	4/24	4/20	4/15
16	5/11	5/04	4/29	4/25	4/21	4/17	4/12	4/07	3/31
<b>1</b>			Fal	l Freeze Da	tes (Month/D	ay)	1	•	1
To (E)		Pro	bability of ea	rlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/06	8/11	8/15	8/19	8/22	8/25	8/28	9/01	9/07
32	8/11	8/17	8/22	8/26	8/29	9/02	9/06	9/10	9/17
28	8/29	9/02	9/06	9/09	9/11	9/14	9/17	9/20	9/25
24	9/07	9/12	9/15	9/18	9/20	9/23	9/26	9/29	10/03
20	9/15	9/20	9/24	9/27	9/30	10/03	10/06	10/09	10/14
16	10/01	10/08	10/13	10/17	10/21	10/24	10/28	11/02	11/09
<b>1</b>		1		Freeze F	ree Period		1	1	1
Tomn (F)			<b>Probability</b>	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	65	57	51	45	41	36	31	25	16
32	89	80	73	68	62	57	51	45	36
28	124	116	109	104	99	94	89	82	73
24	152	145	139	135	130	126	121	116	108
20	174	167	161	156	152	147	142	137	129
16	215	204	196	189	182	175	168	160	149

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 6,170 Feet

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 109065

**Station: TETONIA EXPERIMENT STN, ID** 

Climate Division: ID10 NWS Call Sign: Elevation: 6,170 Feet Lat: 43°51N Lon: 111°17W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1542	1241	1151	836	568	311	147	167	412	765	1163	1518	9821		
60	1387	1101	996	686	413	184	63	72	274	610	1013	1363	8162		
57	1294	1017	903	598	326	123	30	36	201	517	923	1270	7238		
55	1232	961	841	541	269	89	17	20	158	457	863	1208	6656		
50	1077	821	686	403	149	31	2	3	75	312	713	1053	5325		
32	533	340	202	70	2	0	0	0	0	23	245	512	1927		

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	13	23	74	224	458	686	914	880	580	281	72	17	4222
55	0	0	0	5	12	85	217	187	48	2	0	0	556
57	0	0	0	2	6	59	168	140	30	0	0	0	405
60	0	0	0	0	1	30	108	84	13	0	0	0	236
65	0	0	0	0	0	7	38	24	2	0	0	0	71
70	0	0	0	0	0	0	8	3	0	0	0	0	11

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	0	1	74	254	470	684	659	364	127	10	0	0	0	1	75	329	799	1483	2142	2506	2633	2643	2643
45													0	0	0	30	169	494	1023	1527	1760	1814	1814	1814
50												0	0	0	0	6	64	262	637	987	1112	1125	1125	1125
55	0	0	0	0	19	96	227	203	48	1	0	0	0	0	0	0	19	115	342	545	593	594	594	594
60	0	0	0	0	0	30	103	85	11	0	0	0	0	0	0	0	0	30	133	218	229	229	229	229
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	<b>10/86</b> 0 0 5 72 198 333 463 457 291 135 15 0												0	0	5	77	275	608	1071	1528	1819	1954	1969	1969

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

## References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf