



CLIMATOGRAPHY OF THE UNITED STATES NO. 84, 1971-2000

Daily Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

Station Name: THERMAL RGNL AP TRM CALIFORNIA Station Number: 048892

Latitude: 33° 37' 40" N Longitude: -116° 09' 36" W Elevation (feet): -112

Climate Division: CA 07 Southeast Desert Basins

Page 1 of 3

DECEMBER							JANUARY							FEBRUARY						
Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP
1	73	39	56	9	*	0.01	1	70	37	53	12	0	0.02	1	74	41	57	8	0	0.03
2	73	39	56	9	*	0.01	2	70	37	53	12	0	0.02	2	74	41	57	8	0	0.03
3	73	38	56	10	*	0.01	3	70	37	54	12	0	0.02	3	74	41	58	8	0	0.03
4	72	38	55	10	0	0.01	4	70	37	54	11	0	0.02	4	74	42	58	7	0	0.03
5	72	38	55	10	0	0.00	5	70	37	54	11	0	0.02	5	74	42	58	7	0	0.03
6	72	38	55	10	0	0.00	6	70	38	54	11	0	0.02	6	74	42	58	7	0	0.03
7	72	38	55	10	0	0.01	7	70	38	54	11	0	0.02	7	75	42	58	7	0	0.03
8	71	38	55	10	0	0.01	8	70	38	54	11	0	0.02	8	75	42	59	7	0	0.02
9	71	37	54	11	0	0.01	9	70	38	54	11	0	0.02	9	75	42	59	7	0	0.02
10	71	37	54	11	0	0.01	10	70	38	54	11	0	0.02	10	75	42	59	7	0	0.02
11	71	37	54	11	0	0.01	11	70	38	54	11	0	0.02	11	75	43	59	6	0	0.02
12	71	37	54	11	0	0.01	12	71	38	54	11	0	0.02	12	75	43	59	6	0	0.02
13	71	37	54	11	0	0.01	13	71	38	54	11	0	0.02	13	76	43	59	6	1	0.02
14	70	37	54	11	0	0.01	14	71	38	55	11	0	0.02	14	76	43	60	6	1	0.02
15	70	37	54	11	0	0.01	15	71	39	55	10	0	0.02	15	76	43	60	6	1	0.02
16	70	37	54	12	0	0.01	16	71	39	55	10	0	0.02	16	76	43	60	6	1	0.02
17	70	37	54	12	0	0.01	17	71	39	55	10	0	0.02	17	76	44	60	6	1	0.02
18	70	37	53	12	0	0.01	18	71	39	55	10	0	0.02	18	77	44	60	5	1	0.02
19	70	37	53	12	0	0.01	19	71	39	55	10	0	0.02	19	77	44	60	5	1	0.02
20	70	37	53	12	0	0.01	20	72	39	55	10	0	0.02	20	77	44	61	5	1	0.02
21	70	36	53	12	0	0.01	21	72	39	56	10	0	0.03	21	77	44	61	5	1	0.02
22	70	36	53	12	0	0.01	22	72	40	56	10	0	0.03	22	77	44	61	5	1	0.02
23	70	36	53	12	0	0.01	23	72	40	56	9	0	0.03	23	77	45	61	5	1	0.02
24	70	37	53	12	0	0.01	24	72	40	56	9	*	0.03	24	77	45	61	5	1	0.02
25	69	37	53	12	0	0.01	25	72	40	56	9	*	0.03	25	78	45	61	5	1	0.02
26	69	37	53	12	0	0.01	26	72	40	56	9	*	0.03	26	78	45	61	5	1	0.02
27	69	37	53	12	0	0.01	27	73	40	56	9	*	0.03	27	78	45	62	5	1	0.02
28	69	37	53	12	0	0.01	28	73	40	57	9	*	0.03	28	78	46	62	5	1	0.02
29	70	37	53	12	0	0.01	29	73	41	57	8	0	0.03							
30	70	37	53	12	0	0.01	30	73	41	57	8	0	0.03							
31	70	37	53	12	0	0.01	31	73	41	57	8	0	0.02							
MTH:	70.6	37.2	53.9	347	3	0.29	MTH:	71.2	38.8	55.0	315	5	0.72	MTH:	75.9	43.2	59.6	170	16	0.63
WINTER SEASON:								72.6	39.7	56.2	832	24	1.64							
MARCH							APRIL							MAY						
Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP
1	78	46	62	5	1	0.02	1	85	51	68	2	5	0.01	1	92	59	75	*	10	0.00
2	78	46	62	4	1	0.02	2	85	52	68	2	5	0.01	2	92	59	75	0	10	0.00
3	79	46	62	4	2	0.02	3	85	52	69	2	5	0.01	3	92	59	76	0	11	0.00
4	79	46	62	4	2	0.02	4	86	52	69	2	5	0.01	4	92	59	76	0	11	0.00
5	79	46	63	4	2	0.02	5	86	52	69	1	6	0.01	5	92	60	76	0	11	0.00
6	79	47	63	4	2	0.02	6	86	53	69	1	6	0.01	6	93	60	76	0	11	0.00
7	79	47	63	4	2	0.02	7	87	53	70	1	6	0.00	7	93	60	77	0	12	0.00
8	79	47	63	4	2	0.02	8	87	53	70	1	6	0.00	8	93	60	77	0	12	0.00
9	80	47	63	4	2	0.02	9	87	53	70	1	6	0.00	9	93	61	77	0	12	0.00
10	80	47	64	4	2	0.02	10	87	53	70	1	6	0.00	10	93	61	77	0	12	0.00
11	80	47	64	4	2	0.02	11	87	54	71	1	7	0.00	11	94	61	77	0	13	0.00
12	80	48	64	4	2	0.02	12	88	54	71	1	7	0.00	12	94	61	78	0	13	0.00
13	80	48	64	4	3	0.01	13	88	54	71	1	7	0.00	13	94	62	78	0	13	0.00
14	80	48	64	3	3	0.01	14	88	54	71	1	7	0.00	14	94	62	78	0	13	0.01
15	81	48	64	3	3	0.01	15	88	55	72	1	7	0.00	15	95	62	78	0	13	0.01
16	81	48	65	3	3	0.01	16	89	55	72	1	7	0.00	16	95	62	79	0	14	0.01
17	81	49	65	3	3	0.01	17	89	55	72	1	8	0.00	17	95	63	79	0	14	0.01
18	81	49	65	3	3	0.01	18	89	55	72	1	8	0.00	18	96	63	79	0	14	0.01
19	82	49	65	3	3	0.01	19	89	56	72	1	8	0.00	19	96	63	79	0	14	0.01
20	82	49	66	3	3	0.01	20	90	56	73	1	8	0.00	20	96	63	80	0	15	0.00
21	82	49	66	3	4	0.01	21	90	56	73	0	8	0.00	21	97	64	80	0	15	0.00
22	82	49	66	3	4	0.01	22	90	56	73	0	8	0.00	22	97	64	80	0	15	0.00
23	82	50	66	3	4	0.01	23	90	57	73	0	9	0.00	23	97	64	81	0	16	0.00
24	83	50	66	3	4	0.01	24	90	57	74	0	9	0.00	24	97	64	81	0	16	0.00
25	83	50	67	2	4	0.01	25	91	57	74	0	9	0.00	25	98	64	81	0	16	0.00
26	83	50	67	2	4	0.01	26	91	57	74	0	9	0.00	26	98	65	81	0	16	0.00
27	84	50	67	2	4	0.01	27	91	58	74	0	9	0.00	27	98	65	82	0	17	0.00
28	84	51	67	2	4	0.01	28	91	58	74	0	10	0.00	28	99	65	82	0	17	0.00
29	84	51	68	2	5	0.01	29	91	58	75	0	10	0.00	29	99	65	82	0	17	0.00
30	84	51	68	2	5	0.01	30	91	58	75	0	10	0.00	30	100	65	83	0	18	0.00
31	85	51	68	2	5	0.01								31	100	66	83	0	18	0.00
MTH:	81.1	48.4	64.8	100	93	0.43	MTH:	88.4	54.8	71.6	24	221	0.06	MTH:	95.3	62.3	78.8	1	429	0.06
SPRING SEASON:								88.3	55.2	71.7	125	743	0.55							



Latitude: 33^B 37* 40 (Longitude: -116^B 09* 36 (Elevation (feet): -112

Page 2 of 3

JUNE							JULY							AUGUST						
Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP
1	100	66	83	0	18	0.00	1	107	73	90	0	25	0.00	1	107	76	92	0	26	0.01
2	101	66	83	0	18	0.00	2	107	73	90	0	25	0.00	2	107	76	91	0	26	0.01
3	101	66	84	0	19	0.00	3	107	73	90	0	25	0.00	3	107	76	91	0	26	0.01
4	101	67	84	0	19	0.00	4	107	73	90	0	25	0.00	4	107	76	91	0	26	0.01
5	102	67	84	0	19	0.00	5	107	73	90	0	25	0.00	5	107	76	91	0	26	0.01
6	102	67	84	0	19	0.00	6	107	74	91	0	25	0.00	6	107	76	91	0	26	0.01
7	102	67	85	0	20	0.00	7	107	74	91	0	26	0.00	7	107	76	91	0	26	0.01
8	103	67	85	0	20	0.00	8	107	74	91	0	26	0.00	8	106	75	91	0	26	0.01
9	103	68	85	0	20	0.00	9	108	74	91	0	26	0.00	9	106	75	91	0	26	0.01
10	103	68	86	0	21	0.00	10	108	74	91	0	26	0.00	10	106	75	91	0	26	0.01
11	103	68	86	0	21	0.00	11	108	75	91	0	26	0.00	11	106	75	91	0	26	0.01
12	104	68	86	0	21	0.00	12	108	75	91	0	26	0.00	12	106	75	91	0	26	0.01
13	104	69	86	0	21	0.00	13	108	75	91	0	26	0.01	13	106	75	91	0	26	0.01
14	104	69	87	0	22	0.00	14	108	75	91	0	26	0.01	14	106	75	90	0	25	0.01
15	105	69	87	0	22	0.00	15	108	75	91	0	26	0.01	15	106	75	90	0	25	0.01
16	105	69	87	0	22	0.00	16	108	75	91	0	26	0.01	16	106	75	90	0	25	0.01
17	105	69	87	0	22	0.00	17	108	75	91	0	26	0.01	17	106	75	90	0	25	0.01
18	105	70	87	0	22	0.00	18	108	75	91	0	26	0.01	18	105	74	90	0	25	0.01
19	105	70	88	0	23	0.00	19	108	75	92	0	27	0.01	19	105	74	90	0	25	0.01
20	106	70	88	0	23	0.00	20	108	76	92	0	27	0.01	20	105	74	90	0	25	0.01
21	106	70	88	0	23	0.00	21	108	76	92	0	27	0.01	21	105	74	90	0	25	0.01
22	106	71	88	0	23	0.00	22	108	76	92	0	27	0.01	22	105	74	90	0	25	0.01
23	106	71	88	0	23	0.00	23	108	76	92	0	27	0.01	23	105	74	89	0	24	0.01
24	106	71	89	0	24	0.00	24	108	76	92	0	27	0.01	24	105	74	89	0	24	0.01
25	106	71	89	0	24	0.00	25	107	76	92	0	27	0.01	25	105	73	89	0	24	0.01
26	107	71	89	0	24	0.00	26	107	76	92	0	27	0.01	26	105	73	89	0	24	0.02
27	107	72	89	0	24	0.00	27	107	76	92	0	27	0.01	27	104	73	89	0	24	0.02
28	107	72	89	0	24	0.00	28	107	76	92	0	27	0.01	28	104	73	89	0	24	0.02
29	107	72	90	0	25	0.01	29	107	76	92	0	27	0.01	29	104	73	89	0	24	0.02
30	107	72	90	0	25	0.01	30	107	76	91	0	26	0.01	30	104	73	88	0	23	0.02
MTH:104.3 69.1 86.7 0 651 0.02							MTH:107.5 74.9 91.2 0 811 0.19							MTH:105.6 74.5 90.1 0 777 0.37						
SUMMER SEASON:							105.8 72.8 89.3 0 2239 0.58													
SEPTEMBER							OCTOBER							NOVEMBER						
Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP	Date	MAX	MIN	AVG	HDD	CDD	PRCP
1	104	72	88	0	23	0.01	1	96	63	80	0	14	0.01	1	84	49	67	3	4	0.00
2	104	72	88	0	23	0.01	2	96	63	79	0	14	0.01	2	84	49	66	3	4	0.00
3	103	72	88	0	23	0.02	3	95	62	79	0	14	0.01	3	83	48	66	3	4	0.00
4	103	72	87	0	22	0.02	4	95	62	78	0	13	0.01	4	83	48	65	3	3	0.00
5	103	71	87	0	22	0.02	5	95	61	78	0	13	0.01	5	82	47	65	3	3	0.00
6	103	71	87	0	22	0.02	6	94	61	78	0	12	0.01	6	82	47	64	4	3	0.00
7	103	71	87	0	22	0.02	7	94	61	77	0	12	0.01	7	81	46	64	4	3	0.00
8	102	71	87	0	22	0.02	8	94	60	77	0	12	0.01	8	81	46	64	4	3	0.00
9	102	70	86	0	21	0.02	9	93	60	76	0	11	0.01	9	81	46	63	4	2	0.00
10	102	70	86	0	21	0.02	10	93	59	76	0	11	0.01	10	80	45	63	4	2	0.01
11	102	70	86	0	21	0.02	11	93	59	76	0	11	0.01	11	80	45	62	5	2	0.01
12	102	70	86	0	21	0.02	12	92	58	75	0	10	0.01	12	80	44	62	5	2	0.01
13	101	69	85	0	20	0.02	13	92	58	75	0	10	0.00	13	79	44	62	5	2	0.01
14	101	69	85	0	20	0.01	14	91	57	74	0	9	0.00	14	79	44	61	5	2	0.01
15	101	69	85	0	20	0.01	15	91	57	74	0	9	0.00	15	78	43	61	5	1	0.01
16	101	68	85	0	20	0.01	16	91	57	74	0	9	0.00	16	78	43	61	6	1	0.01
17	100	68	84	0	19	0.01	17	90	56	73	0	8	0.00	17	78	43	60	6	1	0.01
18	100	68	84	0	19	0.01	18	90	56	73	0	8	0.00	18	77	42	60	6	1	0.01
19	100	68	84	0	19	0.01	19	89	55	72	0	8	0.00	19	77	42	59	6	1	0.01
20	100	67	83	0	18	0.01	20	89	55	72	0	8	0.00	20	77	42	59	7	1	0.01
21	99	67	83	0	18	0.01	21	89	54	71	1	7	0.00	21	76	41	59	7	1	0.01
22	99	66	83	0	18	0.01	22	88	54	71	1	7	0.00	22	76	41	59	7	1	0.01
23	99	66	83	0	17	0.01	23	88	53	71	1	7	0.00	23	76	41	58	7	1	0.01
24	99	66	82	0	17	0.01	24	87	53	70	1	6	0.00	24	75	41	58	7	0	0.01
25	98	65	82	0	17	0.01	25	87	52	70	1	6	0.00	25	75	40	58	8	0	0.01
26	98	65	82	0	16	0.01	26	87	52	69	1	6	0.00	26	75	40	57	8	0	0.01
27	98	65	81	0	16	0.01	27	86	52	69	1	5	0.00	27	74	40	57	8	0	0.01
28	97	64	81	0	16	0.01	28	86	51	68	2	5	0.00	28	74	40	57	8	0	0.01
29	97	64	80	0	15	0.01	29	85	51	68	2	5	0.00	29	74	39	57	9	0	0.01
30	97	63	80	0	15	0.01	30	85	50	68	2	5	0.01	30	73	39	56	9	0	0.01
MTH:100.6 68.3 84.5 0 583 0.41							MTH: 90.5 56.5 73.5 15 279 0.14							MTH: 78.4 43.5 61.0 169 48 0.21						
AUTUMN SEASON:							89.8 56.1 73.0 184 910 0.76													
ANNUAL:							89.1 56.0 72.6 1141 3916 3.53													



CLIMATOGRAPHY OF THE UNITED STATES NO. 84, 1971-2000

Daily Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

Station Name: THERMAL RGNL AP TRM CALIFORNIA Station Number: 048892
Latitude: 33° 37' 40" (Longitude: -116° 09' 36" Elevation (feet): -112
Climate Division: CA 07 Southeast Desert Basins

Page 3 of 3

PRECIPITATION PROBABILITIES													
Probability	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
0.005	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.04
0.010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.08
0.050	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.34
0.100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.64
0.200	0.04	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.46	1.24
0.300	0.11	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.94	1.89
0.400	0.22	0.16	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	2.43	2.62
0.500	0.36	0.28	0.19	0.00	0.00	0.00	0.00	0.05	0.00	0.04	0.09	2.97	3.46
0.600	0.55	0.45	0.33	0.00	0.00	0.00	0.05	0.16	0.03	0.10	0.18	3.57	4.47
0.700	0.82	0.69	0.52	0.03	0.01	0.01	0.20	0.34	0.09	0.19	0.30	4.30	5.75
0.800	1.22	1.05	0.78	0.09	0.06	0.11	0.51	0.66	0.21	0.35	0.49	5.28	7.53
0.900	1.94	1.73	1.21	0.20	0.20	0.54	1.10	1.28	0.45	0.64	0.84	6.86	10.52
0.950	2.69	2.45	1.65	0.32	0.35	1.08	1.88	1.96	0.73	0.94	1.22	8.36	13.49
0.990	4.51	4.19	2.65	0.63	0.81	3.01	4.17	3.67	1.47	1.70	2.12	11.69	20.31
0.995	5.31	4.96	3.08	0.77	1.02	3.89	5.14	4.44	1.79	2.03	2.52	13.08	23.22

PRECIPITATION QUINTILES												
Level	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
0 <	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.04	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
	0.22	0.16	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
3	0.23	0.17	0.08	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.05
	0.55	0.45	0.33	0.00	0.00	0.00	0.00	0.05	0.16	0.03	0.10	0.18
4	0.56	0.46	0.34	0.01	0.01	0.00	0.01	0.06	0.17	0.04	0.11	0.19
	1.22	1.05	0.78	0.09	0.06	0.00	0.11	0.51	0.66	0.21	0.35	0.49
5	1.23	1.06	0.79	0.10	0.07	0.01	0.12	0.52	0.67	0.22	0.36	0.50
	4.57	3.40	2.00	0.50	0.80	0.41	2.01	3.62	5.24	1.53	1.51	1.49
6 >	4.57	3.40	2.00	0.50	0.80	0.41	2.01	3.62	5.24	1.53	1.51	1.49

Abbreviations:

MAX = Maximum Temperature (degrees Fahrenheit)
MIN = Minimum Temperature (degrees Fahrenheit)
AVG = Average Temperature (degrees Fahrenheit)

NOTES

HDD = Heating Degree Days (base 65)
CDD = Cooling Degree Days (base 65)
PRCP = Precipitation Amount (inches)

MTH = Monthly Means / Totals
SEASON = Seasonal Means / Totals
ANNUAL = Annual Means / Totals

This publication presents daily temperature, precipitation, and heating and cooling degree day normals for stations based on the 1971-2000 record *adjusted* to the present station location. Stations contained in the monthly normals (Climatology of the United States No. 81) are included. Precipitation-only stations have no data in the temperature and degree day fields on Pages 1 and 2. Latitude and longitude values are presented in DD MM SS, where DD=Degrees, MM=Minutes, and SS=Seconds. Small differences between monthly values in this publication and the monthly normals presented in Climatology of the United States No.81 are attributable to smoothing techniques applied to this data set, as described below.

Daily Normals Tables:

The daily values presented in these tables are not simple means of the observed daily values. They are interpolated from the much less variable monthly normals by use of the natural spline function. The procedure involved constructing a cumulative series of monthly sums from the monthly normals. The cumulative series was for a 24-month period (July, August, ..., December, January, ..., December, January, ..., June), so that the interpolating function could adequately fit the end points in the annual series. This process was applied independently to all six elements. No normal values for February 29 are included; in common practice, the normal values for the 28th are used for the 29th in each leap year. Thus, for leap years, the February monthly total degree days or precipitation are calculated by adding the daily value for the 28th to the monthly total. February temperature averages are likewise not adjusted for leap years. For most stations, the monthly heating and cooling degree day normals (base 65 degrees Fahrenheit) are derived from monthly normal temperature using an estimation technique developed by H.C.S. Thom. An asterisk (*) for a daily degree day value indicates a daily normal of less than one degree day, but not equal to zero. Seasonal means / totals correspond to the three months listed immediately above.

Precipitation Probabilities and Quintiles Tables:

The precipitation probabilities are the monthly precipitation totals that correspond to the indicated probability levels. The probability levels are based on the 1971-2000 historical sequential monthly precipitation. The historical precipitation data are the adjusted values from the monthly normals (Climatology of the United States No. 81).

When historical climate data are accumulated and examined, they generally follow a certain pattern called a statistical distribution. While temperature usually follows a Gaussian or bell-shaped distribution, precipitation does not because it is zero-bounded. Precipitation generally follows a Gamma distribution, where most values are near zero with rapidly diminishing higher values. Thus, the Gamma distribution was used to estimate the precipitation values in the probability and quintile tables published above. The probability table shows the amount of precipitation expected at fifteen probability levels (0.005, 0.01, 0.05, 0.10, 0.20, 0.30, 0.40, 0.50, 0.60, 0.70, 0.80, 0.90, 0.95, 0.99, and 0.995) for each month of the year and for the annual total. For example, if 1.77 inches corresponds to the 0.20 probability level, that means that on average, 2 out of 10 years will have 1.77 inches or less of precipitation in that month. It also means that, on average, 8 out of 10 years will have *more than* 1.77 inches of precipitation in that month.

The precipitation quintiles show the expected precipitation values at the five quintile levels for each of the twelve months: 1. First Quintile (0-20%); 2. Second Quintile (20-40%); 3. Third Quintile (40-60%); 4. Fourth Quintile (60-80%); 5. Fifth Quintile (80-100%). For example, if 2.91 and 4.07 inches are the bounds for the second quintile (level 2), then a monthly total precipitation amount for that month falling in the range 2.91 to 4.07 would be classified as a second quintile precipitation amount and that month would be considered relatively dry. The first line (level 0 <) in the table shows the minimum precipitation value derived from the historical record. Quintile level 0 would be used if a future precipitation observation is less than the 1971-2000 value. Level 6 > would be used if the observed value is more than the 1971-2000 maximum.

Release Date: May 15, 2002*

National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina