Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405954

Lon: 89°59W

Station: MEMPHIS INTL AP, TN

Climate Division: TN 4 NWS Call Sign: MEM

									ŗ	Гетр	eratui	re (°F)									
	Max Min baily(2) Mean baily(2) Mean Mean														Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month			Mean	U	Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	48.6	31.3	39.9	78+	1943	24	47.9	1990	-4+	1962	12	29.5	1977	770	1	.0	.0	14.9	3.1	16.6	.1
Feb	54.4	35.5	44.9	81	1962	13	52.9	1976	-11	1951	2	34.0	1978	565	2	.0	.0	18.3	1.4	11.1	.0
Mar	63.3	43.7	53.5	85+	1946	31	58.8	1974	12	1943	3	48.0	1996	366	15	.0	.0	27.2	.1	3.9	.0
Apr	72.4	51.9	62.1	94	1987	21	69.1	1981	29+	1944	5	56.4	1983	144	72	.0	.2	29.7	.0	.3	.0
May	80.4	60.8	70.6	99	1977	30	76.0	1987	38	1944	7	64.3	1976	22	210	.0	2.6	31.0	.0	.0	.0
Jun	88.5	68.8	78.7	104+	1952	28	83.2	1998	48	1966	1	74.1	1974	0	426	.3	14.3	30.0	.0	.0	.0
Jul	92.1	72.9	82.5	108	1980	13	87.7	1980	52	1947	23	79.3	1972	0	554	1.1	22.0	31.0	.0	.0	.0
Aug	91.2	71.2	81.2	107	2000	30	86.3	1980	48	1946	31	76.8	1992	0	504	1.0	19.1	31.0	.0	.0	.0
Sep	85.3	64.3	74.8	103	1954	5	80.5	1998	36+	1942	29	68.5	1974	13	307	.5	8.7	30.0	.0	.0	.0
Oct	75.1	52.5	63.8	95+	1953	1	70.0	1971	25	1952	29	58.0	1976	121	84	.0	.5	30.9	.0	.1	.0
Nov	62.1	42.6	52.3	86	2000	1	58.0	1973	9	1950	25	44.4	1976	381	11	.0	.0	25.4	@	3.9	.0
Dec	52.2	34.5	43.3	81	1982	2	53.8	1984	-13	1963	24	32.7	2000	659	1	.0	.0	18.4	1.6	12.8	.1
Ann	72.1	52.5	62.3	108	Jul 1980	13	87.7	Jul 1980	-13	Dec 1963	24	29.5	Jan 1977	3041	2187	2.9	67.4	317.8	6.2	48.7	.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 045-A

Elevation: 265 Feet Lat: 35°04N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1940-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MEMPHIS INTL AP, TN COOP ID: 405954

Climate Division: TN 4 NWS Call Sign: MEM Elevation: 265 Feet Lat: 35°04N Lon: 89°59W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recipi	itatio	on Totals					ean N of D	ays (3)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	vs Proba	ies (1) Il be equ	els		an the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.24	4.11	4.40	1946	8	8.90	1974	.57	1986	10.3	6.9	2.9	1.1	1.11	1.51	2.13	2.67	3.20	3.76	4.38	5.12	6.08	7.60	9.02
Feb	4.31	4.13	4.10	1989	14	10.51	1989	1.12	1980	8.8	6.2	3.1	1.2	1.31	1.72	2.34	2.86	3.37	3.90	4.48	5.16	6.05	7.42	8.70
Mar	5.58	4.97	4.92	1975	12	12.08	1975	3.08	1986	11.1	7.8	3.6	1.8	2.49	2.99	3.68	4.24	4.76	5.29	5.85	6.50	7.32	8.56	9.67
Apr	5.79	5.11	4.86	1949	12	17.13	1991	1.39	1992	10.0	7.2	4.0	2.0	1.66	2.21	3.04	3.76	4.46	5.19	6.00	6.96	8.20	10.14	11.94
May	5.15	4.68	4.08	1974	31	9.58	1983	.83	1977	10.3	6.9	3.4	1.6	1.70	2.19	2.91	3.52	4.10	4.71	5.37	6.14	7.13	8.68	10.10
Jun	4.30	3.94	4.40	1947	22	10.17	1996	1.00	1973	9.0	6.3	2.9	1.4	1.24	1.65	2.26	2.80	3.32	3.86	4.46	5.16	6.08	7.51	8.85
Jul	4.22	3.86	4.14	1996	31	9.96	1998	.86	1993	8.5	5.9	2.7	1.4	1.22	1.62	2.23	2.75	3.26	3.79	4.38	5.07	5.96	7.37	8.67
Aug	3.00	2.49	4.32	1947	26	9.65	1978	.61	1983	6.9	4.4	2.0	.8	.61	.88	1.33	1.73	2.13	2.57	3.06	3.65	4.43	5.68	6.87
Sep	3.31	3.44	3.65	1957	21	6.43	1977	.39	1995	7.7	5.0	2.2	1.0	.65	.95	1.43	1.88	2.33	2.82	3.37	4.03	4.90	6.31	7.64
Oct	3.31	3.04	3.53	1949	5	7.75	1984	.06	1971	6.9	4.9	2.2	1.0	.64	.94	1.42	1.87	2.32	2.81	3.36	4.03	4.91	6.33	7.68
Nov	5.76	5.55	5.88	2001	28	11.51	1996	1.49	1971	9.4	6.8	3.7	2.0	1.74	2.29	3.10	3.81	4.49	5.20	5.99	6.91	8.10	9.96	11.68
Dec	5.68	4.98	5.42	1978	3	13.81	1982	1.79	1976	9.7	6.9	3.5	1.9	1.61	2.15	2.96	3.67	4.36	5.09	5.89	6.83	8.06	9.99	11.78
Ann	54.65	55.67	5.88	Nov 2001	28	17.13	Apr 1991	.06	Oct 1971	108.6	75.2	36.2	17.2	38.36	41.49	45.52	48.58	51.31	53.94	56.67	59.68	63.35	68.67	73.27

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1940-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405954

Station: MEMPHIS INTL AP, TN

Climate Division: TN 4 NWS Call Sign: MEM Elevation: 265 Feet Lat: 35°04N Lon: 89°59W

										Snov	w (inc	hes)												
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)			
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					w Depth hresholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	2.2	.8	#	0	8.1	1985	3	12.4	1985	8	1988	7	1+	1988	1.8	.7	.2	.1	.0	1.9	.5	.2	.0	
Feb	1.9	.3	#	0	12.5	1994	11	14.9	1994	6	1985	2	1	1985	1.1	.6	.1	@	@	.8	.2	.1	.0	
Mar	.3	.0	#	0	1.6	1971	3	1.6	1971	1+	1995	3	#	1995	.4	.1	.0	.0	.0	.1	.0	.0	.0	
Apr	#	.0	0	0	#	1971	6	#	1971	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	#	.0	0	0	#	1993	31	#+	1993	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Nov	.1	.0	#	0	1.2	1976	14	1.5	1976	1	1991	8	#	1991	.1	.0	.0	.0	.0	@	.0	.0	.0	
Dec	.1	#	#	0	.7	1998	23	.8+	1998	2	2000	31	#	2000	.4	.0	.0	.0	.0	.1	.0	.0	.0	
Ann	4.6	1.1	N/A	N/A	12.5	Feb 1994	11	14.9	Feb 1994	8	Jan 1988	7	1+	Jan 1988	3.8	1.4	.3	.1	@	2.9	.7	.3	.0	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20

1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405954

Station: MEMPHIS INTL AP, TN

Climate Division: TN 4 NWS Call Sign: MEM

NWS Call Sign: MEM Elevation: 265 Feet Lat: 35°04N Lon: 89°59W

				Freez	ze Data								
			Spri	ng Freeze D	ates (Month/	(Day)							
Probability of later date in spring (thru Jul 31) than indicated (*) 10 20 30 400 50 301													
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	4/14	4/09	4/06	4/03	4/01	3/29	3/26	3/23	3/19				
32	4/09	4/02	3/29	3/25	3/22	3/18	3/14	3/10	3/04				
28	3/21	3/14	3/09	3/05	3/01	2/25	2/21	2/16	2/09				
24	3/11	3/03	2/25	2/20	2/16	2/11	2/06	1/31	1/23				
20	3/05	2/24	2/17	2/11	2/06	2/01	1/26	1/19	1/08				
16	2/21	2/11	2/04	1/29	1/22	1/15	1/06	0/00	0/00				
			Fal	l Freeze Da	tes (Month/D	Day)	•	II.	•				
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)					
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	10/21	10/25	10/29	11/01	11/03	11/06	11/09	11/12	11/17				
32	10/30	11/03	11/07	11/10	11/13	11/15	11/18	11/22	11/27				
28	11/09	11/15	11/19	11/23	11/26	11/29	12/03	12/07	12/13				
24	11/19	11/26	11/30	12/04	12/08	12/11	12/15	12/20	12/26				
20	11/22	12/03	12/11	12/18	12/25	12/31	1/07	1/16	1/29				
16	12/16	12/24	12/31	1/05	1/11	1/18	1/26	0/00	0/00				
				Freeze F	ree Period								
Tomas (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))					
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	237	230	225	220	216	212	207	202	195				
32	258	250	245	240	235	231	226	220	212				
28	297	287	280	275	269	264	258	251	241				
24	327	316	308	301	294	288	281	273	262				
20	>365	>365	334	323	315	307	300	292	281				
16	>365	>365	>365	>365	>365	352	339	328	315				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405954

Station: MEMPHIS INTL AP, TN

Climate Division: TN 4 NWS Call Sign: MEM Elevation: 265 Feet Lat: 35°04N Lon: 89°59W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	770	565	366	144	22	0	0	0	13	121	381	659	3041
60	630	432	230	63	8	0	0	0	2	56	259	529	2209
57	542	356	165	33	3	0	0	0	0	31	193	445	1768
55	486	308	129	20	1	0	0	0	0	19	155	391	1509
50	354	206	60	4	0	0	0	0	0	4	81	273	982
32	58	17	0	0	0	0	0	0	0	0	1	33	109

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	301	390	677	916	1214	1418	1577	1532	1287	991	619	387	11309
55	14	31	106	254	502	728	864	819	597	295	88	24	4322
57	9	21	79	209	440	668	802	757	537	245	66	17	3850
60	4	10	47	148	350	578	709	664	449	177	39	9	3184
65	1	2	15	72	210	426	554	504	307	84	11	1	2187
70	0	0	3	23	103	280	400	354	184	31	1	0	1379

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)								Growi	ng Degre	e Units (Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	144	233	449	689	978	1185	1337	1294	1053	750	398	199	144	377	826	1515	2493	3678	5015	6309	7362	8112	8510	8709
45												115	79	222	534	1074	1897	2932	4114	5253	6156	6751	7022	7137
50												60	39	116	315	709	1377	2262	3289	4273	5026	5471	5638	5698
55	19	34	110	261	513	735	872	829	603	302	91	29	19	53	163	424	937	1672	2544	3373	3976	4278	4369	4398
60	0	11	48	154	360	585	717	674	456	183	44	7	0	11	59	213	573	1158	1875	2549	3005	3188	3232	3239
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	60/86 77 130 258 423 657 831 931 898 720 476 223 1												77	207	465	888	1545	2376	3307	4205	4925	5401	5624	5735

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf