Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 914375

Station: KWAJALEIN MISSLE RANGE, PI

Climate Division: PI 4 NWS Call Sign: Elevation: 7 Feet Lat: 8°44N Lon: 167°44E

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 90	Max >= 70	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	85.6	77.5	81.6	91	1953	15	82.6	1991	68	1979	4	80.1	1983	0	512	@	31.0	31.0	.0	.0	.0
Feb	86.1	77.5	81.8	92	1954	25	82.7	1985	71	1963	19	80.5	1976	0	470	@	28.3	28.3	.0	.0	.0
Mar	86.7	77.9	82.3	91+	1954	30	83.4	1973	70+	1985	27	81.2	1976	0	536	.2	31.0	31.0	.0	.0	.0
Apr	86.5	77.8	82.2	92+	1953	26	83.5	1990	71	1964	14	80.4	1971	0	515	.1	30.0	30.0	.0	.0	.0
May	86.7	78.0	82.4	93	1953	17	83.6+	1988	71	1968	1	80.8	1971	0	538	.5	31.0	31.0	.0	.0	.0
Jun	86.5	77.8	82.2	92	1958	12	83.5	1983	71+	1976	18	80.9	1971	0	515	.4	30.0	30.0	.0	.0	.0
Jul	86.6	77.6	82.1	94	1953	3	83.5	1997	70	1954	7	80.7	1975	0	529	.2	31.0	31.0	.0	.0	.0
Aug	86.9	77.6	82.3	95	1958	28	83.3	1990	71+	1971	6	80.8	1975	0	534	.6	31.0	31.0	.0	.0	.0
Sep	87.0	77.5	82.3	93+	1958	25	83.5	1992	68	1984	28	80.9	1975	0	518	1.3	30.0	30.0	.0	.0	.0
Oct	86.9	77.8	82.4	94	1958	28	83.7	1987	71	1967	6	80.3	1975	0	537	.8	31.0	31.0	.0	.0	.0
Nov	86.5	77.7	82.1	92+	1990	15	83.3	1994	70	1975	24	80.5	1999	0	513	.5	30.0	30.0	.0	.0	.0
Dec	85.8	77.9	81.9	90+	1955	15	83.0	1989	69	1963	19	80.9	1982	0	522	.0	31.0	31.0	.0	.0	.0
Ann	86.5	77.7	82.1	95	Aug 1958	28	83.7	Oct 1987	68+	Sep 1984	28	80.1	Jan 1983	0	6239	4.6	365.3	365.3	.0	.0	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: May 2005 055-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1953-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: KWAJALEIN MISSLE RANGE, PI

COOP ID: 914375

Climate Division: PI 4 NWS Call Sign: Elevation: 7 Feet Lat: 8°44N Lon: 167°44E

										Pı	recipi	tation	(incl	nes)										
			P	recip	itatio	on Total	s			M	lean N of D	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		less tha	in the
	Medi					Extremes	S			D	aily Pre	cipitatio	n		Th		•		•	vs Probal incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	5.12	4.07	5.30	1994	14	13.86	1978	.48	1977	15.8	7.3	2.6	1.4	.50	.87	1.56	2.28	3.05	3.92	4.95	6.24	8.01	10.94	13.81
Feb	3.73	3.09	4.33	1985	23	10.21	1996	.04	1977	13.6	6.4	2.0	.9	.23	.45	.91	1.42	1.99	2.66	3.47	4.51	5.96	8.42	10.87
Mar	3.82	3.26	6.40	1955	24	11.00	1990	.16	1975	15.5	6.9	2.1	.9	.27	.51	1.00	1.52	2.11	2.79	3.60	4.64	6.08	8.52	10.92
Apr	7.63	5.87	5.17	1975	27	20.29	1971	.20	1983	17.3	9.5	4.3	2.5	.64	1.16	2.16	3.22	4.38	5.71	7.29	9.29	12.03	16.63	21.16
May	8.62	8.11	8.35	1980	17	26.86	1980	.53	1984	19.6	12.2	5.3	2.3	1.15	1.85	3.08	4.28	5.54	6.94	8.55	10.53	13.22	17.61	21.85
Jun	8.86	8.48	8.82	1995	2	15.08	1986	3.56	1984	22.5	14.3	5.4	2.3	3.88	4.67	5.78	6.68	7.52	8.37	9.29	10.33	11.65	13.66	15.47
Jul	10.24	10.38	4.93	1983	15	16.43	1971	3.53	1984	23.6	15.3	6.7	2.8	5.17	6.03	7.19	8.12	8.97	9.83	10.73	11.76	13.05	14.97	16.70
Aug	10.42	10.09	5.35	1979	15	23.38	1997	5.38	1981	23.3	16.4	6.2	2.8	4.75	5.67	6.94	7.97	8.93	9.90	10.93	12.12	13.60	15.85	17.88
Sep	11.82	11.52	4.61	1972	12	21.16	1972	7.07	1993	22.4	16.2	7.5	3.6	6.65	7.56	8.78	9.73	10.61	11.47	12.37	13.39	14.66	16.53	18.20
Oct	11.46	11.46	6.10	1968	19	16.68	1988	6.72	1994	23.8	16.8	7.9	3.5	6.86	7.69	8.79	9.65	10.42	11.18	11.97	12.86	13.96	15.58	17.01
Nov	10.74	10.61	7.24	1975	24	18.88	1983	3.51	1973	22.7	15.2	6.3	3.0	4.35	5.34	6.73	7.88	8.97	10.07	11.26	12.63	14.37	17.03	19.45
Dec	7.94	6.24	11.19	1972	16	23.28	1986	1.90	1971	19.3	11.3	4.3	2.1	2.08	2.83	3.98	5.00	5.99	7.04	8.20	9.58	11.38	14.22	16.86
Ann	100.40	99.10	11.19	Dec 1972	16	26.86	May 1980	.04	Feb 1977	239.4	147.8	60.6	28.1	68.93	74.94	82.68	88.59	93.86	98.97	104.27	110.14	117.28	127.68	136.71

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1953-2001

⁽³⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 914375

Station: KWAJALEIN MISSLE RANGE, PI

Climate Division: PI 4 NWS Call Sign: Elevation: 7 Feet Lat: 8°44N Lon: 167°44E

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	ın Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.0	.0	N/A	N/A	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography
of the United States
No. 20
1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 914375

Station: KWAJALEIN MISSLE RANGE, PI

Climate Division: PI 4 NWS Call Sign: Elevation: 7 Feet Lat: 8°44N Lon: 167°44E

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
32	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
28	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
24	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•	Fal	l Freeze Da	tes (Month/D	ay)		•	•
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
32	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
28	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
24	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•	•	Freeze F	ree Period	•		•	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	>365	>365	>365	>365	>365	>365	>365	>365	>365
32	>365	>365	>365	>365	>365	>365	>365	>365	>365
28	>365	>365	>365	>365	>365	>365	>365	>365	>365
24	>365	>365	>365	>365	>365	>365	>365	>365	>365
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 914375

Station: KWAJALEIN MISSLE RANGE, PI

Climate Division: PI 4 NWS Call Sign: Elevation: 7 Feet Lat: 8°44N Lon: 167°44E

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	1535	1394	1559	1505	1561	1505	1552	1557	1508	1560	1503	1545	18284
55	822	750	846	815	848	815	839	844	818	847	813	832	9889
57	760	694	784	755	786	755	777	782	758	785	753	770	9159
60	667	610	691	665	693	665	684	689	668	692	663	677	8064
65	512	470	536	515	538	515	529	534	518	537	513	522	6239
70	357	330	381	365	383	365	374	379	368	382	363	367	4414

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	1298	1218	1325	1271	1323	1274	1313	1319	1278	1324	1271	1303	1298	2516	3841	5112	6435	7709	9022	10341	11619	12943	14214	15517
45	45 1143 1073 1170 1121 1168 1124 1158 1164 1128 1169 1121 1											1148	1143	2216	3386	4507	5675	6799	7957	9121	10249	11418	12539	13687
50	988	928	1015	971	1013	974	1003	1009	978	1014	971	993	988	1916	2931	3902	4915	5889	6892	7901	8879	9893	10864	11857
55	833	783	860	821	858	824	848	854	828	859	821	838	833	1616	2476	3297	4155	4979	5827	6681	7509	8368	9189	10027
60	678	638	705	671	703	674	693	699	678	704	671	683	678	1316	2021	2692	3395	4069	4762	5461	6139	6843	7514	8197
Base	Base Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86												991	983	1908	2900	3859	4853	5813	6803	7795	8753	9746	10705	11696

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean 'number of days statistics' for temperature were calculated from a serially complete daily data set. A serial dataset was not available for precipitation,

To ensure that a station's data was adequate to estimate these statistics, the following criteria were used:

- 1. A station must have 80% of its data for the 1971-2000 time period.
- 2. Only months with at least 21 days are used.
- 3. There must be a least 21 months (meeting criteria 2.) in the sample.
- g. Snowfall and snow depth statistics were derived daily values quality controlled to be consistent with the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these differences are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data. Other inconsistencies may appear from comparing statistically modeled values such as degree days to observed temperatures.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

- U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html
- U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html