Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356302

Lon: 119°19W

Station: O O RANCH, OR

Climate Division: OR 7 NWS Call Sign:

Temperature (°F) Degree Days (1) Mean (1) Mean Number of Days (3) **Extremes** Base Temp 65 Max Max Max Max Min Min Highest Lowest Daily Daily Highest Lowest Month(1) Month(1) Cooling >= >= >= <= <= <= Month Mean Year Day Year Year Day Year Heating Max Min Daily(2) Daily(2) Mean Mean 100 90 50 32 32 0 40.2 18.3 29.3 64 1974 18 35.8 1998 -36 1962 22 19.2 1979 1107 0 .0 .0 3.1 7.7 28.2 2.4 Jan 21.2 45.4 23.3 34.4 69 1995 24 42.3 1995 -18+1972 2 1989 858 0 .0 .0 7.5 3.1 25.3 .9 Feb Mar 52.8 27.4 40.1 78 1972 17 46.4 1972 -7 1976 3 32.9 1976 773 0 .0 .0 18.2 .5 24.5 .1 30 30 1975 Apr 60.5 31.3 45.9 90 1968 51.9 1987 12+ 1972 39.3 574 0 .0 .0 25.4 .0 18.6 0. May 68.2 36.7 52.5 93+ 1986 31 57.1 1972 18 2001 3 45.2 1998 394 5 .0 .2 29.8 .0 8.9 .0 24 18 77.3 42.8 60.1 100 +2001 30 66.0 1986 1973 56.1 1980 186 37 .0 1.4 30.0 .0 1.6 .0 Jun Jul 86.4 47.8 67.1 103 28 72.0 1985 26 1962 5 58.4 1993 62 127 9.6 31.0 1968 .0 .0 .1 .0 74 85.8 45.3 65.6 102 1961 4 71.1 1971 23 1992 26 61.7 1995 92 .1 8.2 31.0 .0 .4 .0 Aug Sep 77.8 36.9 57.4 99 1998 1 62.0 1974 11 1970 25 51.8 1985 243 14 .0 1.0 30.0 .0 7.4 0. 8 55.1 7 30 42.3 1984 Oct 66.8 30.2 48.5 89+ 1996 1988 1998 511 0 .0 .0 28.6 (a) 20.9 .0 24.2 37.2 72 1975 3 42.6 1986 -16 1955 15 27.5 1985 835 0 .0 .0 13.4 25.2 .4 Nov 50.1 1.6 Dec 40.9 18.3 29.6 61 +1979 17 37.4 1996 -35+1972 10 18.6 1985 1098 0 .0 .0 3.2 6.3 28.8 2.4 Jul Jul Jan Dec 31.9 47.3 103 1968 28 72.0 1985 -36 1962 22 18.6 1985 6715 275 20.4 251.2 19.2 189.9 6.2 62.7 .1 Ann

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 096-A

(1) From the 1971-2000 Monthly Normals

Elevation: 4,136 Feet Lat: 43°17N

- (2) Derived from station's available digital record: 1950-2001
- (3) Derived from 1971-2000 serially complete daily data

⁺ Also occurred on an earlier date(s)

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: O O RANCH, OR

COOP ID: 356302

Climate Division: OR 7 NWS Call Sign: Elevation: 4,136 Feet Lat: 43°17N Lon: 119°19W

										Pı	recipi	tation	(incl	nes)										
	Precipitation Totals Means/ Medians(1) Extremes										ean N of D	ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.92	.74	1.05	1997	26	2.85	1997	.07	1992	5.7	2.9	.3	@	.12	.19	.32	.45	.58	.73	.91	1.13	1.42	1.90	2.37
Feb	.65	.49	.65	2000	12	1.86	1986	.10	1999	5.9	2.5	.1	.0	.12	.18	.27	.36	.45	.55	.66	.79	.97	1.26	1.53
Mar	1.07	.99	1.49	1995	31	3.11	1983	.00	1997	7.7	3.3	.4	@	.06	.15	.31	.47	.64	.83	1.04	1.31	1.68	2.29	2.88
Apr	.84	.79	1.01	1951	28	2.54	1978	.00	1977	5.8	2.6	.2	@	.16	.27	.41	.53	.64	.76	.89	1.04	1.23	1.54	1.82
May	1.33	1.08	1.80	1991	19	3.70	1998	.03	1975	6.5	3.5	.4	.1	.14	.24	.43	.61	.81	1.03	1.29	1.62	2.06	2.80	3.51
Jun	.77	.70	.92	1955	28	1.93	1984	.00	1974	5.0	3.0	.2	.0	.06	.15	.27	.39	.50	.63	.78	.95	1.19	1.58	1.95
Jul	.45	.37	.89	1980	30	1.45	1975	.00+	2000	1.9	1.2	.2	.0	.00	.00	.06	.13	.21	.31	.42	.56	.75	1.07	1.39
Aug	.65	.35	2.02	1984	31	4.64	1976	.00+	2000	3.5	1.9	.2	@	.00	.01	.08	.16	.27	.40	.56	.78	1.09	1.63	2.18
Sep	.57	.41	1.60	2000	1	1.80+	2000	.00+	1999	3.0	1.7	.2	.1	.00	.00	.03	.13	.24	.37	.52	.71	.98	1.43	1.89
Oct	.71	.60	1.30	1962	10	2.12	1975	.00+	1998	4.4	2.4	.3	.0	.00	.04	.14	.24	.36	.50	.67	.87	1.17	1.66	2.15
Nov	.92	.85	1.02	1951	29	2.27	1981	.06	1974	7.2	3.2	.3	.0	.13	.20	.33	.46	.59	.74	.91	1.13	1.41	1.88	2.33
Dec	.87	.69	1.02	1981	19	4.24	1981	.00+	2000	7.9	3.2	.2	@	.00	.00	.18	.35	.51	.68	.88	1.12	1.44	1.94	2.44
Ann	9.75	9.56	2.02	Aug 1984	31	4.64	Aug 1976	.00+	Dec 2000	64.5	31.4	3.0	.2	5.14	5.94	7.01	7.86	8.64	9.41	10.23	11.16	12.31	14.04	15.57

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1950-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356302

Station: O O RANCH, OR

Climate Division: OR 7 NWS Call Sign: Elevation: 4,136 Feet Lat: 43°17N Lon: 119°19W

										Snov	w (incl	nes)												
						Sno	ow To	tals							Mean Number of Days (1)									
	Mean	s/Medi	ians (1))	Extremes (2)									Snow Fall >= Thresholds						Snow Depth >= Thresholds				
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	3.2	2.5	1	0	5.0	1977	2	7.2	1979	20	1982	4	13	1982	1.9	1.5	.6	.1	.0	1.2	.2	.0	.0	
Feb	2.5	2.3	#	0	4.0	1981	5	5.0	1981	7	1976	29	4	1982	-9.9	-9.9	-9.9	-9.9	-9.9	.7	.1	.0	.0	
Mar	2.0	.3	#	0	7.0	1982	18	8.0	1971	7	1982	18	#+	1982	.8	.6	.3	.1	.0	.4	.1	.1	.0	
Apr	.6	.0	#	0	3.0	1978	6	5.0	1978	1	1984	9	#+	1984	.4	.3	.1	.0	.0	.0	.0	.0	.0	
May	.1	.0	#	0	1.0	1982	9	1.0	1982	#+	1981	5	#+	1981	.1	.1	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	#	0	.1	1971	26	.1	1971	#	1971	26	#	1971	.1	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.7	.0	#	0	5.5	1984	19	7.3	1984	6	1984	19	#	1984	.4	.2	.1	.1	.0	.2	.1	.1	.0	
Nov	1.1	1.0	#	0	1.5	1980	14	3.1	1982	2+	1982	21	#+	1982	-9.9	-9.9	-9.9	-9.9	-9.9	1.2	.0	.0	.0	
Dec	7.7	4.9	#	0	10.5	1981	29	25.0	1981	18	1981	31	2	1981	-9.9	-9.9	-9.9	-9.9	-9.9	3.2	1.4	.4	.2	
Ann	17.9	11.0	N/A	N/A	10.5	Dec 1981	29	25.0	Dec 1981	20	Jan 1982	4	13	Jan 1982	-9.9	-9.9	-9.9	-9.9	-9.9	6.9	1.9	.6	.2	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356302

Station: O O RANCH, OR

Climate Division: OR 7

NWS Call Sign:

Elevation: 4,136 Feet L

Lat: 43°17N Lon: 119°19W

				Freez	e Data											
			Spri	ng Freeze D	ates (Month/	(Day)										
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)								
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90							
36	7/17	7/12	7/08	7/04	7/01	6/28	6/24	6/20	6/15							
32	6/30	6/24	6/20	6/16	6/13	6/09	6/06	6/02	5/27							
28	6/10	6/02	5/27	5/22	5/17	5/12	5/07	5/01	4/23							
24	5/26	5/16	5/10	5/04	4/29	4/23	4/17	4/11	4/01							
20	5/05	4/26	4/19	4/14	4/08	4/03	3/28	3/22	3/13							
16	4/12	4/01	3/25	3/18	3/12	3/06	2/28	2/20	2/10							
		•	Fal	l Freeze Da	tes (Month/D	Day)										
Tomp (E)		Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90							
36	8/12	8/16	8/20	8/23	8/26	8/28	8/31	9/04	9/08							
32	8/21	8/27	8/31	9/03	9/06	9/09	9/13	9/17	9/22							
28	9/09	9/14	9/17	9/20	9/23	9/26	9/29	10/02	10/07							
24	9/17	9/22	9/26	9/30	10/03	10/06	10/10	10/14	10/20							
20	9/26	10/03	10/08	10/12	10/15	10/19	10/23	10/28	11/03							
16	10/06	10/13	10/19	10/23	10/28	11/01	11/05	11/11	11/18							
1				Freeze F	ree Period	1		•	1							
Town (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)									
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90							
36	77	69	64	59	55	51	46	41	33							
32	109	101	95	89	85	80	75	68	60							
28	158	148	140	134	129	123	117	109	99							
24	188	178	170	163	157	151	144	136	125							
20	220	209	202	195	189	183	177	169	158							
16	267	254	244	236	229	221	213	203	190							

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356302

Station: O O RANCH, OR

Climate Division: OR 7 NWS Call Sign: Elevation: 4,136 Feet Lat: 43°17N Lon: 119°19W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1107	858	773	574	394	186	62	74	243	511	835	1098	6715		
60	952	718	618	426	256	95	18	22	131	358	685	943	5222		
57	859	634	525	342	185	56	8	9	80	271	595	850	4414		
55	797	581	468	288	145	37	3	3	54	218	536	788	3918		
50	646	450	325	170	67	10	0	0	15	109	397	635	2824		
32	198	104	29	3	0	0	0	0	0	1	61	184	580		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	114	171	280	419	633	840	1088	1041	761	513	217	109	6186
55	0	3	6	14	65	187	378	331	126	17	1	0	1128
57	0	0	0	8	43	147	321	274	92	8	0	0	893
60	0	0	0	2	21	96	238	194	52	2	0	0	605
65	0	0	0	0	5	37	127	92	14	0	0	0	275
70	0	0	0	0	0	10	52	29	2	0	0	0	93

										Gro	wing	Degre	e Uni	ts (2)										
Base	Growing Degree Units (Monthly)											Growing Degree Units (Accumulated Monthly)												
Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Aug											Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec					
40	8	23	77	185	373	584	816	772	502	249	45	6	8	31	108	293	666	1250	2066	2838	3340	3589	3634	3640
45	0	1	19	91	231	434	661	617	354	127	11	0	0	1	20	111	342	776	1437	2054	2408	2535	2546	2546
50	0	0	0	35	121	290	506	462	221	48	0	0	0	0	0	35	156	446	952	1414	1635	1683	1683	1683
55	0	0	0	9	54	166	352	312	116	11	0	0	0	0	0	9	63	229	581	893	1009	1020	1020	1020
60	0	0	0	0	14	73	210	171	36	0	0	0	0	0	0	0	14	87	297	468	504	504	504	504
Base		•	•	Gro	wing De	gree Unit	s for Co	rn (Mont	thly)		•			•	Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	0	20	71	155	270	401	527	515	392	244	45	2	0	20	91	246	516	917	1444	1959	2351	2595	2640	2642

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf