Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 044957

Station: LINDSAY, CA

Climate Division: CA 5

NWS Call Sign:

Elevation: 420 Feet Lat: 36°12N Lon: 119°03W

									r	Гетр	eratui	re (°F)										
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	ber of Days (3)			
Month	Daily Max	Daily Min	Mean Daily(2) Year Day Mean Daily(2) Daily(2)					Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0			
Jan	57.8	36.4	47.1	78+	1986	28	51.8	1986	19+	1963	13	40.6	1972	556	0	.0	.0	26.6	.0	10.0	.0	
Feb	64.8	38.9	51.9	84+	1977	19	55.9	1991	22	1989	7	47.3	1971	368	0	.0	.0	27.6	.1	4.7	.0	
Mar	69.7	42.2	56.0	89+	1969	29	61.4	1997	25+	1977	2	51.0	1973	291	11	.0	.0	31.0	.0	1.6	.0	
Apr	77.3	45.0	61.2	100+	1987	28	67.3	1987	26	1955	3	56.0	1975	160	44	.1	2.3	30.0	.0	.2	.0	
May	85.2	50.8	68.0	106+	1951	26	74.9	1992	34+	1975	5	61.9	1998	58	151	1.0	9.8	31.0	.0	.0	.0	
Jun	92.9	56.8	74.9	112+	1964	25	78.8	1977	40+	1971	1	70.8	1980	3	298	5.7	20.5	30.0	.0	.0	.0	
Jul	97.6	61.4	79.5	112+	1960	21	83.4	1988	46	1948	5	74.9	1983	0	450	11.5	28.7	31.0	.0	.0	.0	
Aug	96.3	59.9	78.1	110+	1996	13	82.1	1998	45	1978	17	74.1	1976	0	407	8.2	27.2	31.0	.0	.0	.0	
Sep	91.2	55.2	73.2	109	1977	7	77.5	1991	35	1948	26	66.2	1986	10	257	2.9	18.8	30.0	.0	.0	.0	
Oct	81.3	47.3	64.3	102	1987	1	69.5	1987	30+	1971	29	59.5	1984	108	86	.4	4.9	31.0	.0	.1	.0	
Nov	66.8	39.0	52.9	90+	1949	6	57.2	1995	24+	1994	20	46.4	1994	365	3	.0	.0	29.7	.0	4.6	.0	
Dec	57.8	34.4	46.1	82	1981	19	52.4	1977	17	1990	24	41.3	1990	586	0	.0	.0	26.4	.0	12.7	.0	
Ann	78.2	47.3	62.8	112+	Jun 1964	25	83.4	Jul 1988	17	Dec 1990	24	40.6	Jan 1972	2505	1707	29.8	112.2	355.3	.1	33.9	.0	

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 113-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 044957

Station: LINDSAY, CA

Climate Division: CA 5 NWS Call Sign: Elevation: 420 Feet Lat: 36°12N Lon: 119°03W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	on Total					ean N of D	ays (3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount			less tha	ın the
	Medi	ans(1)				Extremes	•			"	any 11co	cipitatio			Th	ese value	s were det	ermined	from the	incomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.44	2.26	2.47	1969	19	5.96	1999	.00	1976	9.1	5.1	1.8	.4	.13	.36	.73	1.09	1.48	1.90	2.40	3.01	3.85	5.23	6.57
Feb	2.25	2.10	2.22	1978	10	5.84	1998	.18	1977	7.6	5.1	1.6	.3	.21	.36	.67	.98	1.32	1.71	2.17	2.74	3.54	4.86	6.15
Mar	2.57	2.04	1.67	1998	25	8.44	1991	.00	1972	7.5	5.5	2.0	.4	.06	.23	.56	.92	1.34	1.81	2.39	3.13	4.16	5.91	7.65
Apr	.90	.73	1.40	1994	27	2.63	1998	.00+	1997	4.0	2.4	.5	.2	.00	.00	.11	.26	.43	.62	.84	1.12	1.52	2.17	2.83
May	.41	.09	1.68	1971	27	2.74	1971	.00+	1999	1.9	1.1	.2	.1	.00	.00	.00	.00	.04	.12	.24	.42	.70	1.21	1.76
Jun	.13	.00	1.07	1982	30	1.17	1993	.00+	1999	.6	.3	.1	.1	.00	.00	.00	.00	.00	.00	.00	.01	.13	.43	.79
Jul	.01	.00	.25	2001	6	.08	1979	.00+	2000	.1	.0	.0	.0	**	**	**	**	**	**	**	**	**	**	**
Aug	.02	.00	.40	1964	31	.18	1977	.00+	1999	.4	.1	.0	.0	.00	.00	.00	.00	.00	.00	.00	.00	.01	.06	.11
Sep	.34	.04	1.68	1978	5	2.62	1978	.00+	2000	1.3	.7	.2	.1	.00	.00	.00	.00	.00	.01	.09	.25	.54	1.11	1.74
Oct	.67	.49	1.20	1972	19	1.65	1974	.00+	1999	2.9	1.6	.4	@	.00	.00	.08	.19	.31	.45	.62	.83	1.12	1.61	2.10
Nov	1.33	.86	1.72	1967	19	3.97	1985	.00+	1995	5.1	3.0	.9	.2	.00	.07	.25	.45	.67	.93	1.24	1.63	2.18	3.12	4.04
Dec	1.50	1.31	3.57	1966	6	4.60	1996	.00	1999	6.9	3.7	.9	.1	.06	.19	.41	.63	.87	1.13	1.45	1.84	2.38	3.29	4.17
Ann	12.57	11.13	3.57	Dec 1966	6	8.44	Mar 1991	.00+	Sep 2000	47.4	28.6	8.6	1.9	6.19	7.26	8.71	9.88	10.96	12.03	13.18	14.48	16.11	18.55	20.75

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 044957

Station: LINDSAY, CA

Climate Division: CA 5 NWS Call Sign:

Elevation: 420 Feet Lat: 36°12N Lon: 119°03W

		Fall Depth Depth Depth Snow Year Day Monthly Year Snow Year Snow Year Day Mean Year Year Snow Year Day Mean Year Year Now Year Year																					
		Snow Snow Snow Pall Median															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)						-	ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.1	.0	0	0	4.0	1999	25	4.0	1999	0	0	0	0	0	@	@	@	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	#	.0	0	0	#	1972	8	#	1972	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.1	.0	N/A	N/A	4.0	Jan 1999	25	4.0	Jan 1999	0	0	0	0	0	@	@	@	.0	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 044957

Lon: 119°03W

Station: LINDSAY, CA

Climate Division: CA 5 NWS Call Sign:

Elevation: 420 Feet Lat: 36°12N

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated	(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/04	4/25	4/18	4/13	4/08	4/03	3/28	3/22	3/13
32	4/12	3/30	3/20	3/12	3/05	2/25	2/17	2/08	1/26
28	2/27	2/16	2/07	1/31	1/24	1/18	1/11	1/02	12/22
24	1/23	1/08	12/26	12/11	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
1		1	Fa	ll Freeze Da	tes (Month/D	ay)	•	•	
To (E)		Pro	bability of e	arlier date i	n fall (beginn	ing Aug 1) t	than indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/18	10/23	10/27	10/30	11/02	11/05	11/09	11/12	11/18
32	11/01	11/06	11/10	11/14	11/17	11/20	11/24	11/28	12/03
28	11/17	11/23	11/28	12/02	12/06	12/10	12/14	12/19	12/26
24	12/02	12/14	12/25	1/06	0/00	0/00	0/00	0/00	0/00
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
1		1		Freeze F	ree Period		.	<u>-</u>	
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	241	229	221	214	208	201	194	186	175
32	299	284	274	265	257	248	239	229	214
28	>365	344	332	322	314	306	297	287	273
24	>365	>365	>365	>365	>365	>365	>365	345	322
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: LINDSAY, CA

COOP ID: 044957

Climate Division: CA 5 Elevation: 420 Feet Lat: 36°12N Lon: 119°03W **NWS Call Sign:**

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	556	368	291	160	58	3	0	0	10	108	365	586	2505
60	404	232	166	76	18	0	0	0	1	44	229	431	1601
57	317	157	110	41	8	0	0	0	0	21	159	343	1156
55	262	114	78	25	4	0	0	0	0	12	118	285	898
50	147	39	24	6	0	0	0	0	0	2	47	159	424
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	467	556	743	874	1116	1285	1473	1430	1236	1001	627	437	11245
55	16	26	108	209	407	595	760	717	546	299	56	10	3749
57	9	13	77	165	349	535	698	655	486	247	36	5	3275
60	3	4	41	110	266	445	605	562	398	176	16	0	2626
65	0	0	11	44	151	298	450	407	257	86	3	0	1707
70	0	0	1	12	69	164	296	254	138	32	0	0	966

Growing Degree Units (2) Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Services of Control of C																								
Base														Growing Degree Units (Accumulated Monthly)										
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	231 353 501 638 876 1045 1230 1186 1001 756 389													584	1085	1723	2599	3644	4874	6060	7061	7817	8206	8410
45	110 212 346 488 721 895 1075 1031 851 601 247												110	322	668	1156	1877	2772	3847	4878	5729	6330	6577	6668
50	110 212 346 488 721 895 1075 1031 851 601 247 39 97 201 338 566 745 920 876 701 446 127												39	136	337	675	1241	1986	2906	3782	4483	4929	5056	5082
55	6	28	88	200	411	595	765	721	551	300	41	0	6	34	122	322	733	1328	2093	2814	3365	3665	3706	3706
60	0	1	22	94	267	445	610	566	402	170	6	0	0	1	23	117	384	829	1439	2005	2407	2577	2583	2583
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	0/86 137 224 315 411 548 642 745 717 615 488 257 13												137	361	676	1087	1635	2277	3022	3739	4354	4842	5099	5237

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf