## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 012245** 

Station: DEMOPOLIS LOCK AND DAM, AL

7/1-2000

Climate Division: AL 6 NWS Call Sign: Elevation: 100 Feet Lat: 32°31N Lon: 87°53W

									r	Гетр	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	55.4	33.2	44.3	81+	1957	30	55.1	1974	-2	1985	22	33.8	1977	648	0	.0	.0	21.5	.9	16.1	.1
Feb	60.1	36.2	48.2	85+	1996	24	55.8	1990	6+	1996	6	38.8	1978	472	0	.0	.0	22.3	.4	11.1	.0
Mar	68.5	43.0	55.8	89+	1995	24	61.7	1997	16+	1996	9	50.5	1996	304	17	.0	.0	29.4	@	4.3	.0
Apr	75.6	49.5	62.6	93	1955	20	69.2	1999	25+	1987	2	58.3	1983	122	49	.0	.3	30.0	.0	.6	.0
May	82.7	58.4	70.6	99	1955	6	75.1	2000	40+	2001	22	65.5	1976	22	193	.0	3.6	31.0	.0	.0	.0
Jun	88.9	65.5	77.2	104	1954	29	82.4	1998	42	1984	1	73.2	1974	0	366	.3	14.7	30.0	.0	.0	.0
Jul	91.5	69.2	80.4	105+	1980	15	83.4	1980	56+	1967	16	75.4	1996	0	476	.8	21.6	31.0	.0	.0	.0
Aug	91.1	68.4	79.8	105+	1954	29	82.9	2000	53	1986	30	75.7	1996	0	456	.6	20.7	31.0	.0	.0	.0
Sep	86.2	63.0	74.6	103	1951	1	80.2	1980	38	1967	30	69.4	1996	9	297	.1	10.7	30.0	.0	.0	.0
Oct	77.0	50.1	63.6	100	1954	7	69.4	1984	24	1952	30	57.6	1987	128	83	.0	.6	30.9	.0	.6	.0
Nov	67.0	41.3	54.2	86+	2000	1	60.5	1978	17+	1970	25	46.5	1976	336	10	.0	.0	28.6	.0	6.4	.0
Dec	58.4	35.2	46.8	82+	1998	8	56.5	1971	4	1989	24	38.6	2000	572	7	.0	.0	24.0	.5	14.5	.0
Ann	75.2	51.1	63.2	105+	Jul 1980	15	83.4	Jul 1980	-2	Jan 1985	22	33.8	Jan 1977	2613	1954	1.8	72.2	339.7	1.8	53.6	.1

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 021-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1951-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 012245** 

Station: DEMOPOLIS LOCK AND DAM, AL

Climate Division: AL 6 NWS Call Sign: Elevation: 100 Feet Lat: 32°31N Lon: 87°53W

										Pı	recipi	tation	(incl	nes)										
		ans/	P	recipi	itatio	on Total					ean N of D	ays (3	5)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	babilit ation will nount vs Probal incomplet	ll be equ	els		an the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	6.20	5.58	4.16	1972	10	13.05	1972	1.49	1981	11.8	8.5	3.9	1.9	2.14	2.73	3.58	4.30	4.99	5.70	6.48	7.38	8.53	10.32	11.97
Feb	4.85	4.71	4.05	1983	2	9.99	1990	1.50	2000	9.1	6.5	3.5	1.6	1.65	2.11	2.78	3.35	3.90	4.46	5.07	5.78	6.70	8.11	9.42
Mar	6.44	5.63	4.11	1976	31	13.95	1976	1.88	1986	10.2	7.5	4.2	2.5	1.98	2.60	3.51	4.29	5.05	5.84	6.70	7.72	9.03	11.08	12.97
Apr	4.92	4.45	6.21	1974	13	10.56	1983	.34	1987	8.3	6.0	3.2	1.7	.97	1.42	2.14	2.81	3.48	4.20	5.01	5.99	7.29	9.38	11.36
May	4.60	3.95	3.70	1986	19	12.99	1991	.96	1996	9.2	6.8	3.0	1.5	1.02	1.44	2.11	2.72	3.33	3.98	4.71	5.58	6.73	8.55	10.28
Jun	3.63	3.03	3.04	1963	22	11.40	1989	.00	1988	8.6	6.3	2.5	.9	.59	1.08	1.70	2.20	2.70	3.21	3.78	4.46	5.34	6.74	8.04
Jul	4.98	5.11	4.00	1953	8	10.37	1988	.85	1983	10.5	7.9	3.0	1.3	1.20	1.66	2.39	3.04	3.68	4.36	5.13	6.03	7.22	9.10	10.87
Aug	3.51	3.49	3.06	1968	12	8.24	1984	1.01	2000	8.0	5.6	2.4	1.0	.99	1.32	1.82	2.26	2.69	3.14	3.64	4.23	4.99	6.19	7.30
Sep	3.79	3.51	4.81	1969	20	8.81	1974	.54	1984	7.4	5.5	2.7	1.3	1.02	1.38	1.93	2.41	2.88	3.38	3.92	4.57	5.42	6.74	7.98
Oct	3.47	3.12	5.22	1984	22	11.32	1984	.05	1987	6.4	4.2	1.9	1.2	.26	.48	.92	1.40	1.93	2.55	3.28	4.21	5.50	7.68	9.83
Nov	4.71	4.07	3.62	1991	22	11.06	1986	.30	1981	9.0	6.5	3.2	1.7	1.07	1.51	2.20	2.82	3.44	4.09	4.83	5.71	6.86	8.70	10.43
Dec	4.64	4.53	4.58	1968	22	7.56	1983	.83	1980	10.3	6.8	3.5	1.2	1.82	2.25	2.86	3.37	3.85	4.33	4.86	5.47	6.24	7.42	8.50
Ann	55.74	54.60	6.21	Apr 1974	13	13.95	Mar 1976	.00	Jun 1988	108.8	78.1	37.0	17.8	42.70	45.30	48.59	51.06	53.24	55.33	57.47	59.83	62.66	66.74	70.24

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1951-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

**Elevation: 100 Feet** 

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 012245** 

Lon: 87°53W

Station: DEMOPOLIS LOCK AND DAM, AL

Climate Division: AL 6 NWS Call Sign:

										Snov	w (inc	hes)											
		Median         Mean         Median         Snow Fall         Snow Depth         Snow Depth         Snow Depth           .0         0         0         1.7         1977         31         2.1         1977         0															Mea	ın Nu	mber	of Da	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.1	.0	0	0	1.7	1977	31	2.1	1977	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.2	.0	0	0	3.5	1993	13	3.5	1993	0	0	0	0	0	.1	.1	.1	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.3	.0	N/A	N/A	3.5	Mar 1993	13	3.5	Mar 1993	0	0	0	0	0	.2	.2	.1	.0	.0	.0	.0	.0	.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Lat: 32°31N

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 012245** 

Lon: 87°53W

Lat: 32°31N

Elevation: 100 Feet

Station: DEMOPOLIS LOCK AND DAM, AL

**Climate Division: AL 6** 

**NWS Call Sign:** 

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/18	4/12	4/08	4/05	4/02	3/29	3/26	3/22	3/16
32	4/06	3/31	3/26	3/22	3/19	3/15	3/11	3/07	2/28
28	3/24	3/17	3/11	3/06	3/02	2/25	2/21	2/15	2/07
24	3/14	3/04	2/26	2/20	2/14	2/09	2/03	1/27	1/17
20	3/02	2/20	2/13	2/07	2/01	1/26	1/19	1/09	0/00
16	2/20	2/10	2/03	1/27	1/19	1/09	0/00	0/00	0/00
		•	Fal	l Freeze Da	tes (Month/D	ay)			
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/11	10/16	10/20	10/23	10/26	10/29	11/02	11/06	11/11
32	10/24	10/30	11/04	11/08	11/12	11/16	11/20	11/25	12/01
28	11/02	11/09	11/15	11/19	11/23	11/28	12/02	12/08	12/15
24	11/16	11/24	11/30	12/05	12/10	12/14	12/19	12/25	1/03
20	12/01	12/13	12/22	12/29	1/05	1/13	1/22	2/03	0/00
16	12/13	12/25	1/04	1/13	1/23	2/04	0/00	0/00	0/00
				Freeze F	ree Period				
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	226	219	215	211	207	203	200	195	189
32	265	255	249	243	237	232	226	220	210
28	299	288	279	272	266	259	253	244	233
24	339	320	309	301	294	287	279	271	259
20	>365	>365	>365	346	332	322	313	304	292
16	>365	>365	>365	>365	>365	>365	341	323	305

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: DEMOPOLIS LOCK AND DAM, AL

**COOP ID: 012245** 

Climate Division: AL 6 NWS Call Sign: Elevation: 100 Feet Lat: 32°31N Lon: 87°53W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	648	472	304	122	22	0	0	0	9	128	336	572	2613
60	503	341	185	49	4	0	0	0	1	58	211	428	1780
57	421	266	129	23	1	0	0	0	0	31	151	348	1370
55	369	221	98	13	0	0	0	0	0	19	117	299	1136
50	256	128	40	2	0	0	0	0	0	4	52	197	679
32	29	3	0	0	0	0	0	0	0	0	0	15	47

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	410	455	737	917	1195	1356	1499	1479	1279	978	665	473	11443
55	37	29	122	240	482	666	786	766	589	284	91	44	4136
57	27	18	91	190	420	606	724	704	529	234	65	31	3639
60	16	9	54	126	330	516	631	611	440	167	35	18	2953
65	0	0	17	49	193	366	476	456	297	83	10	7	1954
70	0	0	4	12	90	223	321	302	173	32	1	0	1158

	Growing Degree Units (2)  Crowing Degree Units (Monthly)  Crowing Degree Units (Age																							
Base														Growing Degree Units (Accumulated Monthly)										
	Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov   Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	211	289	509	686	958	1130	1262	1243	1050	743	441	267	211	500	1009	1695	2653	3783	5045	6288	7338	8081	8522	8789
45	5         124         182         368         537         803         980         1107         1088         900         588         309												124	306	674	1211	2014	2994	4101	5189	6089	6677	6986	7149
50	63 103 238 391 648 830 952 933 750 434 194												63	166	404	795	1443	2273	3225	4158	4908	5342	5536	5629
55	29	54	136	256	493	680	797	778	600	293	108	50	29	83	219	475	968	1648	2445	3223	3823	4116	4224	4274
60	8	21	64	143	340	530	642	623	451	171	52	23	8	29	93	236	576	1106	1748	2371	2822	2993	3045	3068
Base	e Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	<b>60/86</b> 136 187 321 442 639 767 860 846 712 487 287 17												136	323	644	1086	1725	2492	3352	4198	4910	5397	5684	5857

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf