### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240743** 

Station: BIDDLE 8 SW, MT

**Climate Division: MT 7** 

**NWS Call Sign:** 

Elevation: 3,597 Feet Lat: 45°02N Lon: 105°29W

									r	Гетр	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.1	7.3	20.2	69	1992	31	31.2	1981	-32	1979	14	3.2	1979	1389	0	.0	.0	3.0	11.9	30.5	9.0
Feb	39.2	13.0	26.1	72	1982	21	35.8	1999	-37	1996	2	12.5	1978	1089	0	.0	.0	7.0	7.4	26.8	4.5
Mar	47.8	20.6	34.2	78+	1994	16	42.2	1986	-27	1989	4	26.3	1996	955	0	.0	.0	15.1	3.7	27.4	1.6
Apr	58.3	29.5	43.9	90	1980	21	50.7	1987	0	1997	12	37.1	1975	634	0	.0	@	22.9	.6	17.3	@
May	68.0	39.0	53.5	98	1969	27	59.2	1988	15+	1968	11	48.5	1983	366	10	.0	.4	29.5	.0	4.9	.0
Jun	78.3	48.4	63.4	107+	1988	23	76.2	1988	28+	1969	14	58.4	1982	138	88	.5	3.8	29.9	.0	.1	.0
Jul	86.7	54.5	70.6	109	1981	6	76.4	2000	36	1971	30	62.8	1993	41	215	1.8	12.6	31.0	.0	.0	.0
Aug	86.2	52.7	69.5	107	2000	13	76.5	1983	30	1966	22	63.4	1992	60	197	.9	12.5	31.0	.0	.1	.0
Sep	74.4	42.0	58.2	104	1978	5	66.8	1998	13	1984	25	52.8	1984	244	40	.3	3.3	28.9	.0	3.4	.0
Oct	61.2	31.1	46.2	89+	1997	2	49.6	1988	-17	1991	30	42.0	1971	585	0	.0	.0	25.8	.4	15.0	.1
Nov	44.3	18.7	31.5	79	1999	12	44.9	1999	-24	1985	23	14.9	1985	1005	0	.0	.0	11.4	5.3	27.3	1.8
Dec	34.9	9.7	22.3	69	1973	1	33.9	1999	-43	1989	22	2.7	1983	1324	0	.0	.0	4.1	10.5	30.2	6.2
Ann	59.4	30.5	45.0	109	Jul 1981	6	76.5	Aug 1983	-43	Dec 1989	22	2.7	Dec 1983	7830	550	3.5	32.6	239.6	39.8	183.0	23.2

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 008-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1963-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: BIDDLE 8 SW, MT

**COOP ID: 240743** 

Climate Division: MT 7 NWS Call Sign: Elevation: 3,597 Feet Lat: 45°02N Lon: 105°29W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recipi	itatio	on Total					lean N of D	ays (3	3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	babilit ation will nount vs Probal	ll be equ		less tha	an the
	Medi	ans(1)				Latreme	,			"	any 11c	cipitatio			Th	ese value	s were det	termined :	from the i	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.46	.34	.58	1971	30	1.88	1971	.03	1992	5.2	1.6	@	.0	.05	.09	.15	.22	.29	.36	.45	.56	.72	.97	1.21
Feb	.41	.40	.63	1999	26	.91	1999	.02	1992	4.1	1.6	@	.0	.06	.09	.15	.20	.26	.33	.40	.50	.62	.83	1.03
Mar	.85								1979	6.1	2.8	.4	@	.15	.22	.34	.46	.58	.71	.85	1.03	1.27	1.66	2.03
Apr	1.56	1.56 1.44 2.00 1969 25 3.57 1984 .31							1977	7.4	4.6	.7	.2	.32	.46	.69	.90	1.11	1.34	1.59	1.90	2.30	2.95	3.56
May	2.55	2.25	2.70	1970	8	8.70	1978	.24	1998	9.4	6.0	1.8	.4	.57	.81	1.18	1.52	1.85	2.21	2.61	3.09	3.72	4.72	5.66
Jun	2.58	2.34	2.85	1976	23	8.61	1976	.23	1988	9.1	5.5	1.7	.5	.44	.67	1.04	1.40	1.76	2.15	2.60	3.15	3.88	5.06	6.18
Jul	1.60	1.55	2.63	1982	24	3.67	1987	.12	1980	6.5	4.0	.9	.2	.20	.33	.55	.78	1.01	1.28	1.58	1.95	2.46	3.30	4.11
Aug	.97	.69	1.96	1968	23	2.76	1980	.04	1989	4.6	2.9	.6	.0	.10	.17	.31	.44	.59	.75	.95	1.19	1.52	2.06	2.59
Sep	1.38	1.01	3.12	1986	25	6.03	1986	.11	1989	5.0	3.1	.9	.3	.11	.20	.38	.57	.78	1.02	1.31	1.67	2.18	3.03	3.86
Oct	1.26	.78	2.40	1971	2	5.42	1971	.07+	1987	5.1	2.9	.7	.3	.09	.17	.33	.50	.69	.92	1.18	1.52	1.99	2.79	3.57
Nov	.59	.53	1.59	1964	14	1.99	1978	.02+	1990	5.1	1.9	.1	.0	.07	.11	.20	.28	.37	.46	.58	.72	.91	1.23	1.54
Dec	.51	.51 .39 .50+ 1984 23 1.22 1985 .01							1991	4.7	1.8	.1	.0	.05	.09	.16	.23	.31	.39	.49	.62	.79	1.07	1.35
Ann	14.72	14.93	3.12	Sep 1986	25	8.70	May 1978	.01	Dec 1991	72.3	38.7	7.9	1.9	8.45	9.57	11.04	12.20	13.26	14.29	15.38	16.61	18.13	20.37	22.36

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1963-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240743** 

**Station: BIDDLE 8 SW, MT** 

Climate Division: MT 7 NWS Call Sign: Elevation: 3,597 Feet Lat: 45°02N Lon: 105°29W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	7.6	6.1	5	4	8.0	1975	26	26.6	1971	20	1977	31	14	1977	3.7	2.5	.7	.3	.0	21.1	16.4	9.9	1.4
Feb	6.9	6.0	4	2	8.0	1978	11	18.1	1978	26	1979	23	19	1979	2.9	2.2	.7	.1	.0	11.4	8.1	6.7	3.4
Mar	6.7	6.0	2	1	10.0	1977	29	23.0	1977	26	1978	6	17	1978	2.9	2.2	.9	.3	.1	5.2	2.6	1.6	.3
Apr	6.0	3.3	#	#	14.0	1984	26	38.0	1984	36	1984	27	4	1984	1.5	1.1	.6	.2	.2	1.4	.9	.6	.5
May	.9	.0	#	0	8.0	1986	9	9.5	1986	8	1984	1	1	1984	.2	.2	.1	@	.0	.2	.1	.1	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.7	.0	#	0	8.0	1984	23	16.0	1984	6	1984	23	1	1984	.2	.2	.1	@	.0	.2	.1	.1	.0
Oct	2.0	.7	#	#	8.0	1971	2	12.0	1971	5	1991	23	1	1991	1.0	.7	.3	.1	.0	.8	.4	@	.0
Nov	5.7	5.8	1	1	9.0	1977	18	14.0	1978	12	1978	15	7	1978	2.6	1.9	.6	.2	.0	6.4	3.3	1.6	.9
Dec	6.4	4.5	3	3	12.0	1982	2	15.5	1975	16	1983	23	12	1983	3.2	2.6	.8	.2	@	11.9	7.6	4.6	.5
Ann	42.9	32.4	N/A	N/A	14.0	Apr 1984	26	38.0	Apr 1984	36	Apr 1984	27	19	Feb 1979	18.2	13.6	4.8	1.4	.3	58.6	39.5	25.2	7.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240743** 

Lon: 105°29W

Lat: 45°02N

**Station: BIDDLE 8 SW, MT** 

Climate Division: MT 7 NWS Call Sign:

VS Call Sign: Elevation: 3,597 Feet

				Freez	e Data						
			Spri	ng Freeze D	ates (Month/	(Day)					
Spring Freeze Dates (Month/Day)											
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	6/23	6/16	6/10	6/05	6/01	5/28	5/23	5/17	5/10		
32	6/02	5/28	5/25	5/22	5/19	5/16	5/13	5/09	5/04		
28	5/19	5/14	5/11	5/08	5/05	5/03	4/30	4/27	4/22		
24	5/09	5/05	5/02	4/29	4/26	4/24	4/21	4/18	4/14		
20	4/28	4/22	4/18	4/15	4/12	4/08	4/05	4/01	3/27		
16	4/19	4/13	4/09	4/06	4/02	3/30	3/27	3/22	3/17		
1		•	Fal	l Freeze Da	tes (Month/D	Day)			II.		
T (E)		Pro	bability of ea	arlier date i	n fall (beginr	ing Aug 1) t	han indicate	d(*)			
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	9/02	9/05	9/08	9/11	9/13	9/15	9/17	9/20	9/24		
32	9/08	9/12	9/15	9/17	9/19	9/22	9/24	9/27	10/01		
28	9/13	9/18	9/22	9/25	9/28	10/01	10/04	10/08	10/13		
24	9/21	9/28	10/02	10/06	10/10	10/13	10/17	10/22	10/28		
20	9/25	10/02	10/07	10/11	10/15	10/19	10/23	10/28	11/04		
16	10/12	10/18	10/23	10/27	10/30	11/02	11/06	11/11	11/17		
1		•		Freeze F	ree Period	1			ı		
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	1			
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90		
36	127	119	113	108	103	98	93	87	79		
32	145	137	132	127	123	119	114	109	101		
28	167	160	154	149	145	141	136	131	123		
24	185	178	173	169	166	162	158	153	147		
20	211	203	196	191	185	180	175	168	159		
16	235	226	220	215	210	205	200	194	185		

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240743** 

Lon: 105°29W

Elevation: 3,597 Feet Lat: 45°02N

**Station: BIDDLE 8 SW, MT** 

**Climate Division: MT 7** 

**NWS Call Sign:** 

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1389	1089	955	634	366	138	41	60	244	585	1005	1324	7830
60	1234	949	800	485	236	67	13	22	142	430	855	1169	6402
57	1141	868	707	399	171	39	5	12	94	340	765	1076	5617
55	1080	817	645	344	134	25	2	6	68	281	711	1014	5127
50	931	686	497	219	62	7	0	1	24	155	570	871	4023
32	447	292	100	8	0	0	0	0	0	3	182	397	1429

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	80	127	167	365	667	940	1197	1160	786	442	166	96	6193
55	0	9	0	11	88	275	486	453	164	6	5	0	1497
57	0	3	0	6	63	228	427	397	130	3	0	0	1257
60	0	0	0	2	35	167	342	314	88	1	0	0	949
65	0	0	0	0	10	88	215	197	40	0	0	0	550
70	0	0	0	0	2	36	121	109	14	0	0	0	282

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40													0	17	81	284	744	1470	2443	3384	3972	4240	4288	4294
45												0	0	1	22	131	446	1022	1840	2626	3068	3219	3237	3237
50												0	0	0	3	53	243	670	1333	1964	2274	2345	2345	2345
55	0	0	0	17	94	289	508	477	191	25	0	0	0	0	0	17	111	400	908	1385	1576	1601	1601	1601
60	0	0	0	3	37	166	355	325	100	7	0	0	0	0	0	3	40	206	561	886	986	993	993	993
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)		
50/86	<b>60/86</b> 2 27 70 164 295 451 609 592 382 206 52											9	2	29	99	263	558	1009	1618	2210	2592	2798	2850	2859

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf