## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 328913

Lon: 100°44W

Station: UPHAM 3 N, ND

Climate Division: ND 4 NWS Call Sign:

									,	Tempe	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					_	Days (1) Jemp 65		Mean	Numb	er of I	Days (3)	)
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	15.1	-8.6	3.3	49	1990	11	18.5	1990	-45+	1978	16	-12.9	1982	1916	0	.0	.0	.0	26.3	31.0	20.7
Feb	23.3	6	11.4	66	1988	28	25.3	1998	-48	1996	1	-3.4	1979	1504	0	.0	.0	.6	19.6	28.3	14.4
Mar	35.0	12.5	23.8	77	1963	23	35.4	1973	-38+	1980	1	14.4	1996	1279	0	.0	.0	3.7	12.2	30.4	7.4
Apr	53.8	27.7	40.8	98	1980	22	50.7	1987	-17+	1979	2	29.5	1979	728	0	.0	.2	18.2	1.8	21.3	.4
May	68.5	41.0	54.8	100	1980	23	62.8	1977	13	1958	1	47.8	1979	335	18	@	1.0	29.2	.0	5.7	.0
Jun	76.4	50.1	63.3	104	1961	28	74.3	1988	25	1969	12	57.3	1985	131	78	.2	2.1	29.9	.0	.1	.0
Jul	81.4	53.4	67.4	108	1960	20	72.0	1975	31	1967	3	61.2	1993	57	131	.2	3.6	31.0	.0	.0	.0
Aug	81.1	50.9	66.0	105+	1988	7	72.5	1983	28	1982	27	59.7	1977	92	123	.6	4.9	31.0	.0	.2	.0
Sep	69.5	39.4	54.5	102	1976	7	60.2	1998	14	1974	30	49.7	1972	328	12	@	1.2	28.9	.0	5.7	.0
Oct	56.1	26.6	41.4	95	1963	4	46.0	1973	-10	1991	30	36.3	1976	733	0	.0	.1	20.5	.9	22.7	.2
Nov	34.9	12.5	23.7	76	1965	2	35.1	1981	-29+	1985	29	11.4	1985	1239	0	.0	.0	4.0	13.2	29.4	5.2
Dec	20.5	-1.9	9.3	60	1969	2	22.5	1997	-42+	1983	23	-4.5	1983	1729	0	.0	.0	.2	24.4	31.0	16.5
					Jul			Jun		Feb			Jan								
Ann	51.3	25.3	38.3	108	1960	20	74.3	1988	-48	1996	1	-12.9	1982	10071	362	1.0	13.1	197.2	98.4	205.8	64.8

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 086-A

Elevation: 1,425 Feet Lat: 48°37N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 328913** 

Station: UPHAM 3 N, ND

Climate Division: ND 4 NWS Call Sign: Elevation: 1,425 Feet Lat: 48°37N Lon: 100°44W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3	)	Proba	ability th		nonthly/	indic	precipita ated am	ntion wil			less tha	n the
	Medi	ans(1)				Extremes	3			п	aily Pre	стриатно	n		Th	ese value	s were det	ermined	from the i	ncomplet	e gamma	distributi	on	ļ
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.57	.51	.85	1949	5	1.43	1989	.03	1973	7.0	2.0	.1	.0	.12	.18	.26	.34	.41	.50	.59	.70	.84	1.07	1.29
Feb	.47	.33	1.43	1998	26	3.29	1998	.09+	1978	5.4	1.3	.1	@	.05	.08	.14	.21	.28	.36	.45	.57	.74	1.01	1.27
Mar	.76	.64	.97	1971	14	1.65	1971	.10	1977	5.8	2.2	.4	.0	.13	.20	.31	.41	.52	.64	.77	.93	1.14	1.49	1.82
Apr	1.33	.93	3.87	1953	24	4.20	1984	.08	1988	6.1	3.3	.9	.1	.12	.22	.40	.58	.78	1.01	1.28	1.62	2.08	2.85	3.61
May	2.07	1.77	2.05	1953	28	7.77	1999	.02	1980	8.2	4.5	1.2	.4	.23	.39	.68	.96	1.27	1.62	2.02	2.53	3.21	4.34	5.44
Jun	3.32	3.28	3.74	1949	1	6.64	2000	.98	1992	11.5	6.8	2.0	.7	1.19	1.50	1.95	2.33	2.69	3.06	3.47	3.94	4.54	5.46	6.31
Jul	2.71	2.71	2.81	1997	12	6.91	1993	.41	1985	9.8	5.4	1.7	.7	.65	.90	1.30	1.65	2.00	2.38	2.79	3.28	3.93	4.96	5.92
Aug	2.00	1.69	5.34	1968	24	5.97	1980	.17	1979	7.9	4.5	1.2	.4	.35	.53	.82	1.09	1.37	1.68	2.02	2.44	3.00	3.90	4.76
Sep	1.80	1.66	2.60	1971	5	5.09	1973	.06	1976	7.2	4.0	1.0	.4	.21	.35	.61	.86	1.12	1.42	1.77	2.20	2.78	3.74	4.67
Oct	1.28	.79	1.97	1994	19	5.77	1994	.01	1990	5.6	3.1	.7	.3	.02	.07	.18	.33	.52	.76	1.07	1.49	2.10	3.19	4.31
Nov	.85	.78	1.23	1986	8	3.22	2000	.02	1976	5.7	2.6	.3	.1	.05	.09	.19	.31	.44	.60	.79	1.03	1.37	1.96	2.55
Dec	.56	.57	.81	1977	17	1.64	1977	.02	1987	6.3	1.7	.1	.0	.09	.14	.22	.29	.37	.46	.56	.69	.85	1.12	1.38
Ann	17.72	17.09	5.34	Aug 1968	24	7.77	May 1999	.01	Oct 1990	86.5	41.4	9.7	3.1	11.66	12.80	14.28	15.41	16.43	17.42	18.45	19.59	20.99	23.04	24.82

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1948-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 328913** 

Station: UPHAM 3 N, ND

Climate Division: ND 4 NWS Call Sign: Elevation: 1,425 Feet Lat: 48°37N Lon: 100°44W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	9.7	8.3	10	9	12.0	1989	7	30.9	1989	27	1989	7	19	1989	6.8	4.0	1.0	.2	@	30.0	26.9	22.9	13.9
Feb	5.9	5.8	10	11	12.0	1998	26	13.0	1976	20+	1999	28	19	1995	5.5	2.8	.5	.1	.1	24.8	21.9	19.0	13.7
Mar	7.4	8.0	7	7	10.0	1988	8	17.2+	1995	24	1999	10	20	1999	4.3	2.7	.8	.4	@	16.4	14.0	12.4	7.6
Apr	4.5	3.4	1	#	9.0	1997	6	16.0	1979	20	1979	6	11	1979	2.1	1.5	.7	.2	.0	2.7	1.5	1.1	.0
May	.3	.0	#	0	6.5	1991	4	7.0	1991	5	1991	4	#+	1998	.2	.1	@	@	.0	.2	@	@	.0
Jun	#	.0	#	0	#	1998	3	#	1998	#	1998	3	#	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.2	.0	#	0	4.0	1972	26	4.0	1972	4	1972	26	#+	1995	.2	.1	@	.0	.0	@	@	.0	.0
Oct	2.8	.4	#	#	11.0	1991	29	15.5	1991	10	1991	31	1	1996	1.2	.9	.3	.2	.1	1.5	.6	.3	.1
Nov	8.4	9.0	2	2	12.0	1986	8	23.7	2000	13	1996	30	9	1991	4.7	3.0	1.0	.4	.1	13.1	9.2	6.9	1.6
Dec	8.3	8.3	6	6	8.0	1977	17	20.9	1975	17	1996	31	13	1996	6.1	3.4	.8	.4	.0	25.5	20.8	18.0	6.6
Ann	47.5	43.2	N/A	N/A	12.0+	Feb 1998	26	30.9	Jan 1989	27	Jan 1989	7	20	Mar 1999	31.1	18.5	5.1	1.9	.3	114.2	94.9	80.6	43.5

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 328913** 

Lon: 100°44W

Lat: 48°37N

Station: UPHAM 3 N, ND

**Climate Division: ND 4** 

**NWS Call Sign:** 

				Freez	ze Data							
			Spri	ng Freeze D	ates (Month/	(Day)						
Freeze Date   Spring Freeze Dates   Month/Day												
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	6/27	6/19	6/14	6/09	6/04	5/30	5/25	5/20	5/12			
32	5/31	5/27	5/24	5/21	5/19	5/17	5/14	5/11	5/07			
28	5/23	5/19	5/16	5/14	5/12	5/09	5/07	5/04	4/30			
24	5/11	5/07	5/04	5/01	4/29	4/27	4/24	4/21	4/17			
20	5/03	4/28	4/25	4/22	4/19	4/16	4/14	4/10	4/05			
16	4/21	4/17	4/14	4/12	4/09	4/07	4/05	4/02	3/29			
•		•	Fal	l Freeze Da	tes (Month/D	Day)						
Tomn (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	than indicate	ed(*)				
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	8/18	8/23	8/27	8/30	9/03	9/06	9/09	9/13	9/19			
32	8/25	8/31	9/03	9/07	9/10	9/13	9/16	9/20	9/25			
28	9/10	9/14	9/17	9/19	9/21	9/24	9/26	9/29	10/03			
24	9/18	9/23	9/26	9/28	10/01	10/03	10/06	10/09	10/13			
20	9/25	9/30	10/03	10/06	10/09	10/12	10/15	10/18	10/23			
16	10/02	10/08	10/13	10/16	10/20	10/23	10/26	10/31	11/06			
		1		Freeze F	ree Period	1		II.	•			
Town (F)			Probability	of longer th	an indicated	freeze free p	period (Days)	)				
remb (r)	.10	.20				_			.90			
36	120	110	102	96	90	84	77	70	59			
32	132	125	120	117	113	109	105	101	94			
28	147	142	138	135	132	129	126	122	117			
24	173	167	162	158	154	150	146	141	135			

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

197

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

202

Derived from 1971-2000 serially complete daily data

207

215

16

Complete documentation available from:

183

Elevation: 1,425 Feet

178

170

192

188

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 328913

Station: UPHAM 3 N, ND

Climate Division: ND 4 NWS Call Sign: Elevation: 1,425 Feet Lat: 48°37N Lon: 100°44W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1916	1504	1279	728	335	131	57	92	328	733	1239	1729	10071		
60	1761	1364	1124	584	214	60	15	36	204	578	1089	1574	8603		
57	1668	1280	1031	501	155	32	7	19	141	486	999	1481	7800		
55	1606	1224	971	448	122	20	2	11	105	424	939	1419	7291		
50	1451	1084	828	325	58	5	0	2	41	276	791	1264	6125		
32	916	620	369	59	0	0	0	0	0	18	330	729	3041		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	23	40	113	322	706	937	1097	1054	674	308	80	24	5378
55	0	0	2	20	115	268	386	352	89	1	0	0	1233
57	0	0	0	14	86	220	329	297	65	0	0	0	1011
60	0	0	0	6	52	157	245	222	37	0	0	0	719
65	0	0	0	0	18	78	131	123	12	0	0	0	362
70	0	0	0	0	4	28	54	54	3	0	0	0	143

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)								Growi	ng Degre	ee Units (	Accumu	lated Mo	nthly)			
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	0	7	149	468	704	855	816	453	150	10	0	0	0	7	156	624	1328	2183	2999	3452	3602	3612	3612
45	0 0 1 78 331 554 700 661 314 77 2												0	0	1	79	410	964	1664	2325	2639	2716	2718	2718
50	0 0 0 36 212 408 545 507 196 35 0											0	0	0	0	36	248	656	1201	1708	1904	1939	1939	1939
55	0	0	0	15	119	269	391	359	104	9	0	0	0	0	0	15	134	403	794	1153	1257	1266	1266	1266
60	0	0	0	5	53	146	245	222	49	2	0	0	0	0	0	5	58	204	449	671	720	722	722	722
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	<b>)/86</b> 0 0 10 122 304 435 547 517 299 138 15											0	0	0	10	132	436	871	1418	1935	2234	2372	2387	2387

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf