Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471970

Station: DALTON, WI

Climate Division: WI 5

NWS Call Sign:

Elevation: 860 Feet Lat: 43°39N Lon: 89°12W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of D	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	26.6	8.0	17.3	56	1973	26	28.8	1990	-39	1951	30	4.8	1977	1478	0	.0	.0	.3	21.0	30.6	9.9
Feb	32.6	13.2	22.9	63	1984	22	33.7	1998	-34	1996	3	12.0	1979	1178	0	.0	.0	1.4	13.9	26.8	6.0
Mar	44.1	23.5	33.8	83	1986	29	41.4	2000	-27	1962	1	27.0	1975	969	0	.0	.0	8.4	5.2	25.3	1.3
Apr	58.8	34.5	46.7	91	1980	22	53.3	1977	4	1982	7	40.6	1975	553	2	.0	@	22.3	.3	13.3	.0
May	71.8	45.8	58.8	92+	1991	28	66.2	1977	22+	1989	7	53.3	1997	238	45	.0	.2	30.7	.0	2.8	.0
Jun	80.5	54.9	67.7	102	1988	20	72.0	1988	30	1963	21	61.8	1982	44	125	.1	2.6	30.0	.0	.0	.0
Jul	83.9	59.7	71.8	103	1995	13	75.9	1983	40	1965	6	67.1	1992	9	219	.1	4.5	31.0	.0	.0	.0
Aug	81.5	58.0	69.8	103+	1988	17	75.4	1995	33	1986	28	65.8	1986	27	174	.1	2.1	31.0	.0	.0	.0
Sep	73.1	49.7	61.4	99	1955	9	66.7	1998	20	1949	29	55.8	1993	145	38	.0	.5	30.0	.0	1.1	.0
Oct	61.2	39.0	50.1	91	1963	6	57.4	1971	11	1988	30	44.1	1987	466	3	.0	.0	26.4	.0	8.3	.0
Nov	44.2	26.9	35.6	76+	1999	9	43.4	1999	-14	1950	25	27.7	1995	884	0	.0	.0	8.7	4.1	21.3	.4
Dec	31.1	14.1	22.6	65	1962	2	30.7	1982	-28	1983	19	11.5	2000	1315	0	.0	.0	1.2	16.6	29.7	5.6
Ann	57.5	35.6	46.5	103+	Jul 1995	13	75.9	Jul 1983	-39	Jan 1951	30	4.8	Jan 1977	7306	606	.3	9.9	221.4	61.1	159.2	23.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 024-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: DALTON, WI

Climate Division: WI 5 NWS Call Sign: Elevation: 860 Feet Lat: 43°39N Lon: 89°12W

										Pı	recipi	tation	(incl	nes)										
			P	recipi	itatio	n Total	s			M	ean N	Jumbo Pays (3		Proba	ability th		nonthly/	annual j	ated am	ation wi	ll be equ		less tha	n the
	Medi					Extremes	3			D	aily Pre	cipitatio	n		Th		-		-		bility Leve te gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.26	1.20	1.13	1967	24	3.05	1999	.08	1981	8.9	4.0	.4	@	.25	.36	.55	.72	.89	1.08	1.29	1.54	1.87	2.41	2.91
Feb	1.13	1.11	1.74	1981	22	3.13	1971	.03	1987	6.6	3.0	.5	.1	.09	.16	.31	.47	.64	.84	1.08	1.38	1.79	2.49	3.18
Mar	2.26	2.37	2.64	1998	31	5.49	1998	.22	1978	9.0	5.0	1.3	.4	.42	.62	.95	1.25	1.57	1.91	2.29	2.75	3.37	4.36	5.31
Apr	3.11	3.14	2.79	1955	24	7.12	1973	.81	1997	10.7	6.6	2.1	.5	1.23	1.52	1.93	2.27	2.59	2.91	3.26	3.67	4.18	4.97	5.69
May	3.57	3.36	4.69	1989	30	6.96	1973	.26	1981	11.0	6.6	2.3	.7	.88	1.22	1.74	2.20	2.66	3.14	3.68	4.32	5.16	6.49	7.73
Jun	4.08	3.52	2.81	2001	12	9.99	1990	.92	1988	10.4	7.0	2.8	1.2	1.05	1.44	2.03	2.55	3.07	3.61	4.22	4.93	5.87	7.35	8.73
Jul	4.19	3.32	4.68	1991	21	13.77	1999	1.04	1975	9.9	6.8	2.8	1.1	1.29	1.69	2.28	2.79	3.28	3.80	4.36	5.02	5.88	7.21	8.45
Aug	3.87	3.45	3.10	1979	10	11.31	1980	.93	1996	9.7	6.7	2.8	.9	1.11	1.47	2.03	2.51	2.98	3.47	4.01	4.65	5.48	6.78	7.98
Sep	3.60	3.24	4.18	1988	22	10.17	1986	.52	1979	10.0	6.1	2.5	.9	.58	.89	1.41	1.91	2.42	2.98	3.61	4.39	5.43	7.12	8.73
Oct	2.40	2.00	3.00	1954	3	5.47	1984	.65	1975	9.5	5.6	1.2	.3	.75	.98	1.32	1.61	1.89	2.18	2.50	2.88	3.36	4.11	4.81
Nov	2.41	2.05	2.68	1956	15	6.36	1985	.00	1976	9.2	5.4	1.3	.3	.41	.74	1.15	1.48	1.80	2.14	2.51	2.95	3.53	4.43	5.28
Dec	1.42	1.42	1.19	1968	19	2.82	1971	.10	1998	8.7	3.7	.6	.2	.26	.38	.59	.78	.98	1.19	1.44	1.73	2.12	2.75	3.35
Ann	33.30	33.32	4.69	May 1989	30	13.77	Jul 1999	.00	Nov 1976	113.6	66.5	20.6	6.6	26.04	27.50	29.34	30.72	31.93	33.09	34.28	35.58	37.15	39.39	41.31

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471970

Lon: 89°12W

Station: DALTON, WI

Climate Division: WI 5 NWS Call Sign:

Elevation: 860 Feet Lat: 43°39N

										Snov	w (incl	nes)											
		Median Mean Median Snow Fall Snow Pall Snow Pall Snow Depth Snow Depth															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	11.7	11.3	6	5	21.0	1999	2	25.5	1994	26	1979	24	19	1979	7.1	4.1	1.4	.4	.1	24.2	18.3	13.8	7.8
Feb	7.7	7.4	6	5	7.5	1994	23	20.0	1997	25	1979	21	23	1979	5.0	2.6	1.0	.3	.0	22.1	17.6	12.2	6.6
Mar	8.7	8.7	3	2	11.0	1972	29	18.2	1989	18	1979	1	11	1979	4.1	2.5	.9	.5	.1	10.5	8.1	5.3	2.6
Apr	3.0	2.0	#	#	10.0	1973	9	13.8	1993	12	1973	10	2	1973	1.4	.9	.3	.2	@	1.4	.9	.4	.1
May	.1	.0	#	0	4.0	1990	10	4.0	1990	#	1990	10	#	1990	.1	@	@	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1983	22	#	1983	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.5	.0	#	0	4.5	1997	26	4.5	1997	4	1997	26	#+	1997	.3	.2	.1	.0	.0	.1	@	.0	.0
Nov	4.8	3.0	1	#	14.0	1985	9	22.3	1985	12	1985	9	2	1995	2.7	1.8	.6	.1	@	3.6	1.6	.8	.1
Dec	10.0	9.0	3	2	13.0	1990	3	25.4	1977	19	2000	29	16	1985	6.2	3.5	1.3	.4	.1	17.6	11.5	7.0	2.7
Ann	46.5	41.4	N/A	N/A	21.0	Jan 1999	2	25.5	Jan 1994	26	Jan 1979	24	23	Feb 1979	26.9	15.6	5.6	1.9	.3	79.5	58.0	39.5	19.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 471970

Station: DALTON, WI Climate Division: WI 5

NWS Call Sign:

Elevation: 860 Feet

Lon: 89°12W Lat: 43°39N

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/13	6/06	6/02	5/29	5/26	5/22	5/18	5/14	5/08
32	5/27	5/22	5/18	5/15	5/12	5/10	5/07	5/03	4/28
28	5/13	5/08	5/04	4/30	4/27	4/24	4/21	4/17	4/11
24	4/29	4/25	4/21	4/18	4/15	4/12	4/09	4/06	4/01
20	4/17	4/13	4/10	4/08	4/06	4/04	4/01	3/30	3/26
16	4/12	4/07	4/04	4/01	3/29	3/26	3/23	3/19	3/14
-			Fal	l Freeze Da	tes (Month/D	ay)	•	•	•
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/09	9/13	9/15	9/17	9/20	9/22	9/24	9/26	9/30
32	9/17	9/21	9/23	9/26	9/28	9/30	10/02	10/04	10/08
28	9/24	9/29	10/02	10/05	10/08	10/11	10/14	10/18	10/23
24	10/05	10/11	10/15	10/19	10/22	10/25	10/29	11/02	11/08
20	10/20	10/24	10/27	10/30	11/01	11/04	11/06	11/10	11/14
16	10/28	11/03	11/07	11/10	11/14	11/17	11/20	11/24	11/30
			•	Freeze F	ree Period		•	•	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	136	129	124	120	116	112	108	103	97
32	153	148	144	141	137	134	131	127	122
28	185	178	172	168	163	159	155	149	142
24	214	206	199	194	189	184	179	172	164
20	223	218	215	212	209	206	203	199	195
16	256	246	240	234	229	224	218	211	202

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: DALTON, WI

COOP ID: 471970

Climate Division: WI 5 NWS Call Sign: Elevation: 860 Feet Lat: 43°39N Lon: 89°12W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1478	1178	969	553	238	44	9	27	145	466	884	1315	7306
60	1323	1038	814	409	140	11	0	5	62	323	734	1160	6019
57	1230	954	721	329	95	4	0	1	32	247	644	1067	5324
55	1168	898	659	279	71	2	0	0	18	202	585	1005	4887
50	1013	758	513	171	29	0	0	0	3	110	443	850	3890
32	494	315	119	6	0	0	0	0	0	2	86	363	1385

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	38	61	174	444	831	1071	1234	1170	883	562	192	71	6731
55	0	0	1	27	188	383	521	457	211	49	1	0	1838
57	0	0	0	17	151	325	459	396	165	32	0	0	1545
60	0	0	0	8	103	242	366	307	105	15	0	0	1146
65	0	0	0	2	45	125	219	174	38	3	0	0	606
70	0	0	0	0	15	47	102	79	8	0	0	0	251

										Gro	wing 1	Degre	e Uni	ts (2)										
Base	Base Growing Degree Units (Monthly) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec 40 0 6 63 242 580 826 983 921 641 329 66 4 45 0 1 28 140 427 676 828 766 496 208 29 2															Growi	ng Degre	ee Units (Accumu	lated Mo	nthly)			
														Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	6	63	242	580	826	983	921	641	329	66	4	0	6	69	311	891	1717	2700	3621	4262	4591	4657	4661
45													0	1	29	169	596	1272	2100	2866	3362	3570	3599	3601
50	0 0 12 77 287 526 673 611 352 118 8												0	0	12	89	376	902	1575	2186	2538	2656	2664	2664
55	0	0	7	34	175	377	518	456	223	56	1	0	0	0	7	41	216	593	1111	1567	1790	1846	1847	1847
60	0	0	0	15	88	242	365	305	127	21	0	0	0	0	0	15	103	345	710	1015	1142	1163	1163	1163
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	0/86 0 1 41 157 367 539 661 609 401 193 33 2												0	1	42	199	566	1105	1766	2375	2776	2969	3002	3004

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf