Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 263285

Lon: 117°14W

Station: GOLDFIELD, NV

Climate Division: NV 3 NWS Call Sign:

									ŗ	Гетре	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	42.4	21.5	32.0	65+	1959	17	39.9	1986	-10+	1949	2	25.4	1987	1026	0	.0	.0	7.1	4.0	28.9	.2
Feb	47.3	25.3	36.3	70+	1977	16	44.1	1995	-13	1989	6	31.7	1989	804	0	.0	.0	11.6	1.7	23.1	.1
Mar	53.3	29.7	41.5	76	1966	31	48.2	1972	0	1971	1	34.4	1973	729	0	.0	.0	20.3	.4	19.1	@
Apr	61.2	35.0	48.1	83	1950	21	56.0	1989	16	1975	6	38.4	1975	511	5	.0	.0	26.0	.0	10.7	.0
May	70.1	43.0	56.6	92	1951	26	63.0	1997	22+	1950	9	48.8	1998	299	37	.0	.1	30.0	@	3.2	.0
Jun	81.4	51.9	66.7	98	1985	19	71.4	1985	29+	1950	8	60.6	1995	73	122	.0	4.1	30.0	.0	.1	.0
Jul	88.1	59.3	73.7	100+	1959	17	78.0	1996	38+	1952	14	69.8	1987	3	273	.0	13.8	31.0	.0	.0	.0
Aug	86.3	58.1	72.2	101	2000	2	75.6	1994	30	1963	13	66.3	1976	7	230	@	9.5	31.0	.0	.0	.0
Sep	77.8	50.2	64.0	98	1950	1	67.9+	1979	26	1950	30	57.7	1986	100	71	.0	.9	30.0	.0	.4	.0
Oct	65.8	39.3	52.6	87	1980	2	59.1	1988	12	1948	28	46.9	1984	393	8	.0	.0	29.1	@	6.1	.0
Nov	51.4	28.6	40.0	75	1965	1	48.0	1995	6	1975	29	31.4	1994	750	0	.0	.0	17.5	.5	20.2	.0
Dec	43.0	21.2	32.1	66+	1958	3	38.7	1977	-15	1972	10	24.2	1971	1021	0	.0	.0	7.5	4.0	29.1	.4
Ann	64.0	38.6	51.3	101	Aug 2000	2	78.0	Jul 1996	-15	Dec 1972	10	24.2	Dec 1971	5716	746	@	28.4	271.1	10.6	140.9	.7

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 026-A

(1) From the 1971-2000 Monthly Normals

Elevation: 5,690 Feet Lat: 37°42N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 263285

Station: GOLDFIELD, NV

Climate Division: NV 3 NWS Call Sign: Elevation: 5,690 Feet Lat: 37°42N Lon: 117°14W

										Pı	ecipi	tation	(incl	nes)										
	Me	ans/	P	recipi	tatio	on Total					ean N of D	ays (3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount			less tha	ın the
	Medi	ans(1)				Latt cine	,				uny 110	cipitutio			Th	ese value	s were det	ermined	from the	incomplet	e gamma	distribut	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.66	.42	1.40	1973	18	2.75	1973	.00+	1994	3.4	1.5	.4	.1	.00	.00	.06	.14	.25	.38	.55	.78	1.10	1.67	2.26
Feb	.83	.35	1.96	1976	7	3.02	1976	.00+	1999	3.0	1.9	.3	.1	.00	.00	.01	.09	.21	.38	.61	.93	1.41	2.28	3.20
Mar	.89	.67	1.20+	1983	3	2.98	1978	.00+	1989	3.9	2.5	.4	.1	.00	.03	.14	.26	.41	.58	.80	1.07	1.47	2.15	2.83
Apr	.52	2 .22 1.05 1988 14 3.16 1988 .00+ 20							2000	2.8	1.4	.2	@	.00	.00	.00	.03	.11	.21	.36	.57	.89	1.48	2.09
May	.71	.15	1.52	1977	8	2.57	1987	.00+	1993	3.3	1.6	.4	.1	.00	.00	.00	.04	.14	.29	.50	.79	1.22	2.00	2.81
Jun	.41	.05	1.36	1993	5	2.03	1993	.00+	2000	1.8	.9	.2	@	.00	.00	.00	.00	.00	.04	.17	.37	.69	1.30	1.93
Jul	.43	.18	1.50	2001	8	2.44	1976	.00+	2000	2.0	1.1	.2	.0	.00	.00	.02	.07	.14	.23	.34	.50	.73	1.13	1.55
Aug	.67	.34	1.43	1977	17	2.38	1977	.00+	1994	2.4	1.3	.4	.1	.00	.00	.06	.16	.28	.42	.59	.82	1.14	1.68	2.23
Sep	.53	.39	1.51	1967	5	2.29	1976	.00+	1996	2.4	1.3	.4	.1	.00	.00	.00	.07	.16	.28	.43	.63	.92	1.42	1.92
Oct	.53	.14	2.25	1972	4	3.07	1972	.00+	1999	1.6	1.1	.4	.1	.00	.00	.00	.00	.05	.16	.33	.57	.93	1.57	2.23
Nov	.29	.09	2.01	1960	6	1.76	1987	.00+	1999	1.7	.8	.1	.0	.00	.00	.00	.00	.05	.12	.22	.34	.51	.82	1.13
Dec	.27	.18	.80	1966	6	.88	1996	.00+	2000	1.9	1.0	.1	.0	.00	.00	.00	.02	.08	.14	.22	.33	.47	.72	.96
Ann	6.74	6.24	2.25	Oct 1972	4	3.16	Apr 1988	.00+	Dec 2000	30.2	16.4	3.5	.7	3.15	3.73	4.54	5.19	5.80	6.40	7.05	7.79	8.71	10.12	11.38

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 263285

Station: GOLDFIELD, NV

Climate Division: NV 3 NWS Call Sign: Elevation: 5,690 Feet Lat: 37°42N Lon: 117°14W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.6	.8	#	0	10.0	1999	24	11.0	1999	5	1983	29	#+	1998	1.0	.8	.2	.1	.1	.5	.1	.0	.0
Feb	3.0	.5	#	0	12.0	1976	7	18.1	1976	2+	1998	4	#+	1998	1.0	.6	.3	.1	.1	.4	.0	.0	.0
Mar	3.1	.4	#	0	12.0	1976	3	13.0	1976	6	1982	18	1	1982	1.2	.9	.4	.1	.1	.6	.2	.1	.0
Apr	1.7	.0	#	0	4.0	1995	18	11.5	1999	8	1994	23	#+	1999	.9	.8	.2	.0	.0	.3	.0	.0	.0
May	.9	.0	#	0	4.0	1971	20	4.0+	1980	3	1977	8	#+	1977	.3	.3	.2	.0	.0	.1	.1	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	0	0	2.0	1982	30	2.0	1982	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Oct	.8	.0	#	0	5.5	1978	30	5.5	1978	6	1978	30	#+	1981	.3	.3	.1	.1	.0	.2	@	@	.0
Nov	1.0	.0	#	0	4.0	1981	28	11.0	1981	8	1981	29	1	1981	.5	.3	.2	.0	.0	.4	.2	.2	.0
Dec	1.0	.3	#	0	5.0	1996	22	5.0	1996	5	1996	22	#+	1996	.5	.3	.2	.1	.0	.2	.1	.0	.0
Ann	14.2	2.0	N/A	N/A	12.0+	Mar 1976	3	18.1	Feb 1976	8+	Apr 1994	23	1+	Mar 1982	5.8	4.4	1.8	.5	.3	2.7	.7	.3	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 263285

Station: GOLDFIELD, NV

Climate Division: NV 3 NWS Call Sign: Elevation: 5,690 Feet

Lat: 37°42N Lon: 117°14W

				Freez	e Data							
			Spri	ng Freeze D	ates (Month/	(Day)						
36												
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	6/15	6/09	6/04	6/01	5/28	5/25	5/21	5/16	5/10			
32	6/04	5/28	5/23	5/19	5/15	5/11	5/07	5/02	4/25			
28	5/18	5/10	5/04	4/29	4/24	4/19	4/14	4/08	3/31			
24	5/04	4/25	4/18	4/12	4/07	4/02	3/27	3/20	3/11			
20	4/14	4/04	3/28	3/22	3/16	3/11	3/05	2/25	2/15			
16	3/23	3/11	3/03	2/24	2/18	2/11	2/04	1/27	1/16			
·			Fal	ll Freeze Da	tes (Month/D	Day)						
Tomp (F)		Pro	bability of e	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	d(*)				
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	9/17	9/23	9/28	10/02	10/06	10/09	10/13	10/18	10/24			
32	9/27	10/03	10/07	10/10	10/14	10/17	10/21	10/25	10/31			
28	10/04	10/10	10/15	10/18	10/22	10/25	10/29	11/03	11/09			
24	10/16	10/21	10/26	10/29	11/02	11/05	11/09	11/13	11/19			
20	10/25	11/01	11/06	11/10	11/13	11/17	11/21	11/26	12/02			
16	11/09	11/16	11/20	11/24	11/28	12/02	12/06	12/10	12/17			
•			•	Freeze F	ree Period	•	•	•				
Town (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)					
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	153	145	139	134	130	125	120	115	107			
32	182	172	164	157	151	145	138	130	120			
28	213	202	193	187	180	174	167	159	147			
24	244	232	223	215	208	201	193	184	172			
20	275	263	255	248	241	235	227	219	208			
16	319	306	297	290	283	275	268	259	246			

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 263285

Station: GOLDFIELD, NV

Climate Division: NV 3 NWS Call Sign: Elevation: 5,690 Feet Lat: 37°42N Lon: 117°14W

				Deg	ree Days to	o Selected	Base Tem	peratures	$({}^{\circ}\mathbf{F})$				
Base						Heatin	g Degree I	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1026	804	729	511	299	73	3	7	100	393	750	1021	5716
60	871	664	577	375	193	27	0	0	39	260	600	866	4472
57	778	580	488	299	141	13	0	0	18	192	512	773	3794
55	716	524	431	253	112	8	0	0	10	152	454	711	3371
50	561	386	297	159	54	2	0	0	2	76	319	557	2413
32	120	36	25	7	0	0	0	0	0	0	31	125	344

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	117	156	319	491	761	1039	1293	1246	961	638	271	127	7419
55	0	0	12	47	160	357	580	533	281	77	5	0	2052
57	0	0	7	33	127	302	518	471	229	54	2	0	1743
60	0	0	3	19	86	226	425	378	159	29	0	0	1325
65	0	0	0	5	37	122	273	230	71	8	0	0	746
70	0	0	0	0	14	50	139	108	21	1	0	0	333

Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
														Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	18	52	131	280	531	811	1061	1018	736	410	107	9	18	70	201	481	1012	1823	2884	3902	4638	5048	5155	5164
45	0 14 60 165 385 661 906 863 586 275 44											0	0	14	74	239	624	1285	2191	3054	3640	3915	3959	3959
50	0 0 16 78 252 514 751 708 437 158 11											0	0	0	16	94	346	860	1611	2319	2756	2914	2925	2925
55	0	0	0	30	141	370	596	553	298	69	0	0	0	0	0	30	171	541	1137	1690	1988	2057	2057	2057
60	0	0	0	4	63	236	442	399	174	23	0	0	0	0	0	4	67	303	745	1144	1318	1341	1341	1341
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	1/ 86 19 45 96 192 334 525 699 672 466 265 77											15	19	64	160	352	686	1211	1910	2582	3048	3313	3390	3405

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf