### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 155067** 

Lon: 87°31W

**Station: MADISONVILLE, KY** 

Climate Division: KY 1 NWS Call Sign:

									,	Гетр	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes			_	Days (1) Jemp 65	Mean Number of Days (3)							
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	44.3	25.2	34.8	77	1950	25	43.7	1990	-20	1994	19	20.1	1977	938	0	.0	.0	9.6	6.2	22.7	1.2
Feb	50.8	28.8	39.8	79	1954	27	47.6	1976	-23	1951	2	24.8	1978	706	0	.0	.0	14.2	3.1	17.5	.5
Mar	61.4	37.6	49.5	85+	1998	30	56.1	1973	-5	1960	6	43.6	1978	484	4	.0	.0	25.0	.3	10.9	.0
Apr	72.0	46.1	59.1	91+	1989	27	64.5	1981	22	1992	3	53.4	1983	202	24	.0	.1	29.3	.0	2.6	.0
May	80.1	55.3	67.7	95+	1987	21	72.9	1991	29	1963	1	63.2	1981	66	149	.0	1.5	31.0	.0	@	.0
Jun	87.7	63.4	75.6	105	1952	30	78.6	1984	41	1956	2	71.5	1974	1	318	.3	9.3	30.0	.0	.0	.0
Jul	91.2	67.4	79.3	105+	1966	13	82.7	1999	47	1962	27	76.2	1971	0	443	.6	18.0	31.0	.0	.0	.0
Aug	90.2	65.5	77.9	102+	1991	3	83.3	1983	45	1964	13	73.4	1992	0	400	.5	13.8	31.0	.0	.0	.0
Sep	84.3	58.7	71.5	105	1954	5	77.3	1998	33	1949	30	66.5	1975	23	218	.1	5.9	30.0	.0	.0	.0
Oct	73.2	46.9	60.1	93	1953	2	66.2	1984	20	1952	22	53.0	1988	203	49	.0	@	30.7	.0	2.6	.0
Nov	59.7	38.3	49.0	85+	1987	2	55.8	1985	-2	1950	25	40.6	1976	484	3	.0	.0	22.7	.1	9.8	.0
Dec	48.4	29.2	38.8	79	1982	3	48.4	1984	-14	1989	22	26.7	1989	812	0	.0	.0	13.5	2.9	19.9	.4
					Jul			Aug		Feb			Jan								
Ann	70.3	46.9	58.6	105+	1966	13	83.3	1983	-23	1951	2	20.1	1977	3919	1608	1.5	48.6	298.0	12.6	86.0	2.1

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 035-A

(1) From the 1971-2000 Monthly Normals

Elevation: 440 Feet Lat: 37°22N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 155067** 

Station: MADISONVILLE, KY

Climate Division: KY 1 NWS Call Sign: Elevation: 440 Feet Lat: 37°22N Lon: 87°31W

										Pı	recipit	tation	(incl	ies)											
	Medi Medi		P	recipi	itatio	n Total					ean N of D	ays (3	)	Precipitation Probabilities (1)  Probability that the monthly/annual precipitation will be equal to or less than the indicated amount  Monthly/Annual Precipitation vs Probability Levels  These values were determined from the incomplete gamma distribution											
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	
Jan	3.69	3.74	4.47	2000	3	8.51	1999	.77	1986	9.8	6.2	2.3	.9	.91	1.26	1.79	2.27	2.74	3.24	3.80	4.46	5.33	6.70	7.99	
Feb	3.78	2.99	5.57	1989	14	12.82	1989	.86	1980	8.9	6.3	2.3	.9	.79	1.14	1.69	2.20	2.71	3.25	3.86	4.60	5.57	7.12	8.59	
Mar	4.51	4.00	10.25	1997	2	17.65	1997	1.88	1971	11.7	8.3	2.8	1.1	1.46	1.89	2.52	3.06	3.58	4.11	4.70	5.39	6.27	7.65	8.92	
Apr	4.85	4.06	4.51	1981	20	12.32	1983	1.42	1986	11.5	8.0	3.2	1.2	1.38	1.84	2.53	3.14	3.73	4.34	5.03	5.83	6.88	8.51	10.04	
May	4.95	4.20	3.53	1983	3	11.08	1983	.60	1987	11.1	7.9	3.6	1.3	1.61	2.08	2.78	3.36	3.93	4.52	5.16	5.91	6.88	8.38	9.76	
Jun	3.80	3.30	8.15	1969	23	10.85	1999	.56	1988	10.5	6.6	2.6	1.0	.80	1.15	1.71	2.21	2.73	3.27	3.89	4.62	5.60	7.15	8.63	
Jul	4.21	4.33	3.82	1998	16	7.49	1998	1.47	1983	9.0	6.2	2.7	1.4	1.95	2.32	2.83	3.24	3.62	4.00	4.41	4.88	5.47	6.36	7.16	
Aug	3.23	2.02	6.73	1977	14	11.03	1977	.50	1983	7.7	5.1	1.8	.7	.47	.74	1.20	1.65	2.12	2.63	3.22	3.94	4.92	6.50	8.03	
Sep	3.36	3.41	3.85	1964	28	8.24	1996	.33	1998	7.9	5.6	2.1	1.0	.61	.90	1.40	1.85	2.32	2.82	3.40	4.09	5.02	6.51	7.93	
Oct	3.26	2.99	3.03	1989	17	6.74	1990	.70	1987	7.9	5.4	2.5	.9	.97	1.28	1.75	2.15	2.54	2.94	3.39	3.91	4.59	5.65	6.64	
Nov	4.22	3.55	3.70	1957	14	10.05	1988	.76	1976	9.9	6.9	3.0	1.2	1.23	1.63	2.23	2.76	3.27	3.80	4.38	5.07	5.97	7.37	8.68	
Dec	4.21	3.74	3.36	1987	26	10.25	1990	.63	1976	10.5	6.7	3.1	1.3	1.06	1.45	2.07	2.61	3.15	3.71	4.35	5.10	6.08	7.63	9.08	
Ann	48.07	47.32	10.25	Mar 1997	2	17.65	Mar 1997	.33	Sep 1998	116.4	79.2	32.0	12.9	35.42	37.91	41.07	43.46	45.57	47.61	49.70	52.01	54.80	58.83	62.31	

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1948-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 155067** 

**Station: MADISONVILLE, KY** 

Climate Division: KY 1 NWS Call Sign: Elevation: 440 Feet Lat: 37°22N Lon: 87°31W

										Snov	w (incl	hes)													
						Sno	ow To	tals							Mean Number of Days (1)										
	Mean	s/Medi	ians (1)	1					Extre	mes (2)							ow Fa		Snow Depth >= Thresholds						
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	3.4	.3	1	#	13.5	1994	17	24.5	1978	17	1978	21	6	1978	2.0	1.2	.4	.1	@	3.0	1.4	.9	.4		
Feb	2.9	1.7	#	#	4.5	1971	13	10.8	1979	9	1985	2	2	1985	1.5	1.0	.1	.0	.0	3.9	1.7	.3	.0		
Mar	.7	.0	#	#	3.0	1975	14	3.1	1978	6	1994	9	#+	1998	.5	.2	@	.0	.0	.4	.1	.0	.0		
Apr	#	.0	#	0	#	1997	10	#+	1997	#+	1997	10	#+	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0		
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Nov	.4	.0	#	0	4.5	1977	28	8.5	1977	5	1977	28	#+	1995	.1	.1	.1	.0	.0	.1	.1	@	.0		
Dec	.3	#	#	0	2.0	1997	31	2.5	1983	7	1984	6	1	1984	.2	.1	.0	.0	.0	.2	.0	.0	.0		
Ann	7.7	2.0	N/A	N/A	13.5	Jan 1994	17	24.5	Jan 1978	17	Jan 1978	21	6	Jan 1978	4.3	2.6	.6	.1	@	7.6	3.3	1.2	.4		

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

# Climatography of the United States No. 20 1971-2000

Elevation: 440 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 155067** 

Lon: 87°31W

Lat: 37°22N

**Station: MADISONVILLE, KY** 

Climate Division: KY 1 NWS Call Sign:

Freeze Data Spring Freeze Dates (Month/Day) Probability of later date in spring (thru Jul 31) than indicated(\*) Temp (F) .10 .20 .30 .40 .70 .80 .90 36 5/08 5/03 4/29 4/26 4/22 4/19 4/16 4/12 4/07 32 4/17 4/14 4/12 4/24 4/20 4/09 4/07 4/04 3/31 28 4/14 4/09 4/06 4/03 3/31 3/28 3/25 3/21 3/17 3/02 24 4/05 3/31 3/26 3/23 3/19 3/16 3/12 3/08 20 3/20 3/13 3/08 3/04 2/28 2/24 2/20 2/09 2/15 3/02 16 3/10 2/25 2/20 2/16 2/11 2/06 2/01 1/24 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(\*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 36 9/27 10/01 10/04 10/07 10/10 10/13 10/15 10/19 10/23 32 10/06 10/11 10/15 10/18 10/21 10/23 10/26 10/30 11/04 28 10/17 10/23 10/27 10/31 11/03 11/06 11/10 11/14 11/20 24 10/29 11/05 11/10 11/14 11/18 11/22 11/26 12/01 12/07 20 11/07 11/14 11/19 11/23 11/27 12/01 12/06 12/11 12/18 11/19 12/06 12/10 12/14 12/23 12/30 16 11/26 12/01 12/18 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 187 181 177 173 170 163 158 152 36 166 32 210 203 199 195 191 187 183 178 172 28 239 231 226 221 217 212 207 202 194 24 272 262 255 249 243 237 231 224 214 276 271 255 20 296 287 281 266 261 246

302

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

308

Derived from 1971-2000 serially complete daily data

314

324

16

Complete documentation available from:

285

279

269

296

291

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 155067** 

**Station: MADISONVILLE, KY** 

Climate Division: KY 1 NWS Call Sign: Elevation: 440 Feet Lat: 37°22N Lon: 87°31W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	938	706	484	202	66	1	0	0	23	203	484	812	3919		
60	785	575	342	102	22	0	0	0	5	110	347	664	2952		
57	701	496	266	59	10	0	0	0	2	70	272	577	2453		
55	643	446	221	38	6	0	0	0	1	50	227	520	2152		
50	503	329	130	9	0	0	0	0	0	17	135	387	1510		
32	145	64	5	0	0	0	0	0	0	0	5	78	297		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	230	282	548	812	1106	1307	1466	1422	1186	869	514	289	10031
55	15	20	51	160	399	617	753	709	496	205	46	18	3489
57	11	15	34	121	342	557	691	647	437	164	31	13	3063
60	2	9	17	74	261	467	598	554	351	111	16	7	2467
65	0	0	4	24	149	318	443	400	218	49	3	0	1608
70	0	0	0	5	69	178	288	252	113	16	0	0	921

	Growing Degree																												
Base		Growing Degree Units (Monthly)														Growing Degree Units (Accumulated Monthly)													
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec														Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec					
40	72	135	314	562	848	1058	1206	1163	934	612	295	111	72	207	521	1083	1931	2989	4195	5358	6292	6904	7199	7310					
45	32	73	204	419	693	908	1051	1008	784	462	188	55	32	105	309	728	1421	2329	3380	4388	5172	5634	5822	5877					
50	13	35	117	287	539	758	896	853	634	319	107	27	13	48	165	452	991	1749	2645	3498	4132	4451	4558	4585					
55	3	14	61	178	387	608	741	698	485	195	50	8	3	17	78	256	643	1251	1992	2690	3175	3370	3420	3428					
60	0	0	27	96	245	458	586	543	344	106	19	0	0	0	27	123	368	826	1412	1955	2299	2405	2424	2424					
Base		Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)															
50/86	6         42         87         194         356         553         721         825         795         620         391         170         6.0											63	42	129	323	679	1232	1953	2778	3573	4193	4584	4754	4817					

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf