CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971 - 2000



25 NEBRASKA

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC



(This Page Intentionally Left Blank)



NOTES

Product Description:
This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:
No. = Station Number in State Map
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
WBAN ID = Weather Bureau Army Navy ID, if assigned
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
Call = 3-Letter Station Call Sign, if assigned
MAX = Normal Maximum Temperature (degrees Fahrenheit)
MEAN = Average of MAX and MIN (degrees Fahrenheit)
MIN = Normal Minimum Temperature (degrees Fahrenheit)
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)
Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
Elev = Elevation in feet above mean sea level
Flag 1 = * if a published *Local Climatological Data* station
Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEDIAN = Median Mean Monthly Value/Year, 1971-2000
LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO,1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (*e.g.*, changes in station location, instrumentation, time of observation, *etc.*) and be serially complete (*i.e.*, no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al*.,1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (*e.g.,* after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (*e.g.*, snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R, and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim.*, **15**, 369-377.
Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland,1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States, *J. Clim. Appl. Met.*, **25**, 145-160.
Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim.*, **14**, 671-679.
Peterson,T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim.*, **18**, 1169-1179.
Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient, *Month. Wea. Rev.*, **94**, 461-465.
World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 02/2002* **National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

25 - NEBRASKA


43°N
42°N
41°N
40°N
104°W
102°W
100°W
98°W
96°W
50 miles
211 VTN
185 BFF
149 LBF
83 GRI
147 OFK
114 LNK
154 OMA



NEBRASKA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	250030		XNP	AGATE 3 E		42 25 N	103 44 W	4670		
2	250050		XNP	AINSWORTH		42 33 N	99 51 W	2510		+
3	250070		XNP	ALBION 1 N		41 42 N	98 00 W	1759		+
4	250130		XNP	ALLIANCE 1 WNW		42 07 N	102 54 W	3994		+
5	250245		XNP	ANSELMO 2 SE		41 36 N	99 50 W	2605		+
6	250320		P	ARCADIA		41 25 N	99 07 W	2160		+
7	250355		XNP	ARNOLD		41 25 N	100 12 W	2750		
8	250365		XNP	ARTHUR		41 34 N	101 41 W	3500		+
9	250375		XNP	ASHLAND 2		41 03 N	96 21 W	1070		+
10	250420		XNP	ATKINSON		42 32 N	98 59 W	2110		+
11	250427		P	ATLANTA 2 WNW		40 23 N	99 30 W	2350		+
12	250435		XNP	AUBURN 5 ESE		40 22 N	95 45 W	930		+
13	250445		XNP	AURORA		40 52 N	98 00 W	1785		+
14	250520		P	BARNESTON		40 03 N	96 35 W	1200		+
15	250525		XNP	BARTLETT 4 S		41 50 N	98 33 W	2140		
16	250622		XNP	BEATRICE 1 N		40 18 N	96 45 W	1297		
17	250640		XNP	BEAVER CITY		40 08 N	99 50 W	2160		+
18	250680		P	BEEMER		41 56 N	96 49 W	1360		+
19	250760		XNP	BENKELMAN		40 03 N	101 33 W	3025		+
20	250770		P	BENNET		40 41 N	96 30 W	1280		
21	250781		P	BENNINGTON 3 WSW		41 21 N	96 13 W	1245		
22	250810		P	BERTRAND		40 32 N	99 38 W	2520		+
23	250865		XNP	BIG SPRINGS		41 03 N	102 09 W	3678		+
24	250930		XNP	BLAIR		41 33 N	96 08 W	1090		+
25	250945		P	BLOOMFIELD		42 36 N	97 39 W	1690		+
26	250961		P	BLUE HILL 4 SW		40 18 N	98 30 W	2000		+
27	251052		P	BOYS TOWN		41 16 N	96 09 W	1240		+
28	251065		P	BRADSHAW		40 53 N	97 45 W	1720		+
29	251130		XNP	BREWSTER		41 56 N	99 52 W	2495		+
30	251145		XNP	BRIDGEPORT		41 40 N	103 06 W	3666		+
31	251200		XNP	BROKEN BOW 2 W	BBW	41 25 N	99 41 W	2500		+
32	251213		XNP	BROWNLEE		42 17 N	100 38 W	2820		
33	251240		P	BRUNING		40 20 N	97 34 W	1580		+
34	251345	14964	XNP	BURWELL		41 47 N	99 09 W	2176		
35	251365		XNP	BUTTE		42 55 N	98 51 W	1811		+
36	251415		XNP	CAMBRIDGE		40 17 N	100 10 W	2260		+
37	251450		XNP	CANADAY STEAM PLANT		40 42 N	99 42 W	2362		+
38	251560		XNP	CENTRAL CITY		41 07 N	98 01 W	1695		+
39	251575	24017	XNP	CHADRON 1 SSW	CDR	42 49 N	103 00 W	3510		+
40	251590		XNP	CHAMBERS		42 12 N	98 46 W	2130		
41	251660		XNP	CLARKSON		41 43 N	97 08 W	1550		+
42	251680		P	CLAY CENTER 6 ESE		40 30 N	97 56 W	1740		+
43	251684		XNP	CLAY CENTER		40 31 N	98 03 W	1750		+
44	251825		XNP	COLUMBUS 3 NE		41 28 N	97 20 W	1450		+
45	251835		XNP	COMSTOCK		41 33 N	99 14 W	2255		+
46	251973		XNP	CRAWFORD		42 42 N	103 25 W	3670		
47	251990		XNP	CREIGHTON		42 28 N	97 54 W	1630		+
48	252000		XNP	CRESCENT LAKE NAT WLR		41 46 N	102 26 W	3820		+
49	252020		XNP	CRETE		40 37 N	96 57 W	1435		+
50	252037		XNP	CROFTON		42 44 N	97 30 W	1400		
51	252065		XNP	CULBERTSON		40 14 N	100 50 W	2600		+
52	252100		XNP	CURTIS 3 NNE		40 40 N	100 30 W	2721		+
53	252145		XNP	DALTON		41 25 N	102 58 W	4273		+
54	252205		XNP	DAVID CITY		41 15 N	97 08 W	1610		+
55	252306		P	DEWEESE 4 SE		40 21 N	98 04 W	1660		+
56	252380		P	DODGE		41 43 N	96 53 W	1400		+
57	252595		XNP	ELGIN		41 59 N	98 05 W	1940		+
58	252645		P	ELLSWORTH		42 04 N	102 17 W	3905		+
59	252646		P	ELLSWORTH 24 NNE		42 23 N	102 09 W	3860		
60	252647		XNP	ELLSWORTH 15 NNE		42 16 N	102 13 W	3970		+
61	252680		XNP	ELSMERE 9 ENE		42 10 N	100 01 W	2654		
62	252690		P	ELWOOD 8 S		40 29 N	99 53 W	2400		+
63	252706		P	EMERALD 1 W		40 51 N	96 51 W	1270		
64	252715		P	EMERSON		42 17 N	96 44 W	1445		+
65	252741		XNP	ENDERS LAKE		40 25 N	101 31 W	3078		+
66	252770		XNP	ERICSON 6 WNW		41 48 N	98 47 W	2095		+
67	252790		P	EUSTIS 2 NW		40 41 N	100 03 W	2690		+
68	252805		XNP	EWING		42 16 N	98 21 W	1850		+
69	252820		XNP	FAIRBURY		40 08 N	97 11 W	1315		+
70	252840		XNP	FAIRMONT		40 39 N	97 36 W	1640		+



NEBRASKA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	252850	94957	XNP	FALLS CITY 2 NE	FNB	40 05 N	95 36 W	980		+
72	252935		P	FIRTH		40 32 N	96 36 W	1340		
73	253035		XNP	FRANKLIN		40 06 N	98 58 W	1855		
74	253037		XNP	FRANKLIN #2		40 06 N	98 57 W	2010		
75	253050		XNP	FREMONT		41 26 N	96 28 W	1180		+
76	253065		P	FRIEND		40 39 N	97 17 W	1550		+
77	253075		P	FULLERTON		41 21 N	97 59 W	1650		+
78	253165		XNP	GAVINS POINT DAM		42 51 N	97 28 W	1255		
79	253175		XNP	GENEVA		40 32 N	97 36 W	1630		+
80	253185		XNP	GENOA 2 W		41 27 N	97 46 W	1590		+
81	253355		XNP	GORDON 6 N		42 54 N	102 12 W	3700		
82	253365		XNP	GOTHENBURG		40 56 N	100 09 W	2585		+
83	253395	14935	XNP	GRAND ISLAND CTR NE AP	GRI	40 58 N	98 19 W	1840	*	+
84	253425		XNP	GREELEY		41 33 N	98 32 W	2020		+
85	253461		P	GRESHAM 3 W		41 02 N	97 28 W	1630		+
86	253485		P	GUIDE ROCK		40 04 N	98 20 W	1635		
87	253515		P	HAIGLER		40 01 N	101 56 W	3275		+
88	253540		XNP	HALSEY 2 W		41 54 N	100 19 W	2705		
89	253581		P	HARBINE 1 WSW		40 11 N	97 00 W	1460		
90	253589		P	HARDY		40 01 N	97 56 W	1520		+
91	253595		XNP	HARLAN COUNTY LAKE		40 05 N	99 13 W	2000		+
92	253605		XNP	HARRISBURG 12 WNW		41 38 N	103 57 W	4550		+
93	253615		XNP	HARRISON		42 41 N	103 53 W	4850		+
94	253630		XNP	HARTINGTON		42 37 N	97 16 W	1370		+
95	253660		XNP	HASTINGS 4 N	GID	40 39 N	98 23 W	1940		+
96	253690		XNP	HAYES CENTER		40 31 N	101 01 W	3051		+
97	253710		XNP	HAY SPRINGS		42 41 N	102 42 W	3855		+
98	253715		XNP	HAY SPRINGS 12 S		42 31 N	102 42 W	3805		+
99	253735		XNP	HEBRON		40 11 N	97 35 W	1480		+
100	253755		XNP	HEMINGFORD		42 19 N	103 04 W	4270		+
101	253810		XNP	HERSHEY 5 SSE		41 06 N	100 59 W	2952		+
102	253825		P	HICKMAN		40 37 N	96 38 W	1300		+
103	253910		XNP	HOLDREGE		40 26 N	99 22 W	2320		+
104	253950		P	HOMER 3 NE		42 20 N	96 26 W	1082		+
105	254035		P	HOWELLS		41 43 N	97 00 W	1520		
106	254043		P	HUBBELL		40 01 N	97 30 W	1470		+
107	254100		XNP	HYANNIS		42 00 N	101 45 W	3770		
108	254110		XNP	IMPERIAL MUNICIPAL AP	IML	40 31 N	101 39 W	3278		+
109	254335		XNP	KEARNEY 4 NE		40 44 N	99 01 W	2130		+
110	254440		XNP	KIMBALL 2 N		41 16 N	103 40 W	4760		+
111	254455		XNP	KINGSLEY DAM		41 13 N	101 40 W	3318		+
112	254604		P	LAMAR 3 SSE		40 32 N	101 58 W	3540		
113	254655		P	LAUREL		42 26 N	97 05 W	1490		+
114	254795	14939	XNP	LINCOLN AP	LNK	40 50 N	96 46 W	1170	*	+
115	254815	14971	XNP	LINCOLN		40 48 N	96 39 W	1220		
116	254865		P	LISCO		41 30 N	102 37 W	3515		
117	254900		XNP	LODGEPOLE		41 09 N	102 38 W	3832		+
118	254985		XNP	LOUP CITY		41 17 N	98 58 W	2058		+
119	254986		P	LOUP CITY 6 NNE		41 21 N	98 55 W	2220		+
120	255020		P	LYMAN		41 55 N	104 02 W	4050		+
121	255040		XNP	LYNCH		42 50 N	98 27 W	1390		+
122	255050		P	LYONS		41 56 N	96 29 W	1280		+
123	255080		XNP	MADISON 2 W		41 50 N	97 27 W	1675		+
124	255090		XNP	MADRID		40 51 N	101 33 W	3200		+
125	255105		P	MALCOLM		40 54 N	96 52 W	1310		+
126	255250		XNP	MASON CITY		41 13 N	99 18 W	2260		+
127	255310	94040	XNP	MCCOOK	MCK	40 12 N	100 37 W	2530		+
128	255311		P	MCCOOK 17 NNW		40 26 N	100 42 W	2745		+
129	255320		P	MCCOOL JUNCTION		40 45 N	97 36 W	1550		+
130	255362		XNP	MEAD 6 S		41 08 N	96 29 W	1155		+
131	255370		P	MEADOW GROVE		42 02 N	97 44 W	1630		+
132	255388		XNP	MEDICINE CREEK DAM		40 23 N	100 13 W	2387		+
133	255470		XNP	MERRIMAN		42 55 N	101 42 W	3250		+
134	255525		P	MILLER		40 56 N	99 23 W	2310		+
135	255565		XNP	MINDEN		40 31 N	98 57 W	2160		+
136	255590		XNP	MITCHELL 5 E		41 57 N	103 42 W	4080		+
137	255655		P	MOOREFIELD		40 42 N	100 24 W	2826		+
138	255700	94027	XNP	MULLEN		42 03 N	101 03 W	3255		
139	255702		XNP	MULLEN 21 NW		42 15 N	101 20 W	3460		
140	255780		P	NAPONEE		40 05 N	99 08 W	1879		+



NEBRASKA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	255810		XNP	NEBRASKA CITY		40 41 N	95 53 W	1080		+
142	255830		P	NELIGH		42 08 N	98 02 W	1760		+
143	255840		P	NELSON		40 11 N	98 04 W	1715		+
144	255895		P	NEWCASTLE 4 SW		42 38 N	96 58 W	1470		+
145	255925		XNP	NEWPORT		42 36 N	99 20 W	2230		+
146	255960		XNP	NIOBRARA		42 45 N	98 02 W	1380		+
147	255995	14941	XNP	NORFOLK AP	OFK	41 59 N	97 26 W	1550	*	+
148	256040		XNP	NORTH LOUP ORD	ODX	41 30 N	98 46 W	1960		+
149	256065	24023	XNP	NORTH PLATTE RGNL AP	LBF	41 07 N	100 40 W	2779	*	+
150	256075		XNP	NORTH PLATTE EXP FARM		41 03 N	100 45 W	3025		+
151	256135		XNP	OAKDALE		42 04 N	97 58 W	1709		+
152	256167		XNP	OCONTO		41 09 N	99 46 W	2580		+
153	256200		XNP	OGALLALA		41 08 N	101 43 W	3230		+
154	256255	14942	XNP	OMAHA EPPLEY AP	OMA	41 19 N	95 54 W	982	*	+
155	256260	94918	XNP	OMAHA 9 NW	OVN	41 21 N	96 01 W	1280		+
156	256290		XNP	O NEILL		42 28 N	98 39 W	1990		+
157	256325		P	ORCHARD 1 NW		42 21 N	98 15 W	1930		
158	256336		P	ORD 2		41 36 N	98 56 W	2050		
159	256365		P	ORLEANS 2 W		40 08 N	99 27 W	1960		+
160	256375		XNP	OSCEOLA		41 11 N	97 34 W	1660		+
161	256385		XNP	OSHKOSH	OKS	41 25 N	102 21 W	3380		+
162	256390		P	OSHKOSH 8 SW		41 18 N	102 26 W	3830		+
163	256395		XNP	OSMOND		42 21 N	97 36 W	1650		+
164	256439		XNP	OVERTON 3 W		40 45 N	99 35 W	2330		
165	256480		P	PALISADE		40 21 N	101 07 W	2770		+
166	256570		XNP	PAWNEE CITY		40 07 N	96 09 W	1210		+
167	256585		P	PAXTON		41 07 N	101 21 W	3075		+
168	256735		P	PILGER		42 00 N	97 03 W	1407		+
169	256761		P	PLAINVIEW		42 21 N	97 48 W	1680		
170	256795		P	PLATTSMOUTH 1 E		41 02 N	95 53 W	1005		+
171	256837		P	POLK		41 04 N	97 47 W	1740		+
172	256880		P	POTTER		41 13 N	103 19 W	4430		+
173	256970		XNP	PURDUM		42 04 N	100 15 W	2690		+
174	257002		P	RAGAN		40 16 N	99 15 W	2240		
175	257032		P	RANDOLPH 6 SSW		42 18 N	97 24 W	1790		
176	257040		XNP	RAVENNA		41 02 N	98 55 W	2050		+
177	257055		P	RAYMOND 2 NE		40 58 N	96 46 W	1320		
178	257070		XNP	RED CLOUD		40 06 N	98 31 W	1720		+
179	257110		XNP	RED WILLOW DAM		40 21 N	100 40 W	2561		
180	257246		P	ROCA		40 39 N	96 40 W	1260		+
181	257318		XNP	ROSE 10 WNW		42 12 N	99 42 W	2540		
182	257415		P	RUSHVILLE		42 43 N	102 27 W	3759		
183	257515		XNP	SAINT PAUL 4 N		41 16 N	98 28 W	1775		+
184	257640		P	SCHUYLER		41 27 N	97 04 W	1350		+
185	257665	24028	XNP	SCOTTSBLUFF AP	BFF	41 52 N	103 36 W	3943	*	+
186	257715		XNP	SEWARD		40 54 N	97 05 W	1440		+
187	257830		XNP	SIDNEY 6 NNW		41 13 N	103 01 W	4320		+
188	257835	24030	XNP	SIDNEY 3 S	SNY	41 06 N	102 59 W	4308		
189	258040		P	SPENCER 5 SSE		42 49 N	98 39 W	1530		
190	258065		P	SPRAGUE		40 38 N	96 44 W	1250		+
191	258090		XNP	SPRINGVIEW		42 49 N	99 45 W	2496		+
192	258110		XNP	STANTON		41 57 N	97 14 W	1490		+
193	258120		P	STAPLEHURST		40 58 N	97 10 W	1485		
194	258133		XNP	STAPLETON 5 W		41 27 N	100 36 W	2990		
195	258202		P	STERLING		40 28 N	96 23 W	1210		+
196	258215		P	STOCKVILLE		40 31 N	100 23 W	2450		+
197	258255		P	STRATTON		40 09 N	101 14 W	2827		
198	258320		XNP	SUPERIOR		40 01 N	98 04 W	1580		+
199	258328		XNP	SURPRISE		41 06 N	97 19 W	1550		
200	258395		XNP	SYRACUSE		40 41 N	96 11 W	1100		+
201	258410		P	TABLE ROCK 4 N		40 14 N	96 05 W	1110		+
202	258455		P	TAYLOR		41 46 N	99 23 W	2270		+
203	258465		XNP	TECUMSEH		40 22 N	96 13 W	1150		+
204	258480		XNP	TEKAMAH		41 46 N	96 13 W	1039		+
205	258628		XNP	TRENTON DAM		40 10 N	101 04 W	2810		+
206	258650		XNP	TRYON		41 33 N	100 58 W	3247		
207	258682		P	ULYSSES		41 04 N	97 12 W	1523		
208	258735		P	UPLAND 4 NE		40 21 N	98 52 W	2286		+
209	258745		P	UTICA		40 54 N	97 21 W	1590		+
210	258755		XNP	VALENTINE LKS GAME REF		42 34 N	100 42 W	2930		+



NEBRASKA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
211	258760	24032	XNP	VALENTINE MILLER AP	VTN	42 52 N	100 33 W	2590	*	+
212	258790		P	VALPARAISO		41 05 N	96 50 W	1310		
213	258875		XNP	VIRGINIA		40 15 N	96 30 W	1545		+
214	258905		XNP	WAHOO		41 13 N	96 38 W	1270		+
215	258915		XNP	WAKEFIELD		42 16 N	96 52 W	1390		+
216	258920		XNP	WALLACE 2 W		40 51 N	101 13 W	3100		+
217	258935		XNP	WALTHILL		42 09 N	96 29 W	1220		
218	258980		P	WATERLOO		41 17 N	96 17 W	1115		+
219	259020		P	WAUNETA 3 NW		40 27 N	101 24 W	3040		+
220	259045		XNP	WAYNE	K16	42 14 N	97 01 W	1460		+
221	259090		XNP	WEEPING WATER		40 52 N	96 08 W	1100		+
222	259115		P	WELLFLEET		40 45 N	100 44 W	2816		+
223	259150		P	WESTERN		40 24 N	97 12 W	1480		+
224	259200		XNP	WEST POINT		41 51 N	96 43 W	1310		+
225	259325		P	WILSONVILLE		40 07 N	100 06 W	2300		+
226	259355		P	WINSIDE		42 11 N	97 11 W	1590		+
227	259475		P	WYMORE		40 07 N	96 39 W	1210		+



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AGATE 3 E	MAX	37.6	43.2	51.6	60.9	70.8	81.2	88.5	87.5	78.3	65.5	48.1	39.3	62.7
		MEAN	22.5	28.0	35.9	44.5	54.5	64.0	70.2	68.8	58.9	46.6	32.3	23.5	45.8
		MIN	7.3	12.7	20.2	28.0	38.2	46.7	51.9	50.1	39.5	27.6	16.4	7.6	28.9
002	AINSWORTH	MAX	33.7	39.4	48.8	60.6	71.4	81.4	87.1	85.4	76.8	64.3	45.7	36.5	60.9
		MEAN	23.3	28.8	37.4	48.3	59.4	69.1	74.7	73.1	63.8	51.8	35.6	26.3	49.3
		MIN	12.8	18.1	25.9	35.9	47.3	56.7	62.2	60.7	50.8	39.2	25.5	16.0	37.6
003	ALBION 1 N	MAX	31.2	36.8	47.8	60.7	71.5	81.7	86.2	83.8	76.0	64.1	45.7	34.0	60.0
		MEAN	20.0	25.2	35.5	47.4	59.0	69.0	73.8	71.3	61.9	49.8	34.2	23.3	47.5
		MIN	8.7	13.5	23.2	34.0	46.4	56.3	61.3	58.8	47.8	35.4	22.7	12.6	35.1
004	ALLIANCE 1 WNW	MAX	38.6	44.1	51.2	61.0	71.3	82.6	89.9	88.4	78.8	66.5	50.2	41.9	63.7
		MEAN	24.3	29.5	36.4	45.9	56.6	67.3	73.8	71.8	61.5	49.2	35.1	27.0	48.2
		MIN	10.0	14.8	21.6	30.8	41.8	52.0	57.6	55.2	44.1	31.9	19.9	12.0	32.6
005	ANSELMO 2 SE	MAX	34.1	39.8	49.6	60.9	71.2	81.2	86.8	84.6	76.3	64.4	46.6	36.6	61.0
		MEAN	21.2	26.6	35.6	46.3	57.7	67.7	73.3	70.9	61.2	48.8	33.3	23.9	47.2
		MIN	8.2	13.4	21.6	31.7	44.1	54.1	59.7	57.2	46.1	33.2	20.0	11.1	33.4
007	ARNOLD	MAX	35.4	40.7	50.2	61.4	71.0	81.8	88.0	85.6	77.0	64.5	46.9	36.6	61.6
		MEAN	21.4	26.7	35.9	47.0	58.0	68.0	73.7	71.1	61.7	48.8	33.5	23.5	47.4
		MIN	7.4	12.6	21.6	32.5	44.9	54.1	59.4	56.6	46.3	33.0	20.0	10.3	33.2
008	ARTHUR	MAX	35.0	41.2	49.2	59.4	69.3	79.8	86.6	84.8	75.6	63.4	46.6	37.8	60.7
		MEAN	23.1	28.8	36.7	46.8	57.2	67.1	73.3	71.5	61.6	48.8	34.3	25.7	47.9
		MIN	11.2	16.4	24.1	34.1	45.1	54.3	59.9	58.1	47.5	34.1	21.9	13.6	35.0
009	ASHLAND 2	MAX	32.4	38.4	50.4	63.6	74.4	84.9	89.3	86.9	79.0	66.5	48.8	35.8	62.5
		MEAN	21.4	27.1	38.3	50.7	61.8	72.2	76.9	74.5	65.5	53.0	37.8	25.8	50.4
		MIN	10.3	15.7	26.2	37.8	49.1	59.5	64.5	62.1	51.9	39.4	26.8	15.7	38.3
010	ATKINSON	MAX	31.1	37.4	47.7	60.3	71.1	81.1	86.3	85.0	76.3	63.4	44.2	33.6	59.8
		MEAN	21.2	27.3	36.6	48.2	59.2	69.0	74.0	72.5	63.1	50.7	34.5	24.2	48.4
		MIN	11.2	17.1	25.5	36.0	47.3	56.8	61.7	60.0	49.8	37.9	24.7	14.8	36.9
012	AUBURN 5 ESE	MAX	33.8	40.4	52.8	65.3	75.7	85.8	89.6	87.9	80.4	68.1	50.4	37.4	64.0
		MEAN	23.9	30.0	41.4	53.1	64.0	73.9	78.0	76.0	67.6	55.5	40.1	27.9	52.6
		MIN	13.9	19.6	29.9	40.9	52.2	62.0	66.4	64.0	54.7	42.9	29.8	18.3	41.2
013	AURORA	MAX	32.8	38.8	49.4	62.2	72.5	83.2	87.0	84.8	77.4	65.4	47.5	35.7	61.4
		MEAN	22.2	27.9	37.9	49.8	60.9	71.2	75.5	73.3	64.6	52.3	36.7	25.7	49.8
		MIN	11.5	17.0	26.3	37.3	49.3	59.1	64.0	61.8	51.7	39.1	25.9	15.6	38.2
015	BARTLETT 4 S	MAX	33.1	38.1	48.6	61.2	72.0	82.4	87.3	85.0	77.1	65.3	46.8	35.5	61.0
		MEAN	21.1	26.0	35.5	47.6	59.0	69.4	74.5	72.2	63.1	50.9	35.0	24.0	48.2
		MIN	9.1	13.9	22.4	33.9	46.0	56.3	61.6	59.3	49.1	36.5	23.2	12.5	35.3
016	BEATRICE 1 N	MAX	34.0	40.5	52.2	64.0	74.1	84.9	89.9	87.7	79.7	67.3	50.1	37.5	63.5
		MEAN	22.9	28.6	39.6	51.0	61.7	72.2	77.3	75.0	66.1	53.5	38.6	27.0	51.1
		MIN	11.8	16.7	26.9	37.9	49.3	59.5	64.7	62.2	52.5	39.7	27.1	16.5	38.7
017	BEAVER CITY	MAX	41.6	48.5	58.2	68.7	76.8	87.7	93.3	92.1	84.6	73.0	54.0	43.8	68.5
		MEAN	27.0	32.9	42.2	52.5	62.1	72.5	78.2	76.6	67.7	55.4	39.3	29.7	53.0
		MIN	12.3	17.2	26.2	36.2	47.3	57.2	63.0	61.0	50.8	37.7	24.5	15.5	37.4
019	BENKELMAN	MAX	40.5	46.8	54.8	65.0	74.1	85.5	91.2	89.4	80.9	69.2	52.4	43.4	66.1
		MEAN	25.9	31.7	39.7	49.5	59.7	70.6	76.3	74.2	64.6	51.9	37.4	28.7	50.9
		MIN	11.3	16.5	24.5	34.0	45.3	55.6	61.4	59.0	48.3	34.6	22.4	14.0	35.6
023	BIG SPRINGS	MAX	38.4	45.5	53.2	63.0	72.3	82.0	87.9	86.2	77.8	65.6	50.2	41.1	63.6
		MEAN	26.2	32.3	40.1	49.2	59.3	68.3	74.1	72.6	63.2	50.9	37.3	28.4	50.2
		MIN	13.9	19.1	27.0	35.4	46.2	54.6	60.2	59.0	48.5	36.1	24.3	15.6	36.7
024	BLAIR	MAX	31.7	37.2	49.6	63.0	73.7	82.9	86.7	84.3	76.8	65.3	47.8	34.8	61.2
		MEAN	21.5	26.8	38.2	50.4	61.6	71.3	75.6	73.0	64.4	52.7	37.4	25.5	49.9
		MIN	11.2	16.3	26.7	37.8	49.5	59.7	64.4	61.6	51.9	40.0	26.9	16.2	38.5
029	BREWSTER	MAX	33.9	39.1	48.7	60.4	70.7	81.3	87.3	85.6	76.8	64.7	46.8	37.1	61.0
		MEAN	20.2	25.5	34.7	45.7	56.6	66.8	72.7	70.6	60.7	48.4	32.8	23.4	46.5
		MIN	6.5	11.8	20.6	30.9	42.4	52.2	58.1	55.6	44.5	32.0	18.7	9.6	31.9
030	BRIDGEPORT	MAX	38.4	45.3	53.8	63.8	73.7	84.6	90.8	88.9	80.0	67.3	49.6	40.7	64.7
		MEAN	26.9	32.7	40.3	49.1	59.5	69.5	75.5	73.7	64.2	51.6	37.2	28.9	50.8
		MIN	15.4	20.1	26.8	34.3	45.2	54.3	60.1	58.4	48.4	35.9	24.8	17.0	36.7
031	BROKEN BOW 2 W	MAX	33.6	39.2	48.6	59.4	69.3	79.8	85.6	83.5	75.4	64.1	46.3	36.3	60.1
		MEAN	20.9	26.3	35.1	45.5	56.7	66.9	72.6	70.3	60.7	48.8	33.1	23.8	46.7
		MIN	8.2	13.3	21.5	31.6	44.0	53.9	59.6	57.0	46.0	33.4	19.9	11.3	33.3
032	BROWNLEE	MAX	35.5	40.6	48.7	59.0	69.7	80.6	86.6	85.0	76.0	64.8	47.6	38.8	61.1
		MEAN	22.2	27.0	34.7	44.7	55.7	66.1	71.8	69.6	58.9	47.9	33.7	25.1	46.5
		MIN	8.8	13.4	20.6	30.3	41.6	51.6	56.9	54.1	41.7	31.0	19.7	11.3	31.8
034	BURWELL	MAX	33.2	38.9	49.2	61.2	71.3	81.8	87.1	84.9	76.8	64.5	46.3	35.4	60.9
		MEAN	20.5	26.0	35.6	47.2	58.8	68.9	74.2	71.7	62.2	49.6	33.6	23.3	47.6
		MIN	7.7	13.1	22.0	33.2	46.3	55.9	61.3	58.5	47.5	34.6	20.9	11.1	34.3
035	BUTTE	MAX	30.3	36.1	47.2	59.8	71.0	81.2	87.1	85.1	76.2	63.5	44.5	32.9	59.6
		MEAN	19.0	24.6	34.8	46.9	59.0	68.9	74.7	72.3	62.6	49.9	33.4	22.2	47.4
		MIN	7.6	13.0	22.3	34.0	46.9	56.5	62.2	59.5	48.9	36.2	22.3	11.4	35.1



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No. Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
036 CAMBRIDGE	MAX	38.8	45.1	54.1	64.7	73.6	84.6	89.7	87.8	80.1	68.6	51.1	41.2	65.0
	MEAN	25.6	31.1	39.7	50.0	60.6	71.1	76.4	74.1	64.9	52.4	37.4	28.3	51.0
	MIN	12.4	17.0	25.3	35.3	47.5	57.5	63.1	60.4	49.6	36.1	23.6	15.3	36.9
037 CANADAY STEAM PLANT	MAX	35.6	41.5	50.7	62.4	71.9	82.6	87.0	85.0	77.3	65.7	48.5	38.3	62.2
	MEAN	23.8	29.3	38.3	49.2	59.8	70.1	75.0	72.9	63.9	51.7	36.6	26.9	49.8
	MIN	11.9	17.0	25.8	36.0	47.7	57.5	62.9	60.7	50.4	37.6	24.6	15.4	37.3
038 CENTRAL CITY	MAX	35.7	41.9	52.5	64.9	74.2	84.1	87.4	85.6	78.9	67.9	49.6	38.3	63.4
	MEAN	24.9	30.7	40.6	52.3	62.8	72.6	76.4	74.6	66.6	54.9	38.9	28.2	52.0
	MIN	14.1	19.5	28.7	39.6	51.3	61.0	65.4	63.6	54.2	41.9	28.1	18.0	40.5
039 CHADRON 1 SSW	MAX	35.1	40.9	49.3	58.9	69.6	81.0	88.6	87.8	77.2	63.8	46.4	37.8	61.4
	MEAN	22.8	28.1	36.2	45.9	56.8	67.2	74.1	73.0	61.7	48.9	33.7	25.1	47.8
	MIN	10.4	15.3	23.0	32.9	43.9	53.4	59.6	58.1	46.1	33.9	21.0	12.4	34.2
040 CHAMBERS	MAX	31.1	36.7	46.5	58.8	69.3	79.1	84.1	82.1	74.1	62.2	44.6	34.1	58.6
	MEAN	19.9	25.4	35.3	47.1	57.8	67.6	72.6	70.9	61.8	49.4	34.0	23.4	47.1
	MIN	8.6	14.1	24.0	35.3	46.3	56.1	61.1	59.7	49.4	36.6	23.4	12.7	35.6
041 CLARKSON	MAX	29.5	36.0	47.3	61.0	72.0	82.2	86.1	83.3	75.4	62.9	44.7	32.4	59.4
	MEAN	19.0	25.2	36.0	48.7	60.4	70.4	74.9	72.2	63.0	50.2	34.4	22.7	48.1
	MIN	8.5	14.4	24.6	36.4	48.7	58.6	63.6	61.1	50.6	37.4	24.1	12.9	36.7
043 CLAY CENTER	MAX	33.4	39.8	50.2	62.0	72.2	82.9	87.6	85.3	77.9	65.7	48.1	36.4	61.8
	MEAN	22.8	28.7	38.3	49.6	60.8	71.2	76.0	73.6	65.0	52.8	37.3	26.6	50.2
	MIN	12.1	17.5	26.4	37.1	49.4	59.4	64.4	61.8	52.1	39.8	26.4	16.8	38.6
044 COLUMBUS 3 NE	MAX	31.5	37.8	49.7	62.8	73.7	84.1	87.9	85.3	77.3	64.2	45.7	34.1	61.2
	MEAN	21.7	27.8	38.8	51.0	62.4	72.5	76.7	74.4	65.3	52.6	36.2	25.1	50.4
	MIN	11.9	17.7	27.8	39.2	51.0	60.8	65.4	63.5	53.3	40.9	26.7	16.0	39.5
045 COMSTOCK	MAX	33.0	38.7	48.6	59.9	70.6	81.3	87.3	85.3	76.8	64.4	46.9	36.0	60.7
	MEAN	20.7	26.2	35.8	46.7	57.9	68.1	74.0	71.9	62.0	49.3	34.2	24.0	47.6
	MIN	8.3	13.6	22.9	33.5	45.1	54.9	60.7	58.4	47.1	34.1	21.5	11.9	34.3
046 CRAWFORD	MAX	38.5	43.7	51.0	61.2	71.3	81.3	87.7	86.9	77.1	64.3	48.1	39.8	62.6
	MEAN	26.2	31.0	37.8	47.0	57.0	66.6	72.8	71.6	61.7	49.8	35.9	27.4	48.7
	MIN	13.9	18.2	24.6	32.8	42.7	51.9	57.8	56.2	46.3	35.3	23.6	15.0	34.9
047 CREIGHTON	MAX	32.1	39.0	50.4	63.5	74.1	84.2	88.5	86.8	78.9	66.0	46.1	34.8	62.0
	MEAN	21.3	28.0	38.3	50.4	61.5	71.3	75.9	73.8	65.0	52.6	35.9	24.7	49.9
	MIN	10.5	16.9	26.1	37.2	48.9	58.4	63.2	60.8	51.0	39.2	25.6	14.5	37.7
048 CRESCENT LAKE NAT WLR	MAX	38.5	44.4	52.0	61.7	71.0	81.1	87.8	86.3	77.9	66.1	49.6	41.1	63.1
	MEAN	25.9	31.5	39.2	48.4	58.4	67.8	74.1	72.4	62.9	51.0	37.1	28.4	49.8
	MIN	13.2	18.6	26.4	35.1	45.7	54.5	60.3	58.5	47.8	35.9	24.5	15.6	36.3
049 CRETE	MAX	34.8	41.4	52.5	64.3	73.7	84.1	88.0	86.0	78.9	67.6	49.5	37.7	63.2
	MEAN	24.6	30.6	41.1	52.3	62.5	72.5	76.7	74.8	66.7	55.1	39.4	28.1	52.0
	MIN	14.3	19.7	29.6	40.3	51.2	60.8	65.4	63.6	54.4	42.6	29.2	18.5	40.8
050 CROFTON	MAX	29.3	35.6	46.8	60.1	71.3	81.4	86.7	84.4	75.9	63.0	44.3	32.3	59.3
	MEAN	18.9	24.7	35.5	47.9	59.6	69.6	74.9	72.8	63.6	50.9	34.4	22.6	48.0
	MIN	8.4	13.8	24.1	35.6	47.9	57.8	63.0	61.1	51.2	38.8	24.5	12.8	36.6
051 CULBERTSON	MAX	38.7	45.4	54.0	64.2	73.4	84.6	90.3	88.6	80.2	68.3	51.0	41.3	65.0
	MEAN	25.2	31.0	39.2	49.1	59.6	70.3	76.1	74.4	64.8	51.9	36.9	28.0	50.5
	MIN	11.7	16.6	24.4	34.0	45.7	55.9	61.9	60.2	49.3	35.5	22.8	14.6	36.1
052 CURTIS 3 NNE	MAX	37.8	44.1	53.1	64.3	73.3	84.3	90.3	88.5	80.1	68.2	49.8	40.1	64.5
	MEAN	23.6	29.1	37.8	48.4	58.9	69.5	75.3	73.0	63.1	50.6	35.0	25.9	49.2
	MIN	9.3	14.1	22.5	32.5	44.5	54.7	60.2	57.5	46.0	32.9	20.1	11.6	33.8
053 DALTON	MAX	37.5	42.8	49.7	59.0	68.6	79.3	86.1	84.0	74.5	62.6	46.8	39.5	60.9
	MEAN	27.4	32.3	38.5	46.9	56.4	66.3	72.3	70.4	60.9	49.3	36.0	29.0	48.8
	MIN	17.3	21.7	27.2	34.8	44.2	53.2	58.5	56.8	47.3	35.9	25.1	18.5	36.7
054 DAVID CITY	MAX	30.6	37.3	49.8	63.7	73.9	83.7	87.4	85.5	77.9	65.2	46.2	33.6	61.2
	MEAN	22.0	28.3	39.3	51.8	62.2	72.0	76.2	74.5	66.0	53.9	37.5	25.6	50.8
	MIN	13.4	19.3	28.8	39.8	50.4	60.3	65.0	63.5	54.0	42.6	28.7	17.5	40.3
057 ELGIN	MAX	30.6	36.6	46.9	59.4	70.7	80.6	85.2	82.6	74.9	63.4	44.2	32.4	59.0
	MEAN	19.7	25.1	34.7	46.7	59.2	68.8	73.8	71.1	62.1	50.2	33.9	22.7	47.3
	MIN	8.8	13.6	22.4	33.9	47.6	57.0	62.3	59.5	49.3	36.9	23.6	13.0	35.7
060 ELLSWORTH 15 NNE	MAX	33.3	39.0	47.4	57.7	68.3	79.0	85.9	84.9	75.2	62.4	45.3	36.6	59.6
	MEAN	20.9	26.3	34.4	44.2	54.9	65.0	71.6	70.2	60.0	47.3	32.5	23.8	45.9
	MIN	8.5	13.6	21.4	30.7	41.5	51.0	57.2	55.4	44.7	32.2	19.6	10.9	32.2
061 ELSMERE 9 ENE	MAX	36.4	42.1	51.8	62.7	73.0	83.0	89.2	86.8	78.7	66.9	48.5	39.1	63.2
	MEAN	22.9	28.3	37.3	47.6	58.7	68.4	74.3	72.0	62.5	50.7	34.9	25.8	48.6
	MIN	9.4	14.4	22.7	32.4	44.4	53.8	59.3	57.2	46.3	34.4	21.3	12.4	34.0
065 ENDERS LAKE	MAX	38.3	44.7	52.9	63.2	72.7	83.7	90.0	88.2	79.4	67.1	50.2	41.0	64.3
	MEAN	24.6	30.2	37.9	47.9	58.3	68.9	75.0	72.9	63.3	50.3	36.2	27.2	49.4
	MIN	10.8	15.7	22.9	32.6	43.9	54.0	59.9	57.6	47.1	33.5	22.1	13.4	34.5
066 ERICSON 6 WNW	MAX	32.2	37.7	48.0	59.8	70.7	81.0	86.5	84.1	76.3	64.3	46.2	35.2	60.2
	MEAN	20.2	25.8	35.5	46.5	57.9	68.1	73.4	71.3	61.9	49.7	34.1	23.7	47.3
	MIN	8.2	13.9	23.0	33.2	45.1	55.2	60.3	58.5	47.5	35.1	22.0	12.1	34.5



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
068	EWING	MAX	32.7	38.9	49.7	62.4	72.9	82.6	86.9	85.3	77.4	65.3	46.1	35.3	61.3
		MEAN	21.2	27.3	37.4	49.4	60.4	70.0	74.7	73.0	63.7	51.6	35.2	24.4	49.0
		MIN	9.6	15.6	25.1	36.3	47.9	57.3	62.5	60.7	50.0	37.8	24.3	13.4	36.7
069	FAIRBURY	MAX	35.3	41.6	52.9	64.6	74.4	84.8	90.2	87.9	80.2	68.1	51.0	38.8	64.2
		MEAN	24.2	29.4	40.2	51.2	61.8	72.1	77.6	75.3	66.5	54.2	39.1	28.2	51.7
		MIN	13.0	17.2	27.4	37.8	49.2	59.4	65.0	62.7	52.7	40.3	27.2	17.6	39.1
070	FAIRMONT	MAX	33.4	39.8	50.4	62.5	73.1	83.9	88.4	86.2	79.2	67.0	48.9	36.8	62.5
		MEAN	22.4	28.2	38.3	49.8	61.5	71.7	76.5	73.9	65.5	53.2	37.4	26.3	50.4
		MIN	11.4	16.5	26.2	37.0	49.8	59.5	64.6	61.6	51.8	39.3	25.8	15.8	38.3
071	FALLS CITY 2 NE	MAX	34.5	41.7	53.6	65.7	76.7	86.9	91.6	89.3	81.0	68.5	51.1	38.3	64.9
		MEAN	24.1	30.2	41.1	52.7	64.0	73.9	78.4	75.8	67.1	55.0	40.0	28.2	52.5
		MIN	13.7	18.7	28.6	39.6	51.3	60.9	65.1	62.2	53.1	41.5	28.8	18.1	40.1
073	FRANKLIN	MAX	36.1	42.3	52.5	64.1	73.2	83.9	89.4	87.3	79.0	67.1	49.9	38.8	63.6
		MEAN	24.0	29.6	39.4	50.6	61.1	71.6	77.0	74.6	65.1	52.6	37.2	27.1	50.8
		MIN	11.9	16.8	26.2	37.0	49.0	59.2	64.6	61.9	51.1	38.0	24.4	15.4	38.0
074	FRANKLIN #2	MAX	36.4	43.3	52.6	64.1	73.1	84.1	89.5	87.1	79.0	67.5	50.3	39.6	63.9
		MEAN	24.1	30.2	39.5	50.4	60.5	70.9	76.6	74.1	64.7	52.5	37.7	27.8	50.8
		MIN	11.8	17.0	26.4	36.6	47.8	57.7	63.6	61.1	50.3	37.4	25.0	15.9	37.6
075	FREMONT	MAX	31.7	38.1	50.1	63.5	74.5	84.2	87.7	84.9	77.8	65.8	47.9	34.5	61.7
		MEAN	21.1	26.9	38.0	50.6	62.4	72.1	76.2	73.3	64.9	52.5	37.2	24.9	50.0
		MIN	10.4	15.7	25.9	37.6	50.3	60.0	64.7	61.6	51.9	39.2	26.4	15.2	38.2
078	GAVINS POINT DAM	MAX	27.8	33.7	44.9	59.1	71.0	80.7	85.9	83.9	75.4	62.4	43.7	31.5	58.3
		MEAN	17.2	23.3	34.2	47.4	59.3	68.8	74.1	72.3	62.8	50.0	33.9	21.5	47.1
		MIN	6.6	12.8	23.4	35.7	47.6	56.9	62.3	60.6	50.1	37.5	24.0	11.4	35.7
079	GENEVA	MAX	34.0	40.3	50.9	62.6	71.6	81.4	85.6	83.7	76.8	65.2	48.0	36.6	61.4
		MEAN	24.2	30.0	40.0	51.3	61.6	71.3	75.7	73.8	65.5	53.8	38.4	27.6	51.1
		MIN	14.3	19.7	29.0	40.0	51.6	61.1	65.7	63.8	54.2	42.4	28.7	18.6	40.8
080	GENOA 2 W	MAX	33.6	39.7	50.8	63.9	73.8	83.6	87.1	85.3	78.3	66.3	47.7	36.0	62.2
		MEAN	22.4	28.2	38.6	50.6	61.3	71.0	75.0	73.2	64.7	52.4	36.5	25.5	50.0
		MIN	11.1	16.7	26.4	37.2	48.7	58.3	62.8	61.0	51.0	38.4	25.3	14.9	37.7
081	GORDON 6 N	MAX	32.3	38.3	46.8	57.3	68.5	79.7	86.9	85.6	75.2	61.7	44.2	35.2	59.3
		MEAN	20.5	26.1	33.9	43.6	54.9	65.1	71.8	70.2	59.6	47.2	32.0	23.2	45.7
		MIN	8.7	13.9	21.0	29.9	41.2	50.5	56.6	54.7	43.9	32.6	19.7	11.2	32.0
082	GOTHENBURG	MAX	36.7	43.0	52.4	63.4	72.7	83.5	88.5	86.5	77.9	65.7	48.5	39.2	63.2
		MEAN	24.7	30.3	39.2	49.6	60.1	70.3	75.4	73.5	63.9	51.4	36.2	27.2	50.2
		MIN	12.6	17.6	25.9	35.7	47.5	57.0	62.3	60.4	49.8	37.1	23.8	15.2	37.1
083	GRAND ISLAND CTR NE AP	MAX	32.6	38.6	49.5	61.9	71.9	83.0	87.1	84.8	76.9	64.6	46.8	35.3	61.1
		MEAN	22.4	28.2	38.3	49.9	60.6	71.1	75.8	73.6	64.4	52.0	36.4	25.6	49.9
		MIN	12.2	17.7	27.0	37.8	49.3	59.1	64.4	62.3	51.8	39.3	25.9	15.9	38.6
084	GREELEY	MAX	32.8	39.0	49.2	61.7	71.7	82.1	86.8	85.1	77.7	65.6	47.0	35.6	61.2
		MEAN	20.3	26.3	35.9	47.7	58.8	69.1	74.0	71.7	62.4	49.9	34.1	23.6	47.8
		MIN	7.7	13.5	22.5	33.6	45.8	56.0	61.1	58.2	47.1	34.1	21.2	11.5	34.4
088	HALSEY 2 W	MAX	34.0	40.1	48.7	59.1	70.0	80.0	86.2	84.4	75.6	64.3	45.3	36.3	60.3
		MEAN	20.5	26.3	35.0	46.0	57.3	66.8	72.7	70.7	60.8	48.4	32.2	23.0	46.6
		MIN	6.9	12.5	21.3	32.8	44.5	53.5	59.1	56.9	45.9	32.5	19.1	9.7	32.9
091	HARLAN COUNTY LAKE	MAX	36.4	42.3	52.3	63.5	72.4	83.4	89.3	87.2	79.0	67.3	50.1	39.4	63.6
		MEAN	24.0	29.5	39.3	50.3	60.4	70.9	76.6	74.4	65.1	52.8	37.6	27.6	50.7
		MIN	11.6	16.7	26.3	37.1	48.3	58.4	63.9	61.5	51.1	38.3	25.1	15.7	37.8
092	HARRISBURG 12 WNW	MAX	38.5	43.7	50.2	59.1	68.8	79.8	86.6	85.3	75.8	63.6	48.7	40.8	61.7
		MEAN	25.1	29.8	36.1	44.3	54.2	64.2	70.3	68.7	58.7	46.7	33.9	26.7	46.6
		MIN	11.6	15.9	21.9	29.5	39.6	48.6	53.9	52.1	41.6	29.7	19.1	12.5	31.3
093	HARRISON	MAX	32.1	37.7	45.7	55.3	65.6	77.1	85.1	83.7	72.5	59.0	42.1	34.2	57.5
		MEAN	20.9	26.3	33.7	42.5	52.7	63.1	70.2	68.7	58.0	45.4	30.9	23.0	44.6
		MIN	9.7	14.9	21.7	29.6	39.7	49.0	55.2	53.7	43.4	31.7	19.6	11.7	31.7
094	HARTINGTON	MAX	29.7	36.5	48.1	62.0	73.4	82.9	87.1	85.3	77.5	64.9	44.9	32.8	60.4
		MEAN	19.8	26.3	37.0	49.6	61.1	70.6	75.0	73.3	64.5	52.1	34.8	23.4	49.0
		MIN	9.9	16.1	25.8	37.1	48.7	58.2	62.9	61.2	51.4	39.3	24.6	14.0	37.4
095	HASTINGS 4 N	MAX	33.6	40.0	50.3	62.6	72.9	83.7	87.9	85.7	77.8	65.3	47.5	36.1	62.0
		MEAN	23.6	29.6	39.1	50.6	61.5	71.7	76.1	73.9	65.1	53.0	37.2	26.7	50.7
		MIN	13.6	19.1	27.9	38.5	50.0	59.6	64.2	62.1	52.4	40.6	26.9	17.2	39.3
096	HAYES CENTER	MAX	37.6	43.7	51.9	62.4	71.8	82.8	88.7	86.9	78.1	66.3	49.5	40.4	63.3
		MEAN	25.9	31.2	38.6	48.4	58.7	69.1	74.8	72.9	63.6	51.8	37.3	28.6	50.1
		MIN	14.1	18.6	25.3	34.3	45.5	55.3	60.9	58.9	49.0	37.2	25.0	16.7	36.7
097	HAY SPRINGS	MAX	35.2	41.0	49.1	58.5	69.1	79.4	86.3	85.5	76.3	63.8	46.2	38.0	60.7
		MEAN	22.1	27.4	35.0	44.2	55.3	65.2	71.7	70.2	60.1	47.5	32.7	24.4	46.3
		MIN	9.0	13.8	20.8	29.8	41.4	51.0	57.1	54.9	43.8	31.2	19.2	10.8	31.9
098	HAY SPRINGS 12 S	MAX	34.2	39.9	48.5	58.1	69.1	79.7	86.3	84.4	75.5	62.9	44.9	36.7	60.0
		MEAN	20.9	26.1	34.5	43.9	55.2	65.2	71.4	69.5	59.7	46.8	31.3	23.0	45.6
		MIN	7.5	12.3	20.5	29.7	41.3	50.7	56.4	54.6	43.8	30.7	17.6	9.2	31.2



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
099	HEBRON	MAX	34.2	40.7	51.7	63.0	72.7	83.5	88.6	86.4	78.8	66.8	49.6	37.7	62.8
		MEAN	23.3	28.5	39.1	49.9	60.7	71.4	76.6	74.2	65.3	53.1	38.0	27.3	50.6
		MIN	12.3	16.3	26.4	36.8	48.7	59.2	64.6	62.0	51.8	39.3	26.4	16.8	38.4
100	HEMINGFORD	MAX	35.2	40.6	47.5	56.5	66.7	78.2	85.6	84.0	74.1	61.5	45.4	37.7	59.4
		MEAN	24.5	29.5	36.0	44.6	54.8	65.3	71.9	70.4	60.6	48.6	34.6	26.8	47.3
		MIN	13.7	18.4	24.4	32.6	42.9	52.3	58.2	56.7	47.1	35.7	23.7	15.9	35.1
101	HERSHEY 5 SSE	MAX	35.7	42.6	51.2	61.9	71.6	82.1	87.9	86.4	77.8	66.5	48.8	39.1	62.6
		MEAN	23.6	29.4	37.2	47.0	57.8	68.0	73.7	71.8	61.9	50.8	35.6	26.5	48.6
		MIN	11.5	16.2	23.2	32.1	43.9	53.8	59.4	57.1	46.0	35.0	22.4	13.8	34.5
103	HOLDREGE	MAX	34.1	40.0	49.6	61.5	71.4	82.5	87.2	85.1	77.2	65.1	47.3	36.8	61.5
		MEAN	23.3	28.8	37.6	48.8	59.7	70.1	75.0	72.9	64.1	51.9	36.2	26.5	49.6
		MIN	12.5	17.5	25.6	36.0	47.9	57.6	62.7	60.6	50.9	38.7	25.1	16.1	37.6
107	HYANNIS	MAX	35.1	40.7	48.5	58.5	69.0	79.3	85.6	83.1	74.1	62.1	45.1	37.4	59.9
		MEAN	22.4	27.3	34.7	44.4	55.9	65.7	71.7	69.2	59.2	47.1	32.2	24.7	46.2
		MIN	9.7	13.9	20.9	30.3	42.7	52.0	57.8	55.2	44.3	32.0	19.3	12.0	32.5
108	IMPERIAL MUNICIPAL AP	MAX	37.6	43.9	51.8	61.8	71.7	82.4	88.6	86.4	78.4	66.3	48.6	39.8	63.1
		MEAN	25.0	30.4	37.8	47.6	58.9	69.3	75.1	72.7	63.6	50.8	35.5	27.0	49.5
		MIN	12.3	16.8	23.8	33.3	46.1	56.1	61.6	58.9	48.7	35.2	22.3	14.2	35.8
109	KEARNEY 4 NE	MAX	33.8	39.6	49.3	61.0	70.5	81.2	85.7	83.7	76.3	64.8	47.2	36.6	60.8
		MEAN	22.4	27.6	37.0	48.2	59.2	69.8	74.7	72.5	63.5	51.4	35.8	25.9	49.0
		MIN	11.0	15.5	24.6	35.4	47.9	58.4	63.7	61.3	50.7	37.9	24.4	15.1	37.2
110	KIMBALL 2 N	MAX	39.6	44.7	51.1	60.0	69.7	81.0	88.0	86.2	76.9	64.5	48.9	41.5	62.7
		MEAN	25.4	29.9	36.4	45.0	55.1	65.6	72.1	70.2	60.2	47.9	34.4	27.0	47.4
		MIN	11.1	15.1	21.6	29.9	40.5	50.2	56.2	54.1	43.5	31.3	19.9	12.5	32.2
111	KINGSLEY DAM	MAX	36.8	43.4	51.9	62.5	72.7	84.2	91.5	89.4	79.8	67.5	49.5	39.7	64.1
		MEAN	25.1	30.3	38.4	48.9	59.6	70.1	76.7	74.7	65.1	52.8	37.4	28.2	50.6
		MIN	13.3	17.1	24.9	35.3	46.5	56.0	61.9	59.9	50.4	38.1	25.3	16.6	37.1
114	LINCOLN AP	MAX	33.2	39.3	51.2	63.5	73.8	84.9	89.6	87.1	78.8	66.5	49.1	36.8	62.8
		MEAN	22.4	28.3	39.4	51.2	62.0	72.7	77.8	75.4	66.0	53.5	38.1	26.5	51.1
		MIN	11.5	17.2	27.5	38.8	50.1	60.4	65.9	63.7	53.2	40.4	27.0	16.2	39.3
115	LINCOLN	MAX	33.4	39.4	50.7	63.1	73.6	84.1	88.4	86.1	78.6	66.9	49.8	37.1	62.6
		MEAN	23.2	28.6	39.2	51.0	62.0	72.5	77.3	75.0	66.2	54.1	38.8	27.2	51.3
		MIN	12.9	17.8	27.6	38.9	50.3	60.8	66.2	63.9	53.7	41.3	27.8	17.3	39.9
117	LODGEPOLE	MAX	40.5	47.1	54.7	64.2	73.8	85.0	92.0	90.0	81.0	68.5	50.5	42.5	65.8
		MEAN	27.8	33.4	40.5	49.4	59.4	69.6	76.2	74.3	64.6	52.3	37.3	29.5	51.2
		MIN	15.1	19.7	26.2	34.5	45.0	54.1	60.3	58.5	48.1	36.1	24.1	16.4	36.5
118	LOUP CITY	MAX	33.4	39.3	49.2	61.5	71.6	82.0	86.9	84.7	75.9	64.4	46.6	36.1	61.0
		MEAN	21.4	27.4	36.6	47.6	59.0	69.2	74.2	71.8	61.7	49.9	34.5	24.7	48.2
		MIN	9.4	15.4	23.9	33.7	46.3	56.3	61.5	58.9	47.5	35.3	22.4	13.3	35.3
121	LYNCH	MAX	31.8	37.5	48.0	60.4	72.2	82.6	89.1	87.2	77.8	64.8	46.2	35.0	61.1
		MEAN	18.5	24.4	35.0	46.5	58.5	68.6	74.9	72.8	62.4	49.3	33.4	22.3	47.2
		MIN	5.1	11.2	22.0	32.6	44.8	54.6	60.6	58.4	46.9	33.8	20.6	9.5	33.3
123	MADISON 2 W	MAX	30.2	36.4	47.6	60.8	72.0	82.2	86.3	83.9	76.4	64.5	45.6	33.6	60.0
		MEAN	19.2	24.8	35.2	47.2	59.3	69.6	74.1	71.5	62.4	50.1	34.2	23.2	47.6
		MIN	8.2	13.2	22.7	33.6	46.6	57.0	61.9	59.1	48.3	35.7	22.8	12.8	35.2
124	MADRID	MAX	36.6	43.4	51.3	61.1	71.1	82.6	89.1	86.9	78.4	65.9	47.3	38.6	62.7
		MEAN	23.8	29.6	37.2	46.9	58.2	68.9	74.9	72.4	62.9	50.0	34.3	25.8	48.7
		MIN	10.9	15.7	23.0	32.6	45.3	55.1	60.6	57.9	47.3	34.1	21.3	12.9	34.7
126	MASON CITY	MAX	34.5	40.1	49.8	60.8	70.8	81.5	86.8	85.0	77.8	65.6	47.6	37.6	61.5
		MEAN	22.1	27.5	37.2	47.7	58.6	68.8	74.4	72.2	63.1	50.3	35.2	25.4	48.5
		MIN	9.7	14.8	24.5	34.6	46.3	56.1	61.9	59.4	48.3	35.0	22.7	13.2	35.5
127	MCCOOK	MAX	38.7	44.9	53.6	64.5	73.4	84.5	89.9	87.5	79.1	67.5	50.8	41.2	64.6
		MEAN	26.4	31.8	40.0	50.4	60.5	71.1	76.7	74.6	65.3	52.9	38.0	29.1	51.4
		MIN	14.0	18.6	26.4	36.3	47.6	57.7	63.4	61.7	51.5	38.3	25.2	16.9	38.1
130	MEAD 6 S	MAX	30.8	37.1	48.9	62.1	73.0	83.5	87.4	84.7	77.5	65.3	47.5	34.4	61.0
		MEAN	20.2	26.4	37.8	50.1	61.4	71.6	75.8	73.2	64.7	52.3	37.2	24.8	49.6
		MIN	9.6	15.7	26.6	38.1	49.7	59.6	64.2	61.6	51.9	39.3	26.8	15.2	38.2
132	MEDICINE CREEK DAM	MAX	37.3	42.6	51.4	62.5	71.8	82.9	88.6	87.2	79.3	67.8	50.5	40.5	63.5
		MEAN	24.2	29.3	38.0	48.4	59.1	69.6	75.2	73.2	63.9	51.6	36.6	27.4	49.7
		MIN	11.1	16.0	24.6	34.3	46.4	56.3	61.8	59.2	48.4	35.4	22.6	14.3	35.9
133	MERRIMAN	MAX	33.3	39.6	48.1	58.7	70.1	80.4	87.5	86.4	77.3	63.9	45.6	36.4	60.6
		MEAN	22.4	28.0	36.2	46.3	57.5	67.1	73.4	71.9	62.1	49.5	34.0	25.4	47.8
		MIN	11.4	16.3	24.2	33.9	44.8	53.7	59.3	57.4	46.9	35.0	22.4	14.3	35.0
135	MINDEN	MAX	35.2	42.0	51.6	63.1	73.0	83.8	89.0	86.3	78.6	67.1	48.8	37.2	63.0
		MEAN	23.1	29.0	38.1	49.4	60.8	71.1	76.3	73.5	64.6	52.4	36.3	25.8	50.0
		MIN	11.0	15.9	24.6	35.6	48.6	58.3	63.6	60.6	50.5	37.6	23.7	14.4	37.0
136	MITCHELL 5 E	MAX	37.3	43.1	50.4	60.0	70.4	81.6	87.1	84.9	76.4	64.5	47.9	39.7	61.9
		MEAN	25.4	30.4	37.8	46.5	57.2	67.7	72.8	70.4	60.8	48.8	34.9	27.1	48.3
		MIN	13.5	17.7	25.1	33.0	43.9	53.8	58.4	55.9	45.2	33.1	21.9	14.4	34.7



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
138	MULLEN	MAX	35.8	42.1	51.3	62.4	72.9	83.1	89.0	87.0	77.8	65.0	46.5	38.2	62.6
		MEAN	24.1	29.5	37.6	47.9	58.8	68.5	74.2	72.5	62.5	50.5	34.9	26.4	49.0
		MIN	12.4	16.9	23.9	33.3	44.6	53.8	59.3	58.0	47.2	35.9	23.3	14.6	35.3
139	MULLEN 21 NW	MAX	37.2	42.8	50.2	60.5	70.9	81.8	88.5	87.2	78.0	65.4	48.8	40.5	62.7
		MEAN	23.7	29.1	36.3	46.2	56.6	66.7	72.9	71.6	61.5	49.2	34.9	26.6	47.9
		MIN	10.2	15.3	22.3	31.8	42.2	51.6	57.3	56.0	44.9	32.9	21.0	12.7	33.2
141	NEBRASKA CITY	MAX	33.4	39.7	51.4	63.6	73.8	83.6	87.3	85.5	78.4	66.6	49.9	37.0	62.5
		MEAN	23.2	29.0	39.9	51.5	62.2	72.1	76.6	74.5	66.3	54.4	39.6	27.6	51.4
		MIN	12.9	18.3	28.3	39.3	50.6	60.6	65.8	63.5	54.1	42.1	29.3	18.1	40.2
145	NEWPORT	MAX	32.0	38.0	47.4	59.0	70.5	81.3	87.7	86.2	76.6	63.3	45.2	35.2	60.2
		MEAN	21.0	26.9	36.1	47.4	58.9	68.9	74.8	73.1	63.2	50.3	34.6	24.4	48.3
		MIN	10.0	15.7	24.8	35.7	47.2	56.5	61.8	60.0	49.7	37.2	24.0	13.6	36.4
146	NIOBRARA	MAX	31.3	37.7	49.0	62.8	74.0	83.6	88.2	86.5	78.0	65.1	45.0	33.9	61.3
		MEAN	20.7	27.1	37.6	50.0	61.2	70.7	75.7	74.1	64.8	52.1	35.3	24.1	49.5
		MIN	10.1	16.4	26.1	37.1	48.4	57.8	63.2	61.7	51.5	39.1	25.5	14.3	37.6
147	NORFOLK AP	MAX	31.2	37.3	48.5	61.3	72.3	82.3	86.5	84.4	76.4	64.0	45.5	33.6	60.3
		MEAN	20.4	26.4	37.0	49.1	60.3	70.1	74.8	72.7	63.4	51.0	35.1	23.7	48.7
		MIN	9.6	15.5	25.4	36.8	48.3	58.0	63.0	61.0	50.4	38.0	24.7	13.7	37.0
148	NORTH LOUP ORD	MAX	34.0	40.1	50.6	63.0	72.3	82.1	85.9	84.0	76.5	65.2	46.9	36.2	61.4
		MEAN	22.5	28.5	38.3	49.7	60.3	70.0	74.4	72.5	63.6	51.6	35.6	25.3	49.4
		MIN	11.0	16.8	25.9	36.3	48.2	57.9	62.8	60.9	50.6	38.0	24.2	14.4	37.3
149	NORTH PLATTE RGNL AP	MAX	36.5	43.3	52.1	62.7	72.0	82.6	88.4	86.8	78.0	65.6	48.5	39.2	63.0
		MEAN	23.2	29.4	38.0	48.1	58.3	68.4	74.3	72.6	62.4	49.7	34.6	25.7	48.7
		MIN	9.9	15.4	23.8	33.4	44.5	54.2	60.2	58.4	46.7	33.7	20.7	12.1	34.4
150	NORTH PLATTE EXP FARM	MAX	34.9	41.8	50.7	61.7	71.1	81.9	88.5	86.7	77.9	65.2	47.9	38.3	62.2
		MEAN	23.0	28.8	37.3	47.8	57.9	68.3	74.3	72.5	62.9	50.4	35.4	26.2	48.7
		MIN	11.0	15.7	23.9	33.8	44.6	54.6	60.1	58.3	47.8	35.6	22.8	14.0	35.2
151	OAKDALE	MAX	31.3	36.9	47.3	60.1	70.8	80.8	85.6	83.6	75.7	63.9	45.9	34.5	59.7
		MEAN	19.6	25.3	35.8	47.8	59.0	68.9	73.8	71.7	62.0	49.8	34.4	23.3	47.6
		MIN	7.8	13.6	24.2	35.4	47.2	56.9	62.0	59.8	48.3	35.6	22.8	12.0	35.5
152	OCONTO	MAX	34.5	40.2	49.3	60.8	70.5	80.8	86.4	84.4	77.0	65.0	47.0	37.0	61.1
		MEAN	21.8	27.2	35.8	46.4	57.3	67.4	73.0	70.8	61.8	49.8	34.0	24.6	47.5
		MIN	9.0	14.2	22.2	31.9	44.1	53.9	59.6	57.2	46.6	34.6	21.0	12.1	33.9
153	OGALLALA	MAX	36.6	43.4	51.2	61.2	70.9	82.1	89.1	87.5	77.8	65.2	48.4	39.1	62.7
		MEAN	24.0	29.9	37.4	47.0	57.6	68.5	75.1	73.4	62.7	50.0	35.4	26.3	48.9
		MIN	11.4	16.3	23.6	32.7	44.2	54.9	61.1	59.2	47.5	34.8	22.4	13.5	35.1
154	OMAHA EPPLEY AP	MAX	31.7	37.9	50.4	63.2	73.7	83.7	87.4	85.2	77.3	65.2	47.8	34.8	61.5
		MEAN	21.7	28.0	39.3	51.4	62.2	72.2	76.7	74.5	65.4	53.2	38.0	25.6	50.7
		MIN	11.6	18.0	28.1	39.6	50.7	60.6	65.9	63.8	53.5	41.1	28.1	16.4	39.8
155	OMAHA 9 NW	MAX	32.1	38.0	50.8	63.6	73.3	82.4	85.6	83.9	76.3	64.6	47.5	35.1	61.1
		MEAN	22.4	28.5	39.8	52.0	62.3	71.5	75.6	74.0	65.7	53.9	38.4	26.2	50.9
		MIN	12.6	19.0	28.8	40.3	51.3	60.5	65.5	64.1	55.0	43.1	29.2	17.2	40.6
156	O NEILL	MAX	29.2	35.3	46.3	59.0	70.5	81.2	87.2	85.2	75.7	62.9	43.6	32.3	59.0
		MEAN	19.1	24.8	34.7	46.7	58.7	68.8	74.5	72.3	62.2	49.7	33.3	22.5	47.3
		MIN	8.9	14.2	23.0	34.4	46.8	56.3	61.8	59.4	48.6	36.4	22.9	12.7	35.5
160	OSCEOLA	MAX	32.9	39.3	50.8	63.7	73.8	84.0	87.5	85.7	78.4	65.9	47.5	35.4	62.1
		MEAN	22.6	28.5	39.1	51.0	61.9	71.9	75.9	74.0	65.4	53.1	37.1	25.8	50.5
		MIN	12.2	17.7	27.4	38.2	50.0	59.7	64.2	62.2	52.3	40.2	26.6	16.1	38.9
161	OSHKOSH	MAX	37.1	43.8	51.6	61.6	70.4	81.8	88.6	86.5	78.1	66.3	48.8	39.7	62.9
		MEAN	22.7	28.6	36.4	46.0	56.3	67.2	73.5	71.1	61.4	48.7	33.7	24.8	47.5
		MIN	8.2	13.4	21.1	30.4	42.2	52.5	58.4	55.6	44.7	31.0	18.5	9.8	32.2
163	OSMOND	MAX	30.2	36.8	48.1	62.1	73.2	83.4	87.1	84.9	76.8	64.1	44.4	32.8	60.3
		MEAN	19.5	26.1	36.7	49.2	60.7	70.7	74.8	72.7	63.5	50.9	34.2	22.8	48.5
		MIN	8.8	15.3	25.3	36.3	48.2	58.0	62.5	60.4	50.2	37.7	23.9	12.8	36.6
164	OVERTON 3 W	MAX	36.6	42.8	52.6	64.0	73.6	83.8	87.5	85.3	79.4	67.5	50.1	39.1	63.5
		MEAN	24.3	29.9	39.2	49.8	60.3	70.2	74.3	72.1	64.1	51.9	36.9	26.9	50.0
		MIN	11.9	17.0	25.8	35.5	46.9	56.5	61.1	58.9	48.8	36.2	23.7	14.7	36.4
166	PAWNEE CITY	MAX	34.3	41.1	52.2	63.3	74.5	84.4	89.2	87.4	79.0	67.7	50.9	38.3	63.5
		MEAN	23.8	29.8	40.4	51.7	63.4	72.9	77.8	75.4	66.4	54.6	39.8	28.1	52.0
		MIN	13.3	18.5	28.6	40.0	52.3	61.4	66.4	63.4	53.8	41.4	28.6	17.9	40.5
173	PURDUM	MAX	35.1	41.2	50.0	61.1	71.3	81.5	87.3	85.8	77.5	65.9	47.5	38.4	61.9
		MEAN	21.7	27.5	36.3	47.0	57.9	67.7	73.4	71.7	62.3	50.1	34.0	24.9	47.9
		MIN	8.3	13.7	22.5	32.9	44.4	53.9	59.5	57.6	47.1	34.3	20.5	11.3	33.8
176	RAVENNA	MAX	35.7	41.9	52.5	64.4	73.9	83.9	88.0	86.2	78.3	66.6	48.6	38.1	63.2
		MEAN	23.8	29.6	39.5	50.8	61.0	71.0	75.8	74.0	64.7	52.5	36.8	26.7	50.5
		MIN	11.8	17.3	26.5	37.1	48.1	58.0	63.5	61.8	51.0	38.4	25.0	15.2	37.8
178	RED CLOUD	MAX	35.4	41.8	52.0	64.0	73.6	84.9	90.5	88.3	80.0	67.8	50.0	38.8	63.9
		MEAN	22.9	28.6	38.4	49.9	60.5	71.3	76.9	74.5	64.9	52.2	36.9	26.7	50.3
		MIN	10.3	15.4	24.8	35.8	47.3	57.6	63.2	60.6	49.7	36.5	23.7	14.6	36.6



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
179	RED WILLOW DAM	MAX	37.5	43.8	52.6	63.4	72.5	83.3	88.8	87.4	78.9	67.5	50.2	40.6	63.9
		MEAN	24.5	30.0	38.5	48.8	59.1	69.7	75.2	73.3	63.6	51.5	36.5	27.7	49.9
		MIN	11.5	16.1	24.4	34.1	45.6	56.0	61.6	59.2	48.3	35.5	22.7	14.8	35.8
181	ROSE 10 WNW	MAX	33.7	39.9	49.1	61.6	71.6	81.7	87.3	86.1	77.2	64.8	46.7	36.8	61.4
		MEAN	22.0	27.9	36.8	48.1	58.1	67.8	73.3	72.0	62.2	50.2	34.7	25.1	48.2
		MIN	10.3	15.8	24.5	34.5	44.6	53.9	59.2	57.8	47.2	35.5	22.6	13.3	34.9
183	SAINT PAUL 4 N	MAX	33.9	40.0	50.6	63.1	72.6	82.5	86.5	84.9	77.2	65.2	47.2	36.3	61.7
		MEAN	23.5	29.1	39.1	50.6	61.1	70.9	75.3	73.6	64.8	52.7	37.1	26.7	50.4
		MIN	13.0	18.1	27.5	38.1	49.6	59.3	64.0	62.3	52.3	40.2	27.0	17.0	39.0
185	SCOTTSBLUFF AP	MAX	38.0	44.3	51.7	61.0	71.1	82.2	88.7	86.8	77.3	64.4	48.2	39.8	62.8
		MEAN	24.5	30.0	37.3	46.2	56.8	67.2	73.0	70.9	60.5	47.8	34.0	25.7	47.8
		MIN	11.0	15.8	23.0	31.4	42.4	52.1	57.4	54.9	43.7	31.3	19.7	11.6	32.9
186	SEWARD	MAX	35.0	41.3	52.7	65.7	75.4	85.8	90.0	88.2	81.0	69.0	50.3	38.4	64.4
		MEAN	24.4	30.3	40.8	52.9	63.4	73.5	77.9	75.8	67.4	55.5	39.2	28.2	52.4
		MIN	13.8	19.2	28.9	40.0	51.4	61.2	65.8	63.4	53.8	41.9	28.1	18.0	40.5
187	SIDNEY 6 NNW	MAX	36.3	42.1	48.7	57.3	66.7	77.9	85.2	83.4	74.2	61.7	46.2	39.1	59.9
		MEAN	24.7	29.7	35.9	44.0	54.0	64.5	71.1	69.3	59.8	47.5	34.2	27.2	46.8
		MIN	13.0	17.2	23.1	30.7	41.3	51.0	57.0	55.1	45.4	33.3	22.1	15.2	33.7
188	SIDNEY 3 S	MAX	37.3	43.1	49.4	58.6	68.7	80.0	87.4	86.0	76.3	64.1	47.5	39.8	61.5
		MEAN	24.5	29.6	35.3	43.9	54.3	65.0	71.7	70.3	60.3	48.1	34.1	26.8	47.0
		MIN	11.6	16.1	21.2	29.1	39.8	50.0	55.9	54.5	44.2	32.1	20.7	13.7	32.4
191	SPRINGVIEW	MAX	30.9	36.5	46.2	58.2	69.6	80.1	86.5	85.0	75.7	62.4	44.0	34.2	59.1
		MEAN	19.6	25.2	34.3	46.0	57.4	67.4	73.3	71.6	61.8	49.0	33.1	23.1	46.8
		MIN	8.3	13.8	22.3	33.7	45.1	54.7	60.1	58.1	47.8	35.6	22.1	11.9	34.5
192	STANTON	MAX	29.7	36.4	47.9	61.1	71.6	81.3	85.1	82.6	75.3	63.5	45.0	32.4	59.3
		MEAN	19.4	26.0	36.8	49.2	60.3	70.0	74.3	72.1	63.5	51.3	35.2	22.8	48.4
		MIN	9.1	15.6	25.6	37.2	49.0	58.6	63.5	61.6	51.7	39.1	25.3	13.2	37.5
194	STAPLETON 5 W	MAX	36.2	41.5	50.8	61.5	72.0	82.7	89.0	87.4	78.6	66.2	48.4	39.0	62.8
		MEAN	23.2	27.8	36.6	46.8	57.9	68.1	74.0	72.4	62.5	50.2	34.9	26.1	48.4
		MIN	10.1	14.1	22.4	32.1	43.7	53.4	58.9	57.3	46.3	34.1	21.4	13.2	33.9
198	SUPERIOR	MAX	37.1	43.7	54.6	66.3	75.5	86.0	90.7	88.7	80.5	68.2	51.0	39.9	65.2
		MEAN	26.2	32.1	42.3	53.4	63.5	73.6	78.4	76.5	67.5	55.2	39.9	29.5	53.2
		MIN	15.3	20.5	30.0	40.5	51.5	61.2	66.1	64.3	54.5	42.2	28.8	19.1	41.2
199	SURPRISE	MAX	31.8	38.5	49.0	61.5	72.8	83.2	87.0	84.7	78.7	65.9	47.8	35.4	61.4
		MEAN	20.7	27.0	37.5	49.3	61.3	71.2	75.5	73.0	64.5	51.4	36.1	24.9	49.4
		MIN	9.6	15.4	25.9	37.1	49.7	59.2	64.0	61.3	50.2	36.9	24.4	14.3	37.3
200	SYRACUSE	MAX	33.1	39.2	51.1	63.5	74.0	84.5	88.7	86.6	79.1	66.9	49.4	36.6	62.7
		MEAN	21.9	27.5	38.7	50.6	61.7	72.1	76.7	74.2	65.3	52.9	37.9	26.1	50.5
		MIN	10.7	15.8	26.3	37.6	49.3	59.6	64.6	61.8	51.5	38.8	26.4	15.6	38.2
203	TECUMSEH	MAX	34.0	40.3	51.8	63.6	73.8	84.1	88.6	86.8	79.1	67.3	50.5	37.8	63.1
		MEAN	23.3	29.1	40.4	51.7	62.3	72.6	77.3	75.1	66.0	53.6	39.3	27.5	51.5
		MIN	12.5	17.9	28.9	39.7	50.8	61.0	66.0	63.3	52.9	39.8	28.0	17.1	39.8
204	TEKAMAH	MAX	30.1	36.2	48.5	62.1	73.7	83.8	87.3	84.9	77.6	65.4	46.7	33.2	60.8
		MEAN	20.1	26.2	37.7	50.4	62.1	72.0	75.9	73.4	64.8	52.6	36.8	24.0	49.7
		MIN	10.0	16.2	26.8	38.6	50.5	60.2	64.4	61.9	51.9	39.7	26.9	14.8	38.5
205	TRENTON DAM	MAX	38.9	45.3	53.7	64.2	73.1	84.1	90.2	88.8	80.3	68.3	51.1	41.8	65.0
		MEAN	25.8	31.4	39.5	49.6	59.5	70.3	76.2	74.4	65.0	52.4	37.9	28.8	50.9
		MIN	12.7	17.5	25.3	34.9	45.9	56.4	62.2	60.0	49.7	36.5	24.6	15.7	36.8
206	TRYON	MAX	34.7	41.1	49.7	60.0	70.1	80.6	86.9	85.4	77.2	64.9	46.8	38.2	61.3
		MEAN	22.0	27.4	35.2	45.5	56.4	66.8	72.7	71.1	61.4	49.0	33.8	25.4	47.2
		MIN	9.2	13.7	20.7	30.9	42.7	52.9	58.4	56.7	45.6	33.0	20.8	12.6	33.1
210	VALENTINE LKS GAME REF	MAX	34.8	40.7	49.0	60.0	70.7	81.0	86.8	85.3	76.7	64.0	46.1	37.5	61.1
		MEAN	23.5	28.9	36.8	47.4	58.3	67.9	73.5	72.0	62.6	50.6	35.1	26.4	48.6
		MIN	12.2	17.1	24.5	34.8	45.8	54.8	60.1	58.6	48.5	37.2	24.1	15.2	36.1
211	VALENTINE MILLER AP	MAX	33.8	39.4	48.4	59.8	71.2	81.9	88.3	86.9	77.2	63.5	45.9	36.7	61.1
		MEAN	20.8	26.6	35.3	46.1	57.5	67.6	73.7	72.1	61.5	48.3	33.0	23.6	47.2
		MIN	7.8	13.7	22.1	32.4	43.7	53.2	59.1	57.3	45.8	33.1	20.1	10.5	33.2
213	VIRGINIA	MAX	32.1	38.2	49.8	61.1	71.4	81.8	86.2	84.5	76.8	64.8	48.0	35.6	60.9
		MEAN	22.6	28.3	38.8	50.0	60.7	71.1	75.9	73.9	65.6	53.3	38.2	26.8	50.4
		MIN	13.1	18.3	27.8	38.9	50.0	60.4	65.5	63.3	54.4	41.8	28.4	18.0	40.0
214	WAHOO	MAX	31.0	37.4	49.0	61.8	73.2	83.6	87.6	85.0	77.5	65.7	47.3	34.4	61.1
		MEAN	20.7	26.4	37.4	49.3	60.8	71.1	75.6	73.0	64.3	52.3	36.8	24.9	49.4
		MIN	10.4	15.3	25.7	36.7	48.4	58.5	63.5	61.0	51.1	38.8	26.2	15.3	37.6
215	WAKEFIELD	MAX	31.4	38.0	49.9	63.5	74.5	84.2	87.8	85.4	78.0	66.1	47.0	34.1	61.7
		MEAN	20.6	26.9	38.1	50.4	62.2	72.0	76.0	73.6	64.9	52.8	36.5	24.1	49.8
		MIN	9.7	15.8	26.2	37.3	49.9	59.7	64.1	61.7	51.8	39.4	25.9	14.1	38.0
216	WALLACE 2 W	MAX	35.9	43.2	51.9	63.2	72.5	83.3	89.3	87.5	79.4	66.6	48.4	39.1	63.4
		MEAN	24.0	30.1	38.2	48.2	58.4	68.7	74.5	72.8	63.5	50.7	35.5	26.8	49.3
		MIN	12.0	16.9	24.4	33.1	44.3	54.1	59.6	58.0	47.5	34.8	22.6	14.5	35.2



NEBRASKA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
217	WALTHILL	MAX	30.7	37.4	49.6	63.7	74.9	84.6	88.0	85.8	78.7	66.0	46.6	33.4	61.6
		MEAN	20.3	26.7	37.6	50.2	61.7	71.4	75.4	73.5	64.9	52.5	36.1	23.6	49.5
		MIN	9.9	15.9	25.6	36.7	48.4	58.2	62.7	61.1	51.0	38.9	25.6	13.7	37.3
220	WAYNE	MAX	28.7	35.5	46.3	59.4	70.9	80.9	85.9	83.6	75.0	62.8	44.4	32.2	58.8
		MEAN	18.6	24.8	35.1	47.1	59.2	69.4	74.5	71.8	62.7	50.5	34.3	22.7	47.6
		MIN	8.5	14.1	23.8	34.8	47.5	57.9	63.0	60.0	50.3	38.1	24.1	13.2	36.3
221	WEEPING WATER	MAX	32.5	39.0	50.5	63.0	73.2	82.8	86.5	84.0	76.5	65.4	48.2	35.4	61.4
		MEAN	22.1	28.2	39.3	51.1	61.7	71.3	75.6	73.3	64.7	52.9	37.6	25.8	50.3
		MIN	11.7	17.3	28.0	39.1	50.1	59.8	64.6	62.5	52.9	40.4	27.0	16.2	39.1
224	WEST POINT	MAX	29.1	35.1	46.5	60.2	71.7	81.9	86.0	83.5	75.8	63.7	45.4	32.5	59.3
		MEAN	19.1	24.8	35.8	48.6	60.6	70.9	75.4	72.8	63.5	51.0	35.5	23.2	48.4
		MIN	9.0	14.5	25.1	37.0	49.4	59.8	64.8	62.1	51.2	38.3	25.6	13.8	37.6



NEBRASKA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AGATE 3 E	.28	.29	.59	1.34	2.95	2.20	2.02	1.62	1.32	.98	.40	.25	14.24
002	AINSWORTH	.42	.58	1.42	2.28	3.39	3.29	3.57	2.61	2.50	1.52	1.01	.40	22.99
003	ALBION 1 N	.44	.69	2.21	2.74	4.21	3.89	3.58	3.00	2.51	1.71	1.51	.56	27.05
004	ALLIANCE 1 WNW	.37	.34	.78	1.67	3.10	2.74	2.11	1.63	1.41	.86	.56	.36	15.93
005	ANSELMO 2 SE	.48	.59	1.67	2.63	3.74	3.99	3.51	2.73	2.40	1.54	1.31	.50	25.09
006	ARCADIA	.44	.53	1.61	2.52	3.56	3.76	3.58	2.61	2.22	1.56	1.21	.59	24.19
007	ARNOLD	.48	.58	1.50	2.53	3.64	3.72	3.26	2.55	1.68	1.38	1.03	.47	22.82
008	ARTHUR	.34	.40	1.16	1.87	3.34	2.66	3.16	1.84	1.71	1.12	.69	.36	18.65
009	ASHLAND 2	.74	.70	2.02	2.97	4.77	3.74	3.63	4.02	2.58	2.26	1.76	.93	30.12
010	ATKINSON	.52	.64	1.70	2.62	3.68	3.65	3.45	2.44	2.43	1.84	1.18	.54	24.69
011	ATLANTA 2 WNW	.49	.52	1.94	2.39	3.81	3.35	3.53	3.12	1.91	1.40	1.31	.44	24.21
012	AUBURN 5 ESE	.84	1.09	2.46	2.93	4.27	3.73	4.41	3.49	3.54	2.49	2.02	1.09	32.36
013	AURORA	.64	.65	2.26	3.10	4.68	4.19	3.36	3.19	2.59	1.94	1.70	.79	29.09
014	BARNESTON	.65	.67	2.48	2.90	4.42	4.66	4.34	3.70	3.59	2.22	1.72	.82	32.17
015	BARTLETT 4 S	.52	.58	1.90	2.86	3.85	3.91	3.29	3.07	2.31	1.84	1.34	.63	26.10
016	BEATRICE 1 N	.63	.72	2.27	2.88	4.67	4.29	3.91	3.83	2.89	2.00	1.64	.84	30.57
017	BEAVER CITY	.62	.71	2.01	2.19	3.60	3.50	3.11	2.81	1.88	1.39	1.31	.64	23.77
018	BEEMER	.61	.69	1.98	2.84	4.21	4.17	3.58	3.45	2.57	2.10	1.44	.74	28.38
019	BENKELMAN	.59	.52	1.41	1.87	3.21	2.90	3.04	2.06	1.30	1.19	.82	.49	19.40
020	BENNET	.86	.91	2.49	3.16	4.87	4.01	4.74	3.72	3.41	2.47	1.90	1.09	33.63
021	BENNINGTON 3 WSW	.68	.69	2.13	2.90	3.98	4.32	3.67	2.94	3.10	2.49	1.56	.97	29.43
022	BERTRAND	.47	.53	1.84	2.21	3.88	3.41	3.45	2.81	1.79	1.39	1.10	.53	23.41
023	BIG SPRINGS	.42	.40	1.35	1.95	3.10	2.60	2.18	2.03	1.22	.85	.66	.45	17.21
024	BLAIR	.73	.74	2.66	3.06	3.96	4.34	3.69	3.07	3.09	2.31	1.59	.95	30.19
025	BLOOMFIELD	.64	.84	2.12	2.95	3.97	3.86	3.25	2.96	2.32	1.80	1.53	.76	27.00
026	BLUE HILL 4 SW	.59	.63	2.26	2.68	4.39	3.32	3.83	3.12	2.59	1.63	1.49	.71	27.24
027	BOYS TOWN	.60	.58	1.94	2.81	4.35	4.19	3.45	3.47	2.86	2.31	1.47	.83	28.86
028	BRADSHAW	.63	.61	2.12	2.88	4.61	3.88	3.54	3.22	2.61	1.86	1.53	.82	28.31
029	BREWSTER	.41	.64	1.33	1.90	3.58	3.72	3.23	3.06	1.75	1.36	1.03	.53	22.54
030	BRIDGEPORT	.37	.37	.93	1.69	2.84	2.65	2.44	1.64	1.52	.96	.62	.33	16.36
031	BROKEN BOW 2 W	.43	.48	1.48	2.28	3.51	4.01	3.62	2.43	1.99	1.44	1.01	.35	23.03
032	BROWNLEE	.28	.37	1.26	1.87	3.23	2.96	3.05	2.10	1.69	1.14	.80	.38	19.13
033	BRUNING	.64	.64	2.30	2.77	4.54	3.97	3.72	3.31	3.03	2.09	1.66	.87	29.54
034	BURWELL	.43	.55	1.37	2.48	3.58	3.54	3.19	3.08	2.22	1.66	1.11	.46	23.67
035	BUTTE	.48	.61	1.80	2.56	3.94	3.53	3.33	2.76	2.49	1.87	1.13	.45	24.95
036	CAMBRIDGE	.43	.58	1.54	2.13	3.54	3.53	3.19	2.70	1.50	1.24	1.17	.50	22.05
037	CANADAY STEAM PLANT	.42	.42	1.51	2.11	3.77	3.28	3.64	2.76	1.71	1.32	1.01	.42	22.37
038	CENTRAL CITY	.60	.68	2.09	2.85	4.47	3.44	3.54	2.71	2.77	1.69	1.55	.70	27.09
039	CHADRON 1 SSW	.46	.47	.91	1.89	3.02	2.62	2.11	1.67	1.44	1.05	.57	.42	16.63
040	CHAMBERS	.52	.62	1.58	2.41	3.82	3.70	3.04	2.56	2.06	1.87	1.26	.73	24.17
041	CLARKSON	.65	.76	2.14	2.79	4.58	4.25	3.43	3.15	2.54	2.13	1.56	.82	28.80
042	CLAY CENTER 6 ESE	.49	.61	2.09	2.61	4.13	3.64	4.04	3.01	2.63	1.95	1.56	.73	27.49
043	CLAY CENTER	.40	.50	1.90	3.05	4.71	3.91	4.20	3.31	2.57	1.89	1.39	.61	28.44
044	COLUMBUS 3 NE	.53	.73	1.99	2.83	4.42	4.21	3.61	3.20	2.66	2.01	1.56	.74	28.49
045	COMSTOCK	.49	.59	1.62	2.64	3.55	3.23	2.94	2.66	1.93	1.74	1.34	.71	23.44
046	CRAWFORD	.61	.76	1.74	2.65	3.11	2.42	2.77	1.21	1.38	1.66	.82	.79	19.92
047	CREIGHTON	.53	.64	1.82	2.67	3.88	3.73	3.24	3.15	2.25	1.76	1.36	.61	25.64
048	CRESCENT LAKE NAT WLR	.31	.37	.97	1.76	3.21	2.80	2.26	1.80	1.71	1.06	.62	.30	17.17
049	CRETE	.62	.60	2.17	2.69	4.55	3.71	3.81	3.03	3.33	2.20	1.55	.81	29.07
050	CROFTON	.50	.61	1.96	3.38	4.23	3.55	2.91	3.81	2.47	2.42	1.33	.62	27.79
051	CULBERTSON	.53	.59	1.39	2.12	3.33	3.22	3.28	2.77	1.40	1.31	1.07	.47	21.48
052	CURTIS 3 NNE	.43	.50	1.35	1.99	3.29	3.30	2.89	2.40	1.55	1.25	.84	.38	20.17
053	DALTON	.48	.57	1.39	2.06	3.39	2.95	2.38	1.94	1.51	1.14	.82	.49	19.12
054	DAVID CITY	.65	.69	2.32	3.05	4.64	4.56	3.12	3.51	3.03	1.99	1.63	.88	30.07
055	DEWEESE 4 SE	.48	.52	2.01	2.49	4.36	3.41	3.93	3.12	2.43	1.87	1.47	.64	26.73
056	DODGE	.63	.70	2.08	3.01	4.93	4.59	3.50	3.47	2.64	2.19	1.57	.76	30.07
057	ELGIN	.50	.66	1.73	2.59	3.70	3.94	3.50	3.37	2.14	1.78	1.31	.63	25.85
058	ELLSWORTH	.23	.27	.62	1.43	2.81	2.67	2.35	1.65	1.52	.91	.48	.21	15.15
059	ELLSWORTH 24 NNE	.42	.51	1.15	1.81	3.11	2.83	2.95	2.07	1.44	1.16	.64	.35	18.44
060	ELLSWORTH 15 NNE	.31	.45	.87	1.99	3.22	2.96	2.84	1.79	1.77	1.28	.58	.28	18.34
061	ELSMERE 9 ENE	.55	.78	1.88	2.72	4.59	3.86	3.50	2.69	2.21	1.68	1.33	.55	26.34
062	ELWOOD 8 S	.53	.55	1.55	2.06	3.85	3.59	3.60	2.57	1.61	1.38	1.08	.54	22.91
063	EMERALD 1 W	.72	.66	2.28	2.98	4.17	3.63	3.35	3.24	2.96	2.04	1.66	.93	28.62
064	EMERSON	.71	.78	2.35	3.15	4.55	4.25	3.57	2.84	2.80	2.28	1.51	.77	29.56
065	ENDERS LAKE	.45	.48	1.27	2.01	3.22	3.12	3.04	2.55	1.27	1.21	.79	.39	19.80
066	ERICSON 6 WNW	.53	.63	1.74	2.47	3.59	3.56	3.79	2.75	2.10	1.78	1.43	.66	25.03
067	EUSTIS 2 NW	.55	.62	1.50	2.18	3.59	3.42	3.22	2.29	1.51	1.36	1.06	.53	21.83
068	EWING	.51	.56	1.75	2.59	3.81	3.77	3.40	2.97	2.25	1.72	1.20	.56	25.09
069	FAIRBURY	.74	.76	2.34	2.76	4.18	4.08	4.51	3.94	2.99	2.05	1.70	.93	30.98



NEBRASKA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	FAIRMONT	.66	.69	2.39	2.74	4.39	3.88	3.61	3.01	2.82	2.09	1.65	.83	28.76
071	FALLS CITY 2 NE	.87	.95	2.45	3.18	4.33	3.83	5.23	4.30	3.98	2.59	2.34	1.03	35.08
072	FIRTH	.67	.72	2.50	2.90	4.60	3.51	4.37	3.17	3.11	2.24	1.80	.98	30.57
073	FRANKLIN	.37	.48	1.89	2.36	4.06	3.39	3.44	3.37	2.56	1.40	1.27	.44	25.03
074	FRANKLIN #2	.62	.72	2.17	2.55	4.08	3.43	3.85	2.70	1.48	1.44	1.55	.63	25.22
075	FREMONT	.79	.77	2.21	2.83	4.34	4.36	3.36	3.23	3.10	2.23	1.64	.94	29.80
076	FRIEND	.68	.59	2.24	2.73	4.71	3.78	3.56	3.13	3.06	2.11	1.57	.88	29.04
077	FULLERTON	.49	.69	2.18	2.61	4.54	3.78	3.49	2.80	2.52	1.69	1.46	.71	26.96
078	GAVINS POINT DAM	.46	.55	1.87	2.52	3.90	3.81	3.01	3.07	2.13	1.80	1.29	.63	25.04
079	GENEVA	.62	.59	2.25	2.87	4.68	4.17	3.71	3.33	3.12	2.13	1.64	.65	29.76
080	GENOA 2 W	.60	.81	2.25	2.60	4.22	4.37	3.49	2.98	2.44	1.76	1.67	.81	28.00
081	GORDON 6 N	.40	.46	.97	1.98	3.05	3.10	3.08	1.46	1.54	1.29	.61	.43	18.37
082	GOTHENBURG	.45	.51	1.41	2.26	3.71	3.67	3.23	2.71	1.55	1.41	.89	.45	22.25
083	GRAND ISLAND CTR NE AP	.54	.68	2.04	2.61	4.07	3.72	3.14	3.08	2.43	1.51	1.41	.66	25.89
084	GREELEY	.45	.61	1.93	2.65	3.92	3.89	3.84	2.77	2.34	1.61	1.44	.58	26.03
085	GRESHAM 3 W	.63	.63	2.21	2.86	4.67	3.33	3.50	3.09	2.68	1.78	1.53	.71	27.62
086	GUIDE ROCK	.61	.71	2.10	2.57	4.45	3.10	3.87	3.20	2.41	1.93	1.52	.70	27.17
087	HAIGLER	.43	.39	1.20	1.94	3.03	2.74	2.96	2.01	1.30	1.03	.76	.38	18.17
088	HALSEY 2 W	.55	.74	1.41	2.61	3.51	3.81	3.02	3.06	1.69	1.27	1.09	.51	23.27
089	HARBINE 1 WSW	.59	.60	2.18	2.61	4.61	3.94	4.55	3.95	3.11	1.93	1.73	.88	30.68
090	HARDY	.67	.74	2.25	2.68	4.34	3.58	3.44	3.02	2.58	1.98	1.69	.89	27.86
091	HARLAN COUNTY LAKE	.38	.47	1.84	2.06	4.16	3.15	3.79	3.15	2.20	1.41	1.02	.40	24.03
092	HARRISBURG 12 WNW	.40	.45	1.07	1.63	2.58	2.23	2.02	1.42	1.26	.99	.62	.38	15.05
093	HARRISON	.43	.41	1.11	2.20	3.54	2.41	1.94	1.35	1.52	1.28	.65	.45	17.29
094	HARTINGTON	.49	.60	2.12	2.71	3.80	4.16	3.17	2.78	2.37	1.96	1.47	.62	26.25
095	HASTINGS 4 N	.55	.67	2.08	2.87	4.59	3.59	3.81	3.18	2.74	1.67	1.46	.73	27.94
096	HAYES CENTER	.51	.60	1.56	2.18	3.16	3.38	3.22	2.63	1.48	1.45	.93	.49	21.59
097	HAY SPRINGS	.52	.57	1.34	2.48	3.13	2.72	2.97	1.99	1.46	1.30	.80	.52	19.80
098	HAY SPRINGS 12 S	.31	.31	.83	1.87	2.98	2.88	2.56	1.98	1.40	1.05	.49	.29	16.95
099	HEBRON	.76	.72	2.32	2.64	4.46	3.91	4.10	3.48	2.77	2.00	1.61	.93	29.70
100	HEMINGFORD	.42	.42	1.06	1.83	3.46	2.52	2.36	1.67	1.37	1.03	.58	.37	17.09
101	HERSHEY 5 SSE	.50	.43	1.16	1.87	3.25	3.11	3.02	2.19	1.36	1.35	.73	.38	19.35
102	HICKMAN	.71	.77	2.53	3.12	4.64	3.98	4.26	3.69	3.12	2.45	1.82	.95	32.04
103	HOLDREGE	.52	.51	2.08	2.28	4.40	3.65	4.12	3.23	1.99	1.44	1.30	.49	26.01
104	HOMER 3 NE	.69	.59	2.11	2.98	3.84	3.67	3.19	3.22	2.35	1.91	1.45	.69	26.69
105	HOWELLS	.50	.60	2.02	2.67	4.11	4.77	3.55	3.32	2.54	2.19	1.53	.67	28.47
106	HUBBELL	.70	.80	2.33	2.56	4.22	3.91	3.96	3.39	2.89	2.06	1.74	.97	29.53
107	HYANNIS	.37	.47	1.28	1.91	3.30	2.96	3.10	2.16	1.49	1.29	.74	.33	19.40
108	IMPERIAL MUNICIPAL AP	.52	.53	1.42	1.94	3.25	3.02	2.83	2.56	1.34	1.24	.77	.43	19.85
109	KEARNEY 4 NE	.54	.61	2.05	2.43	4.12	3.72	3.43	2.90	2.03	1.54	1.22	.61	25.20
110	KIMBALL 2 N	.41	.32	1.15	1.53	2.86	2.61	2.84	1.91	1.43	.97	.62	.76	17.41
111	KINGSLEY DAM	.49	.58	1.46	1.87	3.36	3.07	2.59	1.87	1.50	1.06	.82	.41	19.08
112	LAMAR 3 SSE	.33	.28	.96	1.62	3.27	2.44	2.71	2.25	1.07	.96	.47	.27	16.63
113	LAUREL	.56	.69	2.13	3.01	4.05	4.37	3.02	2.82	2.51	2.08	1.58	.77	27.59
114	LINCOLN AP	.67	.66	2.21	2.90	4.23	3.51	3.54	3.35	2.92	1.94	1.58	.86	28.37
115	LINCOLN	.59	.69	2.27	2.87	4.52	3.95	3.97	3.56	2.75	2.12	1.57	.85	29.71
116	LISCO	.43	.45	1.25	1.61	3.15	2.78	2.16	1.62	1.50	1.08	.67	.45	17.15
117	LODGEPOLE	.40	.48	1.36	1.89	3.22	2.87	2.53	2.15	1.43	.97	.74	.42	18.46
118	LOUP CITY	.58	.70	2.28	2.94	3.93	3.83	3.64	2.70	2.28	1.52	1.55	.74	26.69
119	LOUP CITY 6 NNE	.52	.70	1.96	2.75	3.81	3.77	3.45	2.89	2.57	1.55	1.45	.66	26.08
120	LYMAN	.42	.46	1.00	1.89	2.71	2.43	1.86	1.01	1.57	1.05	.67	.44	15.51
121	LYNCH	.45	.63	1.68	2.74	3.70	3.16	3.24	2.64	2.33	1.85	1.12	.56	24.10
122	LYONS	.63	.70	2.20	3.24	4.42	4.35	3.82	3.06	2.90	2.22	1.60	.85	29.99
123	MADISON 2 W	.51	.64	2.02	2.62	4.12	4.19	3.75	3.18	2.23	1.85	1.46	.62	27.19
124	MADRID	.46	.52	1.40	1.86	3.39	3.36	3.14	2.53	1.35	1.23	.81	.38	20.43
125	MALCOLM	.69	.64	2.35	2.94	4.62	3.78	3.65	3.64	2.70	2.04	1.78	.89	29.72
126	MASON CITY	.53	.60	1.97	2.52	3.88	3.92	3.46	2.86	2.15	1.55	1.30	.60	25.34
127	MCCOOK	.50	.64	1.41	2.22	3.26	3.22	3.30	2.80	1.37	1.28	1.09	.53	21.62
128	MCCOOK 17 NNW	.33	.46	1.27	2.20	3.31	3.34	2.87	2.63	1.40	1.43	.71	.25	20.20
129	MCCOOL JUNCTION	.51	.45	2.07	2.76	4.54	3.96	3.26	3.19	2.58	1.84	1.43	.67	27.26
130	MEAD 6 S	.48	.51	1.85	2.74	4.19	3.96	3.31	3.36	2.88	2.15	1.59	.70	27.72
131	MEADOW GROVE	.54	.73	2.03	2.71	3.80	3.98	3.55	3.04	2.40	1.83	1.42	.63	26.66
132	MEDICINE CREEK DAM	.39	.54	1.44	2.02	3.38	3.66	3.17	2.67	1.46	1.27	1.08	.41	21.49
133	MERRIMAN	.35	.46	1.01	1.93	2.98	3.27	2.86	1.89	1.59	1.22	.68	.31	18.55
134	MILLER	.34	.43	1.53	1.86	3.71	3.73	3.08	2.60	1.59	.96	.87	.46	21.16
135	MINDEN	.44	.51	2.03	2.18	4.12	3.42	3.95	3.18	2.22	1.53	1.32	.51	25.41
136	MITCHELL 5 E	.28	.27	.66	1.34	2.79	2.38	1.88	1.11	1.10	.73	.44	.24	13.22
137	MOOREFIELD	.39	.41	1.40	2.08	3.43	3.25	3.10	2.43	1.58	1.32	.75	.39	20.53
138	MULLEN	.39	.51	1.44	2.25	3.35	3.16	3.57	2.62	1.57	1.09	1.02	.45	21.42



NEBRASKA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
139	MULLEN 21 NW	.62	.62	1.59	2.55	3.59	3.39	3.24	2.36	1.79	1.54	1.24	.60	23.13
140	NAPONEE	.49	.61	1.91	2.08	4.21	3.40	3.52	3.24	2.18	1.39	1.18	.53	24.74
141	NEBRASKA CITY	.87	1.01	2.44	3.45	4.30	3.93	5.14	3.58	3.38	2.55	1.95	1.29	33.89
142	NELIGH	.50	.65	1.72	2.41	3.85	3.84	3.34	2.89	2.13	1.89	1.29	.58	25.09
143	NELSON	.70	.71	2.04	2.76	4.28	3.39	3.90	3.10	2.74	1.95	1.63	.82	28.02
144	NEWCASTLE 4 SW	.48	.66	2.12	3.10	3.96	4.01	2.97	2.93	2.49	2.05	1.60	.66	27.03
145	NEWPORT	.52	.75	1.64	2.38	3.88	3.66	3.69	2.25	2.63	1.80	1.21	.63	25.04
146	NIOBRARA	.35	.53	1.47	2.56	3.62	3.23	3.21	2.57	2.17	1.71	1.02	.37	22.81
147	NORFOLK AP	.57	.76	1.97	2.59	3.92	4.25	3.74	2.80	2.25	1.72	1.44	.65	26.66
148	NORTH LOUP ORD	.48	.62	1.88	2.57	3.62	3.74	3.44	3.07	2.28	1.51	1.30	.59	25.10
149	NORTH PLATTE RGNL AP	.39	.51	1.24	1.97	3.34	3.17	3.17	2.15	1.32	1.24	.76	.40	19.66
150	NORTH PLATTE EXP FARM	.36	.51	1.17	1.93	3.47	3.26	2.92	2.23	1.52	1.38	.77	.37	19.89
151	OAKDALE	.49	.66	1.81	2.65	3.90	4.05	3.42	2.92	2.17	1.76	1.33	.62	25.78
152	OCONTO	.55	.45	1.59	2.11	3.68	3.44	3.16	2.48	1.80	1.38	.99	.47	22.10
153	OGALLALA	.49	.39	1.43	1.94	3.47	2.69	2.76	2.03	1.27	1.02	.77	.48	18.74
154	OMAHA EPPLEY AP	.77	.80	2.13	2.94	4.44	3.95	3.86	3.21	3.17	2.21	1.82	.92	30.22
155	OMAHA 9 NW	.76	.77	2.25	3.07	4.57	3.84	3.75	2.93	3.03	2.49	1.67	.95	30.08
156	O NEILL	.50	.54	1.69	2.38	3.75	3.39	3.51	2.49	2.24	1.77	1.17	.56	23.99
157	ORCHARD 1 NW	.53	.71	1.66	2.81	3.88	3.26	2.98	3.49	2.42	2.00	1.09	.56	25.39
158	ORD 2	.49	.65	1.72	2.51	3.78	3.34	2.91	3.08	2.09	1.80	1.34	.58	24.29
159	ORLEANS 2 W	.48	.62	1.70	1.96	3.79	3.14	3.56	3.11	2.02	1.39	1.09	.49	23.35
160	OSCEOLA	.63	.67	2.25	3.04	4.60	4.05	3.41	3.12	2.60	1.89	1.72	.82	28.80
161	OSHKOSH	.25	.35	1.08	1.79	3.11	2.57	2.67	1.74	1.51	1.02	.63	.33	17.05
162	OSHKOSH 8 SW	.37	.43	1.28	1.96	3.33	2.94	2.90	2.06	1.46	1.06	.80	.41	19.00
163	OSMOND	.44	.77	1.83	2.73	3.77	3.85	3.22	2.88	2.32	1.66	1.39	.52	25.38
164	OVERTON 3 W	.45	.68	1.59	2.18	4.05	3.42	3.57	3.16	2.03	1.62	.95	.48	24.18
165	PALISADE	.46	.50	1.26	2.12	3.48	3.65	3.45	2.56	1.67	1.26	.84	.44	21.69
166	PAWNEE CITY	.78	.88	2.34	2.83	4.06	4.27	4.29	3.79	3.73	2.28	1.85	1.05	32.15
167	PAXTON	.38	.42	1.23	1.80	3.23	2.84	2.77	2.13	1.43	1.24	.75	.27	18.49
168	PILGER	.53	.67	1.96	2.78	4.09	3.87	3.56	3.07	2.49	1.86	1.36	.76	27.00
169	PLAINVIEW	.96	1.00	2.44	3.09	3.84	3.56	2.88	3.10	2.22	2.04	1.87	1.11	28.11
170	PLATTSMOUTH 1 E	.68	.80	2.20	3.11	4.45	4.54	4.02	3.51	2.92	2.17	1.76	.88	31.04
171	POLK	.68	.66	2.28	2.99	4.77	3.73	3.87	3.04	2.52	1.80	1.49	.74	28.57
172	POTTER	.32	.38	1.17	1.49	2.74	2.65	2.47	1.97	1.33	.96	.63	.40	16.51
173	PURDUM	.45	.68	1.45	2.31	3.87	3.18	3.11	2.37	2.02	1.32	1.11	.45	22.32
174	RAGAN	.41	.49	1.85	2.12	4.05	3.04	3.56	3.07	2.04	1.41	1.17	.46	23.67
175	RANDOLPH 6 SSW	.45	.57	1.82	2.79	3.89	3.58	2.90	2.51	2.33	2.09	1.38	.62	24.93
176	RAVENNA	.51	.57	2.10	2.66	4.13	4.22	3.45	2.85	2.07	1.55	1.43	.61	26.15
177	RAYMOND 2 NE	.70	.64	2.17	2.91	4.76	3.74	3.97	3.72	2.84	2.17	1.60	.76	29.98
178	RED CLOUD	.52	.55	2.00	2.26	4.24	3.33	3.94	3.29	2.44	1.69	1.44	.63	26.33
179	RED WILLOW DAM	.35	.47	1.18	1.99	3.10	3.35	2.91	2.73	1.31	1.27	.84	.45	19.95
180	ROCA	.78	.79	2.56	3.04	4.41	4.01	4.27	3.33	3.14	2.43	1.77	.96	31.49
181	ROSE 10 WNW	.53	.68	1.23	2.11	3.70	3.43	3.33	2.45	1.77	1.40	1.05	.46	22.14
182	RUSHVILLE	.37	.42	1.07	2.09	2.87	2.96	2.66	1.89	1.36	1.14	.68	.39	17.90
183	SAINT PAUL 4 N	.42	.59	1.97	2.53	4.15	3.72	3.24	2.66	2.42	1.53	1.26	.54	25.03
184	SCHUYLER	.59	.69	2.05	2.71	4.11	4.23	3.51	3.57	2.77	1.87	1.53	.70	28.33
185	SCOTTSBLUFF AP	.54	.58	1.16	1.79	2.70	2.65	2.13	1.19	1.22	1.01	.80	.56	16.33
186	SEWARD	.62	.54	2.08	2.66	4.52	3.73	3.49	3.34	2.70	2.02	1.57	.71	27.98
187	SIDNEY 6 NNW	.29	.35	.99	1.49	2.89	2.74	2.26	1.89	1.29	.84	.58	.23	15.84
188	SIDNEY 3 S	.44	.39	1.57	2.19	3.39	3.00	2.55	2.25	1.07	.78	.65	.50	18.78
189	SPENCER 5 SSE	.32	.47	1.47	2.46	3.54	3.01	3.04	2.60	2.21	1.80	1.00	.40	22.32
190	SPRAGUE	.60	.50	2.29	2.87	4.38	3.49	4.20	2.81	2.96	2.11	1.69	.75	28.65
191	SPRINGVIEW	.35	.51	1.35	2.17	3.88	3.64	3.41	2.33	2.41	1.48	.80	.34	22.67
192	STANTON	.57	.74	2.16	2.94	4.56	4.31	3.91	3.00	2.40	1.88	1.59	.76	28.82
193	STAPLEHURST	.71	.67	2.30	2.98	4.32	3.96	3.31	3.64	2.64	2.11	1.48	.72	28.84
194	STAPLETON 5 W	.49	.48	1.57	2.05	3.56	4.16	2.83	2.03	1.32	1.69	.88	.26	21.32
195	STERLING	.75	.98	2.45	2.86	4.47	3.14	4.50	3.60	3.17	2.13	1.82	1.05	30.92
196	STOCKVILLE	.45	.55	1.32	2.14	3.42	3.50	3.08	2.74	1.44	1.33	.94	.31	21.22
197	STRATTON	.53	.43	1.32	1.91	3.40	3.23	3.10	2.24	1.48	1.19	.82	.45	20.10
198	SUPERIOR	.68	.74	2.28	2.68	4.36	3.40	3.62	3.10	2.59	1.99	1.71	.91	28.06
199	SURPRISE	.70	.55	2.28	2.56	4.36	4.02	3.26	2.99	2.63	1.77	1.56	.73	27.41
200	SYRACUSE	.71	.80	2.35	2.86	4.41	3.46	4.47	3.41	3.20	2.35	1.81	.85	30.68
201	TABLE ROCK 4 N	.86	.97	2.62	2.94	4.09	4.05	4.82	3.65	3.73	2.29	2.02	1.03	33.07
202	TAYLOR	.52	.64	1.66	2.47	3.79	3.64	3.30	2.90	2.17	1.59	1.37	.63	24.68
203	TECUMSEH	.89	1.03	2.68	2.88	4.43	3.56	4.64	3.60	3.33	2.25	2.02	1.10	32.41
204	TEKAMAH	.76	.71	2.22	3.08	4.22	3.86	3.47	3.51	3.28	2.32	1.58	.83	29.84
205	TRENTON DAM	.52	.52	1.42	2.04	3.44	3.17	3.32	2.52	1.52	1.28	1.04	.47	21.26
206	TRYON	.32	.36	.92	1.91	3.41	3.19	3.50	2.14	2.13	1.15	.68	.27	19.98



NEBRASKA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
207	ULYSSES	.56	.55	2.11	2.83	4.47	3.78	3.53	3.30	2.93	1.90	1.32	.60	27.88
208	UPLAND 4 NE	.46	.60	2.25	2.39	4.19	3.17	3.75	3.03	2.26	1.59	1.47	.62	25.78
209	UTICA	.60	.56	2.16	2.42	4.61	3.65	3.89	2.98	2.61	1.78	1.57	.76	27.59
210	VALENTINE LKS GAME REF	.38	.49	1.23	2.36	3.62	3.15	3.97	2.52	1.83	1.45	1.00	.47	22.47
211	VALENTINE MILLER AP	.30	.48	1.11	1.97	3.20	3.01	3.37	2.20	1.61	1.22	.72	.33	19.52
212	VALPARAISO	.56	.59	2.15	2.65	4.20	3.72	3.71	3.50	2.77	2.20	1.53	.67	28.25
213	VIRGINIA	.83	.89	2.63	2.89	4.57	4.02	4.58	3.51	3.37	2.22	1.96	1.08	32.55
214	WAHOO	.70	.82	2.62	3.47	5.02	4.38	3.75	4.30	3.52	2.60	1.95	.92	34.05
215	WAKEFIELD	.68	.83	2.35	3.06	4.08	4.14	3.35	2.77	2.61	2.13	1.81	.84	28.65
216	WALLACE 2 W	.32	.43	1.15	1.67	3.34	3.06	2.84	2.44	1.33	1.21	.63	.35	18.77
217	WALTHILL	.63	.76	2.19	3.05	4.12	4.22	3.72	3.05	2.69	2.12	1.51	.77	28.83
218	WATERLOO	.77	.75	2.03	2.85	4.34	3.91	3.54	3.52	3.14	2.44	1.77	1.04	30.10
219	WAUNETA 3 NW	.42	.44	1.37	1.86	3.20	3.20	2.87	2.38	1.33	1.17	.77	.36	19.37
220	WAYNE	.50	.68	2.00	2.89	4.19	4.05	2.99	2.69	2.36	1.85	1.48	.63	26.31
221	WEEPING WATER	.87	.91	2.38	3.17	4.86	4.36	4.59	3.86	3.24	2.54	1.84	1.05	33.67
222	WELLFLEET	.44	.60	1.44	2.29	3.51	3.58	2.87	2.67	1.63	1.30	.96	.45	21.74
223	WESTERN	.60	.79	2.16	2.88	4.50	3.54	3.94	3.41	2.82	2.05	1.54	.86	29.09
224	WEST POINT	.63	.78	2.25	3.01	4.36	4.44	3.63	3.54	2.61	2.11	1.67	.85	29.88
225	WILSONVILLE	.47	.52	1.54	2.10	3.88	3.39	3.36	2.80	1.74	1.40	1.24	.49	22.93
226	WINSIDE	.62	.78	2.28	2.90	4.52	4.00	3.43	2.76	2.60	1.93	1.44	.79	28.05
227	WYMORE	.86	.73	2.54	2.85	4.32	4.31	4.46	3.39	3.44	2.20	1.86	1.01	31.97



NEBRASKA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AGATE 3 E	HDD	1320	1037	902	618	330	105	14	26	209	572	983	1287	7403
		CDD	0	0	0	0	4	75	176	143	26	0	0	0	424
002	AINSWORTH	HDD	1296	1015	857	506	207	39	7	14	114	412	882	1201	6550
		CDD	0	0	0	3	30	161	305	264	77	0	0	0	840
003	ALBION 1 N	HDD	1396	1115	915	533	226	38	8	24	140	474	924	1294	7087
		CDD	0	0	0	2	39	158	278	219	48	0	0	0	744
004	ALLIANCE 1 WNW	HDD	1261	996	887	573	282	63	6	20	167	490	899	1179	6823
		CDD	0	0	0	0	19	132	277	230	61	0	0	0	719
005	ANSELMO 2 SE	HDD	1360	1075	912	561	252	60	7	26	165	503	952	1276	7149
		CDD	0	0	0	0	24	139	262	208	50	0	0	0	683
007	ARNOLD	HDD	1351	1075	903	541	238	51	7	29	155	504	947	1289	7090
		CDD	0	0	0	0	20	140	277	218	54	0	0	0	709
008	ARTHUR	HDD	1300	1015	879	549	264	68	5	21	160	503	923	1219	6906
		CDD	0	0	0	0	23	129	261	220	56	0	0	0	689
009	ASHLAND 2	HDD	1352	1063	827	435	176	16	1	15	85	376	817	1216	6379
		CDD	0	0	0	6	76	233	370	310	97	3	0	0	1095
010	ATKINSON	HDD	1361	1056	880	508	216	38	9	18	127	445	916	1266	6840
		CDD	0	0	0	3	37	156	289	251	69	1	0	0	806
012	AUBURN 5 ESE	HDD	1276	979	733	366	129	8	0	8	65	304	748	1152	5768
		CDD	0	0	0	10	96	274	403	347	142	9	0	0	1281
013	AURORA	HDD	1328	1039	843	462	187	25	1	14	95	397	849	1220	6460
		CDD	0	0	0	4	61	209	326	271	80	1	0	0	952
015	BARTLETT 4 S	HDD	1361	1092	915	526	228	41	7	20	127	438	900	1271	6926
		CDD	0	0	0	3	42	170	300	241	70	0	0	0	826
016	BEATRICE 1 N	HDD	1306	1020	789	426	166	17	0	12	82	361	793	1179	6151
		CDD	0	0	0	4	64	234	382	321	114	5	0	0	1124
017	BEAVER CITY	HDD	1180	900	706	382	160	21	0	6	53	304	773	1096	5581
		CDD	0	0	0	6	69	245	407	365	134	4	0	0	1230
019	BENKELMAN	HDD	1212	934	785	468	203	31	1	9	108	407	828	1126	6112
		CDD	0	0	0	3	39	197	352	294	96	1	0	0	982
023	BIG SPRINGS	HDD	1205	917	772	476	214	48	4	12	126	439	834	1137	6184
		CDD	0	0	0	1	36	148	285	248	70	0	0	0	788
024	BLAIR	HDD	1350	1071	831	445	175	18	6	17	100	386	830	1226	6455
		CDD	0	0	0	7	70	207	333	264	79	2	0	0	962
029	BREWSTER	HDD	1389	1108	941	580	285	71	8	36	176	517	967	1292	7370
		CDD	0	0	0	0	22	123	247	210	46	0	0	0	648
030	BRIDGEPORT	HDD	1182	904	765	480	205	34	1	8	105	416	834	1121	6055
		CDD	0	0	0	1	33	168	325	276	81	0	0	0	884
031	BROKEN BOW 2 W	HDD	1368	1085	929	585	277	67	11	27	172	504	957	1277	7259
		CDD	0	0	0	0	19	123	246	189	43	0	0	0	620
032	BROWNLEE	HDD	1328	1064	942	610	305	76	12	33	217	529	942	1238	7296
		CDD	0	0	0	0	14	108	220	175	32	0	0	0	549
034	BURWELL	HDD	1380	1093	911	535	222	41	7	21	144	479	943	1295	7071
		CDD	0	0	0	1	31	156	292	228	58	0	0	0	766
035	BUTTE	HDD	1427	1133	939	545	219	43	8	19	138	471	948	1328	7218
		CDD	0	0	0	2	32	158	306	244	64	0	0	0	806
036	CAMBRIDGE	HDD	1222	952	784	452	177	25	1	10	94	394	830	1140	6081
		CDD	0	0	0	2	38	206	353	293	90	1	0	0	983
037	CANADAY STEAM PLANT	HDD	1278	1001	830	476	203	34	3	14	113	415	855	1182	6404
		CDD	0	0	0	2	42	185	311	258	77	1	0	0	876
038	CENTRAL CITY	HDD	1244	961	756	391	141	14	1	12	68	317	785	1144	5834
		CDD	0	0	0	8	71	239	354	310	114	4	0	0	1100
039	CHADRON 1 SSW	HDD	1310	1034	895	574	276	66	8	13	170	501	938	1236	7021
		CDD	0	0	0	0	20	132	289	259	70	0	0	0	770
040	CHAMBERS	HDD	1399	1109	923	540	247	56	13	31	155	483	931	1290	7177
		CDD	0	0	0	1	24	135	249	214	57	0	0	0	680
041	CLARKSON	HDD	1426	1114	901	494	198	26	5	19	123	462	918	1314	7000
		CDD	0	0	0	4	54	189	309	242	63	1	0	0	862
043	CLAY CENTER	HDD	1309	1017	828	468	187	28	1	16	89	382	832	1190	6347
		CDD	0	0	0	4	56	211	342	281	89	2	0	0	985
044	COLUMBUS 3 NE	HDD	1342	1044	814	428	155	19	2	13	100	390	865	1239	6411
		CDD	0	0	0	8	73	243	363	304	109	2	0	0	1102
045	COMSTOCK	HDD	1375	1088	907	549	247	54	6	22	147	488	923	1273	7079
		CDD	0	0	0	0	26	147	285	234	55	0	0	0	747
046	CRAWFORD	HDD	1203	953	843	540	265	69	7	12	151	472	874	1165	6554
		CDD	0	0	0	0	17	116	248	215	52	0	0	0	648
047	CREIGHTON	HDD	1354	1039	830	448	164	23	4	14	96	387	875	1251	6485
		CDD	0	0	0	8	55	213	340	287	94	3	0	0	1000



NEBRASKA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
048	CRESCENT LAKE NAT WLR	HDD	1214	939	800	499	231	52	3	13	132	434	840	1137	6294
		CDD	0	0	0	0	24	136	282	241	67	0	0	0	750
049	CRETE	HDD	1254	965	744	389	143	14	0	11	65	313	769	1144	5811
		CDD	0	0	0	7	65	237	361	316	114	6	0	0	1106
050	CROFTON	HDD	1430	1129	917	518	213	35	9	17	115	439	919	1316	7057
		CDD	0	0	0	3	45	173	314	257	71	1	0	0	864
051	CULBERTSON	HDD	1235	953	799	478	204	35	1	9	101	407	843	1149	6214
		CDD	0	0	0	1	34	192	346	300	94	1	0	0	968
052	CURTIS 3 NNE	HDD	1285	1006	843	500	220	40	5	14	130	450	902	1214	6609
		CDD	0	0	0	1	32	174	322	262	72	0	0	0	863
053	DALTON	HDD	1167	917	823	543	281	71	3	22	170	489	872	1117	6475
		CDD	0	0	0	0	14	109	230	189	47	0	0	0	589
054	DAVID CITY	HDD	1333	1029	796	409	161	20	4	14	75	348	826	1222	6237
		CDD	0	0	0	10	72	230	351	309	104	3	0	0	1079
057	ELGIN	HDD	1405	1118	941	552	221	41	8	25	141	461	933	1312	7158
		CDD	0	0	0	1	39	154	279	213	52	0	0	0	738
060	ELLSWORTH 15 NNE	HDD	1367	1083	949	625	323	89	12	28	197	549	978	1280	7480
		CDD	0	0	0	0	10	89	215	186	45	0	0	0	545
061	ELSMERE 9 ENE	HDD	1304	1030	862	526	221	45	4	20	140	446	903	1217	6718
		CDD	0	0	0	1	26	147	291	238	65	0	0	0	768
065	ENDERS LAKE	HDD	1254	974	840	514	236	41	4	13	129	457	865	1172	6499
		CDD	0	0	0	1	28	156	311	257	78	0	0	0	831
066	ERICSON 6 WNW	HDD	1389	1097	914	557	246	54	8	22	148	476	927	1282	7120
		CDD	0	0	0	1	27	146	269	217	55	0	0	0	715
068	EWING	HDD	1360	1057	856	475	189	31	8	14	107	417	894	1262	6670
		CDD	0	0	0	5	46	178	308	262	69	0	0	0	868
069	FAIRBURY	HDD	1267	998	770	419	166	20	0	12	71	339	778	1141	5981
		CDD	0	0	0	5	67	234	390	331	113	5	0	0	1145
070	FAIRMONT	HDD	1320	1032	828	460	171	22	1	18	86	370	830	1200	6338
		CDD	0	0	0	3	61	222	357	293	102	3	0	0	1041
071	FALLS CITY 2 NE	HDD	1268	974	740	381	129	10	0	8	73	319	752	1141	5795
		CDD	0	0	0	10	98	277	413	340	135	9	0	0	1282
073	FRANKLIN	HDD	1272	994	795	437	177	27	1	12	90	388	835	1175	6203
		CDD	0	0	0	4	55	222	372	309	90	1	0	0	1053
074	FRANKLIN #2	HDD	1268	976	789	442	187	29	1	11	96	392	820	1154	6165
		CDD	0	0	0	3	45	207	359	294	85	1	0	0	994
075	FREMONT	HDD	1362	1067	837	440	151	13	0	13	90	390	835	1246	6444
		CDD	0	0	0	5	70	226	347	268	85	3	0	0	1004
078	GAVINS POINT DAM	HDD	1483	1169	956	534	222	46	13	20	141	467	934	1350	7335
		CDD	0	0	0	6	44	161	296	243	73	1	0	0	824
079	GENEVA	HDD	1267	979	777	416	173	20	1	14	86	350	800	1160	6043
		CDD	0	0	0	5	67	207	331	285	101	3	0	0	999
080	GENOA 2 W	HDD	1323	1031	820	439	175	20	5	16	95	394	855	1227	6400
		CDD	0	0	0	6	59	198	312	268	84	2	0	0	929
081	GORDON 6 N	HDD	1380	1090	965	642	327	97	17	37	215	553	992	1296	7611
		CDD	0	0	0	0	12	101	226	197	51	0	0	0	587
082	GOTHENBURG	HDD	1252	971	801	467	192	32	2	13	113	422	866	1172	6303
		CDD	0	0	0	4	40	190	325	275	79	1	0	0	914
083	GRAND ISLAND CTR NE AP	HDD*	1310	1031	819	452	175	23	3	7	114	401	843	1207	6385
		CDD*	0	0	1	11	48	218	349	285	107	8	0	0	1027
084	GREELEY	HDD	1387	1086	905	525	229	48	9	24	136	470	928	1286	7033
		CDD	0	0	0	4	35	169	287	229	57	0	0	0	781
088	HALSEY 2 W	HDD	1382	1084	931	572	262	66	8	24	168	514	984	1302	7297
		CDD	0	0	0	0	22	119	244	197	40	0	0	0	622
091	HARLAN COUNTY LAKE	HDD	1271	995	798	444	189	35	1	14	90	379	823	1163	6202
		CDD	0	0	0	2	45	211	361	304	90	1	0	0	1014
092	HARRISBURG 12 WNW	HDD	1239	985	897	621	342	98	14	36	220	569	934	1188	7143
		CDD	0	0	0	0	7	73	176	151	31	0	0	0	438
093	HARRISON	HDD	1368	1084	970	677	388	128	25	42	241	610	1024	1305	7862
		CDD	0	0	0	0	5	69	185	157	29	0	0	0	445
094	HARTINGTON	HDD	1400	1084	869	470	178	23	6	17	104	401	908	1290	6750
		CDD	0	0	0	6	54	190	317	272	88	2	0	0	929
095	HASTINGS 4 N	HDD	1285	992	802	440	170	23	1	11	90	376	833	1188	6211
		CDD	0	0	0	6	60	222	343	286	93	1	0	0	1011
096	HAYES CENTER	HDD	1214	947	819	500	229	42	2	13	122	412	832	1131	6263
		CDD	0	0	0	1	32	163	306	257	78	1	0	0	838
097	HAY SPRINGS	HDD	1330	1053	931	625	312	94	19	25	191	543	969	1259	7351
		CDD	0	0	0	0	10	100	226	186	42	0	0	0	564



NEBRASKA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
098	HAY SPRINGS 12 S	HDD	1369	1089	945	633	314	86	12	29	199	564	1012	1304	7556
		CDD	0	0	0	0	10	93	210	169	37	0	0	0	519
099	HEBRON	HDD	1294	1023	805	456	190	24	1	17	88	372	811	1171	6252
		CDD	0	0	0	4	57	213	360	302	96	2	0	0	1034
100	HEMINGFORD	HDD	1256	995	901	613	329	88	13	28	187	507	913	1185	7015
		CDD	0	0	0	0	12	94	227	195	55	0	0	0	583
101	HERSHEY 5 SSE	HDD	1283	998	861	541	246	54	5	23	153	443	882	1196	6685
		CDD	0	0	0	0	21	141	272	231	61	0	0	0	726
103	HOLDREGE	HDD	1293	1014	850	489	209	35	1	17	107	408	864	1195	6482
		CDD	0	0	0	2	43	187	309	260	78	1	0	0	880
107	HYANNIS	HDD	1321	1056	939	617	296	83	9	36	207	556	984	1250	7354
		CDD	0	0	0	0	12	101	217	165	34	0	0	0	529
108	IMPERIAL MUNICIPAL AP	HDD	1242	971	844	525	219	35	1	13	117	442	886	1177	6472
		CDD	0	0	0	1	30	163	314	249	73	0	0	0	830
109	KEARNEY 4 NE	HDD	1321	1048	869	506	217	40	4	21	113	423	875	1215	6652
		CDD	0	0	0	2	37	185	306	253	68	1	0	0	852
110	KIMBALL 2 N	HDD	1229	982	888	602	317	83	5	20	184	530	919	1178	6937
		CDD	0	0	0	0	11	100	224	179	39	0	0	0	553
111	KINGSLEY DAM	HDD	1240	973	825	486	206	30	1	8	95	379	828	1144	6215
		CDD	0	0	0	2	39	183	362	307	98	1	0	0	992
114	LINCOLN AP	HDD*	1328	1043	799	425	154	16	1	5	100	377	806	1188	6242
		CDD*	0	0	1	13	56	244	390	315	123	12	0	0	1154
115	LINCOLN	HDD	1297	1019	802	425	164	21	1	14	74	343	787	1172	6119
		CDD	0	0	0	4	70	244	382	323	108	5	0	0	1136
117	LODGEPOLE	HDD	1153	885	760	471	207	40	1	8	98	394	831	1103	5951
		CDD	0	0	0	1	32	176	345	294	84	0	0	0	932
118	LOUP CITY	HDD	1351	1055	882	524	225	42	6	22	153	471	914	1250	6895
		CDD	0	0	0	2	37	166	291	234	54	1	0	0	785
121	LYNCH	HDD	1443	1137	929	556	230	45	10	17	137	488	949	1326	7267
		CDD	0	0	0	1	28	153	315	259	57	1	0	0	814
123	MADISON 2 W	HDD	1419	1125	925	536	219	37	5	21	139	463	924	1295	7108
		CDD	0	0	0	2	43	175	288	223	58	1	0	0	790
124	MADRID	HDD	1279	994	864	544	238	44	2	14	127	465	922	1217	6710
		CDD	0	0	0	0	27	158	306	243	62	0	0	0	796
126	MASON CITY	HDD	1330	1051	863	520	231	45	5	20	125	456	895	1227	6768
		CDD	0	0	0	1	30	159	295	244	66	0	0	0	795
127	MCCOOK	HDD	1199	930	775	442	188	30	1	9	92	376	810	1115	5967
		CDD	0	0	0	4	47	214	362	308	101	1	0	0	1037
130	MEAD 6 S	HDD	1390	1081	845	453	180	21	4	19	98	397	836	1246	6570
		CDD	0	0	0	6	66	218	338	271	87	2	0	0	988
132	MEDICINE CREEK DAM	HDD	1265	1000	837	499	217	39	3	15	114	416	854	1165	6424
		CDD	0	0	0	1	33	177	319	268	79	1	0	0	878
133	MERRIMAN	HDD	1323	1038	893	561	261	70	12	24	163	482	930	1229	6986
		CDD	0	0	0	1	27	131	272	237	77	0	0	0	745
135	MINDEN	HDD	1299	1010	833	472	177	24	1	16	96	393	862	1215	6398
		CDD	0	0	0	2	46	204	351	278	82	1	0	0	964
136	MITCHELL 5 E	HDD	1227	968	845	555	269	58	6	24	179	502	904	1176	6713
		CDD	0	0	0	1	25	139	246	191	53	0	0	0	655
138	MULLEN	HDD	1268	995	850	516	222	43	2	12	131	452	903	1197	6591
		CDD	0	0	0	1	28	147	285	244	57	0	0	0	762
139	MULLEN 21 NW	HDD	1281	1006	892	566	281	77	9	17	160	491	904	1190	6874
		CDD	0	0	0	0	18	127	254	222	53	0	0	0	674
141	NEBRASKA CITY	HDD	1298	1009	781	413	161	15	0	11	75	336	763	1161	6023
		CDD	0	0	0	6	74	228	358	305	112	5	0	0	1088
145	NEWPORT	HDD	1364	1068	896	531	224	45	7	16	126	457	913	1258	6905
		CDD	0	0	0	2	32	161	308	267	70	0	0	0	840
146	NIOBRARA	HDD	1373	1062	850	457	182	32	6	10	109	403	893	1269	6646
		CDD	0	0	0	6	63	202	338	293	100	2	0	0	1004
147	NORFOLK AP	HDD*	1388	1096	872	478	180	28	4	11	130	432	881	1266	6766
		CDD*	0	0	0	11	48	197	322	261	93	7	0	0	939
148	NORTH LOUP ORD	HDD	1318	1023	830	462	191	30	5	16	108	417	884	1230	6514
		CDD	0	0	0	3	42	180	294	247	65	1	0	0	832
149	NORTH PLATTE RGNL AP	HDD*	1312	1013	853	519	240	46	6	14	158	481	902	1222	6766
		CDD*	0	0	0	4	22	139	279	234	70	2	0	0	750
150	NORTH PLATTE EXP FARM	HDD	1305	1016	859	519	246	51	6	17	137	452	890	1205	6703
		CDD	0	0	0	1	25	149	295	250	73	0	0	0	793
151	OAKDALE	HDD	1409	1113	908	520	223	42	9	21	144	473	919	1295	7076
		CDD	0	0	0	3	37	158	281	229	54	0	0	0	762



NEBRASKA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
152	OCONTO	HDD	1340	1058	906	560	259	54	11	25	154	471	930	1253	7021
		CDD	0	0	0	0	21	124	258	206	58	0	0	0	667
153	OGALLALA	HDD	1271	984	856	542	257	47	3	12	147	465	889	1199	6672
		CDD	0	0	0	1	26	152	315	271	76	0	0	0	841
154	OMAHA EPPLEY AP	HDD*	1349	1052	805	424	151	17	1	6	105	384	806	1211	6311
		CDD*	0	0	1	14	60	233	365	296	114	12	0	0	1095
155	OMAHA 9 NW	HDD	1323	1022	783	400	154	16	4	15	83	349	800	1204	6153
		CDD	0	0	0	8	71	209	330	295	101	5	0	0	1019
156	O NEILL	HDD	1425	1127	940	551	231	49	11	21	148	475	951	1317	7246
		CDD	0	0	0	2	35	161	304	248	63	0	0	0	813
160	OSCEOLA	HDD	1317	1022	803	428	166	17	3	16	83	373	839	1216	6283
		CDD	0	0	0	6	68	222	338	292	93	3	0	0	1022
161	OSHKOSH	HDD	1312	1020	888	570	283	57	4	16	159	507	941	1248	7005
		CDD	0	0	0	0	13	121	266	204	51	0	0	0	655
163	OSMOND	HDD	1410	1091	877	479	191	27	4	19	121	438	926	1307	6890
		CDD	0	0	0	6	58	198	308	257	77	2	0	0	906
164	OVERTON 3 W	HDD	1263	983	800	460	195	34	3	17	115	409	843	1181	6303
		CDD	0	0	0	3	47	188	290	238	87	2	0	0	855
166	PAWNEE CITY	HDD	1276	986	762	408	126	11	0	12	74	330	757	1144	5886
		CDD	0	0	0	7	76	249	397	334	116	6	0	0	1185
173	PURDUM	HDD	1343	1051	891	542	242	54	6	17	135	462	930	1244	6917
		CDD	0	0	0	1	21	135	268	225	53	0	0	0	703
176	RAVENNA	HDD	1279	991	790	433	182	30	1	10	96	389	846	1189	6236
		CDD	0	0	0	5	57	210	334	289	85	2	0	0	982
178	RED CLOUD	HDD	1308	1019	825	457	193	28	1	15	94	401	845	1187	6373
		CDD	0	0	0	2	52	216	367	307	90	3	0	0	1037
179	RED WILLOW DAM	HDD	1256	982	822	489	215	36	2	14	118	419	856	1157	6366
		CDD	0	0	0	1	30	174	320	270	76	1	0	0	872
181	ROSE 10 WNW	HDD	1333	1041	875	511	240	56	11	19	139	461	910	1238	6834
		CDD	0	0	0	3	25	140	266	234	55	0	0	0	723
183	SAINT PAUL 4 N	HDD	1288	1006	805	436	182	24	2	15	102	385	837	1188	6270
		CDD	0	0	0	4	60	200	319	282	93	3	0	0	961
185	SCOTTSBLUFF AP	HDD*	1241	969	843	549	259	53	9	12	170	517	917	1203	6742
		CDD*	0	0	0	1	19	135	273	211	51	0	0	0	690
186	SEWARD	HDD	1259	974	751	374	131	9	0	10	53	303	773	1142	5779
		CDD	0	0	0	9	81	263	399	344	125	6	0	0	1227
187	SIDNEY 6 NNW	HDD	1252	990	903	631	347	94	10	35	192	543	926	1174	7097
		CDD	0	0	0	0	7	79	199	166	37	0	0	0	488
188	SIDNEY 3 S	HDD	1257	992	921	635	342	88	9	22	187	524	928	1187	7092
		CDD	0	0	0	0	8	89	215	185	45	0	0	0	542
191	SPRINGVIEW	HDD	1406	1117	954	573	264	67	12	25	170	497	959	1301	7345
		CDD	0	0	0	1	26	139	269	228	72	0	0	0	735
192	STANTON	HDD	1414	1091	877	480	196	28	9	21	111	427	895	1310	6859
		CDD	0	0	0	5	50	176	298	242	66	1	0	0	838
194	STAPLETON 5 W	HDD	1297	1041	880	546	245	54	8	20	139	462	904	1206	6802
		CDD	0	0	0	0	24	146	283	247	62	0	0	0	762
198	SUPERIOR	HDD	1203	923	703	357	127	10	0	7	58	309	753	1102	5552
		CDD	0	0	0	9	81	267	416	363	133	4	0	0	1273
199	SURPRISE	HDD	1373	1066	855	475	182	23	4	15	102	423	867	1244	6629
		CDD	0	0	0	5	65	209	330	264	85	2	0	0	960
200	SYRACUSE	HDD	1336	1051	816	440	175	19	0	13	88	380	813	1206	6337
		CDD	0	0	0	6	71	232	361	298	97	4	0	0	1069
203	TECUMSEH	HDD	1294	1005	765	408	159	16	0	12	83	359	774	1163	6038
		CDD	0	0	0	7	74	242	381	324	114	5	0	0	1147
204	TEKAMAH	HDD	1395	1086	847	447	165	16	1	13	87	389	846	1272	6564
		CDD	0	0	0	7	75	224	337	273	80	3	0	0	999
205	TRENTON DAM	HDD	1215	942	791	466	210	29	1	10	103	392	816	1123	6098
		CDD	0	0	0	4	40	187	348	302	102	2	0	0	985
206	TRYON	HDD	1334	1053	924	587	283	70	13	22	159	497	937	1227	7106
		CDD	0	0	0	0	16	121	250	209	52	0	0	0	648
210	VALENTINE LKS GAME REF	HDD	1287	1011	876	533	244	80	19	24	143	448	898	1198	6761
		CDD	0	0	0	4	34	165	281	239	71	0	0	0	794
211	VALENTINE MILLER AP	HDD*	1386	1091	932	571	260	57	11	19	175	516	952	1285	7255
		CDD*	0	0	0	5	27	141	286	242	75	3	0	0	779
213	VIRGINIA	HDD	1314	1029	812	453	191	23	0	14	89	366	804	1185	6280
		CDD	0	0	0	3	58	206	337	291	106	3	0	0	1004
214	WAHOO	HDD	1374	1083	858	475	186	21	6	21	100	397	847	1245	6613
		CDD	0	0	0	2	56	203	333	268	80	2	0	0	944



NEBRASKA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
215	WAKEFIELD	HDD	1379	1067	836	446	162	17	5	13	86	382	858	1269	6520
		CDD	0	0	0	8	76	225	346	277	84	2	0	0	1018
216	WALLACE 2 W	HDD	1273	977	832	507	226	46	2	12	119	444	886	1184	6508
		CDD	0	0	0	1	22	157	295	252	72	0	0	0	799
217	WALTHILL	HDD	1386	1074	850	451	172	19	4	14	86	392	867	1285	6600
		CDD	0	0	0	6	69	211	325	277	81	2	0	0	971
220	WAYNE	HDD	1439	1126	929	539	223	34	8	23	135	452	923	1312	7143
		CDD	0	0	0	2	42	166	301	234	64	1	0	0	810
221	WEEPING WATER	HDD	1331	1032	798	423	166	14	2	18	92	379	822	1215	6292
		CDD	0	0	0	5	62	202	330	274	82	4	0	0	959
224	WEST POINT	HDD	1425	1126	905	496	200	23	6	19	115	435	885	1298	6933
		CDD	0	0	0	4	61	198	327	260	69	1	0	0	920



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AGATE 3 E	HIGHEST MEAN VALUE	30.6	35.7	43.5	52.2	59.2	68.8	73.7	73.8	63.1	49.5	39.5	31.9	73.8
		MEDIAN	22.1	28.8	35.4	45.1	54.1	64.4	70.5	68.6	59.1	46.6	33.2	25.3	45.7
		LOWEST MEAN VALUE	6.2	14.9	29.6	38.2	49.1	58.3	66.0	64.8	53.8	43.7	18.6	8.8	6.2
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1994	1988	1980	1983	1998	1974	1999	1980	1983
		LOWEST MEAN YEAR	1979	1993	1996	1997	1983	1998	1993	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.1	-1.0	-0.7	-0.6	-0.5	-0.8	-1.1	-1.3	-1.5	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.6	-1.3	-1.4	-1.7	-0.9	-1.2	-1.4	-2.1	-1.2	-1.7	-1.3	
002	AINSWORTH	HIGHEST MEAN VALUE	34.5	37.3	43.9	56.4	64.6	76.1	80.1	79.1	70.2	55.6	47.1	34.4	80.1
		MEDIAN	23.3	30.3	36.8	48.3	59.1	69.5	75.2	73.4	63.4	51.7	36.6	27.9	49.4
		LOWEST MEAN VALUE	7.8	15.0	29.6	41.8	53.5	63.9	67.6	67.3	59.7	48.0	20.6	7.7	7.7
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.4	-1.0	-1.0	-0.8	-0.7	-0.6	-0.8	-1.1	-1.3	-1.4	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.2	-1.4	-1.2	-1.1	-0.8	-1.5	-1.4	-1.2	-1.5	-1.4	
003	ALBION 1 NW	HIGHEST MEAN VALUE	30.7	34.3	40.8	56.8	65.9	74.5	79.3	78.6	67.4	54.5	43.5	30.9	79.3
		MEDIAN	20.7	26.3	36.3	46.7	58.6	69.1	74.0	70.6	61.9	49.7	34.1	23.6	47.5
		LOWEST MEAN VALUE	5.8	10.0	28.1	40.8	53.2	64.7	67.1	66.3	57.2	44.6	24.5	6.1	5.8
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1974	1983	1998	1971	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1996	1997	1995	1992	1992	1992	1993	1987	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.3	0.0	0.0	-0.1	0.7	0.8	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
004	ALLIANCE 1 WN MAX	MEAN VALUE	33.7	37.9	42.3	53.1	61.6	73.7	77.3	77.6	68.4	52.4	42.9	33.4	77.6
		MEDIAN	23.9	30.2	36.5	46.2	55.9	67.7	73.9	71.8	62.0	48.6	35.8	28.2	48.6
		LOWEST MEAN VALUE	9.5	17.8	28.9	38.7	50.5	60.7	67.8	67.0	56.6	46.5	22.1	12.8	9.5
		HIGHEST MEAN YEAR	1983	1992	1986	1981	1994	1988	1989	1983	1998	1974	1999	1980	1983
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1998	1992	1992	1993	1987	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	1.3	0.0	-0.1	0.8	1.5	1.2	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
005	ANSELMO 2 SE MAX	MEAN VALUE	32.8	36.2	42.1	54.5	63.4	74.1	78.1	77.1	68.5	51.8	43.9	32.0	78.1
		MEDIAN	20.7	28.1	35.9	46.2	57.6	67.9	73.5	70.6	60.7	48.9	33.7	25.2	47.4
		LOWEST MEAN VALUE	3.6	11.4	29.0	39.7	50.6	62.4	66.7	65.3	56.0	43.4	21.6	3.7	3.6
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1987	1988	1980	1983	1998	1974	1999	1999	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.8	1.1	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
007	ARNOLD	HIGHEST MEAN VALUE	31.8	35.8	42.1	54.9	62.7	73.9	78.5	78.3	68.7	51.9	43.7	32.6	78.5
		MEDIAN	21.1	27.9	36.0	47.3	58.0	68.1	73.8	70.8	61.4	49.0	33.9	24.5	47.5
		LOWEST MEAN VALUE	7.0	13.1	29.3	40.6	52.2	62.5	67.9	66.4	57.4	42.8	23.1	5.1	5.1
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1987	1988	1980	1983	1998	1997	1999	1999	1980
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.1	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.4	0.5	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
008	ARTHUR	HIGHEST MEAN VALUE	31.1	37.3	43.5	53.1	61.9	74.7	76.9	76.8	68.7	52.2	43.9	33.8	76.9
		MEDIAN	23.1	29.8	36.5	47.2	57.2	67.4	73.6	71.5	61.5	48.9	34.5	27.5	48.0
		LOWEST MEAN VALUE	5.9	12.9	28.9	41.1	51.3	61.2	67.5	66.7	56.3	44.8	24.1	9.8	5.9
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1974	2000	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1975	1997	1995	1982	1992	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	-0.1	-0.6	-0.5	-0.5	-0.3	-0.5	0.4	1.3	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
009	ASHLAND 2	HIGHEST MEAN VALUE	33.1	37.0	43.9	58.6	69.0	77.6	82.9	82.1	71.6	57.9	46.3	31.9	82.9
		MEDIAN	21.6	28.4	39.4	50.7	61.6	72.1	77.0	74.3	65.9	53.3	37.7	27.8	50.5
		LOWEST MEAN VALUE	8.3	11.3	29.6	44.2	56.1	67.2	71.9	68.8	59.3	47.4	29.8	8.6	8.3
		HIGHEST MEAN YEAR	1990	1987	2000	1981	1977	1988	1974	1983	1998	1971	1999	1999	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1997	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.4	0.0	0.0	-0.1	0.7	0.6	1.1	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
010	ATKINSON	HIGHEST MEAN VALUE	32.8	37.1	43.4	56.4	65.4	75.6	79.3	78.5	70.6	55.3	45.7	32.5	79.3
		MEDIAN	21.5	28.6	37.1	47.9	59.1	68.6	74.7	72.4	62.5	50.4	35.4	25.0	48.7
		LOWEST MEAN VALUE	5.8	13.5	28.8	41.9	54.4	64.1	67.0	66.9	58.2	44.6	20.6	5.9	5.8
		HIGHEST MEAN YEAR	1992	1999	2000	1981	1977	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1978	1978	1998	1983	1995	1982	1992	1992	1993	1976	1985	1983	1978
		MIN OBS TIME ADJUSTMENT	-1.3	-1.4	-1.0	-1.0	-0.8	-0.7	-0.6	-0.8	-1.1	-1.3	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.2	-1.4	-1.2	-1.1	-0.8	-1.5	-1.4	-1.2	-1.0	-1.4	
012	AUBURN 5 ESE MAX	MEAN VALUE	34.9	39.0	47.3	60.6	69.7	78.8	83.8	84.3	74.1	59.8	48.9	33.8	84.3
		MEDIAN	24.0	30.8	42.3	52.8	63.5	73.8	77.8	75.8	68.0	55.6	40.0	29.3	52.7
		LOWEST MEAN VALUE	9.3	14.6	34.5	46.6	58.7	68.6	73.3	69.5	61.4	49.9	32.2	10.9	9.3
		HIGHEST MEAN YEAR	1989	1976	1977	1981	1977	1988	1980	1983	1998	1973	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1978	1983	1995	1982	1994	1992	1993	1976	1991	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.8	-0.8	-0.5	-0.5	-0.4	-0.6	-0.7	-0.9	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.3	-0.5	-0.6	-0.3	-0.2	-0.2	-0.4	-0.4	-0.5	-0.4	-0.5	



NEBRASKA

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			NORMALS STATISTICS												
013	AURORA	HIGHEST MEAN VALUE	32.4	37.0	44.1	57.8	66.6	76.3	80.2	81.4	70.3	55.8	47.5	33.3	81.4
		MEDIAN	22.8	29.0	38.4	49.6	60.8	70.9	75.6	73.1	65.2	52.4	36.5	26.4	50.0
		LOWEST MEAN VALUE	8.5	12.7	30.7	43.4	54.3	66.5	70.1	68.4	59.0	47.5	28.5	7.5	7.5
		HIGHEST MEAN YEAR	1992	1976	1986	1981	1977	1988	1974	1983	1998	1971	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.2	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
015	BARTLETT 4 S	MAX MEAN VALUE	32.5	35.9	41.8	55.9	65.4	75.8	80.1	79.1	69.3	54.4	44.4	31.8	80.1
		MEDIAN	21.1	26.9	36.7	47.0	59.0	69.6	74.8	71.7	63.0	51.0	35.6	25.2	48.3
		LOWEST MEAN VALUE	7.0	11.9	28.1	41.1	52.0	64.7	68.1	66.7	58.5	46.0	22.8	4.9	4.9
		HIGHEST MEAN YEAR	1992	1991	1986	1981	1987	1988	1974	1983	1998	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1998	1997	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
016	BEATRICE 1 N	MAX MEAN VALUE	33.0	38.0	45.0	59.1	67.9	77.0	82.2	82.5	72.7	58.0	47.6	32.9	82.5
		MEDIAN	23.1	29.7	40.1	50.4	61.4	72.4	77.5	74.4	66.3	53.6	38.8	29.2	51.3
		LOWEST MEAN VALUE	9.6	13.2	31.7	44.9	56.1	66.8	72.9	69.9	59.6	47.6	30.8	9.1	9.1
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1977	1988	1974	1983	1998	2000	1999	1991	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1987	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.2	
017	BEAVER CITY	MAX MEAN VALUE	38.3	42.3	49.0	58.8	67.3	79.6	82.6	84.1	73.9	59.1	46.5	35.9	84.1
		MEDIAN	26.5	33.5	41.8	52.9	61.9	72.1	78.4	75.9	67.7	55.8	39.8	31.0	53.1
		LOWEST MEAN VALUE	13.8	20.1	35.7	46.1	56.1	66.0	73.5	71.3	63.1	49.4	30.3	11.5	11.5
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1998	1988	1980	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.4	-1.3	-1.0	-0.9	-0.7	-0.6	-0.5	-0.8	-1.1	-1.2	-1.5	-1.6	
		MAX OBS TIME ADJUSTMENT	-2.0	-2.2	-2.3	-2.5	-1.7	-1.6	-1.3	-1.9	-2.3	-2.2	-1.6	-2.3	
019	BENKELMAN	HIGHEST MEAN VALUE	37.0	39.7	45.3	56.7	64.6	75.9	80.1	80.7	71.9	55.1	45.9	36.1	80.7
		MEDIAN	25.9	32.2	39.7	49.9	59.6	70.8	76.7	74.0	64.6	51.8	37.8	29.7	50.8
		LOWEST MEAN VALUE	14.3	20.2	34.4	43.2	53.2	64.3	71.6	68.8	58.1	47.0	30.1	12.0	12.0
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1994	1988	1980	1983	1998	1979	1999	1999	1983
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1972	1974	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.5	1.8	2.1	1.4	1.3	0.0	-0.1	0.7	0.7	1.3	1.3	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
023	BIG SPRINGS	MAX MEAN VALUE	33.3	40.1	46.2	56.4	65.2	74.3	79.3	78.5	69.2	54.7	45.2	36.4	79.3
		MEDIAN	26.2	33.1	40.1	49.8	58.7	68.8	74.3	72.6	63.0	50.7	38.1	29.5	50.3
		LOWEST MEAN VALUE	12.3	20.4	34.5	44.1	53.3	62.5	68.9	67.8	58.2	47.1	25.8	12.0	12.0
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1992	1988	2000	1983	1998	1974	1999	1980	2000
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1982	1992	1974	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-1.0	-0.9	-0.7	-0.6	-0.5	-0.7	-0.9	-1.1	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.9	-0.7	-0.7	-1.1	-0.6	-0.4	-0.9	-0.8	-0.7	-1.0	-0.9	
024	BLAIR	HIGHEST MEAN VALUE	32.0	36.7	43.8	58.2	68.4	76.0	81.4	80.0	70.7	56.6	46.8	32.5	81.4
		MEDIAN	20.7	28.0	39.2	50.2	61.3	71.7	75.4	72.5	64.4	52.8	37.2	27.4	49.9
		LOWEST MEAN VALUE	9.3	11.7	29.1	43.8	55.9	67.1	69.1	68.1	59.0	47.8	29.4	7.8	7.8
		HIGHEST MEAN YEAR	1989	1987	1977	1981	1977	1971	1974	1983	1998	2000	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1997	1982	1992	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.8	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
029	BREWSTER	HIGHEST MEAN VALUE	32.0	35.2	40.3	53.5	62.9	74.5	76.4	77.1	67.8	51.5	43.1	31.6	77.1
		MEDIAN	19.2	26.1	35.6	45.3	56.3	66.9	72.9	70.8	60.7	48.6	33.4	24.3	46.7
		LOWEST MEAN VALUE	2.4	10.2	27.5	39.0	51.0	60.8	67.5	65.4	56.5	42.6	20.1	3.3	2.4
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1980	2000	1998	1973	1999	1999	2000
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1974	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
030	BRIDGEPORT	HIGHEST MEAN VALUE	35.1	40.5	46.9	56.1	66.0	74.7	79.8	79.1	70.1	55.1	45.8	36.9	79.8
		MEDIAN	26.8	33.0	40.6	49.5	58.9	69.5	75.8	73.5	63.7	51.5	37.6	30.1	50.7
		LOWEST MEAN VALUE	10.3	21.1	35.3	42.8	53.5	64.6	71.1	68.7	59.6	48.3	27.3	15.3	10.3
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1994	1994	2000	2000	1998	1974	1999	1980	2000
		LOWEST MEAN YEAR	1979	1978	1971	1983	1995	1982	1992	1992	1974	1976	2000	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.4	-1.4	-1.2	-1.0	-0.7	-0.6	-0.5	-0.8	-1.2	-1.4	-1.6	-1.4	
		MAX OBS TIME ADJUSTMENT	-2.0	-2.2	-2.0	-2.2	-2.1	-1.5	-1.5	-1.9	-2.8	-1.9	-2.4	-2.1	
031	BROKEN BOW 2	MAX MEAN VALUE	32.7	35.4	42.0	54.2	63.0	73.5	78.1	75.1	67.6	52.2	42.0	31.5	78.1
		MEDIAN	20.7	27.1	35.7	45.3	56.5	67.1	72.7	69.9	60.5	49.1	33.8	24.9	46.8
		LOWEST MEAN VALUE	5.2	12.4	28.2	38.4	50.2	61.5	66.5	64.9	55.3	43.6	21.7	4.9	4.9
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1987	1988	1980	2000	1998	1974	1999	1979	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.8	1.1	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
032	BROWNLEE	HIGHEST MEAN VALUE	32.2	35.7	42.4	52.9	61.1	72.7	76.3	75.0	65.1	51.0	43.1	32.6	76.3
		MEDIAN	22.5	27.5	35.3	44.3	55.8	66.2	72.1	69.5	58.8	48.6	34.4	26.9	46.6
		LOWEST MEAN VALUE	6.8	13.4	26.9	38.4	48.9	60.7	65.0	64.0	52.1	43.7	21.4	6.3	6.3
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1995	1998	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1971	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.3	0.0	0.0	-0.1	0.8	0.9	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
034	BURWELL	HIGHEST MEAN VALUE	31.5	35.3	42.1	55.4	64.5	74.9	78.9	78.1	68.9	52.8	43.8	31.4	78.9
		MEDIAN	19.1	27.1	36.4	47.1	59.1	69.1	74.6	71.6	61.6	49.7	34.0	24.4	47.6
		LOWEST MEAN VALUE	6.0	12.2	28.4	40.8	52.9	63.5	68.0	66.9	57.7	44.7	21.5	4.7	4.7
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1974	1983	1998	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
035	BUTTE	HIGHEST MEAN VALUE	31.8	34.7	40.6	55.6	64.9	75.9	79.9	78.8	69.0	53.6	44.0	30.2	79.9
		MEDIAN	19.5	25.9	35.2	46.5	58.7	69.1	75.2	72.5	62.0	49.9	32.8	23.3	47.5
		LOWEST MEAN VALUE	3.5	9.4	27.2	40.4	54.1	63.8	66.9	66.6	58.7	45.1	20.3	3.3	3.3
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1978	1979	1996	1997	1995	1982	1992	1992	1973	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
036	CAMBRIDGE	HIGHEST MEAN VALUE	35.7	39.4	45.5	58.0	64.9	77.5	81.4	82.2	70.2	55.9	44.6	35.1	82.2
		MEDIAN	25.5	31.9	39.5	49.9	60.5	70.8	76.7	73.9	64.8	52.4	38.4	29.5	50.9
		LOWEST MEAN VALUE	12.6	17.9	33.2	44.3	53.8	66.7	71.8	68.7	59.1	48.1	28.5	10.1	10.1
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1977	1988	1980	1983	1983	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1999	1994	1992	1993	1976	2000	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
037	CANADAY STEAM	MAX MEAN VALUE	34.3	39.2	44.9	57.1	65.4	75.8	80.1	79.6	70.5	54.6	44.9	33.7	80.1
		MEDIAN	23.5	30.3	38.0	48.7	59.9	70.4	75.1	72.6	63.6	51.7	37.0	28.4	50.0
		LOWEST MEAN VALUE	9.1	15.4	31.4	43.2	52.8	64.1	69.5	67.4	58.4	47.2	26.6	8.9	8.9
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
038	CENTRAL CITY	MAX MEAN VALUE	36.1	40.2	47.2	60.5	67.5	78.2	81.3	82.4	72.6	58.1	48.6	35.9	82.4
		MEDIAN	25.2	31.5	41.9	52.2	62.9	73.0	76.7	74.3	66.6	55.3	39.1	29.4	51.9
		LOWEST MEAN VALUE	10.1	16.4	33.1	45.0	56.3	67.4	69.8	69.1	61.7	49.6	28.9	9.8	9.8
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1974	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.0	-0.9	-0.7	-0.6	-0.5	-0.8	-1.1	-1.3	-1.4	-1.5	
		MAX OBS TIME ADJUSTMENT	-1.8	-1.5	-2.2	-2.5	-1.7	-1.5	-1.2	-1.8	-2.0	-1.8	-1.6	-2.2	
039	CHADRON 1 SSW	MAX MEAN VALUE	32.4	39.7	42.1	52.2	62.3	75.1	78.0	76.7	69.3	52.1	46.7	35.8	78.0
		MEDIAN	21.9	28.3	36.1	46.5	56.8	67.7	74.0	73.3	61.3	48.9	33.1	26.4	48.1
		LOWEST MEAN VALUE	7.2	15.7	28.9	39.2	50.4	61.8	68.9	67.7	56.4	44.6	16.7	5.4	5.4
		HIGHEST MEAN YEAR	1990	1999	1994	1981	1985	1988	1974	1983	1998	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1998	1993	1992	1993	1984	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	-0.1	-0.5	-0.5	-0.5	-0.3	0.8	0.4	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.5	0.5	0.5	0.4	0.3	0.2	0.0	-0.1	0.0	0.1	0.2	
040	CHAMBERS	HIGHEST MEAN VALUE	31.6	34.8	41.6	56.1	65.1	74.0	77.7	77.9	68.3	53.2	45.3	31.0	77.9
		MEDIAN	19.4	26.5	35.9	46.7	57.9	68.1	73.0	71.1	61.3	49.4	34.1	25.0	47.1
		LOWEST MEAN VALUE	6.3	12.5	27.7	41.6	52.2	62.6	65.0	64.1	54.9	43.6	21.6	5.0	5.0
		HIGHEST MEAN YEAR	1989	1992	2000	1981	1977	1988	1974	1983	1998	1973	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1998	1983	1995	1993	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
041	CLARKSON	HIGHEST MEAN VALUE	30.4	34.2	41.4	57.3	66.5	76.5	80.7	79.1	69.2	53.9	43.6	29.5	80.7
		MEDIAN	18.9	26.5	37.4	48.4	60.6	71.5	75.1	71.8	63.1	49.8	34.1	24.1	48.2
		LOWEST MEAN VALUE	4.5	10.0	28.2	41.6	54.2	65.7	68.7	67.0	57.2	44.7	24.6	5.4	4.5
		HIGHEST MEAN YEAR	1990	1998	2000	1981	1988	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.1	1.1	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
043	CLAY CENTER	MAX MEAN VALUE	33.6	38.0	42.7	56.9	67.7	76.8	81.3	82.1	70.8	56.1	46.6	33.0	82.1
		MEDIAN	22.1	29.6	39.2	49.3	61.2	71.9	76.1	73.2	65.6	52.7	37.4	28.5	50.3
		LOWEST MEAN VALUE	9.2	14.4	31.3	42.8	54.3	65.4	70.2	68.7	58.0	46.4	29.2	7.6	7.6
		HIGHEST MEAN YEAR	1986	1991	1992	1981	1977	1988	1974	1983	1998	1971	1999	1988	1983
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	



NEBRASKA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
044	COLUMBUS 3 NE	MAX MEAN VALUE	32.4	36.4	44.0	59.9	69.1	78.1	81.2	81.3	71.3	56.1	45.9	32.1	81.3
		MEDIAN	21.9	29.0	39.8	50.5	62.0	72.3	76.7	74.8	65.7	52.9	35.9	27.2	50.5
		LOWEST MEAN VALUE	7.7	13.5	31.0	43.7	56.7	66.5	69.8	68.3	59.0	47.7	27.1	6.7	6.7
		HIGHEST MEAN YEAR	1992	1976	1985	1981	1977	1988	1980	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1998	1983	1995	1982	1992	1974	1974	1972	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
045	COMSTOCK	HIGHEST MEAN VALUE	31.2	35.4	41.6	54.7	64.0	74.7	78.7	78.9	68.2	52.6	44.0	31.8	78.9
		MEDIAN	20.6	26.8	36.4	46.9	57.7	68.5	74.2	71.3	61.8	49.4	34.2	25.0	47.6
		LOWEST MEAN VALUE	6.1	11.5	29.4	39.9	52.3	62.4	68.2	66.6	56.4	43.7	24.2	5.5	5.5
		HIGHEST MEAN YEAR	1986	1992	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.1	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
046	CRAWFORD	HIGHEST MEAN VALUE	35.3	38.7	45.9	53.1	62.3	72.7	75.9	76.6	66.8	52.8	45.3	34.2	76.6
		MEDIAN	25.9	31.6	37.5	47.4	56.6	66.6	73.0	71.3	61.9	49.9	36.0	28.3	49.0
		LOWEST MEAN VALUE	12.1	18.0	31.0	40.8	52.1	60.7	67.3	67.8	57.0	46.5	21.5	10.9	10.9
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1985	1988	1980	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1989	1996	1983	1995	1998	1992	1992	1999	1984	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-1.0	-0.9	-0.7	-0.6	-0.5	-0.8	-1.1	-1.1	-1.4	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.8	-0.7	-0.7	-1.1	-0.5	-0.4	-0.9	-1.3	-0.7	-1.0	-0.8	
047	CREIGHTON	HIGHEST MEAN VALUE	33.6	37.2	44.2	59.8	67.7	77.7	80.2	79.7	71.0	56.8	46.5	33.1	80.2
		MEDIAN	21.6	29.4	39.2	49.7	61.4	71.5	76.6	73.8	64.5	52.9	35.8	25.9	50.0
		LOWEST MEAN VALUE	6.5	13.3	29.9	43.3	56.8	66.7	68.7	68.6	60.2	46.3	23.8	5.9	5.9
		HIGHEST MEAN YEAR	1992	1991	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1998	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.4	-1.0	-1.0	-0.8	-0.7	-0.6	-0.8	-1.2	-1.4	-1.4	-1.5	
		MAX OBS TIME ADJUSTMENT	-1.8	-1.6	-1.8	-2.2	-1.8	-1.6	-1.2	-1.9	-2.2	-1.9	-1.5	-2.1	
048	CRESCENT LAKE	MAX MEAN VALUE	34.4	39.1	45.8	55.6	64.1	74.0	77.6	78.5	70.3	55.6	47.5	36.2	78.5
		MEDIAN	25.7	32.1	39.1	48.6	58.6	67.9	74.2	72.5	63.3	50.8	37.4	29.8	50.0
		LOWEST MEAN VALUE	8.9	18.6	33.2	42.5	51.9	63.0	68.8	68.0	57.4	47.2	25.8	12.1	8.9
		HIGHEST MEAN YEAR	1990	1991	1986	1981	1994	1988	1974	1983	1998	1974	1999	1999	1983
		LOWEST MEAN YEAR	1979	1978	1998	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.5	-1.3	-1.2	-1.0	-0.8	-0.7	-0.6	-0.9	-1.3	-1.5	-1.7	-1.6	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.0	-1.5	-1.9	-1.6	-1.3	-1.1	-1.3	-2.5	-2.1	-1.5	-1.4	
049	CRETE	HIGHEST MEAN VALUE	35.3	40.1	47.5	59.8	68.3	78.3	82.0	81.6	71.4	59.8	49.1	34.7	82.0
		MEDIAN	24.0	31.7	41.8	52.5	62.5	72.5	76.7	74.4	66.9	55.4	39.6	29.9	52.1
		LOWEST MEAN VALUE	11.6	16.2	33.1	43.7	57.2	67.5	71.8	68.8	61.5	50.2	30.5	9.6	9.6
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	2000	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-0.9	-0.7	-0.6	-0.5	-0.7	-1.0	-1.1	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-0.9	-1.6	-1.9	-1.1	-1.0	-0.8	-1.3	-1.2	-1.4	-1.0	-1.3	
050	CROFTON	HIGHEST MEAN VALUE	31.4	34.2	41.9	55.8	66.2	76.2	80.0	79.5	69.8	55.0	45.1	30.0	80.0
		MEDIAN	19.4	25.9	36.6	47.6	59.4	70.0	74.9	72.7	63.7	50.8	34.4	23.5	47.8
		LOWEST MEAN VALUE	4.8	9.7	27.9	41.6	54.5	64.5	66.7	67.1	57.8	46.0	23.4	3.9	3.9
		HIGHEST MEAN YEAR	1990	1987	2000	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
051	CULBERTSON	HIGHEST MEAN VALUE	35.3	38.9	45.5	56.2	65.0	76.5	79.9	81.3	70.8	55.2	43.8	34.4	81.3
		MEDIAN	25.2	32.0	39.5	49.6	59.5	70.1	76.2	73.8	64.6	51.9	37.5	29.3	50.3
		LOWEST MEAN VALUE	13.6	19.3	32.8	43.0	53.2	64.7	71.0	68.1	58.6	48.1	28.5	10.2	10.2
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1979	1999	1980	1983
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1982	1992	1992	1993	1976	2000	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.3	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	-0.1	0.1	0.2	
052	CURTIS 3 NNE	MAX MEAN VALUE	32.8	38.4	43.6	55.0	63.7	76.2	81.0	79.0	69.5	53.8	43.9	32.9	81.0
		MEDIAN	23.0	30.1	37.6	48.5	58.8	69.3	75.5	72.8	62.8	50.9	35.5	26.9	49.3
		LOWEST MEAN VALUE	9.6	16.3	30.9	41.4	52.3	64.2	69.5	67.4	57.1	45.3	25.8	7.4	7.4
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1987	1988	1980	1983	1998	1974	1999	1991	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.0	1.4	0.0	0.0	-0.1	0.7	0.8	1.2	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
053	DALTON	HIGHEST MEAN VALUE	33.5	40.5	46.0	53.6	61.8	71.5	75.9	75.7	66.9	52.2	45.1	37.0	75.9
		MEDIAN	27.5	32.5	38.5	47.1	55.9	66.6	72.5	70.4	60.9	49.2	36.4	29.6	48.9
		LOWEST MEAN VALUE	12.7	20.0	33.0	41.1	50.8	61.0	67.5	66.0	56.2	45.5	25.0	13.1	12.7
		HIGHEST MEAN YEAR	1999	1992	1986	1981	1994	1988	1980	1983	1998	1974	1999	1993	1980
		LOWEST MEAN YEAR	1979	1989	1987	1984	1995	1982	1992	1974	1973	1984	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	1.2	0.0	0.7	0.7	1.4	1.2	1.3	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
054	DAVID CITY	HIGHEST MEAN VALUE	33.2	38.0	44.7	60.7	69.1	77.8	81.8	82.6	71.9	57.8	47.3	32.2	82.6
		MEDIAN	22.8	29.3	40.7	51.5	61.9	72.4	76.5	74.3	66.3	54.0	38.0	27.2	50.8
		LOWEST MEAN VALUE	8.2	12.2	31.7	45.3	56.6	66.9	69.6	67.8	60.5	49.0	28.8	7.5	7.5
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1977	1988	1974	1983	1998	1973	1999	1991	1983
		LOWEST MEAN YEAR	1979	1979	1998	1997	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.1	-1.4	-1.4	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.9	-1.6	-2.1	-2.5	-1.7	-1.5	-1.2	-1.8	-2.1	-1.9	-1.5	-2.1	
057	ELGIN	HIGHEST MEAN VALUE	31.9	34.6	40.3	55.1	65.8	75.0	79.2	78.2	67.7	53.9	45.5	30.8	79.2
		MEDIAN	20.4	26.2	35.7	46.5	59.0	69.1	73.9	70.6	62.1	50.4	33.9	23.6	47.5
		LOWEST MEAN VALUE	5.2	10.9	26.9	40.1	52.4	64.0	66.9	65.8	57.4	45.1	23.0	4.6	4.6
		HIGHEST MEAN YEAR	1990	1992	2000	1981	1977	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.8	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
060	ELLSWORTH 15	MAX MEAN VALUE	30.2	35.6	40.8	52.1	60.0	71.2	76.2	74.3	66.8	50.6	42.6	31.5	76.2
		MEDIAN	20.4	26.6	35.1	44.5	54.8	64.9	71.7	70.2	59.7	47.0	33.0	25.6	46.1
		LOWEST MEAN VALUE	5.4	13.4	27.6	37.7	48.8	59.8	65.6	64.8	53.8	44.5	19.7	6.0	5.4
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1985	1988	1974	1983	1998	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1975	1997	1983	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.2	0.0	0.0	0.0	0.1	0.2	
061	ELSMERE 9 ENE	MAX MEAN VALUE	34.5	38.1	42.9	54.4	64.3	75.6	79.0	77.1	68.8	53.4	45.5	34.7	79.0
		MEDIAN	22.3	28.8	38.1	47.6	58.7	68.4	74.8	72.5	62.6	50.8	35.1	27.0	48.9
		LOWEST MEAN VALUE	7.9	14.5	30.5	39.9	53.5	62.2	68.7	67.5	58.4	45.3	19.4	4.6	4.6
		HIGHEST MEAN YEAR	1992	1999	2000	1981	1977	1988	1974	2000	1998	2000	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1980	1983	1995	1982	1992	1992	1984	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.1	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
065	ENDERS LAKE	MAX MEAN VALUE	34.8	38.4	43.9	55.1	64.2	74.5	79.8	80.1	70.8	53.8	44.8	34.4	80.1
		MEDIAN	24.8	30.5	37.7	48.3	58.0	68.8	75.4	72.7	63.5	50.4	37.1	28.6	49.0
		LOWEST MEAN VALUE	11.5	18.7	31.3	41.9	51.6	64.3	69.7	67.4	57.8	46.5	28.1	10.7	10.7
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1994	1988	1980	1983	1998	1979	1999	1980	1983
		LOWEST MEAN YEAR	1979	1993	1996	1983	1995	1982	1992	1992	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.3	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
066	ERICSON 6 WNW	MAX MEAN VALUE	31.4	35.0	41.2	54.9	64.5	74.6	78.8	78.0	68.0	53.6	43.2	31.3	78.8
		MEDIAN	20.5	27.1	36.2	46.2	58.0	68.5	73.3	70.8	61.6	49.8	34.0	25.0	47.6
		LOWEST MEAN VALUE	5.3	11.9	28.5	40.0	52.1	62.7	67.0	66.2	56.2	44.5	23.4	5.2	5.2
		HIGHEST MEAN YEAR	1992	1987	1986	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
068	EWING	HIGHEST MEAN VALUE	33.0	36.9	43.1	57.7	67.1	76.6	79.7	79.6	69.6	55.4	44.9	32.3	79.7
		MEDIAN	21.5	28.6	38.8	49.1	60.4	70.3	75.0	73.1	63.3	51.7	35.8	25.7	48.9
		LOWEST MEAN VALUE	6.5	13.1	29.9	42.1	54.4	65.0	67.4	67.3	59.5	46.1	23.0	5.3	5.3
		HIGHEST MEAN YEAR	1992	1999	2000	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-0.9	-0.9	-0.7	-0.6	-0.5	-0.7	-1.0	-1.2	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.6	-1.1	-1.3	-1.1	-1.0	-0.8	-1.3	-1.2	-1.1	-0.9	-1.3	
069	FAIRBURY	HIGHEST MEAN VALUE	34.0	39.3	46.0	59.2	68.0	77.3	84.1	82.2	72.0	58.8	48.6	34.7	84.1
		MEDIAN	24.2	30.5	40.8	51.0	62.0	72.4	77.5	75.2	66.8	54.3	39.6	29.8	51.7
		LOWEST MEAN VALUE	10.8	14.2	32.6	45.1	55.5	66.4	72.7	69.9	60.1	48.8	31.7	9.5	9.5
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1977	1988	1974	2000	1998	2000	1999	1999	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
070	FAIRMONT	HIGHEST MEAN VALUE	33.1	38.2	43.3	58.3	67.5	76.3	82.1	81.6	71.9	56.5	46.9	33.1	82.1
		MEDIAN	22.7	29.0	38.7	49.6	61.0	72.4	76.7	73.9	65.9	53.1	38.0	27.9	50.5
		LOWEST MEAN VALUE	9.3	14.6	31.4	43.1	55.0	66.7	71.1	68.4	59.5	47.4	26.7	7.9	7.9
		HIGHEST MEAN YEAR	1992	1976	1986	1981	1988	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1985	1992	1986	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
071	FALLS CITY 2	MAX MEAN VALUE	34.6	40.9	46.7	60.8	69.6	79.1	85.6	83.5	72.4	60.1	48.8	34.1	85.6
		MEDIAN	23.8	31.4	42.1	52.3	63.4	74.0	78.0	75.2	67.6	54.8	40.6	30.0	52.8
		LOWEST MEAN VALUE	10.5	16.1	34.2	46.7	57.2	68.1	73.3	69.5	60.0	49.3	32.0	10.2	10.2
		HIGHEST MEAN YEAR	1989	1976	1977	1981	1977	1971	1980	1983	1998	1971	1999	1979	1980
		LOWEST MEAN YEAR	1979	1979	1998	1983	1995	1982	1992	1992	1993	1987	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	



NEBRASKA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
073	FRANKLIN	HIGHEST MEAN VALUE	33.9	38.8	45.6	58.3	67.8	77.4	82.0	82.6	71.1	55.8	46.2	33.8	82.6
		MEDIAN	23.6	30.7	39.3	50.2	61.2	71.9	77.1	74.1	64.9	53.1	37.1	29.0	50.8
		LOWEST MEAN VALUE	12.1	17.3	32.5	45.2	54.7	65.3	72.0	69.4	60.4	47.6	29.0	9.0	9.0
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	2000	1999	1999	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1974	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.2	
074	FRANKLIN #2	MAX MEAN VALUE	34.5	38.5	46.1	57.8	66.1	77.0	80.9	81.3	70.7	55.6	45.6	34.2	81.3
		MEDIAN	24.1	31.0	39.8	50.2	60.2	71.1	76.8	73.8	64.4	52.4	37.9	29.3	50.8
		LOWEST MEAN VALUE	11.1	16.9	32.1	43.7	54.3	65.1	71.1	68.9	59.3	47.2	29.1	9.7	9.7
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1974	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.5	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
075	FREMONT	HIGHEST MEAN VALUE	32.2	37.4	44.1	57.5	67.8	76.3	80.9	79.4	71.4	56.0	46.8	31.6	80.9
		MEDIAN	21.3	28.1	38.5	50.3	61.9	72.5	76.0	73.0	65.3	52.8	36.8	26.6	50.1
		LOWEST MEAN VALUE	8.4	13.1	29.9	43.6	57.8	67.4	70.9	68.0	60.0	46.5	29.3	7.0	7.0
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1977	1988	1974	1983	1998	1971	1999	1987	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.2	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.1	
078	GAVINS POINT	MAX MEAN VALUE	30.8	34.4	41.2	56.1	65.8	76.5	79.0	78.7	69.4	54.2	44.4	29.4	79.0
		MEDIAN	16.9	24.3	35.0	47.8	59.2	68.7	74.5	73.0	62.9	50.0	33.9	21.7	47.0
		LOWEST MEAN VALUE	2.4	6.9	26.7	40.2	52.0	63.6	66.0	65.7	55.4	46.0	24.8	3.1	2.4
		HIGHEST MEAN YEAR	1990	1987	2000	1981	1977	1988	1974	1983	1978	1971	1999	1999	1974
		LOWEST MEAN YEAR	1978	1979	1984	1995	1995	1982	1992	1992	1993	1976	1985	1983	1978
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
079	GENEVA	HIGHEST MEAN VALUE	34.9	40.0	47.5	58.0	68.0	76.2	80.7	80.6	71.7	56.9	49.0	34.0	80.7
		MEDIAN	24.2	31.3	40.6	51.9	61.5	71.7	75.9	73.6	65.7	54.0	38.1	29.2	51.1
		LOWEST MEAN VALUE	11.0	15.7	32.3	44.0	55.8	65.9	70.3	68.9	60.5	48.6	29.4	9.2	9.2
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1998	1988	1974	1983	1998	2000	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.9	-0.7	-0.6	-0.5	-0.7	-0.9	-1.0	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.5	-1.0	-1.1	-0.6	-0.5	-0.5	-0.8	-0.7	-0.8	-0.6	-0.8	
080	GENOA 2 W	HIGHEST MEAN VALUE	33.7	37.2	44.3	58.9	67.3	76.0	80.9	79.7	71.0	56.3	46.4	32.5	80.9
		MEDIAN	22.6	29.9	40.0	50.4	61.1	71.3	75.2	72.8	64.5	52.6	36.4	26.7	49.9
		LOWEST MEAN VALUE	7.5	12.7	31.5	43.6	55.2	65.9	68.3	67.5	59.8	47.1	26.2	6.8	6.8
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1977	1988	1974	1983	1998	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-1.0	-1.0	-0.7	-0.6	-0.5	-0.8	-1.0	-1.2	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.2	-0.9	-1.2	-1.4	-1.1	-1.0	-0.8	-1.4	-1.3	-1.2	-0.9	-1.3	
081	GORDON 6 N	HIGHEST MEAN VALUE	31.1	36.6	40.7	50.0	60.4	74.3	76.2	74.8	67.7	49.8	44.7	33.4	76.2
		MEDIAN	20.1	27.9	33.7	44.5	54.2	64.9	72.3	70.8	59.4	47.8	32.2	24.3	45.8
		LOWEST MEAN VALUE	3.9	13.9	25.7	36.3	48.4	59.7	65.1	65.2	53.8	43.4	20.0	1.8	1.8
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1994	1988	1974	2000	1998	2000	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1974	1993	1984	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.4	0.5	0.4	0.5	0.4	0.3	0.2	0.0	-0.1	0.0	0.0	0.2	
082	GOTHENBURG	HIGHEST MEAN VALUE	34.6	38.8	45.7	58.8	65.1	76.5	80.1	79.4	69.7	56.3	43.0	35.7	80.1
		MEDIAN	24.2	32.2	39.6	49.8	60.1	70.0	75.5	73.3	63.7	51.2	37.4	28.6	50.2
		LOWEST MEAN VALUE	10.2	18.1	30.2	42.7	53.2	64.5	69.2	67.7	59.2	47.8	25.5	8.5	8.5
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1980	1983	1998	1974	1999	1979	1980
		LOWEST MEAN YEAR	1979	1978	1998	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.1	-1.2	-0.9	-0.8	-0.7	-0.6	-0.5	-0.8	-1.0	-1.0	-1.1	-1.3	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.9	-1.0	-1.1	-0.6	-0.6	-0.4	-0.9	-0.8	-0.8	-0.6	-0.9	
083	GRAND ISLAND	MAX MEAN VALUE	33.6	37.7	45.7	57.7	66.2	76.5	81.5	81.8	71.6	55.3	45.8	32.6	81.8
		MEDIAN	21.9	30.1	39.2	49.9	60.3	71.6	76.0	73.3	64.1	51.9	36.5	26.7	50.1
		LOWEST MEAN VALUE	6.9	13.2	29.9	43.1	54.3	65.3	69.5	68.2	59.5	46.5	26.7	7.7	6.9
		HIGHEST MEAN YEAR	1992	1991	1986	1981	1977	1988	1974	1983	1998	1975	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1974	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
084	GREELEY	HIGHEST MEAN VALUE	31.2	34.8	40.7	57.8	66.1	75.1	80.0	78.7	67.8	53.6	43.7	31.8	80.0
		MEDIAN	19.4	26.7	36.8	47.3	58.8	69.3	74.3	71.1	62.4	50.0	33.4	24.8	47.9
		LOWEST MEAN VALUE	6.7	13.8	26.4	41.4	51.9	64.0	66.8	66.3	56.7	44.7	24.2	5.9	5.9
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1997	1995	1975	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
088	HALSEY 2 W	HIGHEST MEAN VALUE	32.5	35.3	41.9	53.7	62.3	72.9	78.1	75.6	67.7	52.5	42.7	31.2	78.1
		MEDIAN	19.6	27.4	34.8	45.7	56.9	66.4	72.9	70.6	60.2	48.5	33.2	25.3	47.0
		LOWEST MEAN VALUE	4.6	11.5	28.3	39.3	51.1	60.7	67.3	65.4	55.8	43.2	19.2	3.5	3.5
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1987	1988	1974	2000	1998	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.6	0.4	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
091	HARLAN COUNTY	MAX MEAN VALUE	34.5	38.4	45.5	57.5	66.3	78.2	82.1	82.8	71.1	55.9	46.3	33.4	82.8
		MEDIAN	23.7	30.8	39.1	49.9	60.5	71.4	76.9	73.8	64.8	52.9	37.6	29.2	50.8
		LOWEST MEAN VALUE	11.1	16.1	32.1	44.1	54.1	64.6	71.1	68.0	59.7	48.5	29.0	9.2	9.2
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1977	1988	1980	1983	1998	1998	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.3	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
092	HARRISBURG 12	MAX MEAN VALUE	35.3	37.8	43.9	50.5	59.9	70.0	73.8	74.8	65.9	49.7	41.9	35.2	74.8
		MEDIAN	25.2	29.7	35.9	44.8	53.7	63.9	70.6	68.3	58.9	46.8	34.1	27.3	46.7
		LOWEST MEAN VALUE	8.8	18.7	31.7	38.3	48.8	59.9	65.5	64.8	53.9	42.6	25.2	14.4	8.8
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1994	1988	1989	2000	1998	1992	1999	1980	2000
		LOWEST MEAN YEAR	1979	1989	1975	1984	1995	1998	1971	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.6	1.8	1.2	-0.1	0.0	-0.4	-0.1	-0.3	0.6	0.5	1.4	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
093	HARRISON	HIGHEST MEAN VALUE	29.8	35.3	41.4	48.9	58.0	69.7	74.0	75.0	64.8	49.2	41.1	30.6	75.0
		MEDIAN	20.2	26.7	33.6	42.9	52.1	63.5	70.3	68.6	57.9	45.1	31.3	24.7	44.6
		LOWEST MEAN VALUE	7.1	14.3	27.0	35.0	46.0	57.4	63.8	63.9	52.9	41.0	18.3	7.4	7.1
		HIGHEST MEAN YEAR	1981	1991	1986	1981	1985	1988	1974	1983	1998	1973	1999	1999	1983
		LOWEST MEAN YEAR	1979	1989	1996	1997	1995	1998	1992	1992	1993	1984	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.6	0.9	-0.1	-0.7	-0.5	-0.6	-0.5	-0.8	-0.5	-0.7	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.4	0.5	0.4	0.4	0.4	0.2	0.2	0.0	-0.1	-0.1	0.1	0.2	
094	HARTINGTON	HIGHEST MEAN VALUE	32.7	35.9	43.1	57.8	67.0	77.4	80.6	79.9	70.5	56.1	47.1	30.8	80.6
		MEDIAN	20.4	27.1	38.0	49.3	60.6	70.5	75.2	73.5	65.0	52.1	33.9	24.4	49.1
		LOWEST MEAN VALUE	5.1	10.8	27.7	42.9	55.2	66.5	67.4	68.4	59.0	46.0	24.1	5.0	5.0
		HIGHEST MEAN YEAR	1990	1987	2000	1981	1977	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1979	1984	1997	1995	1982	1992	1986	1984	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-1.0	-0.9	-0.8	-0.6	-0.5	-0.8	-1.1	-1.3	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.0	-1.1	-1.3	-1.2	-1.1	-0.8	-1.4	-1.3	-1.2	-0.9	-1.3	
095	HASTINGS 4 N	MAX MEAN VALUE	34.4	39.4	45.8	57.7	67.2	77.9	80.4	81.7	71.0	56.1	46.0	34.4	81.7
		MEDIAN	23.5	30.2	39.9	50.5	61.1	71.7	76.1	73.4	65.2	53.2	37.1	27.4	50.6
		LOWEST MEAN VALUE	11.2	15.8	31.1	43.5	54.6	67.4	71.1	69.3	60.2	48.0	29.1	9.0	9.0
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1977	1988	1983	1983	1998	1971	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1974	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
096	HAYES CENTER	MAX MEAN VALUE	35.9	39.6	45.1	55.3	63.9	75.8	78.9	78.4	71.0	54.7	46.3	35.7	78.9
		MEDIAN	25.8	32.2	38.4	49.0	58.2	69.2	75.1	72.6	63.6	52.0	38.4	30.2	50.1
		LOWEST MEAN VALUE	12.1	19.2	32.2	42.7	52.2	63.4	69.9	67.1	57.9	47.1	28.3	11.0	11.0
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1989	1996	1984	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
097	HAY SPRINGS	MAX MEAN VALUE	30.9	36.0	41.5	51.6	60.5	72.4	76.5	75.8	66.4	50.3	43.2	32.9	76.5
		MEDIAN	21.7	27.3	34.7	44.5	55.2	65.3	72.2	70.4	59.9	47.5	32.9	25.6	46.5
		LOWEST MEAN VALUE	7.4	14.8	28.3	37.9	49.1	59.0	64.9	64.5	54.4	44.9	18.2	8.4	7.4
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1985	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1998	1992	1992	1993	1993	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.5	0.4	0.5	0.4	0.3	0.2	0.0	0.0	0.0	0.1	0.2	
098	HAY SPRINGS 1	MAX MEAN VALUE	33.1	36.5	40.8	51.6	60.0	71.3	75.0	74.0	66.3	50.3	41.8	32.0	75.0
		MEDIAN	20.1	27.4	34.5	44.3	54.8	65.3	71.4	70.0	59.6	47.1	32.0	24.3	45.8
		LOWEST MEAN VALUE	4.1	13.3	28.4	36.7	49.1	60.2	66.1	64.5	55.3	42.9	16.8	5.6	4.1
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1985	1988	1974	2000	1998	1999	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1975	1997	1995	1998	1992	1992	1993	1982	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	-0.1	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
099	HEBRON	HIGHEST MEAN VALUE	33.7	38.8	45.2	57.9	66.7	76.9	81.7	82.0	72.2	57.4	47.4	34.3	82.0
		MEDIAN	23.2	29.7	40.4	49.6	60.6	71.6	76.6	73.9	65.3	52.9	38.3	28.7	50.6
		LOWEST MEAN VALUE	10.2	13.5	31.2	43.0	54.4	65.7	71.4	68.9	59.2	48.5	29.9	8.6	8.6
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1998	1988	1974	1983	1998	2000	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
100	HEMINGFORD	HIGHEST MEAN VALUE	32.9	37.5	42.8	52.1	60.3	73.0	75.4	75.9	67.6	51.3	45.7	34.5	75.9
		MEDIAN	24.1	30.5	36.0	44.7	54.5	64.9	72.2	69.9	60.8	48.8	34.5	27.9	47.1
		LOWEST MEAN VALUE	10.2	17.2	29.8	38.9	48.3	59.8	66.3	65.0	55.8	44.9	22.0	12.7	10.2
		HIGHEST MEAN YEAR	1981	1992	1986	1981	1985	1988	1989	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1989	1975	1997	1995	1982	1992	1977	1973	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.6	1.0	-0.1	-0.7	-0.6	-0.6	-0.6	-0.8	-0.5	-0.7	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.4	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
101	HERSHEY 5 SSE	MAX MEAN VALUE	31.9	38.6	44.5	54.8	63.0	74.1	77.3	77.5	68.9	54.5	43.8	33.9	77.5
		MEDIAN	23.3	30.1	37.1	47.4	57.8	68.3	73.9	71.2	61.9	50.8	36.2	27.9	48.7
		LOWEST MEAN VALUE	7.5	16.1	30.1	39.8	51.5	61.8	67.2	65.7	56.3	46.1	27.5	5.6	5.6
		HIGHEST MEAN YEAR	1981	1999	1986	1981	1977	1988	1980	2000	1998	1974	1999	1980	2000
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1982	1992	1992	1973	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.1	1.5	1.8	2.1	1.3	1.1	0.8	1.3	1.6	1.0	0.9	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
103	HOLDREGE	HIGHEST MEAN VALUE	34.4	37.8	45.3	56.3	64.4	75.8	78.9	80.8	70.4	55.1	46.0	34.0	80.8
		MEDIAN	22.7	29.9	37.8	48.7	59.9	70.3	75.1	72.2	64.1	51.8	36.4	27.8	49.5
		LOWEST MEAN VALUE	9.3	14.1	29.9	43.0	52.7	64.6	69.9	67.6	59.3	45.7	27.8	9.3	9.3
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1987	1988	1980	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
107	HYANNIS	HIGHEST MEAN VALUE	32.1	36.2	41.4	51.8	60.5	71.0	75.4	73.9	66.4	49.6	42.1	32.1	75.4
		MEDIAN	22.4	28.3	34.5	44.6	55.5	65.6	71.9	68.9	58.9	46.9	32.8	26.2	46.4
		LOWEST MEAN VALUE	6.0	15.0	28.4	38.3	49.4	59.5	66.1	63.6	54.9	42.5	19.4	7.9	6.0
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
108	IMPERIAL MUNI	MAX MEAN VALUE	34.3	38.4	43.9	54.2	64.5	74.2	78.5	78.6	70.0	54.1	44.6	34.5	78.6
		MEDIAN	25.1	30.9	37.2	48.2	58.6	69.1	75.3	72.3	63.1	50.7	36.2	28.9	49.7
		LOWEST MEAN VALUE	12.7	19.1	32.0	41.1	52.0	63.7	70.4	67.6	59.6	46.7	25.9	11.7	11.7
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1994	1988	1980	1983	1998	1974	1999	1999	1983
		LOWEST MEAN YEAR	1979	1978	1980	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.8	0.8	1.3	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
109	KEARNEY 4 NE	MAX MEAN VALUE	34.0	37.0	45.5	56.8	64.6	75.4	79.3	80.8	69.5	55.1	44.6	33.3	80.8
		MEDIAN	22.5	28.4	37.3	47.9	59.5	69.8	74.8	72.0	63.2	51.5	36.1	27.3	49.2
		LOWEST MEAN VALUE	8.6	14.9	29.9	41.6	52.8	63.6	68.4	66.7	57.8	46.4	25.5	7.6	7.6
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
110	KIMBALL 2 N	MAX MEAN VALUE	32.3	37.6	43.7	51.5	60.1	72.2	75.1	74.7	66.4	51.3	43.6	35.4	75.1
		MEDIAN	24.5	30.1	36.4	45.8	54.8	65.7	72.4	69.9	60.4	48.0	34.6	28.6	47.6
		LOWEST MEAN VALUE	13.9	18.8	31.4	38.2	48.7	60.9	67.7	65.9	55.4	44.0	24.8	13.8	13.8
		HIGHEST MEAN YEAR	1983	1992	1986	1981	1994	1988	1980	1983	1998	1974	1999	1980	1980
		LOWEST MEAN YEAR	1979	1989	1975	1984	1995	1982	1972	1992	1971	1984	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.6	1.8	1.2	-0.1	0.0	-0.4	-0.1	-0.3	0.7	0.5	1.4	1.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
111	KINGSLEY DAM	MAX MEAN VALUE	32.9	40.2	45.2	56.3	65.0	74.5	81.4	80.6	71.0	55.9	48.6	37.0	81.4
		MEDIAN	24.4	30.6	37.6	48.9	59.3	70.4	77.3	74.9	64.8	53.0	38.0	29.6	50.5
		LOWEST MEAN VALUE	8.9	18.0	32.7	43.4	52.3	64.9	69.4	69.3	60.0	48.5	25.5	11.8	8.9
		HIGHEST MEAN YEAR	1989	1999	1986	1981	1994	1988	1974	1983	1990	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1998	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	-0.1	-0.6	-0.5	-0.5	-0.3	-0.5	0.4	1.3	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
114	LINCOLN AP	HIGHEST MEAN VALUE	33.8	37.3	45.3	58.8	68.5	77.7	84.3	84.0	71.3	57.7	46.7	33.2	84.3
		MEDIAN	22.2	29.9	40.1	50.8	61.8	72.6	78.0	75.1	66.2	53.6	38.3	28.2	51.2
		LOWEST MEAN VALUE	7.7	13.3	30.7	45.1	56.7	67.0	72.6	70.0	59.9	47.7	29.5	8.7	7.7
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1977	1988	1974	1983	1998	1975	1999	1991	1974
		LOWEST MEAN YEAR	1979	1979	1975	1997	1995	1982	1994	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
115	LINCOLN	HIGHEST MEAN VALUE	33.9	38.0	45.4	58.4	68.2	78.3	83.3	82.8	72.4	58.3	48.1	33.3	83.3
		MEDIAN	23.9	29.8	40.3	50.7	62.2	72.6	77.7	74.7	66.4	54.3	39.1	29.3	51.2
		LOWEST MEAN VALUE	10.1	13.5	31.2	45.5	56.0	65.3	71.3	68.7	59.8	49.1	29.6	9.1	9.1
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1977	1988	1974	1983	1998	2000	1999	1999	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1992	1992	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
117	LODGEPOLE	HIGHEST MEAN VALUE	34.2	40.6	48.4	56.0	64.7	76.0	78.7	79.8	70.8	55.5	46.1	37.0	79.8
		MEDIAN	27.2	33.7	40.4	49.9	58.4	69.4	76.4	74.2	64.0	52.3	37.7	30.5	51.2
		LOWEST MEAN VALUE	15.7	22.3	34.4	43.6	54.2	63.8	71.2	69.6	60.8	48.8	27.2	14.8	14.8
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1994	1988	1980	1983	1998	1974	1999	1980	1983
		LOWEST MEAN YEAR	1979	1978	1980	1997	1995	1982	1972	1992	1973	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.5	-1.4	-1.2	-1.1	-0.7	-0.6	-0.5	-0.8	-1.2	-1.4	-1.7	-1.5	
		MAX OBS TIME ADJUSTMENT	-2.4	-2.4	-2.5	-2.7	-2.3	-1.8	-1.6	-2.1	-3.1	-2.5	-2.8	-2.6	
118	LOUP CITY	HIGHEST MEAN VALUE	32.3	37.4	42.6	56.3	65.6	75.0	79.2	78.3	68.1	53.8	43.3	32.5	79.2
		MEDIAN	21.3	28.5	37.0	47.3	59.0	69.7	74.4	71.3	61.5	49.9	34.5	25.9	48.3
		LOWEST MEAN VALUE	6.5	13.1	29.7	40.3	52.3	63.5	68.3	66.0	55.8	42.9	24.5	5.4	5.4
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
121	LYNCH	HIGHEST MEAN VALUE	31.4	34.6	41.9	54.5	65.2	74.9	80.7	79.3	69.0	55.1	43.8	30.2	80.7
		MEDIAN	19.0	25.9	36.4	46.0	58.3	69.0	75.7	72.9	61.6	49.1	33.0	23.1	47.1
		LOWEST MEAN VALUE	4.7	9.6	26.8	40.1	53.3	63.2	66.0	67.4	56.8	44.3	22.0	4.2	4.2
		HIGHEST MEAN YEAR	1990	1998	2000	1981	1977	1988	1974	1983	1998	1994	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.9	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
123	MADISON 2 W	MAX MEAN VALUE	30.6	34.5	40.9	55.7	65.1	75.4	79.1	77.7	68.5	54.1	44.5	30.3	79.1
		MEDIAN	19.3	26.2	36.0	46.9	59.0	69.8	74.3	71.2	61.8	50.5	34.3	24.0	47.7
		LOWEST MEAN VALUE	5.1	10.5	27.9	40.4	54.2	63.4	68.2	66.4	57.2	44.1	25.2	5.4	5.1
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1974	1974	1987	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.3	0.0	0.0	-0.1	0.7	0.7	1.2	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.1	
124	MADRID	HIGHEST MEAN VALUE	31.9	37.2	43.6	54.2	62.6	74.2	78.9	78.5	69.1	53.4	43.9	33.4	78.9
		MEDIAN	23.3	30.4	36.9	47.3	57.9	69.1	75.2	72.0	62.7	49.9	35.2	27.5	48.9
		LOWEST MEAN VALUE	9.2	17.7	32.0	40.7	51.1	62.6	69.7	66.8	59.0	45.5	23.6	9.1	9.1
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1987	1988	1980	1983	1998	1974	1999	1980	1980
		LOWEST MEAN YEAR	1979	1993	1980	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.8	1.2	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
126	MASON CITY	HIGHEST MEAN VALUE	33.1	36.5	43.7	55.6	64.1	75.3	79.1	79.7	68.7	53.4	43.5	33.1	79.7
		MEDIAN	22.0	28.8	37.4	47.9	58.7	69.1	74.7	71.8	63.2	50.5	35.2	26.6	48.5
		LOWEST MEAN VALUE	7.4	13.4	29.8	41.1	51.5	63.5	68.5	67.3	57.8	44.6	25.1	7.1	7.1
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
127	MCCOOK	HIGHEST MEAN VALUE	36.5	39.6	46.7	57.6	65.5	78.9	81.3	81.7	70.9	55.5	46.0	35.6	81.7
		MEDIAN	25.9	32.3	40.0	50.4	60.5	71.2	77.2	74.2	65.3	52.8	38.4	30.6	51.3
		LOWEST MEAN VALUE	12.7	20.2	33.4	43.9	53.8	65.9	71.6	68.5	59.4	49.2	29.7	10.7	10.7
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1980	1983	1998	1979	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
130	MEAD 6 S	HIGHEST MEAN VALUE	32.8	37.2	46.3	59.4	68.0	78.1	81.1	80.0	70.5	56.2	45.6	31.5	81.1
		MEDIAN	19.4	27.4	37.9	50.0	61.4	71.6	75.7	73.0	64.9	52.5	37.5	26.5	49.4
		LOWEST MEAN VALUE	6.5	11.8	27.7	43.5	55.4	67.1	69.8	67.0	58.8	46.5	28.8	6.8	6.5
		HIGHEST MEAN YEAR	1992	1992	1992	1981	1988	1988	1974	1983	1998	1971	1999	1987	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1991	1983	1979
		MIN OBS TIME ADJUSTMENT	0.5	-0.2	0.0	-0.6	-0.7	-0.6	-0.6	-0.7	-1.0	-0.7	-0.7	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
132	MEDICINE CREE	MAX MEAN VALUE	34.2	38.1	44.8	55.7	63.9	76.4	80.0	79.9	70.5	55.3	43.5	34.7	80.0
		MEDIAN	24.3	29.9	38.1	48.4	59.2	69.9	75.5	73.0	63.8	51.5	36.9	29.0	49.6
		LOWEST MEAN VALUE	11.2	16.1	31.4	41.4	52.6	64.3	69.3	67.0	58.7	47.5	27.5	9.3	9.3
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1987	1988	1980	1983	1998	1974	1999	1979	1980
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1993	1976	2000	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.1	0.2	
133	MERRIMAN	HIGHEST MEAN VALUE	31.8	38.6	43.4	54.1	63.3	74.7	78.4	77.1	69.9	51.7	46.4	34.1	78.4
		MEDIAN	21.3	27.5	36.2	46.5	57.1	67.3	73.7	72.5	62.8	49.8	34.3	27.2	48.2
		LOWEST MEAN VALUE	5.0	13.4	28.5	40.3	51.5	61.6	66.1	67.0	56.7	45.7	19.0	8.2	5.0
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1974	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1985	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	-0.1	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
135	MINDEN	HIGHEST MEAN VALUE	33.8	37.8	45.4	56.5	65.9	74.8	81.2	81.2	70.9	56.1	45.7	32.9	81.2
		MEDIAN	22.4	30.4	38.4	49.5	60.5	71.2	76.3	73.1	64.4	52.7	36.6	27.5	50.3
		LOWEST MEAN VALUE	9.2	15.3	31.2	42.9	55.7	65.1	70.3	68.3	59.3	47.6	26.3	7.4	7.4
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1994	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1998	1983	1995	1982	1992	1992	1996	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
136	MITCHELL 5 E	MAX MEAN VALUE	34.5	38.4	45.3	53.6	62.5	74.7	77.5	74.8	67.6	52.7	43.5	33.6	77.5
		MEDIAN	25.6	30.9	37.6	47.3	56.4	67.6	73.1	70.3	60.9	49.0	35.1	28.5	48.2
		LOWEST MEAN VALUE	9.5	19.1	32.6	40.2	50.5	62.7	68.0	66.1	55.7	44.7	25.1	12.0	9.5
		HIGHEST MEAN YEAR	1990	1991	1986	1981	1992	1988	1989	1983	1998	1977	1999	1980	1989
		LOWEST MEAN YEAR	1979	1993	1996	1983	1983	1998	1972	1974	1993	1993	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.6	1.0	-0.1	-0.7	-0.5	-0.6	-0.5	-0.8	-0.5	-0.7	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.4	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
138	MULLEN	HIGHEST MEAN VALUE	34.0	38.6	44.9	55.0	63.8	73.9	78.2	78.2	69.1	54.5	44.2	35.2	78.2
		MEDIAN	23.8	30.7	37.6	48.2	58.5	68.9	74.5	72.3	61.7	50.6	36.4	28.6	49.1
		LOWEST MEAN VALUE	7.6	16.2	29.9	41.9	53.3	62.5	68.5	68.0	59.0	45.7	21.9	7.9	7.6
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1987	1988	1974	1983	1998	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1995	1995	1982	1992	1992	1993	1981	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.4	-1.1	-1.0	-0.8	-0.7	-0.6	-0.9	-1.2	-1.4	-1.6	-1.6	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.2	-2.0	-2.2	-1.8	-1.7	-1.3	-2.0	-2.3	-1.8	-2.3	-2.3	
139	MULLEN 21 NW	MAX MEAN VALUE	33.0	36.9	44.0	53.4	63.2	74.4	76.5	77.5	67.6	51.9	44.8	33.1	77.5
		MEDIAN	23.1	29.6	36.4	46.2	56.2	66.8	73.0	72.0	61.4	49.2	35.3	28.9	48.1
		LOWEST MEAN VALUE	7.1	15.9	28.0	40.1	50.4	60.5	66.8	66.8	56.7	46.2	22.1	8.7	7.1
		HIGHEST MEAN YEAR	1990	1991	1986	1981	1977	1988	1980	1983	1998	1973	1999	1980	1983
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1993	1984	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	-0.1	-0.6	-0.5	-0.5	-0.3	-0.6	0.5	1.3	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.2	0.0	-0.1	0.0	0.1	0.2	
141	NEBRASKA CITY	MAX MEAN VALUE	33.9	38.4	45.2	59.0	68.7	77.0	81.0	82.1	72.2	59.3	48.5	33.5	82.1
		MEDIAN	23.1	30.0	41.1	51.4	61.8	72.0	76.7	74.1	66.7	54.8	39.8	29.8	51.7
		LOWEST MEAN VALUE	10.6	14.0	31.5	44.9	56.8	67.2	72.3	69.6	59.9	49.1	31.6	10.3	10.3
		HIGHEST MEAN YEAR	1989	1987	1992	1981	1977	1988	1980	1983	1998	1971	1999	1991	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1971	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
145	NEWPORT	HIGHEST MEAN VALUE	32.0	36.3	42.2	55.6	65.0	76.4	80.3	79.4	69.8	54.8	45.2	32.4	80.3
		MEDIAN	21.5	28.3	36.2	46.7	58.6	69.3	75.1	73.4	62.7	50.4	35.0	25.6	48.4
		LOWEST MEAN VALUE	6.4	13.5	28.3	41.2	53.3	63.7	67.0	67.3	58.2	46.0	21.0	6.5	6.4
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1995	1995	1982	1992	1992	1993	1987	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.6	1.0	-0.1	-0.7	-0.7	-0.7	-0.6	-0.8	-1.1	-0.7	-0.7	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.2	0.1	0.0	-0.2	-0.1	0.0	0.2	
146	NIOBRARA	HIGHEST MEAN VALUE	33.7	38.1	44.8	58.3	68.3	78.4	79.4	80.4	71.9	55.5	46.9	32.2	80.4
		MEDIAN	20.8	28.5	37.6	50.0	60.7	70.8	76.4	74.0	64.5	52.2	35.1	24.9	49.7
		LOWEST MEAN VALUE	5.3	11.2	29.1	43.2	56.3	65.1	69.2	69.0	59.0	45.5	23.9	5.5	5.3
		HIGHEST MEAN YEAR	1990	1999	2000	1981	1987	1988	1987	1983	1998	2000	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1979	1974	1992	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.0	-1.0	-0.8	-0.7	-0.5	-0.8	-1.1	-1.3	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.2	-0.8	-1.2	-1.4	-1.2	-1.1	-0.8	-1.5	-1.4	-1.2	-0.9	-1.3	
147	NORFOLK AP	HIGHEST MEAN VALUE	32.3	36.0	42.8	57.2	66.9	75.6	80.7	79.9	69.3	54.8	45.1	31.0	80.7
		MEDIAN	21.2	28.2	38.3	48.9	60.1	70.7	74.9	72.3	63.1	51.1	35.1	24.4	49.1
		LOWEST MEAN VALUE	6.0	11.4	28.5	42.7	55.2	64.5	67.9	67.1	58.9	45.7	24.2	6.4	6.0
		HIGHEST MEAN YEAR	1992	1987	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
148	NORTH LOUP OR	MAX MEAN VALUE	33.6	37.5	44.4	58.1	65.9	75.1	79.3	79.5	69.4	55.1	44.8	33.3	79.5
		MEDIAN	22.5	29.1	39.2	49.5	60.3	70.1	74.8	72.0	63.1	51.8	36.0	26.7	49.4
		LOWEST MEAN VALUE	6.9	14.0	31.2	43.2	54.4	64.3	67.6	67.2	59.7	46.1	24.8	6.5	6.5
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1977	1988	1974	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-1.0	-0.9	-0.7	-0.6	-0.5	-0.8	-1.0	-1.2	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.2	-1.3	-1.1	-1.0	-0.8	-1.4	-1.3	-1.1	-0.9	-1.4	
149	NORTH PLATTE	MAX MEAN VALUE	32.0	37.2	44.4	55.7	64.3	74.1	79.1	79.0	68.5	53.8	41.8	34.2	79.1
		MEDIAN	23.4	30.2	37.4	48.0	58.2	68.4	74.5	72.4	62.1	49.5	35.8	27.3	48.7
		LOWEST MEAN VALUE	6.4	16.9	31.3	42.2	52.4	63.6	68.3	66.2	57.9	46.1	24.6	7.7	6.4
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1977	1988	1974	1995	1998	1979	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	2000	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
150	NORTH PLATTE	MAX MEAN VALUE	31.4	38.2	43.5	55.5	63.8	75.7	79.7	79.0	70.0	53.4	44.7	33.6	79.7
		MEDIAN	22.7	29.8	37.0	47.9	58.0	68.2	74.5	72.5	62.6	50.9	36.2	27.6	48.7
		LOWEST MEAN VALUE	6.9	15.1	30.1	41.9	50.7	62.7	68.6	66.9	57.4	45.6	23.6	7.9	6.9
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1987	1988	1974	1983	1998	1979	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.4	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
151	OAKDALE	HIGHEST MEAN VALUE	31.3	34.9	41.1	57.1	66.5	75.1	79.7	78.3	67.5	53.7	43.7	30.9	79.7
		MEDIAN	19.6	26.4	36.6	47.3	59.0	69.2	74.0	71.4	61.8	49.8	34.4	23.8	47.7
		LOWEST MEAN VALUE	5.2	10.8	28.5	41.7	52.9	64.2	66.8	66.1	56.6	44.5	24.1	4.7	4.7
		HIGHEST MEAN YEAR	1990	1992	2000	1981	1977	1988	1974	1983	1978	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.1	0.0	-0.6	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
152	OCONTO	HIGHEST MEAN VALUE	32.1	35.8	41.7	54.6	62.6	73.5	80.0	77.7	67.6	54.2	41.0	33.2	80.0
		MEDIAN	21.8	28.6	36.0	46.5	57.3	67.6	73.3	70.4	61.6	49.8	34.9	26.2	47.6
		LOWEST MEAN VALUE	7.5	14.3	28.8	40.2	51.2	61.3	67.1	65.8	57.0	46.3	22.9	6.4	6.4
		HIGHEST MEAN YEAR	1986	1991	1986	1981	1977	1988	1980	1983	1998	1974	1999	1979	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1972	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.2	1.5	1.8	2.1	1.3	1.1	0.7	1.3	1.5	1.0	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
153	OGALLALA	HIGHEST MEAN VALUE	31.4	38.3	43.1	54.6	62.2	74.1	79.1	79.8	69.2	52.9	44.6	33.9	79.8
		MEDIAN	23.5	30.7	36.9	47.4	57.0	68.4	75.5	73.2	62.7	50.2	36.3	28.1	49.1
		LOWEST MEAN VALUE	7.2	18.8	31.3	41.5	51.6	63.5	69.3	67.5	56.7	46.4	23.9	11.1	7.2
		HIGHEST MEAN YEAR	1989	1999	1986	1981	1977	1988	1980	1983	1998	1974	1999	1980	1983
		LOWEST MEAN YEAR	1979	1993	1996	1995	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.0	1.3	1.6	2.0	2.0	1.7	1.2	1.1	1.3	0.8	0.8	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.1	-0.1	-0.1	-0.1	0.0	0.1	
154	OMAHA EPPLEY	MAX MEAN VALUE	33.5	37.5	46.1	59.0	70.2	77.8	82.2	81.5	71.6	58.8	47.2	31.8	82.2
		MEDIAN	21.7	28.6	40.5	51.3	61.8	72.6	76.7	74.5	65.1	53.3	38.9	27.5	51.0
		LOWEST MEAN VALUE	9.4	15.7	30.3	43.5	56.5	65.5	71.1	68.4	59.7	48.3	28.5	7.3	7.3
		HIGHEST MEAN YEAR	1990	1976	1977	1977	1977	1971	1974	1983	1998	1971	1999	1991	1974
		LOWEST MEAN YEAR	1982	1978	1984	1983	1983	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
155	OMAHA 9 NW	HIGHEST MEAN VALUE	34.5	39.3	46.7	59.2	68.4	76.6	81.9	81.7	71.7	58.4	49.3	33.0	81.9
		MEDIAN	22.4	29.7	40.8	52.0	62.4	71.6	75.6	74.2	66.1	53.9	38.2	28.5	50.9
		LOWEST MEAN VALUE	9.0	14.7	31.2	44.8	57.5	66.2	69.2	68.6	59.7	48.9	28.9	8.9	8.9
		HIGHEST MEAN YEAR	1990	2000	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1997	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-1.0	-0.7	-0.6	-0.5	-0.7	-0.9	-1.2	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-0.9	-1.5	-1.4	-1.0	-1.0	-0.7	-1.3	-1.2	-1.1	-0.9	-1.3	
156	O NEILL	HIGHEST MEAN VALUE	31.0	34.3	40.6	55.8	65.4	75.9	79.7	79.0	69.7	53.4	45.5	31.4	79.7
		MEDIAN	19.0	25.8	36.3	46.4	59.0	69.0	74.9	71.9	61.9	49.9	32.8	24.9	47.4
		LOWEST MEAN VALUE	3.5	10.1	27.4	39.9	52.6	63.7	66.0	66.9	57.1	44.9	20.6	2.8	2.8
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1987	1988	1980	1983	1998	1973	1999	1999	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
160	OSCEOLA	HIGHEST MEAN VALUE	33.9	38.4	44.6	59.4	68.1	77.0	80.9	82.2	71.5	57.5	47.6	33.0	82.2
		MEDIAN	22.3	29.2	40.4	51.0	61.7	72.1	75.9	73.6	65.8	53.0	36.9	27.3	50.7
		LOWEST MEAN VALUE	8.7	14.3	32.0	43.5	56.0	67.4	69.9	67.9	60.6	48.4	26.7	7.7	7.7
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1977	1988	1974	1983	1998	1975	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1998	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.0	-1.2	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.2	-0.9	-1.6	-1.8	-1.1	-1.0	-0.8	-1.4	-1.3	-1.1	-0.9	-1.3	
161	OSHKOSH	HIGHEST MEAN VALUE	29.8	36.6	42.4	53.9	61.8	72.1	76.3	76.3	68.0	52.0	42.5	33.1	76.3
		MEDIAN	22.2	29.6	36.6	46.2	56.0	67.5	74.0	71.0	60.9	48.4	34.3	26.5	47.3
		LOWEST MEAN VALUE	5.9	16.2	30.3	40.4	50.7	61.9	68.3	66.4	57.1	45.0	22.5	8.8	5.9
		HIGHEST MEAN YEAR	1983	1999	1986	1981	1977	1988	2000	1983	1998	1974	1999	1980	2000
		LOWEST MEAN YEAR	1979	1993	1987	1997	1995	1998	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.0	1.3	1.2	0.0	-0.1	0.7	0.7	1.2	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
163	OSMOND	HIGHEST MEAN VALUE	32.2	35.6	42.6	57.0	68.0	77.6	79.2	77.9	70.1	54.5	44.9	30.4	79.2
		MEDIAN	19.4	27.5	38.3	49.3	60.3	70.5	75.5	72.4	62.9	51.0	34.1	23.7	48.7
		LOWEST MEAN VALUE	4.4	12.2	27.6	41.5	55.2	65.0	68.5	67.8	58.4	43.0	22.9	3.6	3.6
		HIGHEST MEAN YEAR	1992	1992	2000	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1987	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.0	-1.3	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.0	-1.1	-1.3	-1.1	-1.1	-0.8	-1.4	-1.3	-1.2	-0.9	-1.3	



NEBRASKA

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			NORMALS STATISTICS												
164	OVERTON 3 W	MAX MEAN VALUE	34.3	38.7	45.2	57.5	67.0	76.8	78.6	78.7	72.9	54.8	44.9	34.0	78.7
		MEDIAN	24.4	30.6	40.0	49.8	60.0	70.3	74.6	71.9	64.1	52.0	37.8	28.7	50.3
		LOWEST MEAN VALUE	10.2	17.0	32.4	43.2	53.6	64.5	69.4	67.0	58.9	46.0	27.1	8.6	8.6
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1987	1988	1974	1983	1986	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.4	-1.3	-1.0	-0.9	-0.8	-0.7	-0.6	-0.9	-1.3	-1.3	-1.7	-1.7	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.0	-1.2	-1.6	-1.6	-1.3	-1.1	-1.3	-2.5	-1.7	-2.2	-1.5	
166	PAWNEE CITY	MAX MEAN VALUE	35.2	40.6	46.8	60.7	68.9	78.8	84.4	84.7	71.9	59.0	48.3	33.9	84.7
		MEDIAN	22.6	30.7	41.4	50.7	63.0	73.0	77.5	75.0	66.8	54.8	40.5	29.9	52.5
		LOWEST MEAN VALUE	8.1	16.3	32.3	45.8	58.1	68.0	73.8	69.2	60.0	49.3	31.9	10.1	8.1
		HIGHEST MEAN YEAR	1992	1976	1977	1981	1977	1971	1974	1983	1998	1971	1999	1998	1983
		LOWEST MEAN YEAR	1979	1989	1998	1983	1997	1992	1992	1992	1993	1987	1991	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
173	PURDUM	HIGHEST MEAN VALUE	32.4	36.8	41.9	54.7	64.1	72.8	78.2	77.4	68.5	54.2	44.5	32.6	78.2
		MEDIAN	21.6	29.0	36.2	47.1	58.0	68.2	73.9	71.4	62.2	50.0	34.9	26.6	48.1
		LOWEST MEAN VALUE	5.7	13.6	29.2	40.0	50.6	62.3	66.9	66.1	57.6	46.0	22.7	6.8	5.7
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1977	1988	1974	1983	1998	1974	1999	1991	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.5	1.0	-0.1	-0.7	-0.7	-0.6	-0.6	-0.8	-1.1	-0.7	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
176	RAVENNA	HIGHEST MEAN VALUE	33.8	39.3	45.3	59.1	67.2	76.8	80.9	80.5	70.4	56.9	45.8	34.2	80.9
		MEDIAN	23.9	30.3	40.2	50.9	61.5	70.9	75.9	74.0	65.3	52.4	36.5	27.9	50.9
		LOWEST MEAN VALUE	9.3	16.3	32.1	44.0	54.2	65.2	69.7	69.6	59.1	47.5	26.5	7.9	7.9
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1980	1983	1998	1974	1999	1988	1980
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1984	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.0	-1.2	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.6	-1.8	-1.1	-1.0	-0.8	-1.4	-1.3	-1.1	-1.0	-1.4	
178	RED CLOUD	HIGHEST MEAN VALUE	32.8	40.2	44.6	56.6	67.0	77.5	81.5	82.7	71.0	56.4	44.6	33.3	82.7
		MEDIAN	23.0	29.9	39.1	49.8	60.4	70.9	76.9	74.4	64.6	52.0	36.9	28.1	50.4
		LOWEST MEAN VALUE	10.8	14.8	30.5	44.0	54.0	65.4	71.4	69.6	59.7	46.9	29.1	8.3	8.3
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1972	1992	1993	1972	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.2	
179	RED WILLOW DA	MAX MEAN VALUE	34.4	38.4	45.4	56.3	64.0	76.3	80.0	80.3	70.0	54.0	43.6	35.7	80.3
		MEDIAN	24.1	30.7	38.6	48.8	59.0	69.3	75.5	73.3	63.3	51.5	37.3	29.5	49.8
		LOWEST MEAN VALUE	11.3	17.2	32.4	43.4	53.1	64.3	70.1	67.2	58.4	46.5	28.4	10.3	10.3
		HIGHEST MEAN YEAR	1986	1976	1986	1981	1977	1988	1980	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1984	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.3	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
181	ROSE 10 WNW	MAX MEAN VALUE	32.2	36.9	42.9	57.0	65.4	74.5	78.9	78.4	68.0	53.5	44.1	32.6	78.9
		MEDIAN	22.6	29.6	37.1	48.0	58.1	68.1	73.7	72.0	62.0	50.5	35.8	26.5	48.3
		LOWEST MEAN VALUE	7.5	13.9	29.8	42.0	51.9	62.2	66.2	66.1	57.0	46.2	22.5	6.6	6.6
		HIGHEST MEAN YEAR	1992	1992	1986	1981	1977	1988	1980	1983	1998	1973	1999	1979	1980
		LOWEST MEAN YEAR	1979	1979	1998	1997	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-1.1	-1.0	-0.7	-0.6	-0.5	-0.8	-1.1	-1.2	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.6	-1.3	-1.4	-1.1	-1.1	-0.8	-1.5	-1.4	-1.2	-1.0	-1.4	
183	SAINT PAUL 4	MAX MEAN VALUE	34.3	38.4	44.5	56.7	66.7	76.4	79.3	80.3	72.4	55.8	45.6	33.5	80.3
		MEDIAN	24.5	29.9	39.9	50.6	60.4	70.9	75.1	73.8	64.0	52.8	37.1	28.3	50.5
		LOWEST MEAN VALUE	8.1	13.1	32.6	43.4	56.2	64.8	70.0	68.1	60.2	47.7	26.5	8.2	8.1
		HIGHEST MEAN YEAR	1992	1992	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1996	1983	1995	1982	1992	1974	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.0	-1.2	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-0.9	-1.6	-1.8	-1.1	-1.0	-0.8	-1.4	-1.2	-1.1	-0.9	-1.3	
185	SCOTTSBLUFF A	MAX MEAN VALUE	31.9	37.8	43.4	54.7	62.6	71.8	76.6	75.8	68.1	50.3	43.1	34.7	76.6
		MEDIAN	24.7	30.4	37.4	46.5	56.8	67.3	73.3	70.8	60.3	48.2	33.9	26.8	47.8
		LOWEST MEAN VALUE	8.3	17.4	32.2	39.6	50.3	61.9	67.9	66.2	54.6	44.4	20.6	11.2	8.3
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1994	1988	1980	2000	1998	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1989	1975	1997	1983	1982	1992	1992	1974	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
186	SEWARD	HIGHEST MEAN VALUE	36.0	39.7	47.0	60.1	68.8	78.2	83.9	83.8	72.9	59.4	48.6	34.9	83.9
		MEDIAN	24.5	31.8	41.8	53.0	63.2	73.8	77.9	75.5	67.8	55.5	39.6	29.5	52.4
		LOWEST MEAN VALUE	11.0	15.8	33.5	45.2	57.8	68.5	71.8	70.2	62.5	50.1	29.9	10.5	10.5
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1993	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-0.9	-0.9	-0.7	-0.6	-0.5	-0.8	-1.1	-1.3	-1.4	-1.5	
		MAX OBS TIME ADJUSTMENT	-1.9	-1.5	-2.2	-2.5	-1.7	-1.5	-1.3	-1.8	-2.0	-1.8	-1.6	-2.1	



NEBRASKA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
187	SIDNEY 6 NNW	MAX MEAN VALUE	31.5	37.9	43.2	51.0	59.7	68.4	74.4	74.6	65.0	51.5	42.0	35.7	74.6
		MEDIAN	25.1	30.2	35.8	44.4	53.9	64.6	71.4	68.5	60.2	47.1	35.0	28.4	46.8
		LOWEST MEAN VALUE	10.3	18.3	31.0	38.6	48.2	58.2	66.4	64.9	55.2	42.2	23.6	11.4	10.3
		HIGHEST MEAN YEAR	1983	1976	1986	1981	1994	1988	1974	1983	1998	1979	1999	1980	1983
		LOWEST MEAN YEAR	1979	1989	1980	1984	1995	1998	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.2	-0.1	0.0	-0.5	-0.1	-0.3	0.7	0.4	1.4	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	
188	SIDNEY 3 S	HIGHEST MEAN VALUE	31.1	37.2	42.7	51.5	59.1	70.5	75.4	74.8	67.0	51.0	43.1	34.4	75.4
		MEDIAN	24.7	29.7	35.4	44.0	53.9	65.0	72.3	70.2	59.8	48.5	34.4	27.6	47.0
		LOWEST MEAN VALUE	13.2	19.0	30.5	36.6	48.1	59.7	67.2	65.5	55.6	44.3	22.8	14.3	13.2
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1994	1988	1980	1995	1998	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1989	1980	1983	1995	1983	1992	1974	1973	1984	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.5	1.9	2.2	1.9	1.1	1.2	1.2	1.2	1.0	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.2	0.0	-0.1	0.0	0.0	0.2	
191	SPRINGVIEW	HIGHEST MEAN VALUE	31.3	34.7	41.6	53.2	63.1	76.1	77.9	76.6	72.0	53.0	44.5	31.4	77.9
		MEDIAN	19.6	26.1	34.3	45.9	57.4	67.1	73.9	72.0	61.6	49.3	33.3	24.2	47.0
		LOWEST MEAN VALUE	4.1	11.1	26.1	39.0	52.2	61.2	65.9	66.2	56.3	44.4	20.2	5.5	4.1
		HIGHEST MEAN YEAR	1990	1998	1986	1981	1987	1988	1974	1983	1998	1997	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1995	1995	1982	1992	1992	1973	1972	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.6	0.5	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.2	
192	STANTON	HIGHEST MEAN VALUE	31.4	35.6	42.3	57.4	66.2	76.8	80.7	79.0	69.0	55.1	45.9	30.4	80.7
		MEDIAN	19.8	27.1	38.0	49.3	60.3	70.1	74.6	71.3	63.4	51.0	35.0	23.7	48.3
		LOWEST MEAN VALUE	5.1	11.2	28.4	41.9	54.7	65.1	67.5	66.4	58.4	46.0	24.7	4.3	4.3
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1988	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.5	-0.3	0.0	-0.6	-0.7	-0.6	-0.6	-0.7	-1.0	-0.7	-0.7	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.2	
194	STAPLETON 5 W	MAX MEAN VALUE	32.8	36.4	43.3	54.0	63.4	73.7	78.7	79.8	68.4	53.7	44.4	33.4	79.8
		MEDIAN	22.9	28.3	36.9	46.8	58.1	68.3	74.3	72.3	62.4	50.2	36.0	28.3	48.5
		LOWEST MEAN VALUE	9.3	14.5	29.5	40.6	50.8	62.6	67.0	65.7	55.9	45.9	24.3	8.3	8.3
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1977	1988	1980	1983	1998	1974	1999	1979	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.6	1.9	1.3	0.0	0.0	-0.1	0.8	0.8	1.1	1.1	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.2	
198	SUPERIOR	HIGHEST MEAN VALUE	36.5	41.5	49.5	60.8	68.9	78.5	82.7	83.6	73.6	58.3	48.6	35.5	83.6
		MEDIAN	26.4	33.6	42.9	53.7	63.4	74.0	78.6	76.2	67.6	55.6	40.2	30.6	53.2
		LOWEST MEAN VALUE	13.7	18.7	35.0	45.9	57.8	68.4	73.6	71.4	62.3	49.9	32.1	11.6	11.6
		HIGHEST MEAN YEAR	1992	1999	1986	1981	1977	1988	1980	2000	1998	2000	1999	1979	2000
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1974	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.9	-0.7	-0.5	-0.5	-0.7	-0.9	-1.0	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.5	-1.0	-1.1	-0.6	-0.5	-0.5	-0.8	-0.8	-0.8	-0.6	-0.8	
199	SURPRISE	HIGHEST MEAN VALUE	31.9	36.7	43.1	57.1	68.1	77.2	80.9	80.0	70.8	55.0	45.7	31.5	80.9
		MEDIAN	21.6	28.1	38.4	49.4	60.9	71.2	75.7	72.7	64.8	51.5	36.9	26.5	49.3
		LOWEST MEAN VALUE	6.9	12.5	29.9	43.0	55.0	65.9	69.5	68.0	57.7	46.3	27.5	7.0	6.9
		HIGHEST MEAN YEAR	1990	1987	1986	1981	1977	1988	1974	1983	1998	1971	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.9	1.4	0.0	0.0	-0.1	0.7	0.7	1.1	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.2	
200	SYRACUSE	HIGHEST MEAN VALUE	33.2	37.3	44.5	58.5	68.2	77.1	81.6	81.1	71.8	57.4	45.3	32.4	81.6
		MEDIAN	21.9	29.3	39.9	50.4	61.2	71.5	76.6	73.8	65.3	52.9	38.0	28.6	50.5
		LOWEST MEAN VALUE	8.1	10.8	30.1	43.8	56.1	66.8	72.0	68.9	59.6	47.1	30.7	7.2	7.2
		HIGHEST MEAN YEAR	1989	1987	1986	1981	1977	1988	1980	1983	1998	1971	1999	1979	1980
		LOWEST MEAN YEAR	1979	1979	1975	1983	1997	1982	1992	1992	1974	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
203	TECUMSEH	HIGHEST MEAN VALUE	34.5	38.9	45.7	59.9	68.8	78.1	83.0	82.8	72.4	58.3	47.9	32.9	83.0
		MEDIAN	23.1	29.7	40.5	51.1	62.1	72.6	77.3	74.4	66.3	53.8	39.4	29.5	51.5
		LOWEST MEAN VALUE	9.8	14.6	31.6	46.1	56.4	67.2	72.9	69.6	60.0	47.1	31.3	9.7	9.7
		HIGHEST MEAN YEAR	1989	1987	1986	1981	1977	1988	1980	1983	1998	2000	1999	1979	1980
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.1	1.1	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.5	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
204	TEKAMAH	HIGHEST MEAN VALUE	31.5	36.3	43.9	57.9	68.3	76.9	81.2	80.0	71.4	57.2	45.8	31.0	81.2
		MEDIAN	20.1	27.2	39.1	50.1	62.1	72.6	75.4	73.4	64.7	52.4	37.6	25.7	49.7
		LOWEST MEAN VALUE	6.4	10.6	30.0	43.5	56.5	66.9	70.6	68.1	59.0	47.3	28.2	6.8	6.4
		HIGHEST MEAN YEAR	1992	1987	2000	1981	1977	1988	1974	1983	1998	1975	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1992	1993	1987	1991	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	



NEBRASKA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
205	TRENTON DAM	MAX MEAN VALUE	36.2	39.5	46.8	56.6	64.6	75.9	80.5	81.7	71.6	55.9	45.7	35.5	81.7
		MEDIAN	25.5	31.7	39.8	49.9	59.3	70.2	76.3	74.0	65.5	52.4	38.2	30.3	50.7
		LOWEST MEAN VALUE	13.5	18.7	33.4	43.4	52.7	65.0	71.6	68.8	59.2	47.4	29.2	11.8	11.8
		HIGHEST MEAN YEAR	1986	1999	1986	1981	1985	1988	1980	1983	1998	1979	1999	1999	1983
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.7	2.1	1.4	0.0	0.0	-0.1	0.7	0.7	1.3	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	-0.1	0.0	0.2	
206	TRYON	HIGHEST MEAN VALUE	30.8	36.0	41.4	53.0	61.9	74.2	77.7	77.1	66.9	51.7	43.4	32.3	77.7
		MEDIAN	21.5	28.1	35.2	45.6	56.3	66.7	72.7	70.9	61.0	49.3	34.1	26.8	47.3
		LOWEST MEAN VALUE	7.0	14.4	27.6	39.1	49.6	61.1	65.6	65.6	55.6	44.2	23.1	8.2	7.0
		HIGHEST MEAN YEAR	1990	1991	1986	1981	1987	1988	1974	1983	1998	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.7	2.0	1.3	0.0	0.0	-0.1	0.8	0.8	1.2	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	
210	VALENTINE LKS	MAX MEAN VALUE	35.4	38.3	45.0	55.2	64.3	76.7	79.0	78.2	69.3	54.1	45.4	35.1	79.0
		MEDIAN	23.6	29.1	36.6	47.8	58.5	68.2	74.5	71.9	62.9	50.7	35.2	27.9	48.6
		LOWEST MEAN VALUE	8.0	16.8	26.7	38.6	49.6	60.0	66.1	66.0	56.7	46.9	20.9	7.4	7.4
		HIGHEST MEAN YEAR	1990	1992	1986	1981	1977	1988	1974	1983	1990	1974	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1995	1995	1998	1993	1992	1993	1995	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.4	-1.5	-1.1	-1.0	-0.8	-0.7	-0.6	-0.9	-1.2	-1.4	-1.5	-1.5	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.2	-1.9	-2.2	-1.8	-1.6	-1.3	-2.1	-2.3	-1.9	-2.3	-2.2	
211	VALENTINE MIL	MAX MEAN VALUE	32.3	36.3	41.7	54.3	63.0	76.1	78.5	78.2	69.3	51.8	43.4	32.4	78.5
		MEDIAN	20.5	28.0	35.4	45.9	57.2	67.7	74.2	72.4	61.6	48.4	34.2	24.7	47.5
		LOWEST MEAN VALUE	4.5	10.7	26.9	39.9	52.5	62.5	65.5	66.2	56.8	44.2	18.3	4.1	4.1
		HIGHEST MEAN YEAR	1990	1999	1986	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1978	1996	1997	1995	1982	1992	1992	1973	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
213	VIRGINIA	HIGHEST MEAN VALUE	33.6	38.1	44.8	57.5	66.8	76.8	80.5	80.9	72.4	57.8	48.7	32.9	80.9
		MEDIAN	22.6	29.1	40.0	50.1	60.7	71.0	75.8	73.6	65.6	53.4	38.8	28.7	50.4
		LOWEST MEAN VALUE	9.1	13.1	30.9	43.3	55.7	65.8	71.4	68.8	59.3	47.4	30.5	9.0	9.0
		HIGHEST MEAN YEAR	1989	1987	1986	1981	1988	1988	1980	1983	1998	2000	1999	1999	1983
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1991	1983	1983
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.2	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1	
214	WAHOO	HIGHEST MEAN VALUE	31.4	35.1	42.7	56.6	66.7	76.4	82.4	80.4	70.1	56.3	45.6	31.0	82.4
		MEDIAN	20.5	27.9	37.6	49.2	60.3	71.2	76.0	72.5	64.0	52.2	36.5	26.5	49.6
		LOWEST MEAN VALUE	7.8	12.3	30.7	43.8	54.8	66.3	69.2	67.4	58.5	46.8	27.1	6.6	6.6
		HIGHEST MEAN YEAR	1992	1998	2000	1981	1988	1988	1974	1983	1998	1973	1999	1999	1974
		LOWEST MEAN YEAR	1979	1978	1996	1983	1995	1982	1992	1992	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.4	0.0	0.0	-0.1	0.7	0.7	1.2	1.2	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.1	
215	WAKEFIELD	HIGHEST MEAN VALUE	32.9	37.5	43.2	58.7	68.6	78.5	81.3	80.8	70.0	56.7	45.8	32.1	81.3
		MEDIAN	20.3	28.1	39.0	50.3	61.9	71.9	76.1	72.9	65.4	52.7	36.4	25.9	50.0
		LOWEST MEAN VALUE	6.2	11.1	30.1	43.6	56.5	67.7	69.1	67.9	59.6	47.0	27.2	6.0	6.0
		HIGHEST MEAN YEAR	1990	1987	1985	1981	1987	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	1.3	2.0	1.8	1.3	0.0	0.0	-0.1	0.7	0.7	1.2	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.1	
216	WALLACE 2 W	MAX MEAN VALUE	32.4	39.0	44.9	55.9	63.4	74.6	78.7	78.8	68.7	54.4	44.0	34.7	78.8
		MEDIAN	23.6	30.7	38.1	48.7	58.3	68.1	74.6	72.6	63.6	50.5	36.4	28.0	49.4
		LOWEST MEAN VALUE	7.8	16.8	33.1	42.3	52.9	62.8	69.0	67.9	59.0	46.3	24.9	8.9	7.8
		HIGHEST MEAN YEAR	1986	1992	1986	1981	1994	1988	1980	1995	1998	1974	1999	1991	1995
		LOWEST MEAN YEAR	1979	1978	1998	1997	1995	1982	1992	1992	1999	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.1	-0.9	-0.8	-0.7	-0.6	-0.8	-1.2	-1.2	-1.6	-1.6	
		MAX OBS TIME ADJUSTMENT	-1.8	-2.2	-2.4	-2.5	-1.8	-1.6	-1.3	-1.9	-2.2	-2.2	-2.3	-2.3	
217	WALTHILL	HIGHEST MEAN VALUE	31.5	36.5	44.0	58.5	68.0	78.0	79.7	80.3	70.7	57.0	45.5	31.2	80.3
		MEDIAN	21.4	27.4	38.5	50.3	61.4	71.5	75.5	73.0	64.8	52.2	36.3	25.2	49.5
		LOWEST MEAN VALUE	6.5	11.7	29.9	43.1	56.6	65.9	69.1	67.2	59.6	46.9	27.1	5.8	5.8
		HIGHEST MEAN YEAR	1992	1987	2000	1981	1988	1988	1974	1983	1998	1973	1999	1979	1983
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1992	1993	1976	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-0.9	-0.9	-0.7	-0.6	-0.5	-0.7	-1.0	-1.3	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.0	-1.1	-1.3	-1.1	-1.0	-0.8	-1.3	-1.2	-1.2	-0.9	-1.3	
220	WAYNE	HIGHEST MEAN VALUE	30.4	34.1	40.9	54.6	65.9	75.2	79.9	78.7	68.6	55.1	44.6	30.3	79.9
		MEDIAN	19.0	25.8	36.2	47.2	59.0	70.0	74.8	71.4	62.6	50.4	34.1	23.8	47.5
		LOWEST MEAN VALUE	4.6	10.3	27.3	40.4	53.3	64.9	66.9	66.2	56.5	45.5	23.9	4.6	4.6
		HIGHEST MEAN YEAR	1992	1987	2000	1981	1977	1988	1974	1983	1998	1973	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1984	1983	1997	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.8	1.3	0.0	0.0	-0.1	0.7	0.7	1.2	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.2	



NEBRASKA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
221	WEEPING WATER	MAX MEAN VALUE	33.5	36.8	44.8	58.5	69.1	75.3	81.2	80.6	70.8	58.0	46.4	31.8	81.2
		MEDIAN	22.1	29.2	40.0	51.0	61.0	71.2	75.3	72.8	64.9	52.8	37.4	28.2	50.5
		LOWEST MEAN VALUE	8.8	14.4	32.0	44.8	56.2	66.2	71.1	67.9	59.5	47.4	28.9	8.7	8.7
		HIGHEST MEAN YEAR	1990	1998	2000	1981	1977	1971	1974	1983	1998	1971	1999	1991	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1997	1982	1992	1986	1993	1987	1985	1983	1983
		MIN OBS TIME ADJUSTMENT	-0.6	-0.5	-0.5	-0.5	-0.3	-0.3	-0.2	-0.4	-0.4	-0.5	-0.5	-0.6	
		MAX OBS TIME ADJUSTMENT	-0.2	-0.1	-0.2	-0.2	-0.1	-0.1	-0.1	-0.1	-0.1	-0.2	-0.2	-0.2	
224	WEST POINTHIGHEST	MEAN VALUE	30.7	34.6	41.4	56.6	67.9	77.0	80.8	80.0	69.5	55.6	44.8	30.4	80.8
		MEDIAN	19.6	26.4	36.8	48.4	60.3	71.2	75.4	72.8	63.6	50.8	35.6	24.4	48.6
		LOWEST MEAN VALUE	5.4	8.5	27.3	42.0	55.2	66.3	68.7	67.2	57.5	45.6	26.9	5.4	5.4
		HIGHEST MEAN YEAR	1990	1987	2000	1981	1977	1988	1974	1983	1998	1971	1999	1979	1974
		LOWEST MEAN YEAR	1979	1979	1975	1983	1995	1982	1992	1992	1993	1976	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.1	1.1	0.0	-0.5	-0.5	-0.5	-0.3	-0.5	0.4	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	