Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 289187

Station: WANAQUE RAYMOND DAM, NJ

Climate Division: NJ 1 NWS Call Sign: Elevation: 245 Feet Lat: 41°03N Lon: 74°18W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes				Days (1) emp 65	Mean Number of Days (3)							
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	35.6	18.4	27.0	65+	1998	10	35.7	1998	-11+	1994	27	17.2	1977	1179	0	.0	.0	2.9	10.6	28.5	1.6
Feb	38.6	19.5	29.1	72	1997	28	36.8	1998	-5	1996	6	18.1	1979	1007	0	.0	.0	4.3	7.8	24.7	.9
Mar	47.5	28.7	38.1	82+	1998	28	43.1	2000	8	1996	9	31.8	1984	834	0	.0	.0	12.9	1.8	23.1	.0
Apr	59.1	38.5	48.8	95	1976	19	52.5	1976	21+	1950	1	44.0	1975	486	0	.0	.2	25.2	@	6.2	.0
May	70.1	48.5	59.3	96	1996	21	65.4	1991	29+	1974	5	55.8	1971	195	20	.0	.6	30.8	.0	.2	.0
Jun	78.7	57.8	68.3	95	1988	23	71.0	1973	41+	1993	2	64.8	1972	27	123	.0	1.9	30.0	.0	.0	.0
Jul	84.1	63.1	73.6	100	1999	7	77.8	1999	49	2001	3	70.0	2000	1	268	@	4.0	31.0	.0	.0	.0
Aug	81.6	61.4	71.5	101	2001	10	74.5	1988	42	1986	29	68.1	1982	6	209	.0	2.5	31.0	.0	.0	.0
Sep	73.7	53.7	63.7	94	1991	17	66.8	1998	35+	1991	30	59.9	1975	82	44	.0	.7	30.0	.0	.0	.0
Oct	62.6	41.1	51.9	86	1986	1	57.6	1990	21	1974	22	47.1	1976	411	4	.0	.0	30.0	.0	4.5	.0
Nov	51.6	33.4	42.5	79+	1974	2	47.6	1994	12	1989	24	36.0	1976	675	0	.0	.0	17.4	.2	14.5	.0
Dec	40.8	24.8	32.8	74	1998	8	40.5	1998	1	1989	24	20.8	1989	998	0	.0	.0	5.1	5.6	25.5	.2
Ann	60.3	40.7	50.6	101	Aug 2001	10	77.8	Jul 1999	-11+	Jan 1994	27	17.2	Jan 1977	5901	668	@	9.9	250.6	26.0	127.2	2.7

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 031-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 289187

Station: WANAQUE RAYMOND DAM, NJ

Climate Division: NJ 1 NWS Call Sign: Elevation: 245 Feet Lat: 41°03N Lon: 74°18W

										Pı	ecipi	tation	(incl	nes)												
	Mea	ans/	P	recip	itatio	on Total					ean N of D	ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels												
	Medi	ans(1)				Extremes	•			"	any Fie	приано	11	These values were determined from the incomplete gamma distribution												
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		
Jan	3.95	3.54	2.52	1979	21	11.06	1979	.50	1981	9.7	6.8	2.8	1.1	.94	1.31	1.89	2.40	2.91	3.45	4.06	4.78	5.72	7.22	8.63		
Feb	2.98	2.92	2.80	1958	28	7.41	1981	.37	1987	8.1	5.7	2.0	.7	.91	1.20	1.62	1.98	2.33	2.70	3.10	3.57	4.18	5.12	6.00		
Mar	4.04	3.81	2.91	1980	22	9.06	1983	.92	1981	9.0	6.5	2.9	1.1	1.41	1.79	2.34	2.81	3.26	3.71	4.21	4.80	5.54	6.70	7.76		
Apr	4.23	3.78	2.90+	1980	10	10.61	1983	.71	1985	10.1	7.2	2.9	1.1	1.33	1.73	2.33	2.84	3.33	3.84	4.41	5.06	5.91	7.24	8.46		
May	4.54	3.96	3.45+	1984	30	11.05	1989	.79	1993	10.8	7.7	2.7	1.2	1.24	1.66	2.32	2.89	3.45	4.04	4.69	5.47	6.47	8.05	9.52		
Jun	4.34	3.66	5.15	1973	30	11.50	1972	.39	1988	10.8	7.1	2.8	1.2	.99	1.39	2.03	2.60	3.17	3.77	4.45	5.26	6.33	8.03	9.62		
Jul	4.31	3.83	3.92	1951	28	10.12	1975	.90	1999	10.2	6.9	2.8	1.4	1.16	1.57	2.19	2.74	3.27	3.84	4.46	5.20	6.17	7.68	9.09		
Aug	4.25	4.21	7.05	1971	28	9.70	1990	.93	1984	8.5	6.6	2.7	1.3	1.29	1.69	2.30	2.82	3.32	3.84	4.42	5.10	5.97	7.34	8.61		
Sep	4.58	3.76	7.67	1999	17	13.00	1999	.46	1980	8.4	6.3	2.7	1.3	1.07	1.50	2.17	2.77	3.36	4.00	4.71	5.55	6.66	8.43	10.08		
Oct	3.67	3.84	3.53	1995	6	8.84	1995	1.00	2000	7.8	5.8	2.4	.9	1.14	1.49	2.01	2.45	2.88	3.33	3.82	4.39	5.13	6.29	7.36		
Nov	4.10	3.64	3.20	1977	8	8.78	1977	.63	1976	8.4	5.8	3.0	1.4	1.18	1.57	2.16	2.67	3.16	3.68	4.25	4.93	5.80	7.17	8.44		
Dec	3.79	3.28	3.49	1990	4	10.10	1973	.57	1989	9.4	6.3	2.6	1.1	.72	1.06	1.62	2.13	2.65	3.21	3.85	4.61	5.63	7.26	8.82		
Ann	48.78	47.59	7.67	Sep 1999	17	13.00	Sep 1999	.37	Feb 1987	111.2	78.7	32.3	13.8	36.12	38.61	41.77	44.16	46.27	48.31	50.40	52.70	55.49	59.51	62.97		

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 289187

Station: WANAQUE RAYMOND DAM, NJ

Climate Division: NJ 1 NWS Call Sign: Elevation: 245 Feet Lat: 41°03N Lon: 74°18W

										Snov	w (incl	hes)													
						Sno	ow To	tals							Mean Number of Days (1)										
	Mean	s/Medi	ians (1))					Extre	mes (2)				ow Fa		Snow Depth >= Thresholds									
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	6.9	6.7	2	#	17.0	1996	9	17.7	1978	24	1996	10	10	1996	2.4	1.7	.8	.4	@	6.4	4.1	1.6	.1		
Feb	6.3	2.7	2	1	18.5	1983	12	23.3	1983	26	1994	12	14	1978	2.4	1.6	.9	.5	.1	7.1	5.0	3.2	1.1		
Mar	3.7	3.8	1	#	21.0	1993	14	21.0	1993	21	1993	14	9	1978	1.1	.8	.6	.3	@	3.0	1.9	1.2	.3		
Apr	.6	.0	#	0	8.0	1982	7	12.0	1982	8	1982	8	1	1982	.2	.1	.1	@	.0	.2	.2	.1	.0		
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Oct	.0	.0	#	0	.0	0	0	.0	0	#	1979	10	#	1979	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Nov	.2	.0	#	0	3.0	1989	23	3.0	1989	2	1978	29	#+	1997	.1	.1	@	.0	.0	.1	.0	.0	.0		
Dec	2.8	2.0	#	#	9.0	1995	20	17.5	1995	14	1995	22	6	1995	1.4	1.0	.2	@	.0	2.6	1.0	.6	.3		
Ann	20.5	15.2	N/A	N/A	21.0	Mar 1993	14	23.3	Feb 1983	26	Feb 1994	12	14	Feb 1978	7.6	5.3	2.6	1.2	.1	19.4	12.2	6.7	1.8		

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

Elevation: 245 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 289187

Lon: 74°18W

Lat: 41°03N

Station: WANAQUE RAYMOND DAM, NJ

16

308

Climate Division: N.J 1 NWS Call Sign:

> Freeze Data Spring Freeze Dates (Month/Day) Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F) .10 .20 .30 .40 .70 .80 .90 36 5/16 5/12 5/09 5/07 5/05 5/03 4/30 4/27 4/23 32 5/02 5/07 4/28 4/24 4/21 4/18 4/15 4/11 4/06 28 4/20 4/16 4/13 4/11 4/09 4/07 4/04 4/02 3/29 24 4/06 4/01 3/29 3/26 3/23 3/21 3/18 3/14 3/10 20 3/28 3/22 3/17 3/13 3/09 3/05 3/01 2/25 2/18 3/06 2/27 16 3/21 3/14 3/10 3/02 2/23 2/18 2/12 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 36 9/23 9/28 10/01 10/04 10/07 10/10 10/13 10/17 10/22 32 10/05 10/10 10/13 10/16 10/19 10/21 10/24 10/28 11/02 28 10/16 10/21 10/25 10/28 10/30 11/02 11/05 11/09 11/13 24 10/26 11/01 11/06 11/10 11/13 11/17 11/20 11/25 12/01 20 11/13 11/18 11/22 11/25 11/27 11/30 12/03 12/07 12/12 12/02 12/09 12/12 12/23 12/28 16 11/26 12/06 12/15 12/19 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 174 167 163 159 155 151 147 142 135 36 32 199 192 188 183 180 176 172 167 160 28 223 216 212 208 204 200 185 196 191 24 258 250 244 239 234 229 224 218 210 277 254 248 241 20 284 272 267 263 258 300

289

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

294

Derived from 1971-2000 serially complete daily data

268

260

274

284

279

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 289187

Station: WANAQUE RAYMOND DAM, NJ

Climate Division: NJ 1 NWS Call Sign: Elevation: 245 Feet Lat: 41°03N Lon: 74°18W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1179	1007	834	486	195	27	1	6	82	411	675	998	5901		
60	1024	867	679	338	91	4	0	0	24	272	525	843	4667		
57	931	783	586	253	49	1	0	0	10	200	436	750	3999		
55	869	727	524	201	30	0	0	0	5	158	377	688	3579		
50	714	587	377	95	6	0	0	0	1	78	241	541	2640		
32	244	176	42	0	0	0	0	0	0	0	7	132	601		

Base	Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	88	93	231	504	848	1086	1290	1226	952	616	322	157	7413		
55	0	0	0	15	165	396	577	513	266	61	2	0	1995		
57	0	0	0	7	122	337	515	451	211	41	1	0	1685		
60	0	0	0	2	71	250	422	358	136	20	0	0	1259		
65	0	0	0	0	20	123	268	209	44	4	0	0	668		
70	0	0	0	0	3	40	129	89	6	0	0	0	267		

Growing Degree Units (2)																													
Base		Growing Degree Units (Monthly)														Growing Degree Units (Accumulated Monthly)													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec					
40	13	18	77	286	607	837	1016	982	722	377	153	33	13	31	108	394	1001	1838	2854	3836	4558	4935	5088	5121					
45	2	4	29	164	452	687	861	827	572	231	76	7	2	6	35	199	651	1338	2199	3026	3598	3829	3905	3912					
50	0	0	12	85	304	537	706	672	423	116	30	3	0	0	12	97	401	938	1644	2316	2739	2855	2885	2888					
55	0	0	4	35	174	388	551	517	283	46	9	0	0	0	4	39	213	601	1152	1669	1952	1998	2007	2007					
60	0 0 0 0 11 84 248 396 363 159 13 0 0											0	0	0	0	11	95	343	739	1102	1261	1274	1274	1274					
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•						
50/86)/86 5 13 55 163 356 540 688 666 449 216 84 1										15	5	18	73	236	592	1132	1820	2486	2935	3151	3235	3250						

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf