Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411761

Station: CLARENDON, TX

Climate Division: TX 2

Elevation: 2,700 Feet Lat: 34°56N Lon: 100°53W **NWS Call Sign: E34**

									ŗ	Гетре	eratur	e (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	51.4	22.4	36.9	87	1911	31	43.9	1986	-11	1930	9	25.8	1979	870	0	.0	.0	18.1	4.3	28.0	.3
Feb	56.6	26.8	41.7	89+	1996	23	49.7	1976	-7+	1986	11	29.8	1978	653	0	.0	.0	19.1	2.8	21.1	.3
Mar	64.8	33.9	49.4	98+	1989	12	54.8	1972	-2	1960	3	44.8	1998	486	0	.0	.3	26.7	.5	12.9	.0
Apr	73.6	42.4	58.0	100	1989	24	64.0	1978	17	1936	2	51.8	1997	238	28	@	1.5	28.9	@	3.0	.0
May	81.4	52.5	67.0	109	2000	24	75.0	1996	25	1909	1	62.5	1976	69	129	.8	5.5	30.9	.0	.1	.0
Jun	89.4	61.4	75.4	114	1953	14	81.5	1994	40	1917	2	70.6	1982	8	320	2.5	14.7	30.0	.0	.0	.0
Jul	94.7	65.6	80.2	113+	1937	14	85.6	1980	48+	1990	14	76.2	1975	0	469	6.4	24.2	31.0	.0	.0	.0
Aug	92.6	63.9	78.3	117	1936	12	83.3	1983	43	1915	31	73.0	1971	1	411	3.9	21.0	31.0	.0	.0	.0
Sep	85.4	56.3	70.9	108+	2000	6	78.2	1998	30	1984	30	63.7	1974	31	206	1.3	10.9	29.8	.0	.1	.0
Oct	75.5	44.3	59.9	104	2000	4	63.5	1979	17+	1993	31	52.8	1976	181	23	.1	1.8	30.2	@	2.3	.0
Nov	62.1	32.5	47.3	92	1980	9	54.7	1999	8	1916	14	40.6	1972	531	0	.0	@	23.9	.6	14.9	.0
Dec	53.0	24.4	38.7	86	1955	25	44.2	1980	-11	1989	23	26.5	1983	815	0	.0	.0	19.0	2.5	26.2	.3
Ann	73.4	43.9	58.6	117	Aug 1936	12	85.6	Jul 1980	-11+	Dec 1989	23	25.8	Jan 1979	3883	1586	15.0	79.9	318.6	10.7	108.6	.9

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 064-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1904-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411761

Station: CLARENDON, TX

Climate Division: TX 2 NWS Call Sign: E34 Elevation: 2,700 Feet Lat: 34°56N Lon: 100°53W

										Pı	ecipi	tation	(incl	nes)										
	Me: Medi		P	recipi	itatio	on Total Extremes					ean N of D	ays (3)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	babilit ation will nount vs Probal incomplet	ll be equ	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.64	.60	1.95	1939	8	1.95	1999	.00+	1996	3.9	1.7	.3	@	.00	.00	.10	.20	.32	.44	.59	.79	1.05	1.50	1.95
Feb	.83	.55	2.59	1911	17	2.23	1997	.00	1991	4.4	2.3	.4	.1	.01	.04	.12	.22	.35	.51	.71	.98	1.37	2.04	2.73
Mar	1.43	1.13	3.00	1923	11	5.52	1973	.00+	1972	4.6	2.8	.9	.3	.00	.09	.31	.53	.76	1.04	1.36	1.76	2.32	3.26	4.19
Apr	2.25	1.44	8.71	1997	3	18.50	1997	.00	1996	5.6	3.3	1.3	.6	.03	.14	.39	.70	1.05	1.48	2.01	2.70	3.69	5.38	7.08
May	3.60	3.68	9.25	2001	4	10.65	1978	.19	1984	8.0	5.4	2.2	.9	.55	.86	1.38	1.87	2.39	2.95	3.60	4.40	5.46	7.19	8.85
Jun	3.70	3.21	6.87	1975	24	10.63	1975	.18	1994	7.3	5.3	2.4	1.0	.43	.72	1.24	1.75	2.30	2.91	3.63	4.52	5.73	7.72	9.65
Jul	2.37	2.06	3.27+	1926	7	7.64	1996	.05	1974	5.8	3.8	1.4	.6	.20	.37	.68	1.01	1.37	1.78	2.27	2.88	3.73	5.14	6.53
Aug	2.81	2.40	5.36	1968	17	7.69	1986	.11	1994	6.7	4.5	2.0	.8	.34	.56	.96	1.35	1.77	2.23	2.77	3.43	4.34	5.82	7.26
Sep	2.69	2.77	4.73	1929	8	5.90	1973	.00	2000	6.5	4.0	2.0	.9	.13	.37	.78	1.17	1.60	2.07	2.62	3.31	4.25	5.80	7.32
Oct	1.78	1.15	4.00	1926	2	7.33	1986	.03	1992	5.2	3.0	1.1	.5	.06	.14	.33	.55	.82	1.15	1.57	2.11	2.89	4.24	5.61
Nov	.94	.72	4.00	1909	28	2.66	1986	.00+	1999	3.8	2.2	.5	.1	.00	.00	.22	.38	.54	.72	.93	1.18	1.52	2.08	2.63
Dec	.85	.52	2.29	1959	15	3.38	1987	.00+	1979	4.0	2.1	.4	.1	.00	.00	.12	.25	.39	.56	.77	1.04	1.42	2.06	2.70
Ann	23.89	23.73	9.25	May 2001	4	18.50	Apr 1997	.00+	Sep 2000	65.8	40.4	14.9	5.9	14.99	16.62	18.77	20.42	21.92	23.38	24.90	26.60	28.69	31.75	34.44

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1904-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411761

Station: CLARENDON, TX

Climate Division: TX 2 NWS Call Sign: E34 Elevation: 2,700 Feet Lat: 34°56N Lon: 100°53W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.4	1.0	#	0	7.5	1994	31	10.0	1987	6	1988	7	2	1985	1.3	.9	.3	.1	.0	1.4	.5	.0	.0
Feb	2.3	.0	#	0	10.2	1971	21	14.4	1971	14	1986	10	2+	1986	.9	.6	.2	@	@	.9	.5	.3	.2
Mar	.7	.0	#	0	4.0	1987	24	4.5	1994	3	1988	17	1	1995	.4	.2	.1	.0	.0	.2	.1	.0	.0
Apr	.3	.0	0	0	3.5	1983	8	6.5	1983	0	0	0	0	0	.1	.1	@	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	2.0	1976	29	2.0	1976	2	1976	29	#	1976	@	@	.0	.0	.0	.1	.0	.0	.0
Nov	1.1	.0	#	0	4.0	1980	17	9.8	1972	3	1972	19	1	1972	.6	.5	.1	.0	.0	.5	.1	.0	.0
Dec	1.9	.3	#	0	16.0	1987	14	16.0	1987	17	1987	15	2+	2000	1.0	.8	.4	.2	@	1.9	.9	.3	.1
Ann	8.8	1.3	N/A	N/A	16.0	Dec 1987	14	16.0	Dec 1987	17	Dec 1987	15	2+	Dec 2000	4.3	3.1	1.1	.3	@	5.0	2.1	.6	.3

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411761

Station: CLARENDON, TX

Climate Division: TX 2 NWS Call Sign: E34

Elevation: 2,700 Feet Lat: 34°56N Lon: 100°53W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/10	5/05	5/01	4/28	4/25	4/22	4/19	4/16	4/11
32	4/23	4/19	4/16	4/13	4/11	4/08	4/06	4/03	3/30
28	4/13	4/09	4/05	4/02	3/30	3/27	3/24	3/21	3/16
24	4/06	3/31	3/26	3/22	3/19	3/15	3/12	3/07	3/01
20	3/25	3/19	3/14	3/10	3/06	3/02	2/26	2/21	2/14
16	3/14	3/06	2/28	2/24	2/19	2/15	2/10	2/04	1/28
			Fa	l Freeze Da	tes (Month/D	Day)			•
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/24	9/30	10/04	10/07	10/11	10/14	10/17	10/21	10/27
32	10/08	10/14	10/18	10/22	10/25	10/28	11/01	11/05	11/10
28	10/24	10/28	11/01	11/04	11/07	11/10	11/13	11/16	11/21
24	10/28	11/03	11/07	11/11	11/14	11/18	11/21	11/25	12/01
20	11/03	11/10	11/15	11/19	11/23	11/26	11/30	12/05	12/12
16	11/10	11/20	11/27	12/03	12/08	12/14	12/20	12/27	1/06
-			•	Freeze F	ree Period	1	•	1	
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	188	181	176	172	168	164	159	154	147
32	215	208	204	200	196	193	189	184	178
28	237	232	228	224	221	218	214	210	204
24	265	256	250	245	240	235	229	223	214
20	289	280	273	267	261	256	250	243	233
16	319	308	301	295	290	284	279	272	263

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411761

Station: CLARENDON, TX

Climate Division: TX 2 NWS Call Sign: E34 Elevation: 2,700 Feet Lat: 34°56N Lon: 100°53W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	870	653	486	238	69	8	0	1	31	181	531	815	3883
60	715	519	338	136	23	1	0	0	8	79	389	660	2868
57	624	440	255	89	10	0	0	0	2	42	308	568	2338
55	564	389	204	63	5	0	0	0	0	25	259	509	2018
50	422	273	105	21	1	0	0	0	0	5	156	367	1350
32	69	34	1	0	0	0	0	0	0	0	6	43	153

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	221	305	538	780	1083	1302	1492	1433	1165	865	465	251	9900
55	4	17	28	153	375	612	779	720	475	177	28	4	3372
57	2	12	16	118	318	552	717	658	417	132	17	1	2960
60	0	6	7	76	238	463	624	565	333	76	8	0	2396
65	0	0	0	28	129	320	469	411	206	23	0	0	1586
70	0	0	0	8	55	194	316	264	110	4	0	0	951

					Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)																			
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	88	165	327	546	839	1065	1250	1193	932	623	266	109	88	253	580	1126	1965	3030	4280	5473	6405	7028	7294	7403
45	45 35 93 207 403 684 915 1095 1038 782 474 162												35	128	335	738	1422	2337	3432	4470	5252	5726	5888	5941
50												17	6	48	161	436	966	1731	2671	3554	4187	4515	4605	4622
55	0	17	52	164	381	615	785	728	491	206	38	1	0	17	69	233	614	1229	2014	2742	3233	3439	3477	3478
60	0	2	20	83	241	466	630	573	351	104	11	0	0	2	22	105	346	812	1442	2015	2366	2470	2481	2481
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 106 157 249 364 530 696 811 778 598 406 205 113												106	263	512	876	1406	2102	2913	3691	4289	4695	4900	5013

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf