Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 480865

Lon: 110°26W

Station: BONDURANT, WY

Climate Division: WY 2

NWS Call Sign:

Temperature (°F) Degree Days (1) Mean (1) Mean Number of Days (3) **Extremes** Base Temp 65 Max Max Max Max Min Min Highest Lowest Daily Daily Highest Lowest Month(1) Month(1) Cooling >= >= >= <= <= <= Month Mean Year Day Year Year Day Year Heating Max Min Daily(2) Daily(2) Mean Mean 100 90 50 32 32 0 22.4 -6.2 8.1 46 +1977 19 14.7 1999 -56 1951 30 -3.0 1979 1766 0 .0 .0 .0 24.4 31.0 18.5 Jan 27.9 -3.8 12.1 54 1977 20 21.3 1995 -57 1951 3.3 1985 1483 0 .0 .0 .1 18.2 28.2 16.5 Feb 1 Mar 36.8 5.7 21.3 60 1977 23 28.4 1992 -39 1976 5 9.9 1976 1356 0 .0 .0 1.0 6.3 30.8 9.8 77+ 1992 -23 1982 977 Apr 46.3 18.6 32.5 1977 25 38.7 1975 25.4 0 .0 .0 10.8 .7 29.1 1.4 May 59.7 28.6 44.2 82+ 1967 23 48.1 1987 7 1966 23 40.5 1983 648 0 .0 .0 26.5 .0 23.7 .0 32.1 30 13 47.4 .0 Jun 69.4 50.8 89+ 1990 56.8 1977 1969 1 1998 427 0 .0 .0 29.4 .0 18.6 Jul 77.4 35.3 56.4 93 2000 31 1998 1993 13 49.3 1993 271 3 .0 .3 31.0 12.7 0. 60.2 18 .0 1975 76.7 33.7 55.2 93+ 2000 2 58.9 1971 12 +1960 28 51.1 307 3 .0 .1 31.0 .0 14.8 0. Aug 3 Sep 67.3 25.6 46.5 89 1950 4 52.5 1998 1985 30 41.8 1972 556 0 .0 .0 28.5 .0 23.6 .0 54.4 40.5 -14+ 29.6 1984 .5 Oct 16.8 35.6 79 2001 1 1988 1991 30 912 0 .0 .0 21.8 .6 29.5 35.7 7.1 21.4 1999 7 28.9 1995 -39 1955 16 15.4 1975 1309 0 .0 .0 3.4 10.5 29.6 8.8 Nov 66 Dec 22.3 -6.4 8.0 49+ 1995 2 15.8 1980 -51 1972 10 .1 1984 1770 0 .0 .0 .0 25.3 31.0 19.1 Feb Aug Jul Jan 49.7 15.6 32.7 93+ 2000 2 60.2 1998 -57 1951 -3.0 1979 11782 6 .0 183.5 302.6 74.6 .4 86.0 Ann

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 011-A

(1) From the 1971-2000 Monthly Normals

Elevation: 6,535 Feet Lat: 43°14N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

⁺ Also occurred on an earlier date(s)

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: BONDURANT, WY COOP ID: 480865

Climate Division: WY 2 NWS Call Sign: Elevation: 6,535 Feet Lat: 43°14N Lon: 110°26W

	Precipitation (inches)																									
	Mea Medi		P	recipi	itatio	n Total					ean N of D	ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution												
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		
Jan	2.41	2.25	2.10	1950	28	5.09	1998	.01	1992	11.2	6.7	1.3	.1	.22	.39	.71	1.05	1.41	1.83	2.32	2.94	3.79	5.20	6.59		
Feb	1.94	1.62	1.85	1950	20	6.55	1986	.07	1977	8.8	5.6	1.1	.1	.24	.39	.66	.93	1.22	1.54	1.91	2.37	2.99	4.02	5.01		
Mar	1.66	1.48	1.80	1950	6	4.37	1974	.19	1977	9.6	4.7	.8	.1	.34	.49	.73	.96	1.18	1.42	1.69	2.02	2.45	3.14	3.79		
Apr	1.20	.98	1.35	1990	28	4.46	1972	.07	1977	7.7	3.4	.4	.1	.20	.30	.48	.64	.81	1.00	1.21	1.46	1.81	2.36	2.89		
May	1.67	1.41	1.31+	1964	27	3.48	1995	.11	1976	11.4	5.4	.4	.0	.39	.54	.79	1.01	1.22	1.45	1.71	2.02	2.43	3.07	3.68		
Jun	1.56	1.42	1.32	1998	5	4.71	1998	.30	1990	8.8	4.2	.5	.1	.29	.43	.66	.87	1.08	1.32	1.58	1.90	2.32	3.00	3.65		
Jul	1.42	1.17	1.30	1977	24	3.49	1984	.13	1979	7.5	4.0	.6	.1	.25	.37	.58	.77	.97	1.18	1.43	1.73	2.13	2.77	3.38		
Aug	1.34	1.25	1.58	1995	24	3.20	1977	.32	1996	7.7	4.2	.5	@	.39	.52	.71	.87	1.04	1.20	1.39	1.61	1.89	2.34	2.75		
Sep	1.35	1.19	1.51	1973	8	3.91	1982	.00	1974	7.1	4.0	.6	.1	.09	.23	.44	.64	.85	1.08	1.34	1.67	2.11	2.84	3.54		
Oct	1.35	1.19	1.39	1975	26	6.52	1971	.07	1978	6.4	3.6	.6	.1	.14	.24	.43	.62	.82	1.05	1.31	1.64	2.10	2.85	3.58		
Nov	2.07	1.45	1.26	2001	25	6.20	1973	.30	1976	9.6	5.8	1.1	.1	.35	.53	.83	1.12	1.41	1.72	2.09	2.52	3.11	4.06	4.97		
Dec	2.20	1.71	1.66	1964	23	6.40	1971	.08	1986	10.1	6.0	1.4	.1	.20	.35	.65	.95	1.29	1.67	2.12	2.69	3.46	4.77	6.04		
Ann	20.17	19.07	2.10	Jan 1950	28	6.55	Feb 1986	.00	Sep 1974	105.9	57.6	9.3	1.0	11.38	12.93	15.00	16.63	18.11	19.57	21.10	22.84	24.98	28.16	30.98		

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 480865

Station: BONDURANT, WY

Climate Division: WY 2 NWS Call Sign: Elevation: 6,535 Feet Lat: 43°14N Lon: 110°26W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nui	nber (of Day	ys (1)		
Means/Medians (1) Extremes (2)																			ow Depth Thresholds				
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	31.4	31.3	25	26	20.0	1980	10	82.1	1998	65	1978	18	60	1978	9.8	8.5	3.9	1.9	.4	30.1	30.1	28.7	27.9
Feb	19.8	13.6	29	29	14.0	1986	13	70.6	1999	69	1978	11	57	1978	7.6	6.1	3.0	1.7	.2	-9.9	-9.9	-9.9	-9.9
Mar	15.8	17.0	27	29	13.0	1976	1	38.4	1971	56	1999	1	48	1999	6.4	5.1	1.8	.7	.1	-9.9	-9.9	-9.9	-9.9
Apr	4.5	3.0	12	11	7.0	1972	19	15.6	1999	47	1999	2	33	1999	1.8	1.5	.5	.2	.0	19.3	18.1	16.6	12.5
May	.8	.0	#	#	3.5	1971	17	4.0	1975	14	1999	1	2	1999	.7	.5	.1	.0	.0	.6	.2	@	.0
Jun	.3	.0	#	0	4.5	1998	5	4.5	1998	4	1998	5	#+	1999	.1	.1	@	.0	.0	.1	@	.0	.0
Jul	#	.0	0	0	#	1975	2	#	1975	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.3	.0	#	0	3.0	1982	14	3.0+	1982	1+	2000	23	#+	2000	.3	.2	@	.0	.0	.2	.0	.0	.0
Oct	2.3	.3	#	#	16.0	1975	26	19.0	1975	16	1975	26	2	1975	.9	.7	.2	.1	@	.7	.4	.2	.1
Nov	20.2	18.5	5	4	14.0	1986	17	51.0	1985	32	1985	25	13	1985	6.9	6.0	2.4	1.0	.2	18.1	11.9	8.4	4.6
Dec	29.2	25.3	17	17	15.5	1998	28	59.9	1971	50	1977	31	35	1996	8.9	7.2	3.4	1.7	.4	29.2	27.8	27.0	18.4
Ann	124.6	109.0	N/A	N/A	20.0	Jan 1980	10	82.1	Jan 1998	69	Feb 1978	11	60	Jan 1978	43.4	35.9	15.3	7.3	1.3	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 480865

Station: BONDURANT, WY

Climate Division: WY 2

NWS Call Sign:

Elevation: 6,535 Feet L

Lat: 43 °1	14N	Lon:	110	² 6V	V

				Freez	e Data							
			Spri	ng Freeze Da	ates (Month/	Day)						
Temp (F)		Pı	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(*)				
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	8/03	8/01	7/31	7/30	7/29	7/28	7/27	7/26	7/24			
32	8/02	7/31	7/30	7/28	7/27	7/26	7/24	7/22	7/20			
28	7/28	7/24	7/20	7/17	7/14	7/11	7/08	7/05	6/30			
24	7/17	7/10	7/05	7/01	6/27	6/23	6/19	6/14	6/07			
20	6/29	6/19	6/12	6/06	5/31	5/26	5/20	5/13	5/03			
16	6/01	5/24	5/18	5/13	5/09	5/04	4/30	4/24	4/16			
			Fal	l Freeze Dat	tes (Month/D	ay)						
Probability of earlier date in fall (beginning Aug 1) than indicated(*)												
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	7/31	7/31	8/01	8/02	8/02	8/03	8/04	8/04	8/06			
32	7/29	7/31	8/02	8/03	8/05	8/06	8/07	8/09	8/12			
28	7/30	8/02	8/06	8/09	8/11	8/14	8/17	8/20	8/25			
24	8/06	8/12	8/16	8/20	8/24	8/27	8/31	9/04	9/10			
20	8/17	8/23	8/28	8/31	9/04	9/08	9/12	9/16	9/23			
16	9/02	9/07	9/11	9/14	9/17	9/20	9/24	9/27	10/03			
,				Freeze F	ree Period				II.			
Tomm (E)			Probability (of longer tha	an indicated	freeze free p	eriod (Days)					
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	10	8	6	5	4	2	1	0	0			
32	20	16	13	10	8	6	3	0	0			
28	47	41	35	31	27	23	19	14	7			
24	84	75	68	62	57	51	45	39	29			
20	126	115	108	101	95	89	82	75	64			
16	161	150	143	137	131	125	118	111	100			

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Lon: 110°26W

Station: BONDURANT, WY

Climate Division: WY 2

URANT, WY COOP ID: 480865

Elevation: 6,535 Feet Lat: 43°14N

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1766	1483	1356	977	648	427	271	307	556	912	1309	1770	11782
60	1611	1343	1201	827	493	281	138	170	408	757	1159	1615	10003
57	1518	1259	1108	737	400	199	80	107	323	664	1069	1522	8986
55	1456	1203	1046	677	338	151	50	74	269	602	1009	1460	8335
50	1301	1063	891	528	194	60	10	21	152	447	859	1305	6831
32	743	560	355	111	2	0	0	0	0	39	341	747	2898

Base		Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann			
32	0	1	22	125	377	563	755	719	435	151	22	0	3170			
55	0	0	0	0	0	23	92	79	13	0	0	0	207			
57	0	0	0	0	0	12	60	51	7	0	0	0	130			
60	0	0	0	0	0	4	25	21	2	0	0	0	52			
65	0	0	0	0	0	0	3	3	0	0	0	0	6			
70	0	0	0	0	0	0	0	0	0	0	0	0	0			

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	0	0	24	177	332	521	488	233	40	0	0	0	0	0	24	201	533	1054	1542	1775	1815	1815	1815
45	0	0	0	4	71	192	366	333	118	6	0	0	0	0	0	4	75	267	633	966	1084	1090	1090	1090
50	0	0	0	0	17	85	216	186	39	0	0	0	0	0	0	0	17	102	318	504	543	543	543	543
55	0	0	0	0	0	20	86	66	9	0	0	0	0	0	0	0	0	20	106	172	181	181	181	181
60	0	0	0	0	0	1	16	12	0	0	0	0	0	0	0	0	0	1	17	29	29	29	29	29
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0 0 0 48 187 313 446 433 284 132 8											0	0	0	0	48	235	548	994	1427	1711	1843	1851	1851

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

NWS Call Sign:

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf