Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 336600

Station: PHILO 3 SW, OH

Climate Division: OH10

NWS Call Sign:

Elevation: 1,020 Feet Lat: 39°50N Lon: 81°55W

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	an Highest Daily(2) Year Day Moo		Highest Month(1) Mean	Year Lowest Daily(2)		Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	32.2	16.3	24.3	75	1950	25	33.4	1998	-27	1994	19	9.3	1977	1264	0	.0	.0	4.3	13.2	27.5	2.4
Feb	36.9	18.9	27.9	73+	1976	29	35.9	1998	-12	1951	3	13.6	1978	1039	0	.0	.0	6.7	9.2	22.7	1.4
Mar	47.8	27.2	37.5	84	1950	27	45.9	1973	-2	1980	2	30.8	1984	853	0	.0	.0	15.7	2.6	18.6	.1
Apr	58.9	36.5	47.7	89	1986	28	54.1	1985	12	1995	5	43.5	1980	519	0	.0	.0	25.7	.1	7.7	.0
May	68.0	46.1	57.1	92	1962	16	64.4	1991	25+	1996	14	51.7	1997	273	27	.0	.0	30.6	.0	.8	.0
Jun	75.3	54.3	64.8	100	1952	28	68.6	1994	33	1972	11	60.3	1980	77	69	.0	.5	30.0	.0	.0	.0
Jul	78.7	58.0	68.4	103	1954	14	74.0	1999	43+	1996	11	63.9	1971	30	133	@	2.8	31.0	.0	.0	.0
Aug	77.2	56.7	67.0	100+	1953	30	71.4	1983	39+	1986	29	62.7	1992	51	111	.0	1.4	31.0	.0	.0	.0
Sep	70.8	50.1	60.5	102+	1953	4	65.1	1998	28	1995	23	56.6	1975	165	29	.0	.6	30.0	.0	.2	.0
Oct	60.0	39.3	49.7	90	1951	4	56.3	1971	19	1972	20	42.8	1988	479	4	.0	.0	28.5	@	5.5	.0
Nov	47.6	30.9	39.3	84	1950	1	44.8	1985	-3	1958	30	31.4	1976	773	0	.0	.0	15.9	1.8	15.1	.0
Dec	36.5	21.5	29.0	76	1982	3	37.1	1982	-18	1989	22	15.1	1989	1116	0	.0	.0	6.3	8.5	24.0	.9
Ann	57.5	38.0	47.8	103	Jul 1954	14	74.0	Jul 1999	-27	Jan 1994	19	9.3	Jan 1977	6639	373	@	5.3	255.7	35.4	122.1	4.8

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 066-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 336600

Station: PHILO 3 SW, OH

Climate Division: OH10 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°50N Lon: 81°55W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3	5)	Proba	ability th		nonthly/	annual j indic	precipita ated an	nount			less tha	in the
	Medi	ans(1)				Extremes	i			P	aily Pre	приано	n		Th	ese value	s were det	ermined	from the	incomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.14	2.02	1.62	2000	4	4.72	1999	.31	1981	10.1	6.3	1.2	.3	.69	.89	1.19	1.45	1.70	1.95	2.23	2.56	2.98	3.64	4.25
Feb	2.12	2.09	1.82	1966	13	4.19	1989	.15	1978	8.7	5.4	1.1	.3	.48	.68	.99	1.27	1.55	1.84	2.17	2.56	3.08	3.91	4.68
Mar	2.72	2.65	2.30	1964	9	5.24	1997	.94	1983	10.1	7.2	1.7	.2	1.07	1.32	1.68	1.97	2.25	2.54	2.84	3.20	3.65	4.34	4.97
Apr	3.06	2.74	1.88	1970	24	6.67	1983	.14	1971	10.3	7.1	2.1	.5	.80	1.09	1.53	1.92	2.31	2.71	3.16	3.70	4.39	5.49	6.52
May	4.15	4.16	3.53	1956	27	7.18	1996	.87	1991	11.1	8.3	3.2	.8	1.50	1.89	2.46	2.93	3.38	3.84	4.34	4.93	5.67	6.82	7.88
Jun	4.20	3.79	2.52	1979	21	9.01	1981	1.13	1988	9.9	7.6	3.0	1.0	1.49	1.88	2.46	2.94	3.40	3.87	4.39	4.99	5.76	6.95	8.04
Jul	4.09	3.92	3.42	1976	12	9.23	1992	.74	1991	9.1	6.9	2.9	1.1	1.17	1.56	2.15	2.66	3.15	3.67	4.24	4.92	5.80	7.17	8.45
Aug	3.75	3.40	3.06	2001	12	10.03	1980	.64	1983	8.5	6.6	2.8	.9	.88	1.23	1.78	2.27	2.76	3.28	3.85	4.54	5.45	6.89	8.24
Sep	2.78	2.71	3.41	1970	8	5.75	1975	.28	1985	7.6	5.6	2.1	.5	.78	1.05	1.45	1.79	2.13	2.49	2.88	3.35	3.95	4.90	5.78
Oct	2.42	2.02	1.99	1975	17	5.80	1983	.97	1974	7.8	5.4	1.8	.4	.84	1.07	1.40	1.68	1.95	2.22	2.52	2.87	3.32	4.02	4.65
Nov	2.93	2.37	3.12	1985	16	12.51	1985	.30	1976	9.6	6.7	1.9	.4	.74	1.01	1.44	1.82	2.19	2.59	3.03	3.55	4.23	5.30	6.31
Dec	2.55	2.28	2.08	1986	2	6.73	1990	1.01	1980	10.2	6.1	1.6	.4	.97	1.21	1.55	1.83	2.10	2.37	2.67	3.02	3.46	4.13	4.75
Ann	36.91	36.59	3.53	May 1956	27	12.51	Nov 1985	.14	Apr 1971	113.0	79.2	25.4	6.8	27.91	29.69	31.96	33.66	35.17	36.61	38.10	39.73	41.70	44.53	46.96

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 336600

Station: PHILO 3 SW, OH

Climate Division: OH10 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°50N Lon: 81°55W

										Snov	w (incl	hes)											$\overline{}$
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	7.8	6.3	2	1	8.0	1996	7	26.0	1978	19	1978	21	11	1977	5.1	3.5	.9	.3	.0	11.8	6.3	3.8	2.0
Feb	5.4	5.0	2	1	7.0	1971	8	11.5	1971	17	1985	16	9	1985	3.1	2.0	.7	.2	.0	8.1	4.5	2.8	1.2
Mar	3.3	2.8	#	#	6.5	1993	13	11.0	1971	9	1978	5	3	1978	2.2	1.4	.5	.1	.0	2.2	1.0	.5	.0
Apr	1.1	.0	#	0	15.0	1987	4	16.5	1987	15	1987	4	1	1987	.5	.2	.1	.1	@	.2	.1	.1	@
May	#	.0	0	0	#	1989	7	#	1989	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.5	1993	30	.5+	1993	0	0	0	0	0	@	.0	.0	.0	.0	.0	.0	.0	.0
Nov	1.0	.5	#	#	3.5	1980	17	5.2	1995	4	1980	17	#+	2000	1.0	.5	.1	.0	.0	.8	.1	.0	.0
Dec	3.9	3.0	1	#	9.0	1974	1	14.5	1974	9	1981	21	3	1989	3.0	1.4	.3	.1	.0	4.1	1.7	.8	.0
Ann	22.5	17.6	N/A	N/A	15.0	Apr 1987	4	26.0	Jan 1978	19	Jan 1978	21	11	Jan 1977	14.9	9.0	2.6	.8	@	27.2	13.7	8.0	3.2

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 336600

Lon: 81°55W

Lat: 39°50N

Station: PHILO 3 SW, OH

Climate Division: OH10

NWS Call Sign:

Elevation: 1,020 Feet

				Freez	e Data							
			Spri	ng Freeze D	ates (Month/	(Day)						
32 5/16 5/11 5/07 5/03 4/30 4/27 4/23 4/19 4/14 28 5/04 4/29 4/25 4/22 4/19 4/16 4/13 4/10 4/05 24 4/16 4/12 4/09 4/07 4/04 4/02 3/30 3/27 3/23 20 4/10 4/05 4/01 3/29 3/26 3/23 3/20 3/16 3/11 16 3/31 3/25 3/21 3/17 3/14 3/10 3/07 3/03 2/25												
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	6/02	5/26	5/20	5/16	5/12	5/08	5/03	4/28	4/21			
32	5/16	5/11	5/07	5/03	4/30	4/27	4/23	4/19	4/14			
28	5/04	4/29	4/25	4/22	4/19	4/16	4/13	4/10	4/05			
24	4/16	4/12	4/09	4/07	4/04	4/02	3/30	3/27	3/23			
20	4/10	4/05	4/01	3/29	3/26	3/23	3/20	3/16	3/11			
16	3/31	3/25	3/21	3/17	3/14	3/10	3/07	3/03	2/25			
			Fal	ll Freeze Da	tes (Month/D	Day)						
Tomp (F)		Pro	bability of e	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)				
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	9/19	9/22	9/25	9/27	9/30	10/02	10/04	10/07	10/11			
32	9/24	9/29	10/03	10/07	10/10	10/13	10/17	10/21	10/27			
28	10/03	10/09	10/14	10/18	10/21	10/25	10/28	11/02	11/08			
24	10/19	10/25	10/29	11/02	11/05	11/09	11/13	11/17	11/23			
20	11/01	11/07	11/12	11/15	11/19	11/22	11/26	12/01	12/07			
16	11/14	11/20	11/24	11/28	12/02	12/06	12/10	12/14	12/21			
				Freeze F	ree Period							
Tomn (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))				
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90			
36	163	155	149	145	140	136	131	125	117			
32	187	179	173	167	163	158	152	146	138			
28	212	202	195	189	184	178	173	166	156			
24	237	229	224	219	214	210	205	200	192			
20	263	254	248	242	237	232	226	220	211			
16	292	282	275	268	263	257	250	243	233			

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 336600

Station: PHILO 3 SW, OH

Climate Division: OH10 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°50N Lon: 81°55W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1264	1039	853	519	273	77	30	51	165	479	773	1116	6639
60	1109	899	698	373	164	23	5	11	75	338	623	961	5279
57	1016	815	605	290	113	9	0	3	41	262	534	868	4556
55	954	759	548	238	84	4	0	0	26	216	476	806	4111
50	800	624	406	130	34	0	0	0	6	123	338	659	3120
32	326	215	71	1	0	0	0	0	0	2	36	216	867

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	85	100	241	472	777	983	1127	1084	854	551	253	123	6650
55	0	0	5	20	149	297	414	371	190	51	3	0	1500
57	0	0	0	11	115	241	352	312	145	35	1	0	1212
60	0	0	0	4	73	165	264	227	90	18	0	0	841
65	0	0	0	0	27	69	133	111	29	4	0	0	373
70	0	0	0	0	8	17	49	38	5	0	0	0	117

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Detection													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	31	49	162	349	630	836	977	940	716	411	172	50	31	80	242	591	1221	2057	3034	3974	4690	5101	5273	5323
45	7 22 94 232 476 686 822 785 566 274 99											26	7	29	123	355	831	1517	2339	3124	3690	3964	4063	4089
50	1	6	53	144	333	536	667	630	419	164	52	6	1	7	60	204	537	1073	1740	2370	2789	2953	3005	3011
55	0	1	30	77	208	389	512	475	284	85	20	2	0	1	31	108	316	705	1217	1692	1976	2061	2081	2083
60	0	0	9	35	112	254	359	320	166	34	5	0	0	0	9	44	156	410	769	1089	1255	1289	1294	1294
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Ur	its for C	orn (Acc	cumulate	d Month	ly)			
50/86	0/86 11 27 100 211 381 546 662 626 448 240 90 2'												11	38	138	349	730	1276	1938	2564	3012	3252	3342	3369

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf