**Station: DRAYTON, ND** 

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 322312** 

Climate Division: ND 3 NWS Call Sign: Elevation: 800 Feet Lat: 48°34N Lon: 97°11W

									r	Гетр	eratur	e (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of D	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	.0	.0	.0	42	1992	29	.0	0	-38	1996	20	.0	0	0	0	.0	.0	.0	28.3	31.0	21.7
Feb	.0	.0	.0	67	2000	22	.0	0	-42	1996	1	.0	0	0	0	.0	.0	.2	22.3	28.0	14.9
Mar	.0	.0	.0	60	1991	20	.0	0	-29	1972	2	.0	0	0	0	.0	.0	2.0	14.3	29.1	5.8
Apr	.0	.0	.0	84	1998	30	.0	0	-15	1975	1	.0	0	0	0	.0	.1	16.9	2.2	20.0	.5
May	.0	.0	.0	94	1991	13	.0	0	22+	1976	6	.0	0	0	0	.0	1.2	29.0	.0	4.2	.0
Jun	.0	.0	.0	100	1995	18	.0	0	37+	1998	7	.0+	0	0	0	@	1.6	30.0	.0	.1	.0
Jul	.0	.0	.0	99	1975	30	.0	0	42	1972	4	.0	0	0	0	.0	2.4	31.0	.0	.0	.0
Aug	.0	.0	.0	100	1991	28	.0	0	38	1992	26	.0	0	0	0	.1	3.4	31.0	.0	@	.0
Sep	.0	.0	.0	97	1976	7	.0	0	24	1974	28	.0	0	0	0	.1	.6	28.6	.0	2.7	.0
Oct	.0	.0	.0	93	1992	2	.0	0	6	1991	31	.0	0	0	0	.0	@	19.7	.8	16.2	.0
Nov	.0	.0	.0	77	1975	6	.0	0	-17+	1996	26	.0	0	0	0	.0	.0	2.8	15.3	28.7	3.7
Dec	.0	.0	.0	54	1990	8	.0	0	-31	1990	30	.0	0	0	0	.0	.0	.1	26.5	31.0	15.9
Ann	.0	.0	.0	100+	Jun 1995	18	-99.9	0	-42	Feb 1996	1	99.9	0	0	0	.2	9.3	191.3	109.7	191.0	62.5

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 022-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1967-2000

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 322312** 

Station: DRAYTON, ND

Climate Division: ND 3 NWS Call Sign: Elevation: 800 Feet Lat: 48°34N Lon: 97°11W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total						ays (3	)	Proba	ability th		nonthly/	indic	precipita ated am	ntion wil			less tha	n the
	Medi	ans(1)				Extremes	3			п	aily Pre	стриатио	n		Th	ese value	s were det	ermined i	from the i	ncomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.50	.48	.63	1996	18	1.72	1996	.02	1973	7.1	1.7	.1	.0	.08	.12	.20	.27	.34	.42	.51	.61	.76	1.00	1.22
Feb	.34	.23	.46	1996	23	1.03	1995	.00	1978	4.9	1.3	.0	.0	.02	.05	.10	.15	.20	.26	.33	.42	.53	.72	.91
Mar	.76	.84	1.08	1970	3	1.60	1995	.04	1999	6.1	2.7	.2	.0	.14	.21	.32	.42	.53	.64	.77	.93	1.14	1.48	1.80
Apr	1.16	.92	1.47	1971	19	3.07	1986	.04	1983	5.9	3.1	.6	.1	.11	.20	.35	.51	.69	.89	1.12	1.41	1.81	2.47	3.12
May	2.25	2.10	2.77	1996	17	5.06	1977	.37	1984	9.9	4.9	1.3	.4	.54	.76	1.09	1.38	1.67	1.98	2.32	2.73	3.27	4.12	4.91
Jun	3.33	3.32	2.00	1980	28	5.96	1993	1.39	1974	11.9	6.8	1.9	.7	1.48	1.77	2.19	2.52	2.84	3.16	3.50	3.88	4.38	5.12	5.79
Jul	2.80	2.47	3.65	1975	2	6.36	1993	.93	1981	10.7	6.3	1.3	.4	1.03	1.29	1.67	1.99	2.29	2.60	2.93	3.32	3.82	4.59	5.29
Aug	2.47	2.16	4.49	1974	15	6.90	1974	.34	1996	9.4	5.2	1.2	.5	.54	.77	1.13	1.46	1.78	2.13	2.52	2.99	3.61	4.59	5.52
Sep	2.23	2.11	1.80	1980	4	5.25	1977	.31	1998	8.8	4.5	1.2	.4	.40	.60	.93	1.23	1.54	1.88	2.26	2.72	3.34	4.33	5.28
Oct	1.59	1.35	1.86	1980	17	4.87	1984	.16	1999	7.7	3.5	1.0	.2	.19	.31	.54	.76	.99	1.26	1.56	1.94	2.46	3.31	4.13
Nov	.69	.46	1.02	1996	6	2.52	1995	.00	1997	5.7	2.7	.3	.1	.01	.05	.14	.24	.35	.47	.63	.83	1.12	1.60	2.09
Dec	.52	.46	.63	1977	18	1.57	1995	.00+	1998	5.6	1.8	.1	.0	.00	.00	.15	.24	.33	.43	.53	.67	.83	1.11	1.38
Ann	18.64	18.05	4.49	Aug 1974	15	6.90	Aug 1974	.00+	Dec 1998	93.7	44.5	9.2	2.8	12.56	13.72	15.21	16.35	17.37	18.36	19.39	20.54	21.93	23.96	25.73

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1967-2000

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 322312** 

**Station: DRAYTON, ND** 

Climate Division: ND 3 NWS Call Sign:

Elevation: 800 Feet Lat: 48°34N

48°34N Lon: 97°11W

		Snow (inches)  Snow Totals  Extremes (2)  Highest Highest Highest Monthly																					
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ans (1)	ı					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.3	6.0	7	6	10.5	1996	18	24.5	1996	29	1996	18	21	1996	6.1	2.9	.5	.1	.1	27.1	24.5	18.1	8.4
Feb	4.4	3.2	6	4	7.0	1976	29	13.6	1995	24	1996	4	21	1996	4.0	1.6	.4	.1	.0	24.5	18.8	12.5	9.2
Mar	5.1	4.0	4	3	7.0	1976	2	15.0	1972	21	1979	3	18	1996	3.4	1.8	.5	.2	.0	14.5	7.0	4.3	3.1
Apr	2.0	1.0	1	#	5.0	1991	14	8.5	1991	19	1996	5	7	1996	1.5	.8	.4	@	.0	4.1	2.5	1.0	.4
May	.1	.0	#	0	1.0	1974	3	1.0	1974	3	1991	1	#+	1991	.2	.1	.0	.0	.0	.2	.1	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	#	0	.5	1972	26	.5	1972	1	1972	26	#+	1995	@	.0	.0	.0	.0	@	.0	.0	.0
Oct	1.3	.0	#	0	6.0	1972	30	9.8	1991	6	1991	24	1	1991	.8	.5	.2	.1	.0	.7	.4	.1	.0
Nov	4.5	3.0	2	1	6.0	1996	17	12.8	1992	12	1995	30	6	1995	3.6	2.5	.6	.1	.0	11.2	5.4	2.8	.0
Dec	6.9	5.5	3	2	7.0	1996	18	20.6	1992	20	1995	20	16	1995	5.0	2.6	.6	.2	.0	24.2	14.6	9.4	1.9
Ann	30.6	22.7	N/A	N/A	10.5	Jan 1996	18	24.5	Jan 1996	29	Jan 1996	18	21+	Feb 1996	24.6	12.8	3.2	.8	.1	106.5	73.3	48.2	23.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

## Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 322312** 

**Station: DRAYTON, ND** 

**Climate Division: ND 3** 

**NWS Call Sign:** 

Elevation: 800 Feet

Lat: 48°34N Lon: 97°11W

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	(Day)								
Probability of later date in spring (thru Jul 31) than indicated(*)   10   20   30   40   50   60   70   80   90     36   607   602   529   526   523   520   5117   513   508     32   527   523   519   517   514   511   509   505   501     28   516   511   508   505   503   430   427   424   419     24   510   504   433   418   415   412   408   405   401   326     36   422   417   413   409   406   403   330   326   320     36   428   423   418   415   412   408   405   401   326     36   422   417   413   409   406   403   330   326   320     36   830   903   907   909   912   914   917   925   925     38   917   921   925   927   930   1002   1005   1008   1012     20   1007   1013   1017   1020   1024   1027   1030   1103   1109     30   1007   1013   1017   1020   1024   1027   1030   1103   1109     30   1007   1013   1017   1020   1024   1027   1030   1103   1109														
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	6/07	6/02	5/29	5/26	5/23	5/20	5/17	5/13	5/08					
32	5/27	5/23	5/19	5/17	5/14	5/11	5/09	5/05	5/01					
28	5/16	5/11	5/08	5/05	5/03	4/30	4/27	4/24	4/19					
24	5/10	5/04	4/30	4/26	4/23	4/20	4/16	4/11	4/05					
20	4/28	4/23	4/18	4/15	4/12	4/08	4/05	4/01	3/26					
16	4/22	4/17	4/13	4/09	4/06	4/03	3/30	3/26	3/20					
-			Fal	l Freeze Da	tes (Month/D	Day)		1						
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	8/30	9/03	9/07	9/09	9/12	9/14	9/17	9/20	9/25					
32	9/10	9/14	9/18	9/20	9/23	9/25	9/28	10/01	10/05					
28	9/17	9/21	9/25	9/27	9/30	10/02	10/05	10/08	10/12					
24	9/27	10/02	10/05	10/09	10/11	10/14	10/17	10/21	10/26					
20	10/07	10/13	10/17	10/20	10/24	10/27	10/30	11/03	11/09					
16	10/15	10/20	10/23	10/27	10/30	11/02	11/05	11/09	11/14					
			•	Freeze F	ree Period	•	•	1	•					
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	)						
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	133	126	120	116	111	107	102	97	89					
32	152	145	140	135	131	127	122	117	110					
28	170	163	158	154	150	145	141	136	129					
24	194	186	180	175	171	166	161	155	147					
20	218	210	204	199	194	189	184	178	170					
16	230	222	216	211	206	201	196	190	182					

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 322312** 

**Station: DRAYTON, ND** 

Climate Division: ND 3 NWS Call Sign: Elevation: 800 Feet Lat: 48°34N Lon: 97°11W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov D												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40													0	0	6	146	649	1376	2244	3071	3547	3714	3724	3724
45												0	0	0	0	73	435	1012	1725	2397	2731	2816	2820	2820
50												0	0	0	0	31	272	702	1260	1777	1989	2028	2028	2028
55	0	0	0	15	146	287	403	365	119	8	0	0	0	0	0	15	161	448	851	1216	1335	1343	1343	1343
60	0	0	0	3	78	168	252	231	55	1	0	0	0	0	0	3	81	249	501	732	787	788	788	788
Base	se Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	<b>50/86</b> 0 0 1 104 313 449 556 525 292 111 8											0	0	0	1	105	418	867	1423	1948	2240	2351	2359	2359

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf