Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 247159

Lon: 112°17W

Station: ROGERS PASS 9 NNE, MT

Climate Division: MT 4 NWS Call Sign:

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base T	Days (1) emp 65		Mean	Numb	er of I	Days (3)	,
Month	Daily Max	Daily Min	Mean	Daily(2) Mean				Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	32.0	10.4	21.2	60	1989	30	33.4	1986	-39	1972	27	8.2	1972	1357	0	.0	.0	2.6	12.8	28.2	7.7
Feb	38.0	15.5	26.8	64	1992	1	40.2	1991	-39+	1989	4	8.4	1989	1071	0	.0	.0	5.6	7.0	24.7	4.7
Mar	44.3	21.7	33.0	73	1978	29	39.9	1992	-25	1976	3	23.6	1975	993	0	.0	.0	10.2	3.8	26.5	1.5
Apr	53.5	29.4	41.5	82+	1992	30	47.9	1987	-5+	1975	4	29.5	1975	706	0	.0	.0	19.7	1.2	19.7	.2
May	62.5	37.6	50.1	87	1980	21	54.6	1985	14	1967	3	44.9	1974	464	0	.0	.1	27.6	.0	7.3	.0
Jun	70.9	44.7	57.8	94	1970	3	65.7	1988	23	1969	14	52.2	1976	234	19	.0	.7	29.6	.0	.4	.0
Jul	79.6	49.1	64.4	100	1973	10	69.3	1985	31	1972	19	55.8	1993	110	89	@	4.4	31.0	.0	@	.0
Aug	79.3	48.1	63.7	100	1969	22	69.7	1983	28	1992	25	57.0	1985	150	109	.0	3.5	30.9	.0	.2	.0
Sep	68.8	39.0	53.9	95+	1998	6	61.3	1998	9	2000	23	44.9	1985	363	30	.0	.6	27.7	.1	5.2	.0
Oct	57.2	31.8	44.5	90	1992	2	48.6	1983	-9	1984	31	37.8	1984	636	0	.0	@	23.0	.8	14.5	.3
Nov	40.3	20.5	30.4	71	1999	15	42.9	1999	-28	1985	22	9.6	1985	1038	0	.0	.0	7.7	5.4	24.2	2.6
Dec	33.6	13.4	23.5	60+	1990	10	34.2	1979	-39	1968	29	8.3	1983	1287	0	.0	.0	2.1	10.9	28.3	5.0
Ann	55.0	30.1	42.6	100+	Jul 1973	10	69.7	Aug 1983	-39+	Feb 1989	4	8.2	Jan 1972	8409	247	@	9.3	217.7	42.0	179.2	22.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 134-A

(1) From the 1971-2000 Monthly Normals

Elevation: 4,200 Feet Lat: 47°11N

- (2) Derived from station's available digital record: 1964-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ROGERS PASS 9 NNE, MT COOP ID: 247159

Climate Division: MT 4 NWS Call Sign: Elevation: 4,200 Feet Lat: 47°11N Lon: 112°17W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recip	itatio	on Total Extremes					ean N of D	ays (3)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	babilit ation will nount vs Probal	ll be equ	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.79	.65	.90	1966	3	3.50	1974	.06	1987	5.8	2.6	.2	.0	.10	.16	.27	.38	.50	.63	.78	.97	1.22	1.63	2.03
Feb	.63	.59	.60	1972	27	2.00	1986	.00	1973	4.6	2.3	.1	.0	.06	.14	.24	.33	.43	.53	.64	.78	.96	1.25	1.53
Mar	1.13	.90	1.86	1987	19	4.06	1981	.20	1992	6.4	3.5	.3	.1	.18	.28	.44	.60	.76	.93	1.14	1.38	1.71	2.25	2.76
Apr	1.57	1.35	1.90	1975	26	5.34	1975	.02	1981	6.8	4.3	.8	.1	.18	.30	.52	.74	.97	1.23	1.54	1.92	2.43	3.28	4.10
May	3.30	3.18	2.68	1983	9	7.68	1980	.50	1973	10.7	6.6	2.1	.5	.86	1.17	1.65	2.07	2.48	2.92	3.41	3.98	4.73	5.92	7.03
Jun	2.58	2.05	2.98	1975	19	6.35	1980	.00	1973	9.6	6.2	1.5	.4	.32	.64	1.07	1.44	1.81	2.21	2.65	3.18	3.88	5.00	6.06
Jul	1.71	1.19	2.40	1983	10	7.04	1987	.10	1985	6.7	4.0	.9	.3	.13	.25	.47	.70	.97	1.27	1.63	2.08	2.71	3.77	4.81
Aug	1.82	1.27	2.00	1971	30	6.00	1985	.10	1994	6.6	4.1	1.2	.2	.16	.29	.53	.78	1.06	1.38	1.75	2.22	2.86	3.94	5.00
Sep	1.61	1.28	1.90	1986	1	6.86	1986	.00+	1992	5.0	3.4	.9	.3	.00	.15	.43	.68	.95	1.24	1.59	2.00	2.58	3.52	4.44
Oct	1.20	.87	1.45	1975	13	5.18	1975	.00+	1987	4.8	2.9	.7	.2	.00	.11	.32	.51	.71	.93	1.19	1.50	1.92	2.63	3.31
Nov	.66	.61	.85	1970	24	2.06	1998	.00	1992	4.4	2.4	.1	.0	.10	.18	.29	.39	.48	.57	.68	.81	.98	1.25	1.50
Dec	.77	.77 .63 1.50 1968 28 1.94 1977 .05 1							1997	5.3	2.9	.2	.0	.16	.23	.34	.44	.55	.66	.79	.94	1.14	1.46	1.76
Ann	17.77	17.77 18.48 2.98 19 7.68 100+							Nov 1992	76.7	45.2	9.0	2.1	10.77	12.04	13.72	15.02	16.20	17.35	18.56	19.91	21.58	24.03	26.19

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1964-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 247159

Station: ROGERS PASS 9 NNE, MT

Climate Division: MT 4 NWS Call Sign:

Elevation: 4,200 Feet Lat: 47°11N Lon: 112°17W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	12.0	10.3	4	2	16.0	1989	23	38.0	1989	20	1979	31	15	1979	3.2	2.8	1.3	.7	.2	-9.9	-9.9	-9.9	-9.9
Feb	13.1	8.8	4	2	12.0	1986	15	34.2	1986	26	1987	25	16	1987	3.0	2.7	1.6	.8	.2	8.1	6.2	3.8	2.1
Mar	17.8	17.0	2	1	16.0	1981	18	47.5	1981	27	1977	30	5	1977	3.3	2.9	1.5	.8	.4	5.5	3.8	1.9	.7
Apr	11.0	8.8	1	#	24.0	1984	26	25.0	1989	36	1976	27	11	1975	2.1	1.9	1.2	.6	.3	1.5	.9	.7	.3
May	7.1	.0	#	0	29.0	1983	9	44.0	1982	29	1983	9	4	1983	.8	.8	.6	.4	.2	.9	.7	.4	.2
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	1.0	1972	19	1.0	1972	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	#	0	.0	0	0	.0	0	4	1992	23	#	1992	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	3.6	.0	#	0	12.0	1982	14	20.0	1984	12	1984	23	1	1984	.5	.4	.4	.4	.2	.5	.3	.2	@
Oct	3.4	.8	#	#	14.0	1980	15	16.0	1981	24	1985	7	3	1975	.7	.7	.4	.3	.1	.9	.5	.2	.0
Nov	9.9	8.0	2	1	9.0	1986	6	21.0	1978	18	1973	7	6	1978	2.4	2.2	1.2	.2	.0	5.2	3.5	2.5	.8
Dec	7.8	8.6	3	2	12.0	1984	23	12.0	1986	18	1985	10	10	1978	3.7	2.8	1.4	.8	.1	12.9	9.2	5.9	1.3
Ann	85.7	62.3	N/A	N/A	29.0	May 1983	9	47.5	Mar 1981	36	Apr 1976	27	16	Feb 1987	19.7	17.2	9.6	5.0	1.7	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20

1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 247159

Lon: 112°17W

Lat: 47°11N

Station: ROGERS PASS 9 NNE, MT

Climate Division: MT 4 NWS Call Sign:

NWS Call Sign: Elevation: 4,200 Feet

				Freez	e Data										
			Spri	ng Freeze D	ates (Month/	(Day)									
Tomp (F)	Probability of later date in spring (thru Jul 31) than indicated(*) 10														
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/04	6/28	6/23	6/19	6/16	6/12	6/08	6/04	5/28						
32	6/16	6/10	6/05	6/01	5/28	5/24	5/20	5/15	5/08						
28	5/30	5/24	5/19	5/16	5/12	5/09	5/05	4/30	4/24						
24	5/10	5/05	5/02	4/28	4/25	4/22	4/19	4/15	4/10						
20	5/03	4/28	4/23	4/20	4/17	4/13	4/10	4/06	3/31						
16	4/19	4/13	4/09	4/05	4/02	3/29	3/26	3/22	3/16						
-			Fal	l Freeze Da	tes (Month/D	Oay)	•	•	•						
T (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)							
remp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/16	8/22	8/26	8/30	9/02	9/06	9/09	9/13	9/19						
32	9/04	9/08	9/11	9/14	9/16	9/19	9/21	9/24	9/29						
28	9/08	9/14	9/19	9/22	9/26	9/30	10/03	10/08	10/14						
24	9/18	9/25	9/30	10/04	10/08	10/12	10/16	10/21	10/28						
20	10/02	10/08	10/13	10/17	10/21	10/25	10/29	11/02	11/09						
16	10/07	10/14	10/20	10/24	10/28	11/02	11/06	11/12	11/19						
				Freeze F	ree Period		•	•	•						
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)								
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	106	96	89	83	78	72	66	59	50						
32	134	126	120	115	111	106	101	95	88						
28	164	154	148	142	136	131	125	118	108						
24	193	183	176	170	165	160	154	147	137						
20	211	202	196	191	187	182	177	171	162						
16	241	230	222	215	209	202	196	188	177						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete

Climate Division: MT 4

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 247159

Lon: 112°17W

Station: ROGERS PASS 9 NNE, MT

NWS Call Sign:

Elevation: 4,200 Feet Lat: 47°11N

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1357	1071	993	706	464	234	110	150	363	636	1038	1287	8409
60	1202	931	838	556	314	126	42	79	249	482	889	1132	6840
57	1109	847	745	471	231	78	20	49	191	392	808	1039	5980
55	1050	798	683	415	182	52	12	34	157	336	751	978	5448
50	907	667	534	284	86	14	1	13	87	206	613	834	4246
32	433	272	121	25	0	0	0	0	0	11	231	364	1457

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	99	125	151	309	559	775	1002	982	657	397	184	100	5340
55	3	7	0	9	28	137	301	303	124	10	14	1	937
57	0	0	0	5	15	103	248	255	98	4	10	0	738
60	0	0	0	0	5	61	177	192	66	1	1	0	503
65	0	0	0	0	0	19	89	109	30	0	0	0	247
70	0	0	0	0	0	4	31	48	12	0	0	0	95

Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	5	19	41	143	334	548	778	750	443	223	42	5	5	24	65	208	542	1090	1868	2618	3061	3284	3326	3331
45	0 1 10 68 203 399 623 598 312 121 13											0	0	1	11	79	282	681	1304	1902	2214	2335	2348	2348
50	0 0 0 26 101 262 468 445 188 55 2											0	0	0	0	26	127	389	857	1302	1490	1545	1547	1547
55	0	0	0	5	42	143	316	298	99	20	0	0	0	0	0	5	47	190	506	804	903	923	923	923
60	0 0 0 2 15 62 179 169 41 3 0										0	0	0	0	2	17	79	258	427	468	471	471	471	
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0/86 0 10 31 112 217 337 491 479 307 157 23											0	0	10	41	153	370	707	1198	1677	1984	2141	2164	2164

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf