CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971 - 2000



33
OHIO

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC



(This Page Intentionally Left Blank)



OHIO

NOTES

Product Description:
This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
WBAN ID = Weather Bureau Army Navy ID, if assigned
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
Call = 3-Letter Station Call Sign, if assigned
MAX = Normal Maximum Temperature (degrees Fahrenheit)
MEAN = Average of MAX and MIN (degrees Fahrenheit)
MIN = Normal Minimum Temperature (degrees Fahrenheit)
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)

Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
Elev = Elevation in feet above mean sea level
Flag 1 = * if a published *Local Climatological Data* station
Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEDIAN = Median Mean Monthly Value/Year, 1971-2000
LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO,1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (*e.g.*, changes in station location, instrumentation, time of observation, *etc.*) and be serially complete (*i.e.*, no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al*.,1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (*e.g.,* after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (*e.g*., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R, and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim*., **15**, 369-377.
Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland,1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States, *J. Clim. Appl. Met*., **25**, 145-160.
Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim*., **14**, 671-679.
Peterson,T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim.*, **18**, 1169-1179.
Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient, *Month. Wea. Rev*., **94**, 461-465.
World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 02/2002* **National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

33 - OHIO


42°N
41°N
40°N
39°N
84°W
82°W
25 miles
134 TOL
31 CLE
151 YNG
1 CAK
74 MFD
33 CMH
39 DAY



OHIO

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	330058	14895	XNP	AKRON CANTON AP	CAK	40 55 N	81 26 W	1208	*	+
2	330061		XNP	AKRON		41 05 N	81 31 W	1080		
3	330256		XNP	ASHLAND 2 SW		40 50 N	82 21 W	1265		+
4	330264		XNP	ASHTABULA		41 51 N	80 48 W	690		+
5	330279		XNP	ATHENS 2 N		39 22 N	82 06 W	650		
6	330430		XNP	BARNESVILLE	6G5	39 59 N	81 09 W	1240		+
7	330493		P	BEACH CITY LAKE		40 38 N	81 34 W	985		
8	330563		XNP	BELLEFONTAINE		40 21 N	83 46 W	1185		+
9	330573		P	BELLEVILLE LOCK & DAM		39 07 N	81 45 W	560		+
10	330854		P	BOURNEVILLE 1 SSW		39 16 N	83 10 W	705		
11	330862		XNP	BOWLING GREEN WWTP		41 23 N	83 37 W	675		+
12	331057		P	BUCKEYE LAKE 1 N		39 57 N	82 29 W	887		+
13	331072		XNP	BUCYRUS		40 49 N	82 58 W	955		+
14	331152		XNP	CADIZ		40 16 N	81 00 W	1260		+
15	331178		XNP	CALDWELL 6 NW		39 49 N	81 36 W	980		
16	331197		XNP	CAMBRIDGE		40 01 N	81 35 W	800		+
17	331245		XNP	CANFIELD 1 S		41 01 N	80 46 W	1140		+
18	331288		XNP	CARPENTER 2 S		39 09 N	82 13 W	822		+
19	331315		P	CARROLLTON 3 NNE		40 37 N	81 04 W	1190		
20	331390		XNP	CELINA 3 NE		40 34 N	84 32 W	860		+
21	331404		XNP	CENTERBURG 2 SE		40 18 N	82 39 W	1205		+
22	331458		XNP	CHARDON		41 35 N	81 11 W	1130		+
23	331515		XNP	CHEVIOT		39 09 N	84 37 W	960		
24	331528		XNP	CHILLICOTHE MOUND CITY		39 22 N	83 00 W	650		+
25	331536		XNP	CHILO MELDAHL L&D		38 48 N	84 10 W	500		+
26	331541		XNP	CHIPPEWA LAKE		41 03 N	81 56 W	1180		+
27	331550		XNP	CINCINNATI FERNBANK		39 07 N	84 42 W	500		+
28	331561	93890	XNP	CINCINNATI ABBE WSMO		39 09 N	84 31 W	760		
29	331576	93812	XNP	CINCINNATI LUNKEN AP	LUK	39 06 N	84 25 W	490		+
30	331592		XNP	CIRCLEVILLE		39 37 N	82 57 W	673		+
31	331657	14820	XNP	CLEVELAND HOPKNS INTL AP	CLE	41 24 N	81 51 W	770	*	+
32	331783		XNP	COLUMBUS VLY CROSSING		39 54 N	82 56 W	735		+
33	331786	14821	XNP	COLUMBUS INTL AP	CMH	39 59 N	82 53 W	810	*	+
34	331858		P	COOPERDALE		40 13 N	82 04 W	780		+
35	331890		XNP	COSHOCTON WPC PLANT		40 14 N	81 52 W	760		+
36	331905		XNP	COSHOCTON AGR RES STN		40 22 N	81 48 W	1140		+
37	332044		XNP	DANVILLE 2 W		40 26 N	82 18 W	970		+
38	332067		XNP	DAYTON MCD		39 46 N	84 11 W	745		+
39	332075	93815	XNP	DAYTON INTL AP	DAY	39 54 N	84 13 W	1000	*	+
40	332098		XNP	DEFIANCE		41 17 N	84 23 W	700		+
41	332119		XNP	DELAWARE		40 19 N	83 04 W	920		+
42	332160		XNP	DENNISON WATER WORKS		40 23 N	81 20 W	860		
43	332251		XNP	DORSET		41 41 N	80 40 W	980		+
44	332485		XNP	EATON		39 44 N	84 38 W	1002		+
45	332599		XNP	ELYRIA 3 E		41 23 N	82 03 W	730		+
46	332626		P	ENTERPRISE		39 34 N	82 29 W	820		+
47	332651		XNP	FAIRFIELD		39 21 N	84 35 W	575		
48	332727		P	FAYETTEVILLE 4 NE		39 13 N	83 53 W	986		
49	332786	14825	XNP	FINDLAY AP	FDY	41 01 N	83 40 W	800		+
50	332791		XNP	FINDLAY WPCC		41 03 N	83 40 W	768		+
51	332928		XNP	FRANKLIN		39 33 N	84 19 W	670		+
52	332956		XNP	FREDERICKTOWN 4 S		40 25 N	82 32 W	1050		+
53	332974		XNP	FREMONT		41 20 N	83 07 W	600		
54	333021		P	GALION WATER WORKS		40 38 N	82 49 W	1170		+
55	333029		XNP	GALLIPOLIS		38 49 N	82 11 W	569		+
56	333375		XNP	GREENVILLE WATER PLANT		40 06 N	84 39 W	1024		+
57	333393		P	GREER		40 31 N	82 12 W	900		+
58	333421		P	GROVER HILL		41 01 N	84 28 W	730		+
59	333500		XNP	HANNIBAL LOCK & DAM		39 40 N	80 52 W	620		+
60	333758		XNP	HILLSBORO		39 12 N	83 37 W	1100		+
61	333780		XNP	HIRAM		41 18 N	81 09 W	1230		+
62	333874		XNP	HOYTVILLE 2 NE		41 13 N	83 46 W	700		+
63	333915		P	HUNTSVILLE 3 N		40 29 N	83 49 W	1030		+
64	333987		XNP	IRWIN		40 07 N	83 29 W	1010		+
65	334004		XNP	JACKSON 3 NW		39 05 N	82 42 W	800		
66	334189		XNP	KENTON		40 39 N	83 36 W	995		+
67	334238		P	KINGS MILLS		39 21 N	84 16 W	750		+
68	334383		XNP	LANCASTER 2 NW		39 44 N	82 38 W	860		
69	334409		P	LA RUE		40 35 N	83 23 W	930		
70	334434		P	LAURELVILLE		39 28 N	82 44 W	760		+



OHIO

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	334551		XNP	LIMA WWTP		40 43 N	84 08 W	850		+
72	334681		XNP	LONDON		39 53 N	83 27 W	1020		+
73	334728		P	LOUISVILLE		40 50 N	81 15 W	1170		+
74	334865	14891	XNP	MANSFIELD LAHM AP	MFD	40 49 N	82 31 W	1295	*	+
75	334874		XNP	MANSFIELD 5 W		40 46 N	82 37 W	1350		+
76	334924		P	MARIETTA LOCK 1		39 25 N	81 27 W	610		+
77	334927		XNP	MARIETTA WWTP		39 25 N	81 26 W	580		+
78	334942		XNP	MARION 2 N		40 37 N	83 08 W	965		+
79	334967		P	MARSHALLVILLE 1 SSW		40 53 N	81 44 W	1120		+
80	334979		XNP	MARYSVILLE		40 14 N	83 22 W	1000		+
81	335029		P	MC ARTHUR		39 15 N	82 29 W	785		+
82	335041		XNP	MC CONNELSVILLE LOCK 7		39 39 N	81 51 W	760		+
83	335185		P	MIAMISBURG		39 37 N	84 17 W	697		
84	335199		P	MIDDLEBOURNE		40 03 N	81 20 W	880		
85	335220		P	MIDDLETOWN		39 31 N	84 25 W	635		+
86	335268		XNP	MILFORD		39 11 N	84 17 W	520		+
87	335297		XNP	MILLERSBURG		40 33 N	81 55 W	819		
88	335315		XNP	MILLPORT 2 NW		40 43 N	80 54 W	1150		+
89	335356		XNP	MINERAL RIDGE WTR WKS		41 09 N	80 47 W	890		+
90	335438		XNP	MONTPELIER		41 35 N	84 36 W	860		+
91	335505		P	MOSQUITO CREEK LAKE		41 18 N	80 46 W	910		+
92	335535		P	MOUNT GILEAD LAKES PRK		40 33 N	82 49 W	1090		
93	335669		XNP	NAPOLEON		41 24 N	84 07 W	682		+
94	335718		P	NELSONVILLE		39 30 N	82 15 W	700		+
95	335747		XNP	NEWARK WATER WORKS		40 05 N	82 25 W	835		+
96	335786		P	NEW CARLISLE		39 56 N	84 02 W	880		+
97	335794		P	NEWCOMERSTOWN		40 16 N	81 36 W	801		
98	335857		XNP	NEW LEXINGTON 2 NW		39 44 N	82 13 W	890		+
99	335894		XNP	NEW PHILADELPHIA		40 29 N	81 26 W	925		+
100	335904		P	NEW PHILADELPHIA 1 A		40 30 N	81 27 W	920		
101	335939		XNP	NEWPORT		39 24 N	81 13 W	668		
102	335947		P	NEW STRAITSVILLE		39 35 N	82 15 W	780		
103	336118		XNP	NORWALK WWTP		41 16 N	82 37 W	670		+
104	336196		XNP	OBERLIN		41 16 N	82 13 W	816		+
105	336342		P	OTTAWA		41 02 N	84 03 W	730		+
106	336346		XNP	OTTAWA NWR		41 36 N	83 12 W	580		
107	336389		XNP	PAINESVILLE 4 NW		41 45 N	81 18 W	600		+
108	336405		XNP	PANDORA		40 57 N	83 59 W	770		+
109	336465		XNP	PAULDING		41 08 N	84 35 W	725		+
110	336493		XNP	PEEBLES		38 57 N	83 25 W	810		
111	336600		XNP	PHILO 3 SW		39 50 N	81 55 W	1020		+
112	336630		P	PIKETON AEC PUMP STA		39 04 N	83 01 W	570		+
113	336645		P	PIQUA		40 09 N	84 14 W	950		+
114	336697		P	PLEASANT HILL		40 03 N	84 21 W	920		+
115	336781		XNP	PORTSMOUTH SCIOTOVILLE		38 45 N	82 53 W	540		+
116	336786		P	PORTSMOUTH US GRANT BRDG		38 44 N	83 00 W	570		
117	336861		P	PROSPECT		40 29 N	83 12 W	915		+
118	336882		XNP	PUT-IN-BAY		41 39 N	82 48 W	580		+
119	336949		P	RAVENNA 2 S		41 08 N	81 17 W	1107		+
120	337120		XNP	RIPLEY EXP FARM		38 47 N	83 48 W	880		+
121	337255		P	ROSEVILLE		39 49 N	82 04 W	740		+
122	337383		P	ST MARYS 3 W		40 33 N	84 26 W	875		+
123	337447	14846	XNP	SANDUSKY		41 27 N	82 43 W	584		+
124	337476		P	SAYRE 1 NE		39 41 N	82 03 W	890		
125	337538		P	SEDALIA		39 44 N	83 29 W	1070		+
126	337693		XNP	SIDNEY 1 S		40 16 N	84 09 W	940		+
127	337857		XNP	SOUTH POINT		38 25 N	82 36 W	553		
128	337932		P	SPRINGFIELD WASTEWTR PLT		39 55 N	83 51 W	902		
129	337935		XNP	SPRINGFIELD NEW WTR WKS		39 58 N	83 49 W	930		+
130	338025		XNP	STEUBENVILLE		40 23 N	80 38 W	992		+
131	338110		P	STRYKER		41 30 N	84 26 W	700		
132	338313		XNP	TIFFIN		41 07 N	83 10 W	740		+
133	338332		P	TIPP CITY		39 57 N	84 10 W	900		+
134	338357	94830	XNP	TOLEDO EXPRESS AP	TOL	41 35 N	83 48 W	669	*	+
135	338366	14889	XNP	TOLEDO BLADE		41 39 N	83 32 W	600		
136	338534		XNP	UPPER SANDUSKY		40 50 N	83 17 W	854		+
137	338552		XNP	URBANA WWTP		40 06 N	83 47 W	1000		+
138	338560		P	UTICA		40 13 N	82 26 W	1005		
139	338609		XNP	VAN WERT 1 S		40 51 N	84 35 W	790		+
140	338642		P	VERSAILLES		40 13 N	84 29 W	975		+



OHIO

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	338769		XNP	WARREN 3 S		41 12 N	80 49 W	900		+
142	338794		XNP	WASHINGTON COURT HOUSE		39 32 N	83 26 W	960		+
143	338810		P	WATERLOO		38 42 N	82 28 W	625		
144	338822		XNP	WAUSEON WATER PLANT		41 31 N	84 09 W	750		+
145	338830		XNP	WAVERLY		39 07 N	82 59 W	560		+
146	338951		XNP	WESTERVILLE		40 08 N	82 57 W	810		+
147	338990		P	WEST MANCHESTER 3 SW		39 52 N	84 39 W	1100		+
148	339219		XNP	WILMINGTON 3 N	ILN	39 29 N	83 49 W	1030		+
149	339312		XNP	WOOSTER EXP STN		40 47 N	81 55 W	1020		+
150	339361		XNP	XENIA 6 SSE		39 37 N	83 54 W	968		+
151	339406	14852	XNP	YOUNGSTOWN MUNICIPAL AP	YNG	41 15 N	80 40 W	1180	*	+



OHIO

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AKRON CANTON AP	MAX	32.9	36.8	47.5	59.0	69.8	78.2	82.3	80.3	72.8	61.1	48.7	37.7	58.9
		MEAN	25.2	28.3	37.7	48.1	58.8	67.5	71.8	70.3	63.0	51.6	41.1	30.7	49.5
		MIN	17.4	19.8	27.9	37.1	47.8	56.8	61.3	60.2	53.1	42.1	33.4	23.6	40.0
002	AKRON	MAX	34.3	37.8	47.9	60.1	71.5	79.8	83.9	81.6	74.2	62.0	49.8	38.8	60.1
		MEAN	27.2	30.2	39.2	50.1	61.3	69.8	74.1	72.2	65.1	53.5	42.8	32.4	51.5
		MIN	20.1	22.6	30.5	40.1	51.0	59.8	64.2	62.7	56.0	44.9	35.7	26.0	42.8
003	ASHLAND 2 SW	MAX	32.3	36.0	46.5	58.6	69.8	78.6	82.7	80.7	74.0	61.8	48.5	37.1	58.9
		MEAN	23.7	26.7	36.0	46.8	58.1	67.2	71.2	69.0	62.2	50.6	39.6	29.1	48.4
		MIN	15.1	17.4	25.5	35.0	46.4	55.7	59.6	57.3	50.3	39.3	30.6	21.0	37.8
004	ASHTABULA	MAX	32.5	34.7	43.7	55.5	67.0	75.9	79.8	78.2	71.9	61.0	49.1	37.5	57.2
		MEAN	24.9	26.5	35.3	45.9	57.1	66.0	70.2	68.8	62.2	51.6	41.4	30.7	48.4
		MIN	17.2	18.2	26.8	36.3	47.2	56.1	60.6	59.3	52.4	42.1	33.7	23.8	39.5
005	ATHENS 2 N	MAX	38.9	43.5	54.1	65.0	74.6	82.4	85.6	84.1	77.8	66.8	54.5	43.5	64.2
		MEAN	28.3	31.5	40.7	50.5	60.7	69.0	72.7	70.5	64.0	52.5	42.0	32.8	51.3
		MIN	17.7	19.5	27.3	36.0	46.7	55.5	59.7	56.8	50.1	38.1	29.5	22.1	38.3
006	BARNESVILLE	MAX	35.0	38.7	49.2	60.5	70.5	78.6	82.3	81.1	74.6	63.3	50.8	39.8	60.4
		MEAN	26.3	29.1	38.5	48.5	58.8	67.3	71.5	69.8	63.0	51.7	41.3	31.6	49.8
		MIN	17.6	19.5	27.8	36.5	47.1	56.0	60.6	58.5	51.4	40.0	31.8	23.4	39.2
008	BELLEFONTAINE	MAX	32.2	37.0	47.9	59.6	70.8	79.3	83.1	81.0	75.2	63.2	49.4	37.6	59.7
		MEAN	23.8	28.1	38.0	48.9	60.2	68.9	72.7	70.8	64.3	52.4	40.7	29.6	49.9
		MIN	15.4	19.1	28.1	38.2	49.6	58.4	62.2	60.5	53.3	41.6	32.0	21.6	40.0
011	BOWLING GREEN WWTP	MAX	31.0	34.8	46.2	58.8	71.0	80.3	84.2	81.6	75.4	63.1	48.9	36.5	59.3
		MEAN	23.1	26.2	36.2	47.3	59.5	69.0	72.9	70.2	63.3	51.6	39.9	29.0	49.0
		MIN	15.2	17.6	26.2	35.8	47.9	57.7	61.6	58.7	51.1	40.0	30.9	21.4	38.7
013	BUCYRUS	MAX	31.6	35.1	46.1	58.5	70.0	79.0	82.8	80.8	74.3	62.0	48.5	36.6	58.8
		MEAN	24.0	26.7	36.5	47.4	58.7	68.0	72.0	69.9	62.9	51.4	40.1	29.5	48.9
		MIN	16.3	18.2	26.9	36.2	47.4	57.0	61.2	59.0	51.5	40.7	31.7	22.4	39.0
014	CADIZ	MAX	34.0	38.5	48.9	60.0	70.2	78.1	81.9	80.6	74.5	63.1	50.3	39.2	59.9
		MEAN	26.2	29.9	39.3	49.9	60.4	68.5	72.5	71.0	64.5	52.7	41.8	31.6	50.7
		MIN	18.4	21.3	29.6	39.7	50.6	58.9	63.0	61.4	54.5	42.3	33.3	23.9	41.4
015	CALDWELL 6 NW	MAX	38.6	43.3	54.1	64.9	73.6	81.4	85.1	83.7	78.0	66.8	54.2	43.0	63.9
		MEAN	28.6	31.9	41.4	51.1	60.4	68.6	72.4	71.0	64.5	53.2	43.1	33.0	51.6
		MIN	18.5	20.4	28.7	37.3	47.2	55.7	59.7	58.2	51.0	39.6	31.9	23.0	39.3
016	CAMBRIDGE	MAX	37.9	42.5	53.4	64.9	74.5	81.8	85.0	83.3	76.8	65.9	53.3	42.3	63.5
		MEAN	29.1	32.6	42.1	52.1	61.8	69.8	73.6	72.1	65.4	53.9	43.6	33.9	52.5
		MIN	20.3	22.7	30.8	39.3	49.0	57.8	62.2	60.9	53.9	41.9	33.8	25.4	41.5
017	CANFIELD 1 S	MAX	32.4	35.8	46.3	57.6	68.9	77.5	81.9	80.2	73.2	61.5	48.6	37.6	58.5
		MEAN	24.1	26.5	35.8	46.1	57.1	65.9	69.9	67.8	61.0	49.7	39.8	29.9	47.8
		MIN	15.8	17.2	25.2	34.6	45.2	54.2	57.8	55.4	48.7	37.8	30.9	22.1	37.1
018	CARPENTER 2 S	MAX	37.0	41.6	52.3	63.3	72.4	80.3	83.8	82.4	76.1	65.1	52.8	41.8	62.4
		MEAN	27.0	30.4	39.6	49.8	59.3	67.6	71.4	69.9	63.1	51.1	41.5	31.9	50.2
		MIN	16.9	19.1	26.8	36.2	46.1	54.9	58.9	57.4	50.0	37.0	30.1	22.0	38.0
020	CELINA 3 NE	MAX	32.7	37.5	49.2	61.9	72.9	81.2	84.5	82.3	76.7	64.6	50.0	37.6	60.9
		MEAN	25.3	29.3	39.7	50.8	61.8	70.6	74.0	71.8	65.6	54.2	42.1	30.7	51.3
		MIN	17.9	21.1	30.2	39.7	50.6	59.9	63.5	61.2	54.4	43.7	34.2	23.7	41.7
021	CENTERBURG 2 SE	MAX	32.7	37.0	48.1	60.1	70.6	78.9	82.5	80.8	74.2	62.5	49.4	37.6	59.5
		MEAN	24.2	27.9	38.0	48.9	59.5	68.2	71.9	70.1	63.2	51.4	40.5	29.7	49.5
		MIN	15.6	18.7	27.9	37.7	48.3	57.4	61.2	59.4	52.1	40.3	31.6	21.7	39.3
022	CHARDON	MAX	31.6	34.6	44.3	55.9	67.6	76.2	80.0	78.6	71.8	60.4	47.9	36.7	57.1
		MEAN	23.0	24.9	34.1	44.8	55.8	64.7	68.8	67.4	60.5	49.7	39.7	29.1	46.9
		MIN	14.3	15.1	23.9	33.6	44.0	53.1	57.5	56.1	49.2	39.0	31.5	21.5	36.6
023	CHEVIOT	MAX	36.2	41.8	52.3	63.8	74.2	82.1	86.6	84.6	77.7	65.8	52.8	41.3	63.3
		MEAN	26.8	31.3	40.9	51.8	62.7	70.8	75.4	72.8	66.0	53.8	42.8	32.3	52.3
		MIN	17.3	20.8	29.4	39.8	51.1	59.5	64.1	60.9	54.2	41.7	32.7	23.2	41.2
024	CHILLICOTHE MOUND CITY	MAX	37.7	42.3	52.5	63.4	73.4	81.4	85.2	84.0	78.0	66.3	53.5	42.6	63.4
		MEAN	27.8	31.6	41.0	51.2	61.4	70.1	74.0	72.3	65.4	53.4	43.0	33.2	52.0
		MIN	17.9	20.9	29.4	38.9	49.4	58.7	62.7	60.5	52.8	40.4	32.5	23.7	40.7
025	CHILO MELDAHL L&D	MAX	38.9	43.4	53.3	64.1	73.6	81.4	85.6	84.5	78.7	67.6	55.1	43.9	64.2
		MEAN	30.0	33.3	42.2	51.9	61.8	70.2	74.8	73.7	67.3	56.0	45.4	35.3	53.5
		MIN	21.0	23.1	31.0	39.6	50.0	59.0	63.9	62.8	55.9	44.4	35.7	26.6	42.8
026	CHIPPEWA LAKE	MAX	31.2	34.9	45.3	57.4	68.8	77.8	82.0	79.9	73.0	61.4	48.1	36.4	58.0
		MEAN	23.7	26.5	36.0	46.9	58.1	67.2	71.3	69.4	62.6	51.2	40.2	29.5	48.6
		MIN	16.2	18.0	26.7	36.4	47.3	56.5	60.5	58.9	52.1	41.0	32.3	22.6	39.0
027	CINCINNATI FERNBANK	MAX	38.2	43.4	53.7	64.4	74.0	81.9	86.0	84.9	78.6	67.4	55.0	43.4	64.2
		MEAN	29.5	33.4	42.6	51.5	61.4	70.1	74.7	73.4	66.6	55.4	44.9	34.7	53.2
		MIN	20.7	23.4	31.4	38.6	48.7	58.3	63.3	61.9	54.5	43.4	34.8	26.0	42.1
028	CINCINNATI ABBE WSMO	MAX	38.5	43.8	54.5	65.6	75.5	83.3	86.8	85.7	78.7	66.9	53.5	42.8	64.6
		MEAN	30.6	35.3	44.6	54.5	64.7	72.9	76.8	75.2	68.2	56.6	45.3	35.1	55.0
		MIN	22.7	26.7	34.6	43.4	53.9	62.4	66.8	64.6	57.7	46.2	37.1	27.4	45.3



OHIO

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
029	CINCINNATI LUNKEN AP	MAX	39.2	44.2	54.6	65.3	74.8	82.7	86.7	85.1	78.7	67.5	54.7	43.7	64.8
		MEAN	30.8	35.0	44.4	54.0	63.8	72.1	76.4	74.7	67.8	56.0	45.2	35.5	54.6
		MIN	22.4	25.7	34.1	42.7	52.7	61.5	66.0	64.3	56.9	44.5	35.6	27.2	44.5
030	CIRCLEVILLE	MAX	36.1	41.1	51.9	63.3	73.3	81.5	85.0	83.5	77.3	65.9	52.8	41.1	62.7
		MEAN	28.5	32.5	42.0	51.9	61.8	70.5	74.1	72.5	65.8	54.5	43.7	33.6	52.6
		MIN	20.8	23.8	32.1	40.4	50.2	59.4	63.2	61.5	54.2	43.0	34.5	26.0	42.4
031	CLEVELAND HOPKNS INTL A	MAX	32.6	35.8	46.1	57.3	68.6	77.4	81.4	79.2	72.3	60.8	48.7	37.4	58.1
		MEAN	25.7	28.4	37.5	47.6	58.5	67.5	71.9	70.2	63.3	52.2	41.8	31.1	49.6
		MIN	18.8	21.0	28.9	37.9	48.3	57.7	62.3	61.2	54.3	43.7	34.9	24.9	41.2
032	COLUMBUS VLY CROSSING	MAX	36.4	41.3	52.5	64.2	73.9	82.2	85.6	83.8	77.9	66.5	52.9	41.1	63.2
		MEAN	28.3	32.3	42.2	52.3	62.3	71.1	74.7	72.7	66.2	54.8	43.6	33.3	52.8
		MIN	20.2	23.3	31.8	40.4	50.7	59.9	63.7	61.6	54.5	43.0	34.2	25.4	42.4
033	COLUMBUS INTL AP	MAX	36.2	40.5	51.7	62.9	73.3	81.6	85.3	83.8	77.1	65.4	52.4	41.0	62.6
		MEAN	28.3	32.0	42.0	52.0	62.6	71.2	75.1	73.5	66.5	54.7	43.7	33.5	52.9
		MIN	20.3	23.5	32.2	41.2	51.8	60.7	64.9	63.2	55.9	44.0	34.9	25.9	43.2
035	COSHOCTON WPC PLANT	MAX	36.3	40.6	51.4	62.5	72.5	80.3	83.9	82.4	75.8	64.7	52.2	40.8	62.0
		MEAN	27.7	31.2	40.8	50.6	60.7	69.0	72.9	71.4	64.4	52.8	42.4	32.5	51.4
		MIN	19.1	21.7	30.1	38.7	48.9	57.7	61.8	60.3	52.9	40.9	32.6	24.2	40.7
036	COSHOCTON AGR RES STN	MAX	33.7	37.2	47.9	59.2	69.6	78.2	81.9	80.4	73.9	62.6	50.1	38.6	59.4
		MEAN	25.7	28.7	38.4	49.2	59.8	68.3	72.3	71.0	64.4	52.9	41.9	31.1	50.3
		MIN	17.6	20.2	28.8	39.1	50.0	58.4	62.6	61.6	54.9	43.2	33.6	23.6	41.1
037	DANVILLE 2 W	MAX	33.0	37.4	48.4	59.8	70.7	79.3	83.4	81.7	75.1	63.2	50.1	38.3	60.0
		MEAN	23.8	27.0	36.8	46.6	57.6	66.6	70.8	68.9	61.7	49.8	39.5	29.5	48.2
		MIN	14.6	16.6	25.1	33.3	44.4	53.9	58.2	56.0	48.3	36.3	28.8	20.6	36.3
038	DAYTON MCD	MAX	35.2	40.0	50.8	62.9	74.1	83.2	87.2	85.4	78.6	65.9	52.2	40.2	63.0
		MEAN	27.9	31.8	41.5	52.5	63.6	72.9	77.0	75.0	67.9	55.6	44.2	33.1	53.6
		MIN	20.6	23.5	32.2	42.1	53.1	62.6	66.8	64.6	57.1	45.3	36.1	26.0	44.2
039	DAYTON INTL AP	MAX	33.7	38.2	49.3	60.7	71.2	80.1	84.2	82.3	75.6	63.5	50.1	38.5	60.6
		MEAN	26.3	30.3	40.2	50.6	61.2	70.2	74.3	72.3	65.1	53.5	42.2	31.4	51.5
		MIN	19.0	22.4	31.2	40.4	51.1	60.2	64.4	62.2	54.6	43.5	34.3	24.4	42.3
040	DEFIANCE	MAX	31.2	35.1	46.0	58.9	71.0	80.4	84.2	81.9	75.0	62.7	48.5	36.3	59.3
		MEAN	24.2	27.4	37.3	48.7	60.2	69.8	73.8	71.5	64.4	52.6	40.9	29.8	50.1
		MIN	17.1	19.6	28.6	38.4	49.4	59.2	63.3	61.1	53.7	42.4	33.3	23.2	40.8
041	DELAWARE	MAX	33.6	37.5	48.5	60.7	71.6	80.7	84.6	83.1	76.4	63.9	49.7	38.4	60.7
		MEAN	25.1	28.3	38.2	48.9	59.7	69.0	73.0	71.1	63.9	51.9	40.5	30.5	50.0
		MIN	16.6	19.0	27.9	37.1	47.7	57.3	61.3	59.1	51.3	39.9	31.2	22.5	39.2
042	DENNISON WATER WORKS	MAX	36.7	40.6	51.4	63.3	73.7	81.7	86.0	84.4	77.8	65.7	53.5	41.6	63.0
		MEAN	26.0	28.9	38.1	48.3	58.9	67.0	71.4	69.7	62.8	50.7	41.7	30.9	49.5
		MIN	15.3	17.1	24.7	33.3	44.1	52.2	56.7	55.0	47.8	35.6	29.9	20.1	36.0
043	DORSET	MAX	32.1	35.2	45.1	56.7	68.2	77.1	81.4	80.0	73.2	61.6	48.6	37.0	58.0
		MEAN	23.4	25.4	34.8	45.4	56.2	65.2	69.4	68.0	61.1	50.4	40.1	29.3	47.4
		MIN	14.7	15.6	24.5	34.1	44.2	53.3	57.3	56.0	49.0	39.1	31.6	21.6	36.8
044	EATON	MAX	33.4	38.3	49.3	61.1	71.9	80.6	84.5	83.0	76.8	64.6	50.7	38.7	61.1
		MEAN	24.5	28.4	38.6	49.3	60.0	68.9	72.7	71.1	64.2	52.0	40.9	30.1	50.1
		MIN	15.6	18.5	27.9	37.4	48.0	57.1	60.9	59.2	51.5	39.4	31.1	21.4	39.0
045	ELYRIA 3 E	MAX	34.9	38.5	49.0	61.3	72.5	81.2	85.0	82.9	76.4	64.7	51.4	39.5	61.4
		MEAN	27.1	29.8	39.1	49.9	60.6	69.6	73.8	72.0	65.6	54.3	43.3	32.3	51.5
		MIN	19.3	21.1	29.1	38.4	48.6	58.0	62.5	61.1	54.7	43.9	35.1	25.1	41.4
047	FAIRFIELD	MAX	37.5	42.4	53.3	64.9	75.2	83.7	88.1	86.6	79.7	67.7	53.9	42.2	64.6
		MEAN	28.7	32.6	42.4	52.5	63.1	72.0	76.6	74.9	67.5	55.2	44.0	34.0	53.6
		MIN	19.9	22.7	31.5	40.0	51.0	60.3	65.0	63.1	55.3	42.6	34.0	25.7	42.6
049	FINDLAY AP	MAX	31.5	35.2	46.7	58.7	70.1	78.8	82.6	80.3	74.1	62.0	48.4	36.4	58.7
		MEAN	24.5	27.8	38.0	48.6	59.8	68.8	72.6	70.3	63.6	52.1	40.8	29.8	49.7
		MIN	17.5	20.4	29.2	38.5	49.5	58.8	62.6	60.3	53.0	42.1	33.1	23.1	40.7
050	FINDLAY WPCC	MAX	31.5	35.5	46.9	59.2	71.1	79.8	83.5	81.0	74.5	62.3	48.2	36.1	59.1
		MEAN	24.5	28.0	38.0	49.0	60.6	69.7	73.6	71.3	64.4	52.6	40.7	29.6	50.2
		MIN	17.4	20.4	29.1	38.8	50.1	59.6	63.6	61.5	54.2	42.9	33.1	23.0	41.1
051	FRANKLIN	MAX	36.7	41.3	52.3	63.7	74.1	82.6	86.3	85.0	78.5	66.5	53.3	41.8	63.5
		MEAN	27.5	31.2	41.0	51.1	61.3	70.3	74.2	72.6	65.3	53.3	43.0	32.8	52.0
		MIN	18.3	21.0	29.7	38.5	48.4	58.0	62.1	60.1	52.0	40.1	32.6	23.7	40.4
052	FREDERICKTOWN 4 S	MAX	32.8	36.7	47.7	59.6	70.4	79.3	83.0	81.4	74.9	63.1	49.5	38.0	59.7
		MEAN	23.4	26.9	37.0	47.5	58.0	67.2	70.7	68.6	61.7	50.2	39.6	29.4	48.4
		MIN	14.0	17.1	26.3	35.3	45.5	55.0	58.3	55.8	48.4	37.2	29.7	20.8	37.0
053	FREMONT	MAX	32.1	35.5	45.8	58.2	70.1	79.6	83.7	81.6	75.0	62.9	49.3	37.2	59.3
		MEAN	24.4	27.4	36.9	48.0	59.5	69.3	73.3	71.2	64.1	52.3	41.3	30.1	49.8
		MIN	16.7	19.2	27.9	37.8	48.9	58.9	62.8	60.8	53.1	41.7	33.3	23.0	40.3
055	GALLIPOLIS	MAX	40.7	45.7	56.0	66.3	75.4	82.9	86.6	85.1	79.0	68.1	56.3	45.5	65.6
		MEAN	30.6	34.3	43.3	53.0	62.8	71.1	75.3	73.7	67.2	55.1	44.8	35.4	53.9
		MIN	20.5	22.9	30.5	39.6	50.1	59.3	64.0	62.3	55.4	42.1	33.3	25.3	42.1



OHIO

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
056	GREENVILLE WATER PLANT	MAX	32.4	36.9	48.1	60.3	71.4	80.3	84.0	82.2	76.3	64.1	50.0	37.7	60.3
		MEAN	23.8	27.5	37.9	48.9	59.8	69.1	72.6	70.2	63.3	51.6	40.5	29.4	49.6
		MIN	15.1	18.0	27.7	37.5	48.1	57.8	61.1	58.2	50.3	39.0	31.0	21.0	38.7
059	HANNIBAL LOCK & DAM	MAX	37.1	41.1	51.0	62.4	71.9	79.8	83.3	82.1	76.1	64.8	52.8	41.6	62.0
		MEAN	28.6	31.5	39.9	49.9	59.8	68.3	72.8	71.8	65.4	53.5	43.1	33.6	51.5
		MIN	20.0	21.8	28.7	37.3	47.7	56.8	62.2	61.4	54.6	42.2	33.3	25.5	41.0
060	HILLSBORO	MAX	35.3	40.3	50.8	61.8	71.3	79.0	83.0	81.5	75.6	64.6	52.0	40.5	61.3
		MEAN	27.4	31.4	41.0	51.5	61.4	69.6	73.7	71.9	65.5	54.3	43.2	32.6	52.0
		MIN	19.4	22.5	31.2	41.2	51.5	60.1	64.3	62.2	55.4	43.9	34.4	24.7	42.6
061	HIRAM	MAX	31.0	34.9	45.3	57.0	67.7	75.7	80.0	78.1	71.5	60.0	47.5	36.2	57.1
		MEAN	23.3	26.5	35.6	46.6	57.3	65.3	69.8	68.1	61.6	50.1	39.5	28.9	47.7
		MIN	15.6	18.1	25.8	36.1	46.8	54.9	59.6	58.1	51.7	40.2	31.4	21.6	38.3
062	HOYTVILLE 2 NE	MAX	31.7	35.2	46.7	59.2	71.4	80.7	84.6	82.3	76.4	64.1	49.6	37.0	59.9
		MEAN	23.0	26.0	36.2	47.1	58.7	68.2	71.8	69.2	62.5	51.0	39.9	28.7	48.5
		MIN	14.2	16.7	25.6	34.9	46.0	55.7	59.0	56.0	48.5	37.9	30.2	20.3	37.1
064	IRWIN	MAX	35.9	41.1	52.5	64.6	75.0	83.3	86.7	85.4	79.5	67.7	52.9	40.5	63.8
		MEAN	27.0	31.2	41.2	51.7	62.3	70.9	74.1	72.3	65.7	54.4	42.9	32.1	52.2
		MIN	18.0	21.2	29.8	38.8	49.6	58.4	61.5	59.1	51.8	41.1	32.9	23.6	40.5
065	JACKSON 3 NW	MAX	37.5	42.0	53.1	64.9	73.8	81.1	84.5	83.0	76.4	65.2	53.1	41.9	63.0
		MEAN	28.6	31.7	41.3	51.2	60.9	69.2	73.4	71.8	64.7	52.7	42.6	33.3	51.8
		MIN	19.7	21.3	29.5	37.4	47.9	57.2	62.2	60.5	52.9	40.2	32.1	24.6	40.5
066	KENTON	MAX	32.2	36.6	47.4	59.8	71.7	80.7	84.9	82.6	76.0	63.8	49.5	37.2	60.2
		MEAN	23.9	27.8	37.7	48.8	60.3	69.5	73.6	71.3	64.3	52.5	40.7	29.4	50.0
		MIN	15.6	19.0	27.9	37.8	48.9	58.3	62.2	59.9	52.5	41.1	31.9	21.5	39.7
068	LANCASTER 2 NW	MAX	35.1	39.4	50.3	61.5	72.0	80.5	84.4	82.7	76.8	65.1	51.8	40.2	61.7
		MEAN	26.5	30.0	39.6	49.5	59.9	69.1	73.1	71.3	64.6	52.8	42.2	31.9	50.9
		MIN	17.8	20.6	28.8	37.5	47.8	57.7	61.8	59.9	52.3	40.5	32.5	23.5	40.1
071	LIMA WWTP	MAX	32.9	37.3	48.1	60.3	71.8	80.4	84.0	81.5	75.6	63.6	49.8	37.7	60.3
		MEAN	25.5	29.4	39.2	49.8	60.8	69.7	73.6	71.6	65.2	53.6	42.0	30.8	50.9
		MIN	18.1	21.5	30.3	39.3	49.7	58.9	63.2	61.7	54.8	43.6	34.1	23.8	41.6
072	LONDON	MAX	33.3	38.2	49.4	61.0	72.1	80.5	84.4	82.1	76.2	64.5	50.6	38.8	60.9
		MEAN	24.9	28.5	38.4	48.8	60.2	69.1	73.0	70.5	63.9	52.1	40.9	30.7	50.1
		MIN	16.5	18.8	27.4	36.5	48.2	57.7	61.5	58.9	51.5	39.6	31.2	22.6	39.2
074	MANSFIELD LAHM AP	MAX	32.4	35.9	46.6	58.4	69.3	77.8	81.8	79.7	73.0	61.7	48.7	37.2	58.5
		MEAN	24.3	27.3	36.7	47.2	58.0	66.8	71.0	69.3	62.6	51.5	40.5	29.6	48.7
		MIN	16.2	18.7	26.8	36.1	46.7	55.8	60.3	58.9	52.1	41.3	32.2	22.0	38.9
075	MANSFIELD 5 W	MAX	31.8	36.0	46.8	58.8	69.7	78.0	81.7	79.7	73.0	61.5	48.3	36.7	58.5
		MEAN	23.6	27.3	37.0	47.6	58.3	66.8	70.6	68.9	62.3	51.1	39.8	29.1	48.5
		MIN	15.4	18.5	27.1	36.3	46.9	55.5	59.5	58.1	51.5	40.6	31.3	21.4	38.5
077	MARIETTA WWTP	MAX	38.2	42.4	53.0	64.0	73.5	81.1	84.7	83.3	77.0	65.8	53.6	43.1	63.3
		MEAN	29.5	32.4	41.6	51.6	62.0	70.2	74.3	72.6	65.9	53.9	43.6	34.5	52.7
		MIN	20.8	22.4	30.1	39.2	50.4	59.3	63.9	61.9	54.8	42.0	33.5	25.9	42.0
078	MARION 2 N	MAX	33.0	36.9	47.9	60.0	70.9	79.9	83.7	81.9	75.5	63.6	49.9	37.7	60.1
		MEAN	24.5	27.5	37.5	48.2	59.5	68.8	72.7	70.3	63.3	51.9	40.7	30.0	49.6
		MIN	16.0	18.0	27.0	36.3	48.0	57.7	61.6	58.7	51.1	40.1	31.5	22.2	39.0
080	MARYSVILLE	MAX	33.5	38.0	49.4	61.3	72.1	80.5	84.2	82.2	75.6	63.6	49.9	38.3	60.7
		MEAN	25.8	29.6	39.7	50.4	61.2	69.9	73.9	71.8	64.8	53.2	41.7	31.2	51.1
		MIN	18.1	21.1	29.9	39.4	50.2	59.3	63.5	61.4	54.0	42.7	33.5	24.0	41.4
082	MC CONNELSVILLE LOCK 7	MAX	37.6	41.6	52.6	64.1	73.4	80.8	84.3	82.9	76.5	65.3	53.3	42.2	62.9
		MEAN	28.3	31.3	40.8	50.9	60.7	69.1	73.3	71.9	64.8	52.8	42.9	33.2	51.7
		MIN	18.9	20.9	28.9	37.7	48.0	57.4	62.2	60.8	53.1	40.2	32.4	24.2	40.4
086	MILFORD	MAX	38.1	42.5	53.5	65.1	75.3	83.2	87.3	85.7	78.9	67.6	54.4	43.0	64.6
		MEAN	28.5	31.9	41.7	51.8	62.1	70.7	75.1	73.5	66.1	54.2	43.3	33.5	52.7
		MIN	18.9	21.3	29.8	38.5	48.9	58.1	62.8	61.2	53.2	40.7	32.1	24.0	40.8
087	MILLERSBURG	MAX	33.7	37.6	48.8	60.2	70.8	79.2	83.1	81.4	75.1	63.4	50.4	38.7	60.2
		MEAN	25.0	27.9	37.6	47.8	58.6	67.3	71.3	69.4	62.7	50.9	40.5	30.3	49.1
		MIN	16.2	18.1	26.3	35.3	46.3	55.4	59.5	57.4	50.3	38.4	30.6	21.9	38.0
088	MILLPORT 2 NW	MAX	35.6	40.0	50.7	62.2	72.1	80.5	84.1	82.8	75.8	64.3	51.4	40.1	61.6
		MEAN	26.2	29.6	39.0	48.9	58.7	67.3	71.2	69.7	62.8	51.5	41.2	31.2	49.8
		MIN	16.8	19.1	27.2	35.6	45.3	54.0	58.2	56.5	49.7	38.7	31.0	22.3	37.9
089	MINERAL RIDGE WTR WKS	MAX	35.6	39.8	50.7	62.4	73.5	81.5	85.5	83.5	76.8	65.2	51.8	40.3	62.2
		MEAN	26.8	30.0	39.5	50.0	60.5	68.9	73.1	71.4	64.6	53.3	42.5	32.2	51.1
		MIN	18.0	20.2	28.3	37.5	47.4	56.3	60.7	59.2	52.4	41.3	33.1	24.0	39.9
090	MONTPELIER	MAX	31.0	35.2	46.4	59.7	72.3	81.7	85.5	83.2	76.1	63.2	48.8	36.3	60.0
		MEAN	22.6	25.8	36.0	47.5	59.3	68.9	73.0	70.8	63.2	51.0	39.6	28.5	48.9
		MIN	14.2	16.3	25.5	35.3	46.2	56.1	60.4	58.4	50.2	38.8	30.4	20.6	37.7
093	NAPOLEON	MAX	30.9	34.4	46.0	58.7	70.7	79.7	83.7	81.6	75.1	63.0	48.8	36.4	59.1
		MEAN	22.8	25.8	35.9	47.3	59.0	68.4	72.6	70.1	63.1	51.5	39.9	28.7	48.8
		MIN	14.6	17.1	25.8	35.8	47.3	57.0	61.4	58.6	51.1	39.9	30.9	21.0	38.4



TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
095	NEWARK WATER WORKS	MAX	34.2	38.5	49.4	60.9	71.7	80.2	83.8	81.6	75.1	63.4	50.7	39.3	60.7
		MEAN	25.8	29.0	38.7	48.9	59.9	68.8	72.7	70.5	63.6	51.6	41.0	31.2	50.1
		MIN	17.3	19.4	27.9	36.9	48.1	57.3	61.5	59.3	52.1	39.8	31.2	23.0	39.5
098	NEW LEXINGTON 2 NW	MAX	36.0	40.8	51.5	62.7	72.8	80.4	84.1	82.3	76.3	65.0	52.3	41.0	62.1
		MEAN	26.0	29.4	38.9	48.8	59.4	67.8	71.9	70.0	63.4	51.4	40.7	31.3	49.9
		MIN	15.9	18.0	26.2	34.8	46.0	55.1	59.6	57.7	50.4	37.7	29.1	21.5	37.7
099	NEW PHILADELPHIA	MAX	35.1	38.9	49.5	61.0	71.8	80.4	84.1	82.7	76.0	64.0	51.2	39.8	61.2
		MEAN	26.5	29.0	38.3	48.2	58.9	68.0	72.1	70.5	63.4	51.5	41.4	31.6	50.0
		MIN	17.9	19.1	27.1	35.4	46.0	55.6	60.0	58.2	50.8	39.0	31.6	23.4	38.7
101	NEWPORT	MAX	38.5	42.9	53.3	64.1	73.7	81.0	84.8	82.9	76.9	66.1	54.3	43.7	63.5
		MEAN	29.4	32.4	41.3	50.9	61.1	69.5	73.9	72.3	65.8	54.1	43.5	34.7	52.4
		MIN	20.2	21.8	29.2	37.6	48.5	57.9	63.0	61.7	54.6	42.0	32.6	25.7	41.2
103	NORWALK WWTP	MAX	32.5	35.6	45.7	57.7	69.3	78.5	82.4	80.5	74.1	62.4	49.3	37.4	58.8
		MEAN	24.6	27.3	36.6	47.3	58.6	68.0	72.0	70.1	63.2	51.9	41.2	30.2	49.3
		MIN	16.7	18.9	27.5	36.9	47.9	57.4	61.5	59.6	52.3	41.4	33.0	22.9	39.7
104	OBERLIN	MAX	32.0	35.7	45.8	58.0	69.7	78.6	82.7	80.8	74.2	62.6	49.1	37.1	58.9
		MEAN	23.8	26.9	36.3	47.1	58.3	67.4	71.5	69.5	62.6	51.4	40.5	29.4	48.7
		MIN	15.6	18.1	26.7	36.2	46.9	56.1	60.3	58.2	50.9	40.1	31.9	21.7	38.6
106	OTTAWA NWR	MAX	32.8	36.4	47.3	59.3	70.9	81.0	84.1	82.0	76.1	64.4	50.0	37.4	60.1
		MEAN	25.9	28.7	38.5	49.5	60.6	70.5	74.1	72.1	65.3	54.3	42.4	31.0	51.1
		MIN	18.9	20.9	29.7	39.7	50.3	60.0	64.0	62.1	54.5	44.1	34.7	24.6	42.0
107	PAINESVILLE 4 NW	MAX	34.5	36.7	46.0	56.3	67.6	76.6	81.2	79.7	73.9	63.0	50.9	39.8	58.9
		MEAN	27.6	29.2	37.5	47.6	58.6	67.8	72.5	71.3	65.2	54.6	43.9	33.3	50.8
		MIN	20.6	21.6	29.0	38.8	49.6	58.9	63.8	62.8	56.5	46.1	36.8	26.8	42.6
108	PANDORA	MAX	31.0	35.1	46.8	59.3	71.2	80.1	83.5	81.1	74.6	62.2	48.0	35.8	59.1
		MEAN	23.7	27.2	37.5	48.5	60.2	69.3	72.8	70.5	63.7	52.1	40.4	29.2	49.6
		MIN	16.4	19.3	28.2	37.7	49.1	58.5	62.0	59.8	52.7	41.9	32.8	22.5	40.1
109	PAULDING	MAX	30.0	33.9	45.3	58.1	70.0	79.2	83.2	81.1	74.8	62.4	48.1	35.3	58.5
		MEAN	22.0	25.4	35.7	47.0	58.5	68.0	71.8	69.5	62.4	50.6	39.1	27.7	48.1
		MIN	13.9	16.8	26.1	35.8	47.0	56.8	60.4	57.8	50.0	38.7	30.1	20.1	37.8
110	PEEBLES	MAX	39.7	45.1	55.7	65.4	74.0	81.1	84.7	83.7	78.2	67.2	54.7	44.3	64.5
		MEAN	31.3	35.2	44.6	53.5	62.5	70.5	74.5	73.0	66.8	55.6	45.1	35.7	54.0
		MIN	22.8	25.2	33.4	41.5	51.0	59.9	64.2	62.2	55.3	43.9	35.4	27.1	43.5
111	PHILO 3 SW	MAX	32.2	36.9	47.8	58.9	68.0	75.3	78.7	77.2	70.8	60.0	47.6	36.5	57.5
		MEAN	24.3	27.9	37.5	47.7	57.1	64.8	68.4	67.0	60.5	49.7	39.3	29.0	47.8
		MIN	16.3	18.9	27.2	36.5	46.1	54.3	58.0	56.7	50.1	39.3	30.9	21.5	38.0
115	PORTSMOUTH SCIOTOVILLE	MAX	39.5	44.1	55.0	65.7	74.6	82.1	85.8	84.8	78.3	67.5	55.1	44.3	64.7
		MEAN	29.8	33.6	43.2	53.5	63.0	71.1	74.9	73.3	66.3	54.5	44.1	34.9	53.5
		MIN	20.1	23.0	31.4	41.2	51.3	60.0	64.0	61.7	54.3	41.5	33.1	25.4	42.3
118	PUT-IN-BAY	MAX	30.7	33.3	42.1	54.0	65.9	75.9	81.0	78.9	72.5	60.2	47.6	36.1	56.5
		MEAN	24.6	26.9	35.4	46.8	59.0	69.0	74.3	72.7	66.1	53.8	42.1	30.9	50.1
		MIN	18.5	20.4	28.7	39.6	52.0	62.1	67.5	66.4	59.6	47.4	36.5	25.6	43.7
120	RIPLEY EXP FARM	MAX	38.1	43.0	53.2	63.9	73.5	81.7	85.6	84.3	78.2	66.7	53.9	43.2	63.8
		MEAN	28.9	32.8	42.2	52.2	62.2	70.6	74.5	72.9	66.1	54.2	43.8	33.8	52.9
		MIN	19.6	22.6	31.1	40.4	50.8	59.5	63.4	61.4	54.0	41.7	33.6	24.4	41.9
123	SANDUSKY	MAX	32.2	35.0	44.3	55.9	67.4	77.2	81.8	79.9	73.4	61.8	49.1	37.2	57.9
		MEAN	25.6	28.0	36.9	47.8	59.4	69.2	73.8	72.0	65.2	53.8	42.6	31.2	50.5
		MIN	18.9	21.0	29.5	39.6	51.3	61.2	65.7	64.0	56.9	45.7	36.0	25.1	42.9
126	SIDNEY 1 S	MAX	33.2	37.6	48.4	60.4	71.3	80.3	84.2	82.4	76.4	64.1	50.4	38.2	60.6
		MEAN	24.7	28.4	38.0	48.5	59.6	69.0	72.9	70.7	63.8	52.0	41.0	30.1	49.9
		MIN	16.1	19.2	27.5	36.5	47.8	57.6	61.5	59.0	51.2	39.9	31.6	22.0	39.2
127	SOUTH POINT	MAX	39.8	44.3	54.6	65.1	73.9	82.1	85.9	83.2	77.2	66.5	54.7	44.7	64.3
		MEAN	30.4	34.0	43.1	52.1	62.0	71.0	75.0	72.1	66.0	54.3	44.2	35.5	53.3
		MIN	20.9	23.7	31.5	39.0	50.0	59.8	64.0	60.9	54.7	42.1	33.6	26.3	42.2
129	SPRINGFIELD NEW WTR WKS	MAX	34.0	38.2	49.1	60.6	71.4	80.1	83.8	82.3	76.1	63.9	50.6	39.2	60.8
		MEAN	26.1	29.4	39.5	49.6	60.6	69.7	73.5	71.4	64.4	52.6	41.9	31.7	50.9
		MIN	18.2	20.5	29.9	38.6	49.8	59.3	63.1	60.5	52.7	41.2	33.1	24.2	40.9
130	STEUBENVILLE	MAX	36.4	40.3	50.7	61.7	71.5	79.5	82.9	81.5	74.9	63.8	51.7	41.0	61.3
		MEAN	28.2	31.5	40.5	50.4	60.4	68.9	72.9	71.6	65.0	53.4	43.0	33.1	51.6
		MIN	20.0	22.6	30.2	39.0	49.2	58.2	62.8	61.7	55.0	43.0	34.2	25.1	41.8
132	TIFFIN	MAX	31.9	35.8	46.9	59.3	71.3	80.3	84.3	82.1	75.7	63.4	49.3	37.1	59.8
		MEAN	24.3	27.5	37.4	48.5	60.2	69.4	73.5	71.1	64.3	52.4	41.0	30.0	50.0
		MIN	16.7	19.1	27.9	37.7	49.1	58.5	62.6	60.1	52.8	41.3	32.6	22.8	40.1
134	TOLEDO EXPRESS AP	MAX	31.4	35.1	46.5	58.9	70.7	79.5	83.4	81.0	74.0	62.1	48.3	36.0	58.9
		MEAN	23.9	27.0	37.2	48.3	59.6	68.8	73.0	70.8	63.5	51.8	40.5	29.2	49.5
		MIN	16.4	18.9	27.9	37.7	48.6	58.2	62.6	60.7	52.9	41.6	32.6	22.3	40.0
135	TOLEDO BLADE	MAX	33.2	37.9	47.7	61.2	74.2	83.3	87.1	84.2	77.1	64.2	50.7	37.5	61.5
		MEAN	27.5	31.1	40.2	51.6	63.7	73.2	77.6	75.3	67.9	56.1	44.3	32.2	53.4
		MIN	21.7	24.2	32.6	41.9	53.1	63.1	68.1	66.4	58.6	47.9	37.9	26.8	45.2



OHIO

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
136	UPPER SANDUSKY	MAX	32.1	36.2	47.4	59.6	71.1	80.1	84.0	82.0	75.9	63.6	49.5	37.3	59.9
		MEAN	24.3	27.6	37.6	48.6	60.2	69.5	73.3	71.1	64.4	52.6	41.0	30.0	50.0
		MIN	16.4	18.9	27.7	37.5	49.2	58.8	62.6	60.2	52.9	41.5	32.5	22.7	40.1
137	URBANA WWTP	MAX	33.6	37.8	48.7	60.7	72.0	80.9	84.7	82.8	76.1	63.5	50.2	38.5	60.8
		MEAN	25.7	29.0	38.9	49.4	60.6	69.7	73.4	71.2	64.2	52.5	41.6	31.1	50.6
		MIN	17.8	20.1	29.1	38.1	49.2	58.5	62.1	59.6	52.2	41.4	33.0	23.6	40.4
139	VAN WERT 1 S	MAX	31.3	35.7	47.0	59.6	71.6	80.7	84.7	82.4	76.2	63.6	49.1	36.4	59.9
		MEAN	23.6	27.3	37.6	48.9	60.6	70.0	73.9	71.5	64.6	52.5	40.8	29.3	50.1
		MIN	15.9	18.8	28.1	38.2	49.6	59.3	63.0	60.6	53.0	41.4	32.5	22.1	40.2
141	WARREN 3 S	MAX	32.7	36.0	46.8	58.6	69.8	78.3	82.4	80.8	73.5	62.1	49.2	37.9	59.0
		MEAN	24.0	26.2	35.5	46.0	57.2	66.0	70.2	68.4	61.4	50.0	39.7	29.9	47.9
		MIN	15.3	16.4	24.2	33.3	44.6	53.7	57.9	56.0	49.2	37.8	30.2	21.8	36.7
142	WASHINGTON COURT HOUSE	MAX	35.7	40.7	51.7	63.3	72.3	79.4	82.8	81.7	76.2	65.9	52.3	40.5	61.9
		MEAN	28.1	32.1	41.9	52.1	62.1	70.1	73.7	72.3	66.0	55.0	43.4	33.0	52.5
		MIN	20.4	23.5	32.0	40.9	51.8	60.7	64.6	62.8	55.7	44.0	34.5	25.4	43.0
144	WAUSEON WATER PLANT	MAX	30.2	33.8	45.6	58.4	70.6	79.9	83.6	81.2	74.9	62.5	48.1	35.4	58.7
		MEAN	22.2	25.0	35.6	47.0	59.0	68.4	72.1	69.5	62.7	50.8	39.2	28.0	48.3
		MIN	14.1	16.2	25.5	35.6	47.3	56.9	60.5	57.8	50.4	39.1	30.2	20.6	37.9
145	WAVERLY	MAX	37.9	43.0	53.5	64.6	74.2	82.0	85.7	84.3	78.1	67.1	54.6	43.0	64.0
		MEAN	27.9	31.8	41.1	51.2	61.5	70.1	74.2	72.4	65.5	53.2	42.9	32.9	52.1
		MIN	17.8	20.6	28.6	37.8	48.8	58.2	62.7	60.4	52.8	39.3	31.2	22.7	40.1
146	WESTERVILLE	MAX	35.7	40.8	52.2	64.0	74.2	82.1	85.4	83.9	77.7	66.2	52.3	40.5	62.9
		MEAN	27.7	31.6	41.9	52.1	62.4	70.8	74.4	72.8	66.2	54.6	43.4	32.9	52.6
		MIN	19.7	22.3	31.5	40.2	50.5	59.5	63.4	61.7	54.6	42.9	34.4	25.3	42.2
148	WILMINGTON 3 N	MAX	34.9	39.1	50.1	61.3	71.6	80.1	83.8	82.3	76.4	64.7	51.5	39.9	61.3
		MEAN	26.8	30.2	40.0	50.2	60.9	69.6	73.3	71.2	64.5	53.2	42.4	32.2	51.2
		MIN	18.6	21.2	29.8	39.0	50.1	59.1	62.7	60.0	52.6	41.6	33.3	24.4	41.0
149	WOOSTER EXP STN	MAX	32.8	36.5	47.5	59.1	69.8	78.3	82.0	80.1	73.0	61.2	48.6	37.5	58.9
		MEAN	24.9	28.0	37.7	48.4	59.1	67.7	71.5	69.6	62.6	50.9	40.6	30.3	49.3
		MIN	16.9	19.5	27.8	37.6	48.4	57.1	60.9	59.1	52.1	40.6	32.5	23.0	39.6
150	XENIA 6 SSE	MAX	35.7	40.4	51.4	62.8	72.4	80.1	83.5	82.0	76.2	65.3	52.4	40.7	61.9
		MEAN	27.6	31.6	41.6	51.7	61.5	69.7	73.1	71.1	64.8	53.9	43.1	32.7	51.9
		MIN	19.5	22.8	31.8	40.5	50.6	59.2	62.6	60.2	53.3	42.4	33.8	24.6	41.8
151	YOUNGSTOWN MUNICIPAL AP	MAX	32.4	36.0	46.3	58.2	69.0	77.1	81.0	79.3	72.1	60.7	48.4	37.3	58.2
		MEAN	24.9	27.7	36.7	47.4	57.6	65.9	69.9	68.4	61.5	50.8	40.7	30.4	48.5
		MIN	17.4	19.3	27.1	36.5	46.2	54.6	58.7	57.5	50.9	40.9	33.0	23.4	38.8



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

1971-2000

OHIO

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AKRON CANTON AP	2.49	2.28	3.15	3.39	3.96	3.55	4.02	3.65	3.43	2.53	3.04	2.98	38.47
002	AKRON	2.02	2.00	2.85	3.15	3.61	3.13	3.87	3.36	3.57	2.46	3.22	2.83	36.07
003	ASHLAND 2 SW	2.40	2.14	2.82	3.54	4.08	4.02	4.10	4.25	3.30	2.52	3.13	2.67	38.97
004	ASHTABULA	2.22	1.85	2.42	3.36	2.94	4.39	3.91	4.10	4.13	3.93	3.67	3.00	39.92
005	ATHENS 2 N	2.71	2.72	3.29	3.03	4.06	3.83	4.25	4.02	2.96	2.56	3.09	3.08	39.60
006	BARNESVILLE	3.00	2.71	3.55	3.79	4.34	4.65	4.77	3.93	3.51	2.81	3.56	3.16	43.78
007	BEACH CITY LAKE	2.42	2.30	3.15	3.13	3.62	4.02	4.00	4.13	3.16	2.40	3.12	2.77	38.22
008	BELLEFONTAINE	2.28	2.02	2.70	3.46	4.02	4.11	3.93	3.64	2.78	2.46	3.08	2.94	37.42
009	BELLEVILLE LOCK & DAM	2.99	2.75	3.58	3.22	3.96	3.77	3.95	3.85	2.99	2.74	3.10	3.16	40.06
010	BOURNEVILLE 1 SSW	2.85	2.59	3.64	3.46	4.40	4.20	3.39	3.76	3.00	2.41	3.17	2.79	39.66
011	BOWLING GREEN WWTP	1.74	1.63	2.37	3.20	3.58	3.56	3.57	3.36	2.67	2.50	2.64	2.36	33.18
012	BUCKEYE LAKE 1 N	2.79	2.40	3.18	3.81	4.45	4.29	4.62	4.28	3.10	2.64	3.34	3.05	41.95
013	BUCYRUS	2.28	1.95	2.67	3.44	4.01	4.35	4.37	3.95	3.11	2.34	3.08	2.75	38.30
014	CADIZ	2.83	2.43	3.16	3.38	4.16	4.33	4.38	4.15	3.21	2.51	3.18	2.99	40.71
015	CALDWELL 6 NW	2.41	2.15	2.98	3.26	3.90	4.04	3.95	4.09	3.14	2.46	3.17	2.66	38.21
016	CAMBRIDGE	2.73	2.30	3.01	3.34	3.95	4.03	4.25	3.93	2.99	2.56	3.24	2.83	39.16
017	CANFIELD 1 S	2.07	1.81	2.85	3.23	3.73	4.17	4.15	3.55	3.71	2.58	2.96	2.62	37.43
018	CARPENTER 2 S	2.84	2.80	3.49	3.35	4.22	3.82	4.36	4.11	3.07	2.59	3.03	3.09	40.77
019	CARROLLTON 3 NNE	2.47	2.31	3.33	3.14	3.68	4.16	4.35	3.78	3.38	2.53	3.09	2.84	39.06
020	CELINA 3 NE	2.17	2.08	2.78	3.50	3.64	3.86	4.43	3.68	2.76	2.32	2.95	2.65	36.82
021	CENTERBURG 2 SE	2.53	2.20	3.04	3.74	4.11	4.53	4.50	3.84	3.30	2.78	3.56	3.08	41.21
022	CHARDON	3.28	2.71	3.40	3.84	4.17	4.53	3.94	4.62	4.41	3.84	4.30	4.29	47.33
023	CHEVIOT	3.09	2.89	3.98	4.19	4.96	4.26	4.30	3.88	2.95	3.11	3.67	3.47	44.75
024	CHILLICOTHE MOUND CITY	2.48	2.53	3.26	3.46	4.37	3.44	3.93	3.57	2.85	2.44	2.84	2.71	37.88
025	CHILO MELDAHL L&D	3.02	3.01	4.01	3.74	4.52	4.30	3.90	3.89	3.09	2.73	3.29	3.30	42.80
026	CHIPPEWA LAKE	2.37	2.14	2.98	3.38	3.69	3.76	3.98	3.62	3.63	2.48	3.31	3.00	38.34
027	CINCINNATI FERNBANK	3.49	3.02	4.38	4.40	5.53	4.62	4.57	3.95	2.94	3.15	3.81	3.68	47.54
028	CINCINNATI ABBE WSMO	2.70	2.30	3.49	3.81	4.50	3.71	3.25	3.46	3.04	2.80	3.49	3.02	39.57
029	CINCINNATI LUNKEN AP	2.87	2.62	3.81	3.80	4.71	4.16	3.86	3.97	3.10	2.82	3.32	3.11	42.15
030	CIRCLEVILLE	2.38	2.21	2.75	3.41	4.64	3.82	3.87	3.91	3.03	2.64	3.03	2.71	38.40
031	CLEVELAND HOPKNS INTL A	2.48	2.29	2.94	3.37	3.50	3.89	3.52	3.69	3.77	2.74	3.38	3.14	38.71
032	COLUMBUS VLY CROSSING	2.56	2.07	3.00	3.65	4.31	4.01	4.39	4.31	2.93	2.53	3.30	2.97	40.03
033	COLUMBUS INTL AP	2.53	2.20	2.89	3.25	3.88	4.08	4.62	3.72	2.92	2.31	3.19	2.93	38.52
034	COOPERDALE	2.73	2.36	3.00	3.45	3.92	4.23	4.08	3.92	3.01	2.45	3.15	2.98	39.28
035	COSHOCTON WPC PLANT	2.60	2.40	3.21	3.75	4.15	3.98	4.45	4.16	3.16	2.63	3.44	3.02	40.95
036	COSHOCTON AGR RES STN	2.32	2.06	2.90	3.29	3.83	4.01	4.05	3.68	2.95	2.31	3.05	2.69	37.14
037	DANVILLE 2 W	2.67	2.44	3.14	3.68	4.24	4.74	4.26	3.84	3.32	2.64	3.33	3.13	41.43
038	DAYTON MCD	2.65	2.37	3.08	4.04	4.38	4.17	3.93	3.28	2.61	2.69	3.27	2.94	39.41
039	DAYTON INTL AP	2.60	2.29	3.29	4.03	4.17	4.21	3.75	3.49	2.65	2.72	3.30	3.08	39.58
040	DEFIANCE	1.92	1.84	2.65	3.30	3.62	3.78	3.89	3.21	3.23	2.59	2.93	2.64	35.60
041	DELAWARE	2.32	1.91	2.57	3.44	3.98	4.21	4.06	3.67	2.94	2.50	3.26	2.72	37.58
042	DENNISON WATER WORKS	2.61	2.23	3.24	3.23	4.28	3.92	3.37	3.57	3.37	2.24	3.06	2.90	38.02
043	DORSET	2.60	2.26	3.13	3.64	3.70	4.53	4.15	4.00	4.25	3.75	3.84	3.41	43.26
044	EATON	2.55	2.26	3.25	4.03	4.72	3.86	3.74	3.30	2.64	2.74	3.41	3.04	39.54
045	ELYRIA 3 E	2.39	2.18	2.72	3.24	3.47	4.07	3.63	3.89	3.54	2.67	3.14	3.08	38.02
046	ENTERPRISE	2.81	2.54	3.25	3.44	4.22	3.72	4.20	4.14	2.98	2.58	3.00	3.10	39.98
047	FAIRFIELD	2.87	2.75	3.66	4.34	5.08	3.90	4.03	3.87	2.81	2.94	3.52	3.59	43.36
048	FAYETTEVILLE 4 NE	2.92	2.80	3.77	3.97	5.45	4.50	4.08	3.50	3.26	2.84	3.28	3.22	43.59
049	FINDLAY AP	1.82	1.70	2.48	3.15	3.68	4.14	3.86	3.74	2.76	2.14	2.70	2.38	34.55
050	FINDLAY WPCC	2.17	2.03	2.69	3.22	3.88	4.25	3.90	4.12	2.83	2.33	2.73	2.76	36.91
051	FRANKLIN	2.56	2.36	3.17	3.83	4.47	3.73	4.15	3.31	2.66	2.93	3.36	3.01	39.54
052	FREDERICKTOWN 4 S	2.68	2.12	3.04	3.58	4.32	4.28	4.12	3.82	3.31	2.57	3.26	2.84	39.94
053	FREMONT	2.11	1.88	2.68	3.27	3.81	4.37	3.36	3.46	3.06	2.52	2.87	2.74	36.13
054	GALION WATER WORKS	2.51	2.08	2.73	3.54	4.21	4.55	4.16	4.19	3.05	2.46	3.25	3.07	39.80
055	GALLIPOLIS	2.92	3.02	3.56	3.17	4.01	3.88	4.40	3.78	2.97	2.67	3.05	3.27	40.70
056	GREENVILLE WATER PLANT	2.20	2.09	2.89	3.51	4.04	4.07	4.19	3.26	2.55	2.70	3.11	2.69	37.30
057	GREER	2.33	2.03	2.73	3.43	4.10	4.74	4.18	4.07	3.51	2.57	3.06	2.62	39.37
058	GROVER HILL	2.08	1.94	2.62	3.32	3.69	4.10	3.75	3.42	2.86	2.40	2.84	2.44	35.46
059	HANNIBAL LOCK & DAM	3.02	2.72	3.49	3.37	4.25	3.73	4.46	3.50	3.11	2.46	3.29	3.12	40.52
060	HILLSBORO	2.99	2.82	3.76	3.99	4.75	4.30	4.07	4.20	3.38	2.84	3.18	3.11	43.39
061	HIRAM	2.67	2.33	3.35	3.60	3.81	4.13	3.84	3.86	4.14	3.16	3.59	3.45	41.93
062	HOYTVILLE 2 NE	1.79	1.74	2.50	3.15	3.47	3.66	3.76	3.63	2.62	2.40	2.75	2.43	33.90
063	HUNTSVILLE 3 N	1.96	1.83	2.57	3.50	3.76	4.14	4.29	3.40	2.69	2.48	3.04	2.39	36.05
064	IRWIN	2.39	1.95	2.60	3.55	3.95	4.34	4.65	3.67	2.89	2.46	3.07	2.62	38.14
065	JACKSON 3 NW	2.89	2.85	3.82	3.27	3.95	4.00	4.10	3.89	3.11	2.57	3.10	3.26	40.81
066	KENTON	2.41	2.04	2.70	3.38	3.82	3.59	3.94	3.39	2.74	2.11	2.84	2.69	35.65
067	KINGS MILLS	3.07	2.63	3.57	4.26	4.89	4.01	4.01	4.03	3.11	3.04	3.47	3.21	43.30
068	LANCASTER 2 NW	2.34	2.15	2.59	3.04	4.04	3.94	4.26	3.44	2.55	2.38	2.99	2.83	36.55
069	LA RUE	2.41	2.04	2.77	3.39	3.30	3.24	3.41	3.22	2.83	2.35	2.98	2.67	34.61



OHIO

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	LAURELVILLE	2.32	2.30	3.18	3.52	4.11	4.10	4.48	3.74	3.17	2.47	3.05	2.64	39.08
071	LIMA WWTP	2.22	1.98	2.68	3.46	3.89	4.05	4.26	3.38	3.07	2.41	3.12	2.68	37.20
072	LONDON	2.43	2.21	2.79	3.58	4.07	4.30	4.04	3.39	2.78	2.60	3.27	2.93	38.39
073	LOUISVILLE	2.47	2.22	3.08	3.30	4.04	3.81	4.38	3.76	3.33	2.57	3.14	3.00	39.10
074	MANSFIELD LAHM AP	2.63	2.17	3.36	4.17	4.42	4.52	4.23	4.60	3.44	2.68	3.76	3.26	43.24
075	MANSFIELD 5 W	2.24	1.75	2.61	3.45	4.16	4.27	3.84	3.81	3.24	2.49	2.93	2.81	37.60
076	MARIETTA LOCK 1	2.83	2.74	3.64	3.21	4.02	4.24	4.32	3.94	3.25	2.71	3.17	3.16	41.23
077	MARIETTA WWTP	3.14	2.89	3.71	3.10	4.18	4.41	4.33	4.08	3.36	2.70	3.12	3.33	42.35
078	MARION 2 N	2.39	1.77	2.34	3.68	4.18	4.25	4.42	3.77	2.98	2.70	3.00	2.87	38.35
079	MARSHALLVILLE 1 SSW	2.19	2.01	2.91	3.38	3.94	3.78	3.72	4.10	3.53	2.67	2.93	2.63	37.79
080	MARYSVILLE	2.30	1.97	2.60	3.36	3.89	4.35	4.04	3.37	2.73	2.41	2.96	2.64	36.62
081	MC ARTHUR	3.04	2.84	3.74	3.53	4.49	4.02	4.37	4.40	3.12	2.85	3.32	3.23	42.95
082	MC CONNELSVILLE LOCK 7	3.12	2.59	3.47	3.62	4.51	4.39	4.81	4.25	3.21	2.72	3.37	3.17	43.23
083	MIAMISBURG	2.69	2.23	2.90	3.83	4.72	3.80	3.98	3.87	3.18	2.88	3.12	2.69	39.89
084	MIDDLEBOURNE	2.09	1.75	2.03	2.66	3.06	2.95	3.51	3.08	2.14	2.04	2.90	2.23	30.44
085	MIDDLETOWN	2.62	2.25	3.20	3.92	4.38	3.88	3.94	3.37	2.63	3.05	3.44	3.05	39.73
086	MILFORD	3.18	2.72	3.73	4.10	4.96	4.54	4.04	4.18	3.14	3.09	3.65	3.35	44.68
087	MILLERSBURG	2.48	1.96	2.81	3.38	3.90	4.58	3.99	3.68	3.27	2.64	3.17	2.72	38.58
088	MILLPORT 2 NW	2.51	2.33	3.09	3.25	4.12	3.84	4.17	3.20	3.25	2.43	3.15	3.10	38.44
089	MINERAL RIDGE WTR WKS	2.18	1.82	2.66	3.18	3.39	4.33	4.13	3.42	4.00	2.54	2.90	2.74	37.29
090	MONTPELIER	1.93	1.90	2.86	3.55	3.68	3.71	3.42	3.67	3.17	2.55	3.10	2.63	36.17
091	MOSQUITO CREEK LAKE	2.07	1.79	2.68	3.21	3.39	3.72	4.10	3.33	4.08	2.76	3.09	2.66	36.88
092	MOUNT GILEAD LAKES PRK	2.68	2.07	2.63	3.47	4.26	4.38	4.37	3.81	3.24	2.46	3.19	2.97	39.53
093	NAPOLEON	2.02	1.73	2.76	3.49	3.60	3.63	3.58	3.58	2.86	2.51	2.84	2.56	35.16
094	NELSONVILLE	2.66	2.54	2.98	3.04	4.19	3.49	3.96	3.62	2.39	2.43	2.77	2.78	36.85
095	NEWARK WATER WORKS	2.90	2.49	3.16	3.74	4.19	4.27	4.54	4.23	2.87	2.69	3.32	3.22	41.62
096	NEW CARLISLE	2.55	2.25	2.83	3.84	4.16	4.31	4.16	3.73	2.96	2.67	3.11	2.80	39.37
097	NEWCOMERSTOWN	2.44	2.16	2.79	3.37	4.20	4.54	4.10	3.69	3.13	2.61	3.06	2.64	38.73
098	NEW LEXINGTON 2 NW	2.91	2.68	3.37	3.73	4.39	4.31	4.69	3.88	2.82	2.61	3.36	3.08	41.83
099	NEW PHILADELPHIA	2.80	2.43	3.22	3.50	4.13	4.33	4.09	4.23	3.15	2.49	3.20	3.00	40.57
100	NEW PHILADELPHIA 1 A	2.60	2.26	3.12	3.62	3.93	4.15	4.22	4.17	3.27	2.47	2.92	2.90	39.63
101	NEWPORT	3.00	2.87	3.96	3.29	4.13	4.42	4.17	3.72	3.46	2.88	3.04	3.21	42.15
102	NEW STRAITSVILLE	2.51	2.65	3.25	3.44	4.44	4.39	3.53	4.03	2.90	2.35	3.04	3.03	39.56
103	NORWALK WWTP	2.20	1.83	2.72	3.29	3.57	4.25	3.89	3.92	3.24	2.34	2.93	2.77	36.95
104	OBERLIN	2.25	2.02	2.65	3.22	3.60	3.85	3.75	3.49	3.25	2.37	3.05	2.73	36.23
105	OTTAWA	2.17	2.03	2.66	3.27	3.71	4.22	3.98	3.67	2.95	2.40	2.74	2.79	36.59
106	OTTAWA NWR	1.71	1.31	2.46	3.07	3.14	3.76	3.23	3.68	3.43	2.44	2.99	2.50	33.72
107	PAINESVILLE 4 NW	2.32	1.80	2.76	3.31	3.05	3.78	3.20	3.78	4.00	3.27	3.56	3.02	37.85
108	PANDORA	2.05	1.90	2.71	3.29	3.67	4.16	3.85	3.42	2.95	2.27	2.83	2.69	35.79
109	PAULDING	1.91	1.76	2.68	3.29	3.78	3.48	3.36	3.10	3.04	2.49	2.91	2.64	34.44
110	PEEBLES	2.91	2.81	3.78	3.85	4.40	4.12	4.24	4.42	3.34	2.50	3.56	3.21	43.14
111	PHILO 3 SW	2.14	2.12	2.72	3.06	4.15	4.20	4.09	3.75	2.78	2.42	2.93	2.55	36.91
112	PIKETON AEC PUMP STA	2.83	2.67	3.66	3.32	4.07	3.78	3.81	3.94	3.00	2.51	3.04	3.29	39.92
113	PIQUA	2.69	2.34	3.02	3.80	4.08	4.54	4.03	3.81	2.65	2.76	3.40	2.98	40.10
114	PLEASANT HILL	2.41	2.03	2.95	3.45	4.25	4.19	3.79	3.44	2.43	2.68	3.16	2.84	37.62
115	PORTSMOUTH SCIOTOVILLE	3.20	2.92	3.66	3.35	4.33	3.88	4.12	4.07	3.06	2.54	3.00	3.32	41.45
116	PORTSMOUTH US GRANT BRD	2.95	2.35	3.25	3.06	3.84	3.84	3.23	3.52	2.81	2.32	2.54	2.78	36.49
117	PROSPECT	2.46	1.99	2.63	3.47	3.87	4.08	3.93	3.48	3.05	2.58	3.34	3.08	37.96
118	PUT-IN-BAY	1.63	1.45	2.28	2.98	3.33	3.49	3.01	3.43	3.03	2.48	2.53	2.13	31.77
119	RAVENNA 2 S	2.40	2.23	3.03	3.39	3.88	4.20	4.26	3.66	4.00	2.81	3.28	3.09	40.23
120	RIPLEY EXP FARM	2.92	2.89	4.11	3.98	4.99	4.50	4.73	4.10	3.27	3.01	3.42	3.54	45.46
121	ROSEVILLE	2.75	2.14	2.77	3.48	4.03	4.17	4.37	3.88	2.95	2.45	3.17	2.63	38.79
122	ST MARYS 3 W	1.84	1.72	2.41	3.36	3.73	3.97	4.49	3.52	2.67	2.26	2.86	2.30	35.13
123	SANDUSKY	1.87	1.72	2.51	3.03	3.42	4.19	3.34	3.65	3.16	2.30	2.73	2.54	34.46
124	SAYRE 1 NE	2.39	2.21	2.74	3.38	4.32	4.41	4.38	4.36	2.74	2.54	3.07	2.95	39.49
125	SEDALIA	2.67	2.36	3.05	3.60	4.33	4.03	3.90	3.92	2.75	2.52	3.16	2.89	39.18
126	SIDNEY 1 S	2.31	2.15	2.80	3.56	3.88	4.57	4.10	3.95	2.67	2.64	3.12	2.69	38.44
127	SOUTH POINT	3.27	3.19	4.50	3.32	4.19	3.87	5.02	3.79	2.76	3.04	3.55	3.77	44.27
128	SPRINGFIELD WASTEWTR PL	2.49	2.14	2.91	3.66	4.18	4.56	3.92	4.41	3.29	2.93	3.32	2.96	40.77
129	SPRINGFIELD NEW WTR WKS	2.34	1.83	2.51	3.35	4.26	4.35	4.11	3.72	2.93	2.62	2.98	2.70	37.70
130	STEUBENVILLE	2.85	2.46	3.29	3.20	4.11	4.37	4.26	3.84	3.26	2.53	3.38	3.00	40.55
131	STRYKER	1.96	1.84	2.48	2.93	3.27	3.70	3.12	3.52	3.01	2.42	2.66	2.61	33.52
132	TIFFIN	2.28	2.00	2.69	3.39	3.77	4.18	3.36	3.91	3.20	2.38	2.97	2.95	37.08
133	TIPP CITY	2.45	2.24	3.03	3.80	4.25	4.42	3.97	3.18	2.62	2.65	3.09	2.87	38.57
134	TOLEDO EXPRESS AP	1.93	1.88	2.62	3.24	3.14	3.80	2.80	3.19	2.84	2.35	2.78	2.64	33.21
135	TOLEDO BLADE	2.00	2.02	2.63	3.29	3.00	3.84	3.12	2.97	2.59	2.43	3.01	2.62	33.52
136	UPPER SANDUSKY	2.12	1.78	2.60	3.42	3.99	3.77	4.19	3.33	3.08	2.21	3.05	2.64	36.18
137	URBANA WWTP	2.38	2.09	2.84	3.49	4.34	4.44	5.04	3.69	2.92	2.80	3.09	2.88	40.00
138	UTICA	2.68	2.34	2.98	3.48	3.83	4.54	4.39	3.69	2.99	2.61	3.19	2.78	39.50



OHIO

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
139	VAN WERT 1 S	2.07	1.85	2.63	3.47	3.81	4.33	3.90	3.42	2.93	2.59	3.08	2.78	36.86
140	VERSAILLES	2.30	2.25	2.90	3.77	3.93	4.33	4.11	3.63	2.72	2.60	2.87	2.76	38.17
141	WARREN 3 S	2.25	1.69	2.94	3.31	3.59	3.99	4.21	3.35	4.00	2.60	3.05	2.82	37.80
142	WASHINGTON COURT HOUSE	2.54	2.44	3.29	3.52	4.75	3.81	3.87	3.87	2.62	2.64	3.00	2.77	39.12
143	WATERLOO	3.32	3.21	3.88	3.68	4.78	4.73	5.47	4.45	3.48	3.02	3.44	3.42	46.88
144	WAUSEON WATER PLANT	1.84	1.64	2.50	3.29	3.47	3.75	3.29	3.71	3.10	2.59	2.91	2.46	34.55
145	WAVERLY	2.74	2.44	3.61	3.46	4.13	3.87	4.02	4.40	2.63	2.51	3.04	3.02	39.87
146	WESTERVILLE	2.56	2.26	2.83	3.58	4.06	4.64	4.01	3.55	2.91	2.65	3.33	2.97	39.35
147	WEST MANCHESTER 3 SW	2.59	2.22	3.21	3.66	4.52	3.99	3.98	3.47	2.65	2.88	3.27	2.99	39.43
148	WILMINGTON 3 N	2.67	2.48	3.35	3.97	4.90	4.28	4.29	3.42	2.91	2.85	3.36	2.90	41.38
149	WOOSTER EXP STN	2.26	1.97	2.78	3.43	3.92	4.02	3.96	4.03	3.42	2.58	3.00	2.67	38.04
150	XENIA 6 SSE	2.62	2.30	3.13	3.88	4.57	4.01	4.13	3.64	2.71	2.82	3.25	3.00	40.06
151	YOUNGSTOWN MUNICIPAL AP	2.34	2.03	3.05	3.33	3.45	3.91	4.10	3.43	3.89	2.46	3.07	2.96	38.02



OHIO

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AKRON CANTON AP	HDD*	1220	1026	836	498	219	50	6	16	120	412	704	1047	6154
		CDD*	0	0	1	7	41	136	231	189	69	4	0	0	678
002	AKRON	HDD	1172	975	800	449	185	28	4	11	82	370	667	1009	5752
		CDD	0	0	0	2	70	171	284	233	85	11	0	0	856
003	ASHLAND 2 SW	HDD	1281	1073	900	547	259	55	6	30	126	451	764	1114	6606
		CDD	0	0	0	0	45	120	197	154	41	4	0	0	561
004	ASHTABULA	HDD	1245	1081	922	572	268	61	7	27	117	420	707	1065	6492
		CDD	0	0	0	0	23	90	168	142	32	4	0	0	459
005	ATHENS 2 N	HDD	1137	938	754	437	192	27	5	20	93	399	691	997	5690
		CDD	0	0	0	2	58	146	241	189	61	8	0	0	705
006	BARNESVILLE	HDD	1201	1006	821	497	234	48	8	25	104	422	712	1035	6113
		CDD	0	0	0	1	42	117	208	174	44	8	0	0	594
008	BELLEFONTAINE	HDD	1277	1034	838	485	212	35	2	18	93	400	730	1097	6221
		CDD	0	0	0	1	62	150	239	197	71	9	0	0	729
011	BOWLING GREEN WWTP	HDD	1299	1087	893	532	227	33	1	20	104	425	753	1118	6492
		CDD	0	0	0	1	54	152	245	179	51	8	0	0	690
013	BUCYRUS	HDD	1273	1074	883	530	247	42	4	22	109	430	747	1102	6463
		CDD	0	0	0	1	50	132	222	175	47	6	0	0	633
014	CADIZ	HDD	1202	983	799	456	201	30	3	13	84	391	695	1038	5895
		CDD	0	0	0	1	57	136	235	199	69	10	0	0	707
015	CALDWELL 6 NW	HDD	1131	928	731	418	190	29	4	14	82	373	660	993	5553
		CDD	0	0	0	1	48	136	234	198	67	7	0	0	691
016	CAMBRIDGE	HDD	1114	907	711	389	161	22	1	10	67	356	644	966	5348
		CDD	0	0	0	2	61	166	268	229	77	10	0	0	813
017	CANFIELD 1 S	HDD	1268	1078	907	567	271	69	15	35	146	477	757	1089	6679
		CDD	0	0	0	0	25	93	166	121	25	2	0	0	432
018	CARPENTER 2 S	HDD	1180	971	789	460	219	47	9	23	112	446	707	1026	5989
		CDD	0	0	0	2	41	124	207	175	53	13	0	0	615
020	CELINA 3 NE	HDD	1230	1000	785	429	179	19	1	14	72	349	688	1065	5831
		CDD	0	0	0	3	78	187	279	221	88	12	0	0	868
021	CENTERBURG 2 SE	HDD	1266	1039	837	485	227	44	5	21	105	429	735	1096	6289
		CDD	0	0	0	1	55	137	216	179	49	8	0	0	645
022	CHARDON	HDD	1303	1124	959	608	306	86	18	43	159	476	760	1114	6956
		CDD	0	0	0	0	22	75	134	115	24	2	0	0	372
023	CHEVIOT	HDD	1186	945	749	398	159	17	0	11	70	365	669	1017	5586
		CDD	0	0	0	3	87	191	321	251	99	17	0	0	969
024	CHILLICOTHE MOUND CITY	HDD	1154	936	745	419	180	25	4	13	73	373	660	988	5570
		CDD	0	0	0	2	68	176	282	237	85	13	0	0	863
025	CHILO MELDAHL L&D	HDD	1086	889	708	396	170	20	0	7	50	303	587	922	5138
		CDD	0	0	0	2	69	176	302	276	119	24	0	0	968
026	CHIPPEWA LAKE	HDD	1280	1079	900	543	252	51	6	24	115	432	743	1100	6525
		CDD	0	0	0	0	38	115	200	160	41	4	0	0	558
027	CINCINNATI FERNBANK	HDD	1102	886	695	406	182	22	1	9	63	317	604	941	5228
		CDD	0	0	0	2	68	175	300	270	109	18	0	0	942
028	CINCINNATI ABBE WSMO	HDD	1066	833	634	322	124	11	0	3	40	289	591	928	4841
		CDD	0	0	0	6	113	246	365	317	136	27	0	0	1210
029	CINCINNATI LUNKEN AP	HDD	1060	841	640	334	135	11	0	4	47	300	595	916	4883
		CDD	0	0	0	4	95	224	352	305	131	20	0	0	1131
030	CIRCLEVILLE	HDD	1133	911	714	397	173	20	0	9	67	341	641	976	5382
		CDD	0	0	0	3	73	183	281	240	89	14	0	0	883
031	CLEVELAND HOPKNS INTL A	HDD*	1205	1025	847	516	235	54	7	13	114	389	680	1036	6121
		CDD*	0	0	2	7	40	140	236	190	79	8	0	0	702
032	COLUMBUS VLY CROSSING	HDD	1138	916	707	382	159	14	0	6	65	334	643	985	5349
		CDD	0	0	0	2	76	195	299	246	101	16	0	0	935
033	COLUMBUS INTL AP	HDD*	1154	940	731	415	152	27	3	7	80	347	654	982	5492
		CDD*	0	0	2	9	61	198	305	254	109	12	1	0	951
035	COSHOCTON WPC PLANT	HDD	1157	948	753	433	187	30	2	12	85	388	677	1008	5680
		CDD	0	0	0	1	54	151	245	207	66	10	0	0	734
036	COSHOCTON AGR RES STN	HDD	1220	1017	826	476	217	41	6	15	83	387	695	1051	6034
		CDD	0	0	0	1	55	139	231	201	67	12	0	0	706
037	DANVILLE 2 W	HDD	1277	1064	877	553	264	53	5	29	135	474	767	1102	6600
		CDD	0	0	0	0	32	100	184	149	36	2	0	0	503
038	DAYTON MCD	HDD	1150	931	728	380	156	16	0	5	50	313	626	988	5343
		CDD	0	0	0	5	112	253	372	315	136	21	0	0	1214
039	DAYTON INTL AP	HDD*	1185	973	760	427	167	24	2	7	90	358	670	1027	5690
		CDD*	0	0	2	9	62	194	305	246	105	11	1	0	935
040	DEFIANCE	HDD	1265	1055	859	492	215	25	1	15	88	397	723	1094	6229
		CDD	0	0	0	2	66	170	272	216	68	11	0	0	805



OHIO

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
041	DELAWARE	HDD	1237	1030	830	483	221	35	2	18	98	416	736	1072	6178
		CDD	0	0	0	1	57	154	248	206	63	10	0	0	739
042	DENNISON WATER WORKS	HDD	1209	1012	835	502	235	53	5	19	119	450	699	1060	6198
		CDD	0	0	0	1	45	112	202	164	52	4	0	0	580
043	DORSET	HDD	1291	1109	937	588	298	68	13	35	146	457	748	1106	6796
		CDD	0	0	0	0	25	74	147	129	28	3	0	0	406
044	EATON	HDD	1255	1025	818	473	210	37	7	17	103	414	723	1084	6166
		CDD	0	0	0	1	53	151	244	206	77	11	0	0	743
045	ELYRIA 3 E	HDD	1174	986	804	458	198	27	1	9	66	342	653	1013	5731
		CDD	0	0	0	2	60	165	272	226	83	10	0	0	818
047	FAIRFIELD	HDD	1125	909	701	380	151	15	0	4	54	327	631	964	5261
		CDD	0	0	0	3	92	224	358	310	128	20	0	0	1135
049	FINDLAY AP	HDD	1255	1041	839	492	223	34	4	23	102	408	728	1093	6242
		CDD	0	0	0	1	62	147	239	189	58	8	0	0	704
050	FINDLAY WPCC	HDD	1257	1038	837	482	207	33	5	20	87	398	731	1099	6194
		CDD	0	0	0	1	71	174	269	214	67	13	0	0	809
051	FRANKLIN	HDD	1163	948	744	418	186	26	1	10	75	376	662	1000	5609
		CDD	0	0	0	1	70	184	285	244	82	13	0	0	879
052	FREDERICKTOWN 4 S	HDD	1290	1066	869	528	258	50	6	35	141	465	761	1105	6574
		CDD	0	0	0	0	39	113	179	146	39	5	0	0	521
053	FREMONT	HDD	1259	1055	872	510	228	31	2	13	90	402	710	1081	6253
		CDD	0	0	0	1	57	157	258	205	61	7	0	0	746
055	GALLIPOLIS	HDD	1066	859	675	366	150	16	1	9	54	329	606	917	5048
		CDD	0	0	0	3	80	200	320	279	120	22	0	0	1024
056	GREENVILLE WATER PLANT	HDD	1280	1053	840	485	218	33	5	25	105	423	734	1105	6306
		CDD	0	0	0	1	55	154	239	187	54	7	0	0	697
059	HANNIBAL LOCK & DAM	HDD	1129	940	780	455	206	36	3	13	62	367	658	976	5625
		CDD	0	0	0	1	46	135	243	222	73	10	0	0	730
060	HILLSBORO	HDD	1167	940	744	408	177	25	1	11	73	351	654	1004	5555
		CDD	0	0	0	3	65	162	267	224	88	18	0	0	827
061	HIRAM	HDD	1293	1077	914	555	274	75	12	35	128	465	768	1119	6715
		CDD	0	0	0	0	33	85	160	131	26	3	0	0	438
062	HOYTVILLE 2 NE	HDD	1304	1092	895	538	245	38	6	34	119	440	753	1128	6592
		CDD	0	0	0	0	51	134	216	163	42	5	0	0	611
064	IRWIN	HDD	1179	948	740	401	164	17	0	11	65	343	663	1021	5552
		CDD	0	0	0	2	81	193	283	235	84	14	0	0	892
065	JACKSON 3 NW	HDD	1130	933	735	416	183	25	4	13	85	391	673	983	5571
		CDD	0	0	0	1	55	148	262	222	74	10	0	0	772
066	KENTON	HDD	1273	1042	848	488	212	33	5	23	99	399	729	1105	6256
		CDD	0	0	0	1	66	168	269	217	75	10	0	0	806
068	LANCASTER 2 NW	HDD	1194	980	790	466	215	36	7	16	84	386	686	1027	5887
		CDD	0	0	0	1	56	158	259	212	70	8	0	0	764
071	LIMA WWTP	HDD	1224	996	800	460	210	28	1	14	78	367	691	1063	5932
		CDD	0	0	0	4	80	168	267	219	84	13	0	0	835
072	LONDON	HDD	1244	1022	825	489	207	29	2	22	97	408	723	1065	6133
		CDD	0	0	0	1	58	151	248	193	63	6	0	0	720
074	MANSFIELD LAHM AP	HDD*	1246	1045	862	525	240	59	24	23	128	410	720	1082	6364
		CDD*	0	0	1	7	39	129	226	172	72	7	0	0	653
075	MANSFIELD 5 W	HDD	1284	1057	869	525	254	61	11	31	127	438	755	1116	6528
		CDD	0	0	0	1	47	113	184	153	45	5	0	0	548
077	MARIETTA WWTP	HDD	1101	912	727	405	163	21	1	7	59	357	644	946	5343
		CDD	0	0	0	2	69	177	290	243	86	13	0	0	880
078	MARION 2 N	HDD	1256	1051	853	506	230	35	5	26	108	415	729	1086	6300
		CDD	0	0	0	1	58	148	241	190	58	7	0	0	703
080	MARYSVILLE	HDD	1216	993	786	441	192	25	0	12	81	380	699	1051	5876
		CDD	0	0	0	2	73	172	274	224	75	13	0	0	833
082	MC CONNELSVILLE LOCK 7	HDD	1141	944	752	424	191	24	2	12	77	388	665	986	5606
		CDD	0	0	0	2	57	147	257	225	71	9	0	0	768
086	MILFORD	HDD	1132	926	724	399	169	19	0	5	68	353	652	976	5423
		CDD	0	0	0	2	79	188	312	267	99	15	0	0	962
087	MILLERSBURG	HDD	1241	1040	851	518	241	41	5	23	120	442	735	1077	6334
		CDD	0	0	0	0	41	111	200	159	50	5	0	0	566
088	MILLPORT 2 NW	HDD	1203	993	807	483	233	39	10	26	114	423	714	1047	6092
		CDD	0	0	0	0	37	107	201	169	47	3	0	0	564
089	MINERAL RIDGE WTR WKS	HDD	1185	981	791	452	196	36	2	12	79	373	677	1019	5803
		CDD	0	0	0	1	55	153	252	208	68	9	0	0	746
090	MONTPELIER	HDD	1315	1100	901	525	236	33	2	20	107	439	761	1133	6572
		CDD	0	0	0	1	57	150	249	199	51	6	0	0	713



OHIO

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			DEGREE DAYS (Total)												
093	NAPOLEON	HDD	1310	1100	901	535	241	38	4	23	108	426	756	1125	6567
		CDD	0	0	0	1	54	140	237	180	51	7	0	0	670
095	NEWARK WATER WORKS	HDD	1217	1010	818	483	209	29	4	18	102	422	722	1050	6084
		CDD	0	0	0	1	52	141	241	187	59	6	0	0	687
098	NEW LEXINGTON 2 NW	HDD	1210	997	810	488	216	38	4	22	100	428	729	1046	6088
		CDD	0	0	0	1	42	120	216	177	50	4	0	0	610
099	NEW PHILADELPHIA	HDD	1194	1009	828	506	236	39	5	17	97	422	709	1036	6098
		CDD	0	0	0	1	46	128	224	187	49	5	0	0	640
101	NEWPORT	HDD	1105	914	736	425	176	24	0	8	61	350	646	939	5384
		CDD	0	0	0	1	56	157	276	234	84	12	0	0	820
103	NORWALK WWTP	HDD	1253	1058	881	531	243	46	4	18	100	416	716	1081	6347
		CDD	0	0	0	1	44	133	218	174	45	9	0	0	624
104	OBERLIN	HDD	1277	1066	891	538	252	55	6	21	124	428	735	1104	6497
		CDD	0	0	0	1	44	125	208	160	51	5	0	0	594
106	OTTAWA NWR	HDD	1214	1018	822	467	197	19	1	10	70	343	680	1053	5894
		CDD	0	0	0	2	61	183	281	229	79	10	0	0	845
107	PAINESVILLE 4 NW	HDD	1161	1004	854	524	228	39	2	9	63	332	633	982	5831
		CDD	0	0	0	0	29	122	234	202	69	8	0	0	664
108	PANDORA	HDD	1280	1059	853	497	215	29	4	21	99	409	737	1112	6315
		CDD	0	0	0	1	65	157	245	189	59	8	0	0	724
109	PAULDING	HDD	1335	1111	908	541	249	43	6	33	123	455	778	1156	6738
		CDD	0	0	0	1	48	133	217	169	45	7	0	0	620
110	PEEBLES	HDD	1046	836	635	349	152	17	0	9	54	312	599	909	4918
		CDD	0	0	0	3	74	181	292	255	105	18	0	0	928
111	PHILO 3 SW	HDD	1264	1039	853	519	273	77	30	51	165	479	773	1116	6639
		CDD	0	0	0	0	27	69	133	111	29	4	0	0	373
115	PORTSMOUTH SCIOTOVILLE	HDD	1091	881	676	350	142	16	0	9	66	340	627	934	5132
		CDD	0	0	0	3	79	196	308	264	106	14	0	0	970
118	PUT-IN-BAY	HDD	1252	1068	918	546	224	30	0	5	60	357	690	1059	6209
		CDD	0	0	0	0	37	148	287	242	91	9	0	0	814
120	RIPLEY EXP FARM	HDD	1121	902	709	388	163	17	0	11	66	350	637	967	5331
		CDD	0	0	0	3	75	185	294	253	99	16	0	0	925
123	SANDUSKY	HDD	1223	1037	871	519	223	28	0	9	73	359	674	1049	6065
		CDD	0	0	0	1	47	154	272	224	77	10	0	0	785
126	SIDNEY 1 S	HDD	1252	1026	838	497	226	33	2	20	96	410	720	1082	6202
		CDD	0	0	0	1	57	151	245	196	61	7	0	0	718
127	SOUTH POINT	HDD	1074	867	680	393	177	24	1	22	78	356	625	916	5213
		CDD	0	0	0	5	82	201	309	240	107	24	0	0	968
129	SPRINGFIELD NEW WTR WKS	HDD	1206	999	792	463	202	27	1	17	93	395	694	1032	5921
		CDD	0	0	0	1	64	168	264	215	74	10	0	0	796
130	STEUBENVILLE	HDD	1141	940	761	441	195	30	5	9	77	367	663	991	5620
		CDD	0	0	0	1	51	146	248	214	75	8	0	0	743
132	TIFFIN	HDD	1261	1051	856	497	213	30	1	14	84	401	722	1087	6217
		CDD	0	0	0	2	62	161	264	203	61	8	0	0	761
134	TOLEDO EXPRESS AP	HDD*	1281	1079	878	517	224	45	6	18	129	431	745	1107	6460
		CDD*	0	0	1	7	42	148	248	190	73	6	0	0	715
135	TOLEDO BLADE	HDD	1163	951	771	406	150	19	0	4	55	304	621	1020	5464
		CDD	0	0	0	3	108	265	391	323	139	28	0	0	1257
136	UPPER SANDUSKY	HDD	1264	1049	851	495	212	29	1	15	83	395	720	1086	6200
		CDD	0	0	0	1	62	162	259	205	64	8	0	0	761
137	URBANA WWTP	HDD	1218	1009	808	470	205	32	1	16	89	396	702	1052	5998
		CDD	0	0	0	1	68	173	262	208	65	6	0	0	783
139	VAN WERT 1 S	HDD	1283	1058	851	485	207	29	1	15	86	398	726	1109	6248
		CDD	0	0	0	1	71	179	276	217	75	10	0	0	829
141	WARREN 3 S	HDD	1272	1087	916	571	272	60	10	31	141	469	759	1090	6678
		CDD	0	0	0	0	30	89	169	136	31	3	0	0	458
142	WASHINGTON COURT HOUSE	HDD	1145	921	719	391	171	22	1	10	67	327	649	994	5417
		CDD	0	0	0	3	79	174	270	234	95	15	0	0	870
144	WAUSEON WATER PLANT	HDD	1328	1119	912	541	240	42	6	30	116	444	775	1147	6700
		CDD	0	0	0	1	52	144	224	169	44	4	0	0	638
145	WAVERLY	HDD	1152	929	743	418	175	22	0	13	83	375	664	997	5571
		CDD	0	0	0	3	68	174	285	240	97	10	0	0	877
146	WESTERVILLE	HDD	1157	937	719	389	157	17	0	9	67	337	650	995	5434
		CDD	0	0	0	3	74	191	292	250	101	13	0	0	924
148	WILMINGTON 3 N	HDD	1186	976	776	447	187	24	2	19	91	383	678	1018	5787
		CDD	0	0	0	1	57	160	257	210	76	15	0	0	776
149	WOOSTER EXP STN	HDD	1244	1036	848	500	228	43	8	27	120	441	733	1078	6306
		CDD	0	0	0	0	44	124	209	169	45	4	0	0	595



OHIO

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
150	XENIA 6 SSE	HDD	1161	935	726	402	171	21	1	11	85	359	657	1002	5531
		CDD	0	0	0	2	63	160	251	199	79	14	0	0	768
151	YOUNGSTOWN MUNICIPAL AP	HDD*	1243	1057	879	530	252	71	18	28	148	439	723	1063	6451
		CDD*	0	0	1	8	33	112	186	149	57	5	1	0	552



OHIO

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AKRON CANTON	HIGHEST MEAN	34.9	37.0	46.3	54.0	68.7	72.8	76.2	75.7	67.5	58.0	46.7	39.0	76.2
		MEDIAN	25.5	27.9	38.0	48.0	57.8	67.6	71.6	70.0	62.8	52.1	41.7	31.8	49.3
		LOWEST MEAN	10.3	14.7	28.9	42.6	52.8	62.3	67.8	65.7	58.2	45.7	32.3	18.2	10.3
		HIGHEST MEAN YEAR	1990	1998	1973	1991	1991	1991	1988	1995	1978	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1976	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
002	AKRON	HIGHEST MEAN	36.6	40.1	47.1	56.0	69.4	74.2	78.9	77.7	69.7	61.6	47.9	40.9	78.9
		MEDIAN	27.8	29.5	39.8	49.7	60.8	69.9	74.0	71.3	64.5	54.0	42.4	33.6	51.2
		LOWEST MEAN	12.5	14.9	32.6	42.1	54.5	65.3	69.9	68.3	58.9	47.4	34.9	20.2	12.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1983	1998	1971	1987	1982	1999
		LOWEST MEAN YEAR	1977	1979	1978	1975	1997	1985	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
003	ASHLAND 2 SW	HIGHEST MEAN	33.0	36.4	44.6	52.5	66.8	71.1	75.3	74.6	67.3	57.1	44.7	36.4	75.3
		MEDIAN	24.1	26.8	36.5	46.6	57.1	67.1	71.1	68.6	62.1	50.9	40.0	30.7	48.1
		LOWEST MEAN	10.3	13.1	26.1	41.2	52.3	62.2	67.2	64.4	58.2	44.3	30.8	16.0	10.3
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1999	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1982	1979	1982	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.9	2.0	1.5	0.0	0.0	-0.1	0.6	0.6	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	
004	ASHTABULA	HIGHEST MEAN	35.5	35.6	42.8	52.1	64.1	69.2	74.3	73.6	65.9	58.3	46.5	39.1	74.3
		MEDIAN	25.5	26.0	36.0	45.8	56.1	66.8	70.0	68.6	62.1	52.4	42.2	31.3	48.2
		LOWEST MEAN	10.5	14.2	27.7	39.0	51.7	61.4	67.0	64.5	58.2	45.8	32.4	18.4	10.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1973	1999	1995	1971	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1976	1982	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.2	-0.1	-0.7	-0.6	-0.5	-0.2	-0.4	0.5	0.4	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.0	
005	ATHENS 2 N	HIGHEST MEAN	37.9	39.4	48.6	55.9	69.8	73.2	76.6	75.9	68.4	59.3	48.5	39.8	76.6
		MEDIAN	29.0	31.5	41.2	50.2	59.8	69.4	72.4	70.2	63.6	52.2	42.7	33.7	51.0
		LOWEST MEAN	14.4	17.3	33.7	45.0	56.2	64.2	69.3	65.8	60.6	46.7	34.6	17.3	14.4
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1991	1986	1995	1986	1971	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1996	1975	1997	1972	1984	1982	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.5	0.5	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
006	BARNESVILLE	HIGHEST MEAN	36.1	37.4	45.4	53.2	66.4	70.6	75.9	75.4	67.4	57.1	47.2	39.2	75.9
		MEDIAN	26.9	28.6	39.3	48.6	58.2	67.8	71.5	69.2	62.9	52.4	41.5	32.4	49.8
		LOWEST MEAN	11.9	16.9	30.9	42.3	52.8	61.7	67.6	66.0	58.7	45.3	33.4	17.7	11.9
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1994	1999	1995	1998	1984	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1971	1972	1971	1971	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
008	BELLEFONTAINE	HIGHEST MEAN	34.5	37.5	45.8	54.8	67.3	73.0	76.0	75.9	68.1	59.9	46.1	38.1	76.0
		MEDIAN	25.2	28.2	39.1	48.3	59.0	69.1	72.6	70.1	64.1	52.4	40.9	30.9	49.5
		LOWEST MEAN	8.8	13.7	27.9	43.4	53.9	64.1	69.9	67.2	59.2	45.8	31.7	16.5	8.8
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1988	1995	1978	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.2	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.2	0.1	0.0	0.0	0.0	0.1	0.0	
011	BOWLING GREEN	HIGHEST MEAN	34.0	36.2	43.5	54.9	66.0	73.0	77.2	75.6	67.7	60.4	46.4	38.1	77.2
		MEDIAN	23.5	25.4	36.1	46.6	59.0	69.4	72.9	69.7	63.2	52.1	39.9	29.9	48.6
		LOWEST MEAN	9.1	12.3	27.0	41.7	52.7	64.6	69.9	65.8	59.1	44.8	32.3	15.5	9.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1971	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1992	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.8	1.9	1.3	0.0	0.0	-0.1	0.6	0.6	1.1	1.0	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	
013	BUCYRUS	HIGHEST MEAN	33.8	36.5	44.5	53.0	66.8	71.4	76.6	75.2	67.3	58.7	45.6	38.6	76.6
		MEDIAN	24.6	26.1	37.3	47.0	57.4	68.6	71.9	69.5	62.7	51.7	40.8	30.3	48.6
		LOWEST MEAN	9.5	11.9	27.1	40.9	52.5	62.8	69.0	65.9	58.1	45.0	32.9	16.2	9.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1999	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.6	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
014	CADIZ	HIGHEST MEAN	35.7	38.0	47.9	55.0	67.5	72.1	76.1	75.6	68.4	60.1	47.7	39.9	76.1
		MEDIAN	27.0	30.0	39.8	49.5	60.1	69.0	72.5	70.6	63.7	52.9	42.4	32.7	50.3
		LOWEST MEAN	12.0	19.2	30.6	45.3	54.0	64.8	68.5	67.2	60.8	45.5	34.3	18.3	12.0
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1995	1971	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1989	1997	1992	2000	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	



OHIO

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
015	CALDWELL 6 NW	HIGHEST MEAN	40.5	40.5	50.0	55.3	68.3	71.6	76.3	75.6	68.3	58.8	47.5	41.9	76.3
		MEDIAN	28.5	31.6	42.2	50.8	59.5	69.0	72.0	70.7	64.0	53.4	43.6	33.8	51.3
		LOWEST MEAN	14.9	19.7	33.6	46.1	54.4	64.4	69.3	67.3	60.3	46.4	35.6	21.0	14.9
		HIGHEST MEAN YEAR	1990	1990	1973	1985	1991	1994	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.4	-1.1	-0.9	-0.7	-0.6	-0.4	-0.6	-0.8	-1.0	-1.3	-1.1	
		MAX OBS TIME ADJUSTMENT	-2.0	-1.7	-2.4	-2.5	-1.7	-1.4	-1.1	-1.5	-1.6	-1.9	-1.5	-1.6	
016	CAMBRIDGE	HIGHEST MEAN	38.3	40.3	49.6	57.0	69.3	72.8	78.2	77.1	69.3	60.1	49.1	41.8	78.2
		MEDIAN	29.8	32.5	43.2	52.0	61.0	70.0	73.6	71.5	65.3	53.9	44.3	35.1	52.3
		LOWEST MEAN	14.9	20.1	34.5	47.3	57.5	64.2	70.7	68.2	61.4	47.2	35.4	19.6	14.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1976	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-1.0	-0.9	-0.7	-0.6	-0.5	-0.6	-0.8	-1.0	-1.2	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.0	-1.7	-1.9	-1.1	-1.0	-0.8	-1.1	-1.1	-1.3	-0.9	-1.0	
017	CANFIELD 1 S	HIGHEST MEAN	35.7	36.1	43.3	50.5	65.0	69.0	73.6	73.2	65.7	56.8	45.1	37.5	73.6
		MEDIAN	24.3	26.7	36.2	46.1	56.2	66.4	69.9	67.5	61.2	50.2	40.4	30.7	47.4
		LOWEST MEAN	9.0	13.1	27.8	40.3	51.5	60.8	66.1	63.8	57.3	43.9	31.9	19.1	9.0
		HIGHEST MEAN YEAR	1990	1998	1973	1991	1991	1973	1999	1995	1971	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1985	2000	1976	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.3	0.0	-0.7	-0.6	-0.5	-0.2	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
018	CARPENTER 2 S	HIGHEST MEAN	39.3	39.1	46.4	55.2	66.6	71.0	76.5	76.1	67.9	58.3	47.9	40.4	76.5
		MEDIAN	27.8	30.1	40.0	49.7	58.8	67.8	71.1	69.5	63.1	51.9	41.8	32.2	50.4
		LOWEST MEAN	8.8	16.4	33.0	42.8	54.8	62.6	67.6	64.1	57.2	42.7	31.4	19.9	8.8
		HIGHEST MEAN YEAR	1990	2000	1973	1985	1991	1994	1999	1995	1998	1984	1994	1984	1999
		LOWEST MEAN YEAR	1977	1979	1984	1975	1979	1972	1976	1976	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.1	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.5	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
020	CELINA 3 NE	HIGHEST MEAN	35.3	38.3	47.3	56.9	68.5	74.3	77.5	77.0	70.3	61.2	47.9	39.6	77.5
		MEDIAN	25.9	29.1	40.7	50.5	60.2	71.1	73.9	71.3	64.9	54.6	42.1	32.3	51.0
		LOWEST MEAN	10.5	13.3	29.7	45.3	55.8	66.0	71.0	67.2	61.2	47.7	34.5	18.0	10.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1988	1983	1998	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-0.9	-0.9	-0.8	-0.6	-0.4	-0.7	-0.8	-1.0	-1.2	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.6	-1.6	-1.9	-1.2	-1.0	-0.7	-1.2	-1.0	-1.4	-0.9	-0.9	
021	CENTERBURG 2	HIGHEST MEAN	34.5	37.5	46.9	54.6	67.5	72.0	75.6	75.4	67.1	58.7	46.4	38.3	75.6
		MEDIAN	25.1	28.1	38.5	48.3	57.9	68.6	71.5	69.7	62.6	51.9	40.9	30.7	49.1
		LOWEST MEAN	9.4	13.9	29.0	42.7	53.5	62.4	68.5	66.4	58.3	44.7	32.5	16.0	9.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1988	1995	1998	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1979	1982	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
022	CHARDON	HIGHEST MEAN	32.9	35.0	42.6	50.0	63.9	67.9	73.0	72.6	64.2	56.8	44.3	37.2	73.0
		MEDIAN	23.6	24.2	34.3	45.0	54.9	65.4	68.8	67.2	60.6	50.0	40.2	30.3	46.7
		LOWEST MEAN	8.1	12.5	25.1	36.4	49.6	59.3	66.2	63.8	55.5	44.7	31.3	14.9	8.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1973	1999	1995	1971	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1976	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.2	-0.1	-0.7	-0.6	-0.5	-0.2	-0.4	0.5	0.4	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
023	CHEVIOT	HIGHEST MEAN	36.9	39.6	48.0	56.8	70.4	74.2	79.8	79.4	71.9	61.2	48.2	40.5	79.8
		MEDIAN	27.9	31.7	42.0	51.4	62.5	71.0	75.0	72.0	65.7	54.2	42.5	33.3	52.0
		LOWEST MEAN	10.9	16.2	32.7	47.0	57.8	66.5	72.4	69.3	60.7	46.3	34.9	18.5	10.9
		HIGHEST MEAN YEAR	1998	1976	1973	1981	1991	1991	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1974	1984	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.1	1.4	0.0	0.0	-0.1	0.5	0.5	1.2	1.1	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.1	
024	CHILLICOTHE M	HIGHEST MEAN	38.6	39.3	47.5	57.4	69.3	74.5	79.8	77.5	69.7	59.9	49.3	41.3	79.8
		MEDIAN	28.7	31.1	41.9	50.8	61.0	70.2	73.6	71.7	65.2	54.0	43.2	33.8	52.0
		LOWEST MEAN	11.7	15.9	33.0	45.0	56.5	64.2	70.4	66.8	59.8	47.4	35.0	18.8	11.7
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1976	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
025	CHILO MELDAHL	HIGHEST MEAN	39.8	40.5	48.8	57.3	68.7	73.5	79.0	79.6	71.4	64.0	51.0	43.9	79.6
		MEDIAN	31.1	33.0	42.9	51.7	61.5	70.4	74.3	73.3	66.9	55.7	46.0	35.9	53.4
		LOWEST MEAN	13.8	18.0	35.4	47.5	56.9	64.9	70.7	69.1	62.3	49.1	37.7	22.4	13.8
		HIGHEST MEAN YEAR	1990	1990	1973	1981	1991	1991	1999	1983	1998	1971	1985	1982	1983
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.1	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	



No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
026	CHIPPEWA LAKE	HIGHEST MEAN	33.4	36.2	44.1	52.2	65.6	70.3	74.7	74.8	67.2	57.3	45.7	38.0	74.8
		MEDIAN	24.5	25.9	36.4	46.5	57.5	67.4	71.2	69.2	62.1	51.6	40.7	30.8	48.2
		LOWEST MEAN	9.8	12.4	26.6	41.0	50.9	61.5	67.4	65.7	58.5	45.1	32.8	16.6	9.8
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1999	1999	1995	1978	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.3	0.0	-0.7	-0.6	-0.5	-0.2	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
027	CINCINNATI FE	HIGHEST MEAN	40.0	40.3	49.8	56.6	68.8	74.1	79.5	79.2	70.9	62.5	50.0	43.6	79.5
		MEDIAN	30.8	33.1	43.4	50.8	61.2	70.2	74.4	73.2	66.1	55.8	45.4	35.5	52.9
		LOWEST MEAN	11.7	19.3	34.5	46.8	56.7	65.9	70.4	69.2	60.9	48.4	35.7	21.1	11.7
		HIGHEST MEAN YEAR	1990	1990	1973	1981	1991	1991	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1982	1984	1976	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.6	1.9	2.1	1.2	1.0	0.6	0.9	1.0	1.0	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
028	CINCINNATI AB	HIGHEST MEAN	40.8	43.7	52.3	59.7	71.5	76.5	80.6	80.4	73.1	63.9	50.1	42.4	80.6
		MEDIAN	31.5	35.3	45.4	54.1	64.1	73.4	76.4	74.7	67.5	57.0	45.4	36.5	54.6
		LOWEST MEAN	15.7	22.1	36.9	50.4	59.2	67.4	73.4	70.9	63.3	50.1	37.9	21.6	15.7
		HIGHEST MEAN YEAR	1990	1976	1973	1985	1991	1984	1999	1995	1998	1971	1975	1984	1999
		LOWEST MEAN YEAR	1977	1978	1984	1997	1997	1972	1979	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
029	CINCINNATI LU	HIGHEST MEAN	40.3	43.1	51.7	59.6	70.5	75.5	80.8	79.5	72.4	63.5	51.1	43.1	80.8
		MEDIAN	32.1	35.0	45.4	53.7	63.3	72.4	76.0	74.4	67.3	56.1	45.4	36.5	54.4
		LOWEST MEAN	15.3	21.3	36.7	49.9	58.9	67.6	73.1	70.8	62.9	49.3	37.7	22.0	15.3
		HIGHEST MEAN YEAR	1998	1976	1973	1981	1991	1971	1999	1995	1998	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
030	CIRCLEVILLE	HIGHEST MEAN	39.3	41.2	49.9	57.1	69.6	73.9	78.4	77.7	70.5	61.1	49.1	42.1	78.4
		MEDIAN	29.5	32.8	42.6	51.0	61.5	70.8	74.0	72.6	65.5	54.9	43.8	34.4	52.2
		LOWEST MEAN	13.1	16.0	32.6	47.0	55.8	66.1	71.2	68.8	62.1	47.5	35.9	18.7	13.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1999	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
031	CLEVELAND HOP	HIGHEST MEAN	35.3	37.6	45.7	53.3	66.5	71.1	76.2	77.1	68.5	59.0	47.1	39.9	77.1
		MEDIAN	26.3	27.4	38.1	47.4	58.0	68.5	71.5	69.7	63.2	52.9	41.8	33.1	49.4
		LOWEST MEAN	10.5	16.3	28.0	41.0	52.9	61.8	68.0	66.9	57.7	46.4	33.0	18.6	10.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1995	1999	1995	1978	1971	1994	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
032	COLUMBUS VLY	HIGHEST MEAN	37.9	40.4	50.7	57.4	70.4	74.6	79.2	77.4	70.4	61.9	49.0	42.1	79.2
		MEDIAN	29.0	32.4	42.9	51.9	61.5	71.1	74.3	72.8	65.9	54.7	44.1	34.6	52.5
		LOWEST MEAN	12.9	18.4	34.1	47.4	57.1	66.6	71.9	69.0	62.1	47.6	35.7	18.9	12.9
		HIGHEST MEAN YEAR	1990	1976	1973	1985	1991	1971	1999	1983	1978	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-1.0	-0.9	-0.7	-0.6	-0.5	-0.6	-0.8	-1.0	-1.2	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.3	-0.9	-1.7	-1.9	-1.1	-1.0	-0.8	-1.2	-1.1	-1.3	-0.9	-1.0	
033	COLUMBUS INTL	HIGHEST MEAN	38.1	40.5	51.3	57.3	71.6	75.7	80.2	79.0	71.6	60.8	49.0	41.2	80.2
		MEDIAN	29.4	32.0	42.7	51.5	61.8	71.3	75.1	73.1	65.9	55.2	44.4	34.6	52.6
		LOWEST MEAN	12.1	17.4	33.2	47.4	56.6	64.7	71.5	69.3	62.7	47.9	34.8	20.2	12.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	1971	1976	1976	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
035	COSHOCTON WPC	HIGHEST MEAN	37.1	39.3	48.7	55.9	68.4	73.2	76.4	76.6	68.7	60.4	48.5	40.4	76.6
		MEDIAN	28.9	31.4	41.7	50.2	59.7	69.1	72.7	71.2	64.3	52.8	42.9	33.5	51.0
		LOWEST MEAN	12.4	18.8	32.8	45.2	55.4	64.5	69.3	67.7	60.5	45.9	33.2	18.9	12.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1995	1971	1971	1985	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
036	COSHOCTON AGR	HIGHEST MEAN	35.6	38.4	46.7	53.7	68.0	72.3	76.7	76.0	68.8	60.2	47.4	39.2	76.7
		MEDIAN	26.2	27.6	38.8	49.1	58.7	68.5	72.2	70.2	64.5	53.7	42.5	32.3	50.3
		LOWEST MEAN	10.2	15.7	29.8	42.2	54.9	63.1	69.2	67.3	58.9	46.6	33.7	18.6	10.2
		HIGHEST MEAN YEAR	1990	1998	1973	1999	1991	1991	1999	1995	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1976	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	



OHIO

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
037	DANVILLE 2 W	HIGHEST MEAN	33.7	37.2	44.8	51.7	65.5	69.4	73.9	74.1	65.7	56.2	45.0	37.1	74.1
		MEDIAN	24.9	26.7	37.9	46.1	56.7	67.2	70.8	68.8	61.6	49.9	39.9	30.2	48.0
		LOWEST MEAN	8.5	11.7	27.2	41.5	51.5	62.3	67.4	64.7	57.8	43.7	30.5	16.2	8.5
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1971	1999	1995	1978	1971	1985	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
038	DAYTON MCD	HIGHEST MEAN	38.1	39.2	49.6	58.2	71.1	76.9	81.4	80.9	73.7	63.4	49.2	41.1	81.4
		MEDIAN	29.0	31.9	42.2	52.0	62.4	73.0	76.6	74.6	67.5	55.9	44.7	34.0	53.2
		LOWEST MEAN	12.0	18.1	32.0	47.0	58.0	67.2	73.6	70.7	62.8	49.4	37.3	21.0	12.0
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
039	DAYTON INTL A	HIGHEST MEAN	36.8	39.2	47.7	56.0	68.7	73.7	78.4	77.6	70.6	61.3	48.2	39.7	78.4
		MEDIAN	26.8	30.3	41.6	50.2	60.3	70.6	74.5	71.7	64.7	54.1	42.5	32.8	51.3
		LOWEST MEAN	10.7	16.0	30.7	46.3	55.8	66.0	70.0	68.2	59.8	46.6	34.2	18.8	10.7
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1994	1999	1995	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1976	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
040	DEFIANCE	HIGHEST MEAN	34.6	36.9	44.5	55.4	67.6	74.1	77.6	76.8	69.9	61.2	46.8	39.8	77.6
		MEDIAN	24.2	26.9	37.6	48.3	60.1	69.9	73.5	71.0	64.5	52.8	41.3	31.3	49.9
		LOWEST MEAN	11.4	14.3	28.4	42.8	53.9	64.9	70.5	67.1	59.7	46.7	34.2	16.4	11.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1982	1971	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.7	1.8	1.3	0.0	0.0	-0.1	0.6	0.6	1.1	1.0	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
041	DELAWARE	HIGHEST MEAN	35.8	37.8	46.3	54.8	67.9	72.9	77.7	76.1	67.6	58.6	46.3	38.9	77.7
		MEDIAN	26.1	28.2	38.8	48.5	58.6	69.1	73.0	71.1	63.4	52.6	40.7	31.5	49.7
		LOWEST MEAN	9.5	12.8	28.6	42.6	53.4	63.7	69.8	66.9	59.5	45.1	33.1	15.5	9.5
		HIGHEST MEAN YEAR	1990	1998	2000	1985	1991	1999	1999	1995	1971	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1979	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
042	DENNISON WATE	HIGHEST MEAN	37.0	40.5	45.7	54.1	66.6	70.5	76.8	73.9	68.7	57.9	47.3	39.2	76.8
		MEDIAN	26.8	28.3	38.4	47.9	57.9	67.4	71.3	69.5	62.6	51.2	42.3	31.5	49.0
		LOWEST MEAN	11.3	14.0	29.0	43.0	53.8	62.3	68.8	65.3	59.1	44.4	33.7	17.6	11.3
		HIGHEST MEAN YEAR	1998	1998	1973	1999	1991	1999	1999	1998	1998	1971	1985	1998	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1994	1972	1979	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
043	DORSET	HIGHEST MEAN	33.1	35.7	43.5	52.8	64.0	69.0	72.8	73.3	65.9	57.9	45.6	37.2	73.3
		MEDIAN	23.6	25.4	35.4	45.6	55.5	65.4	69.8	67.9	60.5	50.8	40.4	30.7	47.0
		LOWEST MEAN	9.5	12.3	25.6	38.2	50.1	60.4	65.6	63.9	57.2	45.0	31.8	16.2	9.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1987	1995	1971	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1979	1984	1975	1997	1992	2000	1982	1976	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.2	-0.1	-0.7	-0.6	-0.5	-0.2	-0.4	0.5	0.4	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.0	
044	EATON	HIGHEST MEAN	35.4	37.9	46.1	54.9	67.2	73.5	76.5	77.0	69.3	60.6	46.5	38.7	77.0
		MEDIAN	26.6	28.7	39.4	49.7	58.9	69.3	72.7	70.4	63.8	52.5	41.1	31.2	49.9
		LOWEST MEAN	6.6	12.8	27.7	43.1	55.0	64.3	66.7	67.3	58.3	44.4	30.5	17.9	6.6
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1994	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1982	1984	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
045	ELYRIA 3 E	HIGHEST MEAN	36.2	38.1	46.5	56.6	67.2	72.6	77.5	76.6	70.3	60.7	48.7	40.8	77.5
		MEDIAN	27.8	29.6	39.5	49.2	59.6	70.2	73.6	71.8	65.4	54.8	43.5	33.9	51.1
		LOWEST MEAN	13.4	16.5	30.0	43.3	54.1	64.5	70.3	67.7	61.2	48.2	35.5	19.1	13.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.4	-1.1	-1.1	-0.8	-0.7	-0.5	-0.7	-0.9	-1.2	-1.3	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.6	-1.6	-1.9	-2.3	-2.0	-1.7	-1.2	-1.7	-1.7	-1.7	-1.4	-1.3	
047	FAIRFIELD	HIGHEST MEAN	37.6	40.1	49.4	57.4	69.7	76.0	80.3	80.2	72.4	62.5	49.6	43.2	80.3
		MEDIAN	30.2	32.8	43.1	52.1	62.7	71.8	76.5	74.4	66.7	55.2	44.3	34.7	53.4
		LOWEST MEAN	12.7	18.2	33.9	48.2	58.1	67.3	73.7	70.4	63.0	47.5	35.8	19.3	12.7
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1991	1999	1983	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1997	1997	1972	1996	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.8	2.0	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	



OHIO

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
049	FINDLAY AP	HIGHEST MEAN	34.9	37.4	45.1	55.5	67.3	72.4	77.0	75.9	68.6	59.5	45.8	37.8	77.0
		MEDIAN	25.0	27.2	38.5	48.2	59.0	69.2	72.2	70.5	63.5	52.5	41.1	30.9	49.3
		LOWEST MEAN	9.4	12.4	27.9	43.1	53.3	63.9	69.8	66.3	58.5	45.6	32.5	17.1	9.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1988	1995	1978	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050	FINDLAY WPCC	HIGHEST MEAN	35.0	38.2	45.3	54.2	68.6	73.8	78.1	78.0	69.1	60.1	46.4	36.6	78.1
		MEDIAN	25.2	27.6	38.7	48.7	59.6	70.1	73.5	71.0	64.5	53.6	40.5	30.9	50.1
		LOWEST MEAN	8.4	12.7	27.2	43.7	54.5	64.4	69.9	67.1	59.5	45.1	31.2	17.4	8.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1994	1998	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1985	1979	1979	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
051	FRANKLIN	HIGHEST MEAN	36.9	38.6	48.2	56.9	67.9	74.5	78.4	77.8	69.4	61.3	49.3	41.5	78.4
		MEDIAN	29.0	30.8	41.4	51.0	61.0	70.5	73.8	72.3	65.0	53.4	43.3	33.7	51.6
		LOWEST MEAN	10.5	15.5	33.5	46.3	56.4	65.0	70.5	68.2	60.8	46.3	35.1	18.6	10.5
		HIGHEST MEAN YEAR	1990	1998	1976	1985	1991	1996	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1989	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
052	FREDERICKTOWN	HIGHEST MEAN	33.7	36.7	45.7	52.5	67.0	71.5	73.9	74.4	67.4	59.4	44.8	37.0	74.4
		MEDIAN	23.9	27.6	37.4	47.3	56.9	67.1	70.7	68.3	61.2	50.1	40.2	30.8	48.0
		LOWEST MEAN	7.4	12.6	26.2	41.3	51.9	63.3	67.5	64.4	57.0	44.3	31.1	15.8	7.4
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1971	1999	1995	1971	1971	1985	1971	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.3	0.0	-0.6	-0.5	-0.5	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.1	
053	FREMONT	HIGHEST MEAN	34.5	36.3	44.7	54.2	66.9	71.9	78.1	76.2	68.3	59.6	47.4	38.7	78.1
		MEDIAN	24.3	26.8	37.5	47.5	58.2	69.7	73.5	70.8	63.6	52.7	42.0	31.9	49.3
		LOWEST MEAN	11.0	12.9	26.8	42.0	53.3	63.7	70.1	66.7	59.7	46.4	34.8	16.6	11.0
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1999	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1979	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.0	1.1	0.0	-0.6	-0.5	-0.5	-0.3	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
055	GALLIPOLIS	HIGHEST MEAN	39.5	43.3	51.2	57.9	69.9	75.4	80.4	80.3	71.7	62.2	52.6	43.4	80.4
		MEDIAN	30.7	34.2	44.4	52.5	62.5	71.5	75.1	73.3	67.1	55.1	45.5	36.2	53.7
		LOWEST MEAN	15.8	21.2	36.3	48.4	57.7	66.3	70.8	69.6	63.3	48.4	36.8	22.1	15.8
		HIGHEST MEAN YEAR	1993	1976	1973	1985	1991	1987	1988	1988	1998	1984	1985	1984	1988
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	1984	1982	1981	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.4	-0.4	-0.2	-0.4	0.5	0.4	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
056	GREENVILLE WA	HIGHEST MEAN	34.5	37.3	45.8	53.7	67.4	72.9	76.2	76.4	67.9	58.4	45.8	38.2	76.4
		MEDIAN	25.0	27.7	38.7	48.7	58.5	69.4	72.4	69.9	63.2	52.1	41.0	30.3	49.6
		LOWEST MEAN	6.8	11.0	27.3	43.5	55.0	64.3	68.6	66.3	59.3	44.8	32.1	16.5	6.8
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	1984	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.2	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.0	0.1	0.0	
059	HANNIBAL LOCK	HIGHEST MEAN	37.8	39.2	47.3	54.8	68.0	72.4	76.1	77.2	69.0	60.5	49.7	40.6	77.2
		MEDIAN	29.2	31.2	40.5	50.0	59.4	68.8	72.8	71.5	65.2	53.9	43.6	34.3	51.4
		LOWEST MEAN	13.3	18.4	33.6	45.8	54.8	63.2	69.0	68.2	62.4	47.5	35.6	20.4	13.3
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1987	1987	1995	1971	1971	1985	1984	1995
		LOWEST MEAN YEAR	1977	1979	1978	1975	1997	1972	1984	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	2.0	2.1	1.4	0.0	0.0	-0.1	0.6	0.4	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
060	HILLSBORO	HIGHEST MEAN	37.5	40.5	49.5	56.8	68.0	73.9	77.3	76.9	69.9	62.0	49.0	42.0	77.3
		MEDIAN	28.6	31.3	41.9	51.2	60.9	69.8	73.2	71.7	65.0	54.2	43.7	33.3	51.7
		LOWEST MEAN	12.6	17.5	33.4	46.3	55.6	63.9	70.5	67.5	61.5	47.4	34.8	18.8	12.6
		HIGHEST MEAN YEAR	1990	1984	1973	1986	1982	1984	1999	1983	1978	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1975	1997	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	
061	HIRAM	HIGHEST MEAN	32.1	35.3	42.9	53.2	64.6	68.5	73.9	73.0	65.0	55.9	44.9	37.1	73.9
		MEDIAN	23.8	26.1	35.9	46.6	56.4	65.8	69.4	67.5	61.6	50.7	40.3	29.8	47.5
		LOWEST MEAN	9.4	14.6	27.3	40.0	50.7	59.3	66.7	64.7	57.3	44.5	30.4	15.8	9.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1988	1995	1998	1971	1975	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1972	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.3	-0.1	-0.7	-0.6	-0.5	-0.2	-0.4	0.4	0.4	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	



No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
062	HOYTVILLE 2 N	HIGHEST MEAN	33.6	35.5	43.0	53.5	66.1	72.1	76.1	75.2	66.9	57.9	45.6	37.8	76.1
		MEDIAN	23.7	25.4	36.2	46.7	57.7	68.3	71.7	69.2	62.1	51.3	40.7	30.2	48.2
		LOWEST MEAN	7.9	9.6	26.3	40.4	52.9	62.8	68.3	64.9	57.3	44.9	32.3	15.1	7.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.8	1.2	0.0	-0.6	-0.5	-0.5	-0.3	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
064	IRWIN	HIGHEST MEAN	36.0	40.3	48.6	57.6	69.5	74.5	77.6	77.8	69.1	61.1	48.7	40.5	77.8
		MEDIAN	28.6	30.7	42.6	51.3	61.5	71.2	74.0	71.7	65.3	54.8	42.9	33.1	51.8
		LOWEST MEAN	12.1	15.2	32.0	46.3	57.0	66.3	71.2	68.0	61.5	47.3	34.8	18.9	12.1
		HIGHEST MEAN YEAR	1989	1998	1973	1985	1991	1971	1999	1995	1986	1971	1985	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1982	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.0	-0.9	-0.8	-0.6	-0.5	-0.7	-0.9	-1.1	-1.3	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.9	-1.6	-2.3	-2.6	-1.8	-1.5	-1.1	-1.6	-1.7	-2.0	-1.4	-1.5	
065	JACKSON 3 NW	HIGHEST MEAN	37.3	39.3	49.6	56.2	66.9	72.0	78.3	76.6	69.5	59.7	49.6	40.9	78.3
		MEDIAN	29.4	31.2	42.5	50.7	60.6	69.3	73.2	71.6	64.3	52.9	42.9	34.1	51.8
		LOWEST MEAN	13.5	17.6	34.2	46.7	55.3	64.2	69.7	67.8	61.2	46.1	35.2	19.1	13.5
		HIGHEST MEAN YEAR	1998	1976	1973	1985	1991	1984	1999	1995	1998	1984	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1996	1975	1997	1972	1996	1992	1976	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
066	KENTON	HIGHEST MEAN	35.0	37.2	44.6	55.8	68.5	74.3	78.3	77.5	69.8	59.1	46.5	38.6	78.3
		MEDIAN	24.5	27.1	38.0	47.8	58.5	69.7	73.5	70.6	64.7	52.7	40.6	30.4	49.8
		LOWEST MEAN	7.5	11.6	28.8	42.3	55.4	64.7	70.0	65.9	58.9	45.3	32.7	17.2	7.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1978	1975	1997	1972	1971	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.2	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
068	LANCASTER 2 N	HIGHEST MEAN	37.7	39.3	47.7	53.9	68.4	72.9	77.8	76.6	68.8	59.9	47.6	40.0	77.8
		MEDIAN	27.5	30.3	40.1	49.5	59.1	69.5	72.8	71.2	64.4	53.3	43.1	33.1	50.6
		LOWEST MEAN	10.6	14.8	29.9	44.3	54.3	63.0	68.8	67.0	60.0	47.0	35.4	17.9	10.6
		HIGHEST MEAN YEAR	1990	1998	1973	1991	1991	1987	1999	1995	1978	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1971	1975	1988	1996	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
071	LIMA WWTP	HIGHEST MEAN	36.0	38.7	47.3	57.6	68.7	74.5	77.5	77.5	69.4	61.5	47.9	39.3	77.5
		MEDIAN	26.1	29.1	40.2	49.4	60.2	69.6	73.0	71.1	65.0	54.0	41.8	31.9	51.0
		LOWEST MEAN	10.2	14.9	28.1	43.7	55.1	65.3	70.8	67.9	60.0	46.5	33.8	17.2	10.2
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	1984	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
072	LONDON	HIGHEST MEAN	33.8	37.1	46.9	55.2	67.8	72.9	76.4	76.1	68.0	58.0	46.6	39.0	76.4
		MEDIAN	26.2	29.0	38.9	48.7	59.8	69.2	72.7	70.1	63.5	51.9	41.2	31.6	49.8
		LOWEST MEAN	10.0	13.7	28.9	43.7	53.9	64.6	69.7	66.7	59.5	45.2	33.5	15.3	10.0
		HIGHEST MEAN YEAR	1998	1976	1973	1985	1991	1991	1999	1995	1986	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
074	MANSFIELD LAH	HIGHEST MEAN	33.9	37.3	45.5	53.0	66.7	70.9	74.8	75.5	67.5	58.9	45.7	38.5	75.5
		MEDIAN	25.1	27.0	37.1	47.0	57.0	67.3	71.5	69.1	62.2	52.0	40.6	30.8	48.6
		LOWEST MEAN	7.6	14.2	27.3	40.8	52.1	61.0	67.4	64.8	57.6	44.3	30.3	16.4	7.6
		HIGHEST MEAN YEAR	1989	1998	1973	1985	1991	1984	1988	1995	1978	1971	1994	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1982	1979	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
075	MANSFIELD 5 W	HIGHEST MEAN	34.2	37.8	43.9	53.8	66.9	70.7	75.2	75.2	67.1	56.5	45.6	37.1	75.2
		MEDIAN	23.9	26.4	37.6	47.0	57.7	67.3	70.0	68.6	62.5	51.8	40.1	30.3	48.4
		LOWEST MEAN	9.9	13.3	27.2	40.6	52.6	60.8	67.0	65.4	56.7	44.6	30.6	16.5	9.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1978	1971	1994	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1976	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
077	MARIETTA WWTP	HIGHEST MEAN	38.7	40.1	49.2	57.2	70.5	73.7	78.3	77.8	69.4	60.7	49.4	42.2	78.3
		MEDIAN	30.0	32.4	42.6	51.3	61.3	70.6	74.0	72.0	65.7	54.0	43.6	35.3	52.6
		LOWEST MEAN	15.1	19.1	35.3	46.8	56.2	65.0	71.0	69.0	62.1	47.5	35.2	21.0	15.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1975	1997	1972	1976	1976	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	2.0	2.1	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	



OHIO

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
078	MARION 2 N	HIGHEST MEAN	34.7	37.3	44.8	54.4	68.0	72.6	77.1	76.2	67.7	58.5	46.1	38.4	77.1
		MEDIAN	25.4	27.3	38.4	47.8	58.3	69.2	72.2	69.9	63.2	52.4	41.6	31.1	49.2
		LOWEST MEAN	9.8	12.6	28.6	40.8	53.7	63.6	69.2	66.2	57.6	45.4	33.2	16.6	9.8
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1979	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	2.0	1.4	0.0	0.0	-0.1	0.6	0.6	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
080	MARYSVILLE	HIGHEST MEAN	35.7	39.2	47.7	56.9	69.1	73.3	77.8	77.4	69.9	60.2	46.9	39.1	77.8
		MEDIAN	26.9	29.1	40.7	49.7	60.3	70.4	73.8	71.2	64.6	53.7	41.7	32.3	50.7
		LOWEST MEAN	11.1	14.2	30.1	44.9	55.3	65.7	70.3	67.8	60.1	46.1	33.9	17.9	11.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1976	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
082	MC CONNELSVIL	HIGHEST MEAN	37.6	39.6	49.5	56.0	68.0	73.2	76.8	76.1	69.2	60.1	49.5	41.2	76.8
		MEDIAN	28.3	31.1	41.3	50.7	60.1	69.2	73.2	71.3	64.2	53.2	43.3	33.7	51.5
		LOWEST MEAN	14.7	19.2	33.8	46.2	54.7	65.1	69.1	67.5	61.6	45.6	36.2	19.6	14.7
		HIGHEST MEAN YEAR	1990	1976	1976	1977	1991	1971	1983	1983	1977	1971	1985	1982	1983
		LOWEST MEAN YEAR	1977	1978	1996	1997	1997	1992	2000	1992	1975	1988	1996	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.5	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
086	MILFORD	HIGHEST MEAN	39.0	39.4	48.5	58.1	69.6	74.2	79.3	79.0	70.9	61.3	49.4	42.3	79.3
		MEDIAN	29.5	31.6	43.0	51.7	61.6	70.9	75.3	73.0	65.5	54.3	43.2	34.2	52.7
		LOWEST MEAN	11.5	16.8	34.0	47.4	57.4	64.6	70.1	69.7	61.2	45.9	32.8	19.6	11.5
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1994	1999	1995	1998	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
087	MILLERSBURG	HIGHEST MEAN	36.2	37.3	46.3	53.0	66.3	70.8	74.5	74.7	67.0	58.7	46.0	38.6	74.7
		MEDIAN	25.6	27.7	37.9	47.1	57.7	67.8	71.3	69.1	61.9	50.8	41.0	31.6	48.5
		LOWEST MEAN	10.4	15.4	28.4	43.0	52.2	63.0	67.5	65.4	58.4	43.1	33.1	17.3	10.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1988	1995	1971	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.6	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
088	MILLPORT 2 NW	HIGHEST MEAN	36.8	37.6	47.7	54.3	65.5	70.5	74.9	73.6	66.4	57.6	46.8	39.0	74.9
		MEDIAN	26.9	29.3	40.2	49.0	58.2	67.6	71.2	69.7	62.5	51.7	42.0	32.4	49.7
		LOWEST MEAN	11.9	16.4	30.7	43.6	52.7	63.3	66.7	65.4	58.5	46.1	32.8	18.5	11.9
		HIGHEST MEAN YEAR	1990	1990	1973	1985	1991	1973	1983	1993	1971	1984	1985	1982	1983
		LOWEST MEAN YEAR	1977	1978	1984	1975	1994	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.1	-0.9	-0.9	-0.8	-0.6	-0.5	-0.6	-0.7	-1.0	-1.0	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.6	-1.0	-1.2	-0.6	-0.6	-0.5	-0.8	-0.6	-0.6	-0.6	-0.5	
089	MINERAL RIDGE	HIGHEST MEAN	35.4	39.2	46.5	54.8	68.9	72.4	77.5	76.6	67.9	59.6	47.4	40.0	77.5
		MEDIAN	27.6	29.6	40.1	50.2	59.5	69.5	72.9	70.9	64.3	53.6	42.9	32.8	50.7
		LOWEST MEAN	11.8	15.3	30.8	43.1	55.2	64.5	70.1	67.8	60.4	47.1	33.9	19.8	11.8
		HIGHEST MEAN YEAR	1990	1998	2000	1985	1991	1987	1999	1995	1998	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.4	-1.0	-1.0	-0.8	-0.7	-0.5	-0.7	-0.9	-1.2	-1.3	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.7	-1.7	-2.3	-2.7	-2.0	-1.7	-1.2	-1.6	-1.7	-1.7	-1.4	-1.3	
090	MONTPELIER	HIGHEST MEAN	33.4	35.4	42.6	54.0	66.6	73.0	76.9	76.9	67.1	59.2	44.2	37.0	76.9
		MEDIAN	22.9	24.8	36.6	47.5	58.5	69.1	73.0	70.1	63.4	51.6	40.2	28.8	48.7
		LOWEST MEAN	9.6	10.9	26.8	41.5	52.4	64.5	70.1	67.2	58.3	45.7	32.8	16.6	9.6
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1978	1975	1997	1972	1992	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.7	1.8	1.3	0.0	0.0	-0.1	0.6	0.6	1.1	1.0	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
093	NAPOLEON	HIGHEST MEAN	33.8	35.8	43.1	53.7	66.1	71.9	76.9	75.8	68.1	59.2	45.0	38.0	76.9
		MEDIAN	23.4	24.8	36.2	46.9	58.6	68.7	72.5	69.6	63.0	51.6	39.8	29.8	48.5
		LOWEST MEAN	8.6	11.9	27.5	40.8	52.9	63.6	69.8	66.4	57.9	45.2	31.9	15.8	8.6
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1978	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1971	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.7	1.9	1.3	0.0	0.0	-0.1	0.6	0.6	1.1	1.0	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
095	NEWARK WATER	HIGHEST MEAN	35.0	37.8	46.5	54.5	67.7	72.6	76.8	76.1	67.5	58.8	46.3	39.2	76.8
		MEDIAN	27.0	29.2	39.6	48.5	59.0	69.0	72.3	70.1	63.2	51.6	41.1	32.1	49.9
		LOWEST MEAN	11.1	14.9	30.4	44.6	53.7	64.4	68.8	66.3	57.7	45.1	33.0	17.4	11.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1995	1971	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	



No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
098	NEW LEXINGTON	HIGHEST MEAN	36.3	38.2	47.1	54.0	66.2	70.7	75.7	76.0	67.1	57.3	45.9	38.7	76.0
		MEDIAN	26.9	29.8	39.7	48.4	59.2	68.3	71.5	69.4	62.9	51.9	40.9	32.2	49.6
		LOWEST MEAN	11.2	14.2	30.8	44.2	53.5	63.5	68.9	66.1	59.5	45.0	31.6	16.8	11.2
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1991	1999	1995	1998	1971	1985	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1979	1982	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
099	NEW PHILADELP	HIGHEST MEAN	35.7	37.9	46.4	53.0	67.5	71.6	76.3	75.8	67.3	57.9	46.6	39.3	76.3
		MEDIAN	27.1	28.6	39.0	48.2	57.7	68.3	72.0	70.4	63.3	51.8	42.6	32.5	49.7
		LOWEST MEAN	12.1	16.9	29.4	42.3	52.9	63.1	68.7	66.9	59.4	45.8	33.8	18.1	12.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1971	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
101	NEWPORT	HIGHEST MEAN	38.4	40.1	49.0	55.6	68.7	72.7	78.2	76.9	69.6	61.1	49.8	42.9	78.2
		MEDIAN	29.5	32.4	42.4	50.7	60.6	69.9	73.6	71.9	65.4	54.0	44.1	35.3	52.2
		LOWEST MEAN	15.7	19.0	34.5	45.7	55.9	64.5	70.6	68.5	61.9	48.5	35.3	21.0	15.7
		HIGHEST MEAN YEAR	1990	1976	1973	1985	1991	1994	1999	1995	1978	1971	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.5	0.4	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
103	NORWALK WWTP	HIGHEST MEAN	35.0	36.1	44.0	54.2	66.6	71.3	76.6	75.2	66.8	58.6	45.9	39.2	76.6
		MEDIAN	24.8	26.7	37.2	46.6	57.8	68.6	71.4	69.7	63.3	52.5	41.4	31.2	49.1
		LOWEST MEAN	11.0	13.0	27.2	40.4	52.9	61.8	69.0	66.4	57.9	44.7	34.4	17.0	11.0
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.2	0.0	-0.6	-0.6	-0.5	-0.2	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
104	OBERLIN	HIGHEST MEAN	35.1	37.2	44.1	53.5	66.3	71.6	75.3	74.8	68.0	58.1	46.0	38.3	75.3
		MEDIAN	24.0	26.5	36.6	46.8	57.5	67.8	71.2	68.8	62.6	51.9	40.1	30.6	48.5
		LOWEST MEAN	9.4	14.5	26.3	38.6	53.0	61.6	67.8	66.1	55.7	46.5	32.9	15.7	9.4
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1971	1999	1995	1978	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.4	-0.3	-0.1	-0.6	-0.8	-0.7	-0.6	-0.6	-0.9	-0.6	-0.7	0.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.0	
106	OTTAWA NWR	HIGHEST MEAN	36.0	38.1	44.8	56.0	67.4	74.1	77.4	77.0	70.1	62.3	47.2	39.3	77.4
		MEDIAN	26.0	28.1	39.1	48.9	59.3	70.4	74.2	71.9	65.3	54.6	42.7	32.2	50.7
		LOWEST MEAN	13.5	14.9	29.4	43.5	53.9	65.9	70.0	67.7	60.2	48.0	35.6	18.3	13.5
		HIGHEST MEAN YEAR	1990	1998	1977	1977	1977	1971	1977	1995	1978	1971	1975	1982	1977
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.3	-1.0	-1.1	-0.8	-0.7	-0.5	-0.7	-1.0	-1.3	-1.4	-0.9	
		MAX OBS TIME ADJUSTMENT	-2.0	-2.1	-2.2	-2.8	-2.4	-2.0	-1.5	-1.9	-2.3	-2.4	-2.0	-1.6	
107	PAINESVILLE 4	HIGHEST MEAN	37.3	36.6	44.7	53.6	64.4	71.1	77.0	76.0	69.0	59.5	49.0	42.1	77.0
		MEDIAN	28.5	27.9	37.6	46.8	57.8	68.1	72.1	70.7	65.6	55.0	43.7	34.3	50.3
		LOWEST MEAN	12.1	16.4	28.2	41.2	53.1	63.0	69.9	68.0	61.1	49.0	35.3	21.8	12.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1973	1999	1995	1998	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1992	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.4	-1.1	-1.1	-0.9	-0.7	-0.5	-0.7	-0.9	-1.2	-1.3	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.7	-1.7	-1.9	-2.4	-2.0	-1.8	-1.2	-1.7	-1.7	-1.7	-1.4	-1.2	
108	PANDORA	HIGHEST MEAN	34.3	37.4	43.8	55.3	67.8	72.8	76.9	76.3	68.2	59.8	46.4	37.5	76.9
		MEDIAN	24.4	26.6	37.8	48.0	59.1	69.6	73.0	69.8	63.3	52.5	40.6	30.3	49.4
		LOWEST MEAN	7.9	11.9	27.0	42.5	54.0	64.7	69.6	66.6	58.9	45.7	32.2	16.4	7.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
109	PAULDING	HIGHEST MEAN	32.5	36.3	42.8	53.3	65.0	72.7	77.0	75.7	67.0	57.9	44.2	36.0	77.0
		MEDIAN	22.2	24.9	36.5	46.4	57.3	67.9	71.6	69.4	62.3	50.5	39.8	28.9	48.0
		LOWEST MEAN	7.8	9.0	26.6	40.0	51.6	63.3	69.2	65.4	57.0	43.9	30.6	13.8	7.8
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1998	1971	1999	1995	1998	1971	1999	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1976	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.2	0.0	-0.6	-0.5	-0.4	-0.3	-0.4	0.4	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
110	PEEBLES	HIGHEST MEAN	40.9	43.8	51.6	58.3	69.3	74.1	78.5	78.3	71.2	62.0	50.6	43.8	78.5
		MEDIAN	32.2	34.9	45.4	53.0	62.2	70.8	74.1	72.8	66.1	55.9	45.3	36.6	53.8
		LOWEST MEAN	16.1	20.5	37.1	49.2	57.6	65.3	72.1	68.4	62.7	49.1	37.5	21.6	16.1
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1991	1984	1999	1983	1998	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.1	-1.0	-0.9	-0.7	-0.5	-0.4	-0.5	-0.7	-0.9	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.6	-1.0	-1.1	-0.6	-0.5	-0.4	-0.7	-0.6	-0.7	-0.6	-0.6	



OHIO

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
111	PHILO 3 SW	HIGHEST MEAN	33.4	35.9	45.9	54.1	64.4	68.6	74.0	71.4	65.1	56.3	44.8	37.1	74.0
		MEDIAN	24.8	27.5	38.7	47.4	56.0	65.0	68.0	66.9	60.1	49.7	39.2	29.7	47.8
		LOWEST MEAN	9.3	13.6	30.8	43.5	51.7	60.3	63.9	62.7	56.6	42.8	31.4	15.1	9.3
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1994	1999	1983	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1980	1997	1980	1971	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.9	-0.7	-0.6	-0.4	-0.6	-0.7	-0.9	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.8	-0.6	-1.0	-1.1	-0.6	-0.5	-0.4	-0.7	-0.6	-0.7	-0.6	-0.6	
115	PORTSMOUTH SC	HIGHEST MEAN	39.1	43.1	51.8	58.1	69.5	74.4	80.9	78.6	71.6	62.8	48.5	43.4	80.9
		MEDIAN	30.0	33.3	43.6	53.1	62.5	71.0	74.8	73.4	65.7	54.1	45.1	36.7	53.0
		LOWEST MEAN	15.5	21.6	36.3	48.7	57.9	66.1	71.1	69.0	62.9	48.8	37.1	20.1	15.5
		HIGHEST MEAN YEAR	1998	1976	1973	1981	1991	1999	1999	1995	1998	1971	1994	1971	1999
		LOWEST MEAN YEAR	1977	1978	1984	1982	1997	1972	1984	1986	1981	1988	1996	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
118	PUT-IN-BAY	HIGHEST MEAN	34.4	36.3	41.8	52.9	64.9	72.7	78.3	77.2	71.4	59.8	47.2	38.9	78.3
		MEDIAN	25.1	25.6	36.1	46.4	58.0	69.2	74.2	72.4	66.0	54.2	42.1	32.0	50.0
		LOWEST MEAN	11.3	13.3	27.6	40.8	53.1	65.0	71.0	68.8	61.0	48.6	34.9	18.1	11.3
		HIGHEST MEAN YEAR	1990	1998	2000	1985	1991	1991	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1985	2000	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.0	1.2	0.0	-0.6	-0.6	-0.5	-0.2	-0.4	0.4	0.4	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
120	RIPLEY EXP FA	HIGHEST MEAN	38.4	41.9	50.3	57.8	69.0	74.4	78.4	78.9	69.9	61.6	50.7	42.6	78.9
		MEDIAN	29.4	33.0	43.2	51.2	62.1	70.6	74.3	72.1	64.9	53.9	44.3	34.6	52.9
		LOWEST MEAN	13.1	18.0	35.4	47.6	57.1	66.0	71.2	68.5	62.4	48.4	35.8	19.1	13.1
		HIGHEST MEAN YEAR	1990	1976	1973	1981	1991	1994	1999	1995	1998	1971	1985	1971	1995
		LOWEST MEAN YEAR	1977	1978	1984	1997	1997	1972	2000	1992	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
123	SANDUSKY	HIGHEST MEAN	35.3	36.3	44.1	54.9	65.6	72.5	77.4	76.3	69.7	61.3	48.0	40.4	77.4
		MEDIAN	25.8	27.3	37.3	47.1	58.5	69.5	74.0	71.8	64.6	54.2	43.2	32.6	50.2
		LOWEST MEAN	12.1	14.9	28.7	41.8	52.7	64.3	70.2	67.4	60.5	48.0	35.5	17.6	12.1
		HIGHEST MEAN YEAR	1990	1998	2000	1985	1991	1984	1999	1983	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.8	2.0	1.4	0.0	0.0	-0.1	0.7	0.6	1.1	1.1	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
126	SIDNEY 1 S	HIGHEST MEAN	34.6	38.1	45.6	54.3	67.1	72.5	76.2	75.7	67.6	59.7	46.4	39.7	76.2
		MEDIAN	25.4	28.0	39.0	47.7	57.8	69.4	72.5	70.5	63.5	51.9	41.8	31.0	49.6
		LOWEST MEAN	9.4	13.8	28.5	43.6	54.0	63.8	70.1	66.0	59.6	46.0	33.5	16.6	9.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1983	1983	1978	1971	1985	1982	1983
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.2	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
127	SOUTH POINT	HIGHEST MEAN	40.3	42.2	50.9	57.2	70.3	74.1	80.1	78.5	72.1	61.6	51.1	44.0	80.1
		MEDIAN	30.7	33.6	44.3	51.8	61.5	71.5	74.9	72.2	65.7	55.1	44.2	36.4	53.5
		LOWEST MEAN	16.1	22.3	33.5	45.6	54.3	64.1	71.0	63.6	60.6	47.1	36.8	21.2	16.1
		HIGHEST MEAN YEAR	1998	1976	1973	1981	1991	1999	1999	1995	1998	1971	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1993	1993	1992	1992	1992	1992	1992	1992	1991	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.4	0.4	1.1	1.2	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
129	SPRINGFIELD N	HIGHEST MEAN	36.1	37.9	47.8	55.0	68.1	73.7	77.3	76.3	68.4	59.9	47.9	41.1	77.3
		MEDIAN	27.4	29.3	40.3	49.1	60.1	70.0	73.6	71.2	64.0	52.8	42.1	32.6	50.4
		LOWEST MEAN	10.6	14.2	30.5	44.3	54.3	64.4	70.0	66.7	59.8	46.0	33.9	18.1	10.6
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1983	1995	1978	1971	1985	1982	1983
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.1	
130	STEUBENVILLE	HIGHEST MEAN	38.1	38.9	48.2	54.4	68.4	72.0	77.7	76.4	68.5	60.1	48.1	40.6	77.7
		MEDIAN	28.8	30.9	41.6	50.4	59.5	69.3	72.7	71.2	64.7	53.6	43.4	33.9	51.2
		LOWEST MEAN	14.0	19.6	33.5	45.1	55.2	64.4	69.4	68.1	60.6	47.7	34.6	20.3	14.0
		HIGHEST MEAN YEAR	1990	1998	1973	1991	1991	1991	1999	1995	1978	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1976	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-0.8	-0.8	-0.7	-0.7	-0.5	-0.4	-0.3	-0.5	-0.5	-0.6	-0.6	-0.6	
		MAX OBS TIME ADJUSTMENT	-0.3	-0.2	-0.3	-0.3	-0.2	-0.1	-0.1	-0.2	-0.2	-0.3	-0.3	-0.3	
132	TIFFIN	HIGHEST MEAN	34.4	37.1	44.7	55.0	67.9	72.8	77.2	76.8	69.0	60.1	46.9	37.1	77.2
		MEDIAN	24.9	27.0	37.7	48.0	59.5	69.9	73.4	70.7	64.0	52.9	40.8	31.4	49.6
		LOWEST MEAN	10.4	12.9	27.7	41.9	54.4	64.5	70.1	67.4	60.0	46.3	33.5	17.0	10.4
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.8	2.0	1.4	0.0	0.0	-0.1	0.6	0.6	1.1	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	



OHIO

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			NORMALS STATISTICS												
134	TOLEDO EXPRES	HIGHEST MEAN	34.2	36.3	44.5	54.3	66.6	72.2	77.3	77.9	68.5	59.5	45.8	37.4	77.9
		MEDIAN	24.1	26.3	37.4	48.0	59.5	69.2	72.9	70.5	63.2	52.4	40.6	30.6	49.3
		LOWEST MEAN	10.0	12.2	28.4	43.2	52.5	64.5	69.5	66.5	57.9	45.6	32.8	16.7	10.0
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1978	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1994	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
135	TOLEDO BLADE	HIGHEST MEAN	36.5	39.6	48.2	57.8	70.4	80.2	83.4	82.4	73.8	63.9	51.2	41.7	83.4
		MEDIAN	27.8	30.7	39.8	50.9	63.3	73.4	77.5	75.3	67.9	56.6	43.8	32.3	53.1
		LOWEST MEAN	14.2	18.5	32.8	45.9	55.1	67.3	73.2	72.0	61.4	50.0	36.8	20.7	14.2
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1982	1984	1983	1983	1978	1971	1990	1982	1983
		LOWEST MEAN YEAR	1977	1978	1978	1975	1997	1972	1992	1997	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.3	-1.0	-1.0	-0.9	-0.7	-0.6	-0.8	-1.1	-1.4	-1.5	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-1.0	-0.6	-1.1	-1.1	-0.8	-0.7	-0.7	-1.4	-1.3	-1.3	-0.5	
136	UPPER SANDUSK	HIGHEST MEAN	34.3	37.2	45.2	55.0	68.1	73.4	77.1	76.6	69.0	60.1	47.0	38.8	77.1
		MEDIAN	25.2	27.1	38.2	47.7	59.3	69.9	73.5	70.6	64.1	52.9	41.4	31.3	49.7
		LOWEST MEAN	10.1	13.5	27.8	42.4	54.4	64.7	70.3	67.5	60.0	46.2	33.1	16.7	10.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1991	1999	1995	1978	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	2.0	1.4	0.0	0.0	-0.1	0.6	0.6	1.2	1.1	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
137	URBANA WWTP	HIGHEST MEAN	35.8	38.6	46.5	54.6	67.4	73.4	77.5	76.9	67.9	59.7	46.4	39.6	77.5
		MEDIAN	26.8	29.1	39.0	48.5	59.4	70.1	73.0	70.5	64.1	52.2	41.7	32.4	50.3
		LOWEST MEAN	9.7	14.9	30.2	44.0	55.1	63.7	70.3	67.8	59.0	46.8	34.1	17.2	9.7
		HIGHEST MEAN YEAR	1998	1998	1973	1985	1991	1994	1999	1995	1998	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1979	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	2.0	1.4	0.0	0.0	-0.1	0.6	0.5	1.2	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
139	VAN WERT 1 S	HIGHEST MEAN	34.3	37.5	44.9	55.3	68.2	74.0	78.6	77.4	69.7	59.2	46.5	38.0	78.6
		MEDIAN	24.2	26.4	37.7	48.3	58.9	70.2	73.4	71.0	64.5	53.0	41.0	30.3	49.9
		LOWEST MEAN	7.8	12.8	28.5	43.4	54.9	65.2	70.6	67.3	60.2	45.1	32.4	17.0	7.8
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1998	1971	1975	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1971	1992	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.2	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.0	0.0	
141	WARREN 3 S	HIGHEST MEAN	33.9	36.5	43.8	51.7	64.9	69.2	74.1	73.7	65.6	56.3	44.6	37.1	74.1
		MEDIAN	24.3	25.8	36.5	46.0	56.0	66.4	69.9	68.2	61.6	50.8	39.9	30.8	47.6
		LOWEST MEAN	7.9	12.2	27.7	40.0	50.8	61.5	66.8	64.7	57.1	44.0	30.4	17.6	7.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1973	1987	1995	1971	1971	1985	1982	1987
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.1	1.9	2.0	1.5	-0.1	-0.1	-0.1	0.7	0.6	1.1	1.1	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.5	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
142	WASHINGTON CO	HIGHEST MEAN	38.6	40.5	50.5	58.2	69.5	74.0	78.0	76.6	70.3	61.9	48.6	42.0	78.0
		MEDIAN	29.0	32.0	42.5	51.4	61.3	70.4	73.5	72.0	65.3	54.8	44.0	33.6	52.3
		LOWEST MEAN	13.7	17.5	33.8	47.8	56.7	65.3	70.9	68.4	62.0	48.6	36.1	18.9	13.7
		HIGHEST MEAN YEAR	1990	1976	1973	1985	1991	1991	1999	1983	1986	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	1984	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.6	-0.5	-0.4	-0.5	-0.6	-0.8	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.4	-0.6	-0.6	-0.3	-0.2	-0.2	-0.4	-0.4	-0.5	-0.4	-0.4	
144	WAUSEON WATER	HIGHEST MEAN	34.3	35.9	42.7	53.6	65.8	73.1	76.9	75.4	65.7	57.7	45.0	37.2	76.9
		MEDIAN	22.5	24.9	37.1	46.8	58.2	68.3	71.9	69.0	62.9	50.9	39.2	29.4	48.0
		LOWEST MEAN	9.1	8.9	26.7	41.0	51.9	64.1	68.7	65.8	57.0	44.9	31.3	16.8	8.9
		HIGHEST MEAN YEAR	1990	1998	2000	1985	1991	1987	1988	1995	1987	1971	1987	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1992	1971	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	1.1	1.7	1.9	1.3	0.0	0.0	-0.1	0.6	0.6	1.1	1.0	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.5	0.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	
145	WAVERLY	HIGHEST MEAN	38.1	40.8	49.2	56.4	69.4	73.4	79.7	76.9	71.0	59.8	48.9	40.3	79.7
		MEDIAN	29.0	31.3	42.0	50.5	61.5	70.8	74.0	72.0	65.0	53.2	43.0	33.3	51.8
		LOWEST MEAN	13.7	19.4	33.1	44.8	57.0	64.4	71.2	67.2	61.6	46.9	36.5	16.6	13.7
		HIGHEST MEAN YEAR	1998	1976	1973	1985	1991	1999	1999	1983	1973	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1994	1972	1984	1992	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.0	1.3	0.0	-0.6	-0.5	-0.4	-0.2	-0.4	0.5	0.4	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
146	WESTERVILLE	HIGHEST MEAN	37.2	40.1	49.0	57.9	69.6	74.0	77.9	77.8	70.8	60.8	48.3	42.6	77.9
		MEDIAN	28.9	31.0	43.0	51.9	61.6	71.4	74.1	72.5	66.0	54.6	43.3	34.0	52.3
		LOWEST MEAN	13.2	16.3	32.5	46.2	57.1	65.6	71.1	69.0	60.7	47.9	35.2	18.8	13.2
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1984	1999	1995	1998	1971	1985	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.0	-0.9	-0.8	-0.6	-0.5	-0.7	-0.9	-1.0	-1.3	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.9	-1.6	-2.4	-2.6	-1.8	-1.5	-1.2	-1.6	-1.7	-1.9	-1.5	-1.6	



OHIO

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
148	WILMINGTON 3	HIGHEST MEAN	37.4	37.3	49.4	55.1	67.0	73.3	77.0	76.4	68.2	60.4	47.8	41.5	77.0
		MEDIAN	27.9	30.7	40.6	49.7	60.5	69.8	73.5	71.3	64.3	53.3	43.2	33.2	51.1
		LOWEST MEAN	12.1	15.9	31.4	45.4	56.2	65.3	69.8	65.0	57.5	42.8	32.4	16.4	12.1
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1994	1999	1983	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	2.1	1.4	0.0	0.0	-0.1	0.6	0.5	1.1	1.1	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.4	0.2	0.1	0.0	-0.1	0.0	0.1	0.1	
149	WOOSTER EXP S	HIGHEST MEAN	35.8	37.0	46.1	52.8	67.4	71.5	75.1	74.7	67.0	58.0	45.6	38.3	75.1
		MEDIAN	25.7	27.5	38.8	48.1	57.8	67.9	71.2	69.4	62.7	51.0	40.9	31.5	48.9
		LOWEST MEAN	9.7	15.0	28.1	43.0	53.0	62.6	66.3	65.5	58.0	44.9	32.3	17.4	9.7
		HIGHEST MEAN YEAR	1990	1998	1973	1991	1991	1991	1988	1995	1971	1971	1987	1982	1988
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1972	2000	1976	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.3	0.0	-0.7	-0.6	-0.5	-0.2	-0.4	0.5	0.4	0.7	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.4	0.4	0.3	0.1	0.0	-0.1	0.0	0.1	0.0	
150	XENIA 6 SSE	HIGHEST MEAN	37.6	39.7	48.9	56.9	68.7	73.4	77.4	76.4	69.4	61.3	48.5	42.3	77.4
		MEDIAN	29.2	31.5	42.7	51.7	61.1	69.4	72.7	70.9	64.5	54.6	43.0	33.9	51.5
		LOWEST MEAN	13.3	15.7	33.6	46.0	57.5	65.7	69.4	66.9	59.0	47.0	35.3	18.7	13.3
		HIGHEST MEAN YEAR	1990	1976	1973	1985	1991	1994	1999	1995	1998	1971	1994	1982	1999
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1974	1984	1992	1974	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.3	-1.3	-1.0	-0.9	-0.7	-0.6	-0.4	-0.6	-0.8	-1.0	-1.2	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.0	-1.7	-1.9	-1.1	-1.0	-0.7	-1.1	-1.1	-1.3	-0.9	-1.0	
151	YOUNGSTOWN MU	HIGHEST MEAN	34.9	37.0	44.8	53.0	65.7	69.9	74.1	74.9	66.3	58.5	45.8	39.8	74.9
		MEDIAN	25.8	27.1	36.9	47.6	57.2	65.6	69.4	67.8	61.4	50.9	41.1	31.8	48.2
		LOWEST MEAN	9.9	15.2	28.5	40.4	51.4	60.6	67.0	64.5	57.9	44.9	32.0	18.0	9.9
		HIGHEST MEAN YEAR	1990	1998	1973	1985	1991	1971	1999	1995	1971	1971	1975	1982	1995
		LOWEST MEAN YEAR	1977	1978	1984	1975	1997	1980	2000	1982	1975	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	