

# Climatography of the United States

No. 20

1971-2000

Station: WHEATON, MN

COOP ID: 218907

Climate Division: MN 4

NWS Call Sign:

Elevation: 1,018 Feet Lat: 45°48N

Lon: 96°30W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	20.8	.9	10.9	61	1981	24	26.2	1990	-33+	1977	9	-3.9	1982	1678	0	.0	.0	.3	23.5	30.9	15.6
Feb	28.0	8.5	18.3	66	1991	2	31.5	1987	-33+	1996	3	3.2	1979	1309	0	.0	.0	1.4	16.5	27.4	8.8
Mar	39.7	21.0	30.4	84	1963	31	39.7	2000	-22	1962	1	21.6	1975	1075	0	.0	.0	6.4	7.8	26.8	2.7
Apr	57.9	34.2	46.1	98+	1980	22	54.9	1987	2	1975	1	37.1	1975	574	5	.0	.3	22.1	.4	14.1	.0
May	72.3	47.1	59.7	99+	1959	2	67.5	1977	21+	1967	3	53.4	1979	215	50	.0	.7	30.5	.0	1.9	.0
Jun	80.2	56.7	68.5	106	1988	25	75.9	1988	34	1951	5	62.8	1982	47	150	.1	3.7	30.0	.0	.0	.0
Jul	84.9	61.0	73.0	105+	1966	11	77.6	1988	39	1972	3	65.2	1992	14	262	.7	7.8	31.0	.0	.0	.0
Aug	83.5	59.1	71.3	104+	1976	20	76.7	1983	37	1965	28	66.4	1977	23	219	.7	6.2	31.0	.0	.0	.0
Sep	74.2	49.0	61.6	103	1959	8	67.7	1978	22	1965	26	56.8	1993	151	49	.1	1.9	29.8	.0	.9	.0
Oct	60.9	37.0	49.0	96	1963	5	55.0	1973	10	1972	19	45.3	1976	498	0	.0	.1	25.5	.2	10.1	.0
Nov	39.6	21.6	30.6	81	1950	1	41.7	1999	-17	1951	24	20.1	1985	1033	0	.0	.0	7.4	9.1	26.1	1.5
Dec	25.6	7.3	16.5	59	1998	1	26.8	1997	-30+	1983	23	1.1	1983	1506	0	.0	.0	.9	20.8	30.8	10.0
Ann	55.6	33.6	44.7	106	Jun 1988	25	77.6	Jul 1988	-33+	Feb 1996	3	-3.9	Jan 1982	8123	735	1.6	20.7	216.3	78.3	169.0	38.6

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1933-2001

(3) Derived from 1971-2000 serially complete daily data

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: WHEATON, MN**

**COOP ID: 218907**

**Climate Division: MN 4**

**NWS Call Sign:**

**Elevation: 1,018 Feet Lat: 45°48N**

**Lon: 96°30W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.92	.84	2.05	1997	4	3.14	1997	.00	1974	5.1	2.9	.3	.1	.05	.14	.28	.42	.56	.72	.90	1.13	1.44	1.95	2.44
Feb	.55	.50	.93	1953	10	1.37	1998	.08	1999	3.9	2.1	.1	.0	.12	.17	.25	.32	.40	.47	.56	.67	.81	1.04	1.25
Mar	1.50	1.42	2.10	1982	19	4.10	1995	.19	1971	5.4	3.5	.9	.2	.34	.48	.70	.90	1.09	1.31	1.54	1.83	2.20	2.79	3.35
Apr	1.95	1.63	2.02	2001	7	6.01	1986	.11	1980	6.4	4.3	1.4	.4	.22	.37	.64	.92	1.21	1.53	1.91	2.38	3.02	4.08	5.11
May	2.54	1.68	2.35	1956	28	5.96	1972	.43	1976	8.4	5.8	1.7	.4	.60	.84	1.21	1.54	1.87	2.22	2.61	3.08	3.69	4.67	5.58
Jun	3.77	3.04	5.55	1959	27	8.72	1984	.79	1987	8.7	6.4	2.5	.9	.92	1.28	1.83	2.31	2.80	3.31	3.88	4.56	5.44	6.85	8.17
Jul	3.11	3.09	4.90	1950	8	7.13	1993	1.05	1976	8.3	5.4	2.3	.7	1.14	1.43	1.85	2.20	2.54	2.88	3.25	3.68	4.23	5.08	5.86
Aug	2.53	2.35	3.95	1982	31	5.05	1982	.52	1972	7.2	5.0	1.6	.6	.74	.98	1.34	1.66	1.96	2.28	2.63	3.04	3.58	4.41	5.19
Sep	2.10	2.04	2.79	1995	30	5.92	1995	.04	1979	6.0	4.0	1.5	.5	.22	.38	.67	.96	1.28	1.63	2.04	2.56	3.26	4.43	5.57
Oct	1.87	1.07	2.06	1979	31	6.57	1984	.06	1978	6.2	3.5	1.2	.5	.09	.19	.41	.66	.94	1.29	1.71	2.25	3.01	4.32	5.64
Nov	1.16	.84	1.74	1977	9	3.67	2000	.00	1999	4.9	2.9	.6	.1	.02	.08	.23	.38	.57	.79	1.05	1.40	1.88	2.72	3.55
Dec	.54	.46	1.25	1959	28	1.50	1977	.00+	1986	4.4	1.8	.2	.0	.00	.04	.13	.21	.30	.40	.53	.67	.88	1.22	1.56
Ann	22.54	23.00	5.55	Jun 1959	27	8.72	Jun 1984	.00+	Nov 1999	74.9	47.6	14.3	4.4	13.63	15.25	17.38	19.04	20.53	22.00	23.54	25.27	27.39	30.52	33.27

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1933-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Station: WHEATON, MN**

**COOP ID: 218907**

**Climate Division: MN 4**

**NWS Call Sign:**

**Elevation: 1,018 Feet**

**Lat: 45°48N**

**Lon: 96°30W**

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	9.2	8.3	6	7	24.0	1997	4	24.0	1997	22+	1982	26	13	1982	4.4	3.5	1.4	.5	.1	-9.9	-9.9	-9.9	-9.9
Feb	6.2	5.5	5	4	7.0	1990	16	13.2	1979	31	1979	22	24	1979	3.2	2.6	.9	.2	.0	-9.9	-9.9	-9.9	-9.9
Mar	8.2	4.8	2	#	14.0	1982	19	21.1	1975	18	1979	1	12	1979	2.7	2.3	1.0	.6	.2	10.3	8.8	5.8	2.3
Apr	2.5	.5	#	0	9.0	1994	29	10.0+	1995	8	1975	2	2	1975	.8	.7	.4	.2	.0	1.1	.7	.5	.0
May	#	.0	#	0	#	1997	13	#	1997	#	1997	13	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.3	.0	#	0	3.0	1995	24	4.5	1995	3	1995	24	#	1995	.2	.2	@	.0	.0	.1	.1	.0	.0
Nov	4.9	1.6	1	0	10.0	1977	9	22.5	1977	13	1977	27	6	1977	2.3	2.0	.8	.3	@	4.5	2.5	2.1	.9
Dec	5.7	6.0	2	1	8.0	2000	28	12.5	1972	12	1983	26	10	1977	4.0	2.9	.6	.2	.0	-9.9	-9.9	-9.9	-9.9
Ann	37.0	26.7	N/A	N/A	24.0	Jan 1997	4	24.0	Jan 1997	31	Feb 1979	22	24	Feb 1979	17.6	14.2	5.1	2.0	.3	-9.9	-9.9	-9.9	-9.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

**Station: WHEATON, MN**

**COOP ID: 218907**

**Climate Division: MN 4**

**NWS Call Sign:**

**Elevation: 1,018 Feet**

**Lat: 45° 48N**

**Lon: 96° 30W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/22	5/19	5/16	5/14	5/12	5/10	5/08	5/05	5/02
32	5/18	5/14	5/11	5/08	5/05	5/03	4/30	4/27	4/22
28	5/09	5/03	4/29	4/26	4/23	4/20	4/16	4/12	4/07
24	4/23	4/19	4/16	4/13	4/10	4/08	4/05	4/02	3/28
20	4/16	4/11	4/08	4/06	4/03	4/01	3/29	3/26	3/22
16	4/07	4/03	3/31	3/28	3/26	3/23	3/21	3/17	3/13
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/12	9/16	9/19	9/21	9/23	9/25	9/27	9/30	10/04
32	9/19	9/23	9/26	9/28	9/30	10/02	10/05	10/07	10/11
28	9/26	10/02	10/06	10/09	10/12	10/15	10/18	10/22	10/28
24	10/07	10/12	10/16	10/19	10/22	10/25	10/28	11/01	11/06
20	10/15	10/20	10/23	10/26	10/29	11/01	11/04	11/07	11/12
16	10/22	10/27	10/31	11/03	11/06	11/09	11/12	11/16	11/21
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	149	144	140	137	133	130	127	123	117
32	167	160	155	151	147	143	139	134	127
28	198	189	182	177	171	166	160	154	144
24	215	208	203	198	194	190	186	181	174
20	226	220	215	212	208	205	201	196	190
16	243	237	232	229	225	221	217	213	206

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: WHEATON, MN**

**COOP ID: 218907**

**Climate Division: MN 4**

**NWS Call Sign:**

**Elevation: 1,018 Feet Lat: 45° 48N**

**Lon: 96° 30W**

**Degree Days to Selected Base Temperatures (°F)**

<b>Base</b>	<b>Heating Degree Days (1)</b>												
<b>Below</b>	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>Apr</b>	<b>May</b>	<b>Jun</b>	<b>Jul</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>	<b>Ann</b>
<b>65</b>	1678	1309	1075	574	215	47	14	23	151	498	1033	1506	8123
<b>60</b>	1523	1169	920	436	123	13	1	4	68	347	883	1351	6838
<b>57</b>	1430	1085	827	359	81	5	0	1	36	263	793	1258	6138
<b>55</b>	1368	1029	766	311	60	2	0	0	21	213	733	1196	5699
<b>50</b>	1213	896	622	208	23	0	0	0	4	111	592	1042	4711
<b>32</b>	691	452	202	19	0	0	0	0	0	2	183	541	2090

<b>Base</b>	<b>Cooling Degree Days (1)</b>												
<b>Above</b>	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>Apr</b>	<b>May</b>	<b>Jun</b>	<b>Jul</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>	<b>Ann</b>
<b>32</b>	35	67	151	440	858	1094	1270	1219	888	528	141	58	6749
<b>55</b>	0	0	2	42	205	406	557	506	219	26	0	0	1963
<b>57</b>	0	0	0	30	165	349	495	445	173	14	0	0	1671
<b>60</b>	0	0	0	17	113	267	404	355	115	4	0	0	1275
<b>65</b>	0	0	0	5	50	150	262	219	49	0	0	0	735
<b>70</b>	0	0	0	0	17	69	144	114	14	0	0	0	358

**Growing Degree Units (2)**

<b>Base</b>	<b>Growing Degree Units (Monthly)</b>												<b>Growing Degree Units (Accumulated Monthly)</b>											
	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>Apr</b>	<b>May</b>	<b>Jun</b>	<b>Jul</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>Apr</b>	<b>May</b>	<b>Jun</b>	<b>Jul</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>
<b>40</b>	0	2	35	231	611	849	1017	970	649	304	37	0	0	2	37	268	879	1728	2745	3715	4364	4668	4705	4705
<b>45</b>	0	0	8	135	460	699	862	815	500	185	16	0	0	0	8	143	603	1302	2164	2979	3479	3664	3680	3680
<b>50</b>	0	0	0	73	320	550	707	660	358	101	2	0	0	0	0	73	393	943	1650	2310	2668	2769	2771	2771
<b>55</b>	0	0	0	33	196	402	552	505	233	46	1	0	0	0	0	33	229	631	1183	1688	1921	1967	1968	1968
<b>60</b>	0	0	0	14	102	265	399	352	133	14	0	0	0	0	0	14	116	381	780	1132	1265	1279	1279	1279
<b>Base</b>	<b>Growing Degree Units for Corn (Monthly)</b>												<b>Growing Degree Units for Corn (Accumulated Monthly)</b>											
<b>50/86</b>	0	1	27	156	380	550	677	635	408	196	30	0	0	1	28	184	564	1114	1791	2426	2834	3030	3060	3060

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data
- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data
- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table  
1971-2000 serially complete daily data

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)