Station: LEAD, SD

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394834

Climate Division: SD 4 NWS Call Sign: Elevation: 5,350 Feet Lat: 44°21N Lon: 103°46W

									ŗ	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	fax Min Mean Daily(2) Year Day Month(1) Year Daily(2)		Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0						
Jan	32.5	14.0	23.3	69	1981	23	33.8	1986	-27	1950	3	10.8	1979	1294	0	.0	.0	3.2	12.7	28.3	5.8
Feb	36.1	17.4	26.8	66	1992	1	34.8	1992	-32	1989	3	12.7	1989	1071	0	.0	.0	5.3	8.6	25.4	3.4
Mar	41.7	22.4	32.1	74	1972	10	39.6	1986	-17	1955	25	24.6	1996	1022	0	.0	.0	10.2	6.6	26.0	1.3
Apr	50.1	30.0	40.1	84	1980	21	47.4	1987	-1	1997	8	33.2	1983	749	0	.0	.0	17.0	2.3	18.4	@
May	60.3	39.5	49.9	88+	1969	27	55.5	1985	9	1954	3	45.4	1983	469	2	.0	.0	26.5	.0	5.2	.0
Jun	70.2	48.3	59.3	95+	1988	20	68.9	1988	24	1951	2	53.3	1998	206	35	.0	.5	29.5	.0	.4	.0
Jul	77.0	54.4	65.7	99	1954	12	69.1	1983	36	1972	4	59.2	1993	85	106	.0	2.3	31.0	.0	.0	.0
Aug	76.5	53.4	65.0	98	1949	7	71.3	1983	33	1966	22	59.5	1987	107	106	.0	1.3	30.9	.0	.0	.0
Sep	67.1	44.1	55.6	96	1978	6	63.1	1998	15	1985	30	49.9	1993	308	25	.0	.4	28.0	.2	2.7	.0
Oct	54.9	33.7	44.3	84+	1963	4	48.2	1999	-5	1991	30	40.4	1971	641	0	.0	.0	22.2	1.3	12.4	@
Nov	40.6	22.4	31.5	74	1999	7	45.6	1999	-16	1959	16	17.0	1985	1006	0	.0	.0	8.7	6.9	23.6	1.1
Dec	34.1	15.6	24.9	65	1990	10	31.6	1979	-33	1983	24	10.4	1983	1245	0	.0	.0	4.4	11.6	28.2	3.8
Ann	53.4	32.9	43.2	99	Jul 1954	12	71.3	Aug 1983	-33	Dec 1983	24	10.4	Dec 1983	8203	274	.0	4.5	216.9	50.2	170.6	15.4

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 050-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394834

Station: LEAD, SD

Climate Division: SD 4 NWS Call Sign: Elevation: 5,350 Feet Lat: 44°21N Lon: 103°46W

										Pı	recipi	tation	(incl	nes)										
		,	P	recip	itatio	on Total	S			M	ean N	lumbo Pays (3		Proba	ability tl	hat the r	nonthly/	annual j	precipita ated am	nount	ll be equ		less tha	ın the
	Medi					Extremes	5			D	aily Pre	cipitatio	n		Th	M ese value	•		-	vs Probal incomplet	•		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.34	1.22	1.58	1949	4	3.38	1994	.37	1989	11.6	4.6	.3	.0	.44	.56	.75	.91	1.06	1.22	1.39	1.60	1.86	2.26	2.63
Feb	1.44	1.27	1.27	1997	3	3.93	1998	.33	1983	9.7	4.4	.6	.2	.42	.56	.76	.94	1.11	1.30	1.50	1.73	2.04	2.52	2.96
Mar	2.62	2.19	5.65	1973	14	7.59	1973	.18	1981	11.9	6.3	1.2	.3	.55	.79	1.18	1.53	1.88	2.25	2.67	3.18	3.85	4.91	5.92
Apr	3.78	4.02	2.70	1955	4	6.90	1986	.62	1981	12.4	7.9	2.3	.8	1.07	1.43	1.97	2.44	2.90	3.39	3.92	4.55	5.36	6.65	7.84
May	4.30	3.88	5.08	1965	14	12.26	1982	1.42	1977	12.7	7.8	2.5	.9	1.33	1.74	2.35	2.87	3.37	3.90	4.47	5.14	6.01	7.37	8.63
Jun	3.79	2.97	5.58	1976	14	11.88	1976	1.03	1987	13.5	7.8	2.4	.7	.87	1.22	1.77	2.27	2.77	3.29	3.89	4.59	5.52	6.99	8.38
Jul	2.73	2.38	2.97	1958	2	8.29	1997	.74+	1985	11.5	6.0	1.7	.4	.65	.91	1.31	1.66	2.02	2.39	2.81	3.30	3.96	4.99	5.96
Aug	2.07	1.64	4.04	1964	21	5.56	1998	.29	1985	8.7	4.7	1.3	.4	.31	.49	.79	1.07	1.37	1.70	2.07	2.53	3.14	4.14	5.09
Sep	1.66	1.35	3.39	1971	5	5.38	1971	.32	1975	7.6	4.0	.7	.2	.31	.46	.71	.93	1.16	1.41	1.69	2.02	2.47	3.19	3.87
Oct	2.74	1.78	5.14	1994	6	9.30	1994	.41	1999	8.1	5.2	1.4	.6	.36	.59	.98	1.36	1.76	2.20	2.71	3.35	4.20	5.59	6.94
Nov	1.85	1.74	3.30	2000	1	5.17	2000	.62	1972	9.7	5.1	1.0	.1	.70	.87	1.12	1.32	1.52	1.72	1.94	2.19	2.51	3.00	3.45
Dec	1.53	1.39	1.05	1963	7	3.90	1993	.12	1986	11.3	5.4	.5	.0	.31	.44	.67	.88	1.08	1.31	1.56	1.87	2.27	2.92	3.53
Ann	29.85	30.72	5.65	Mar 1973	14	12.26	May 1982	.12	Dec 1986	128.7	69.2	15.9	4.6	20.04	21.90	24.29	26.13	27.77	29.37	31.02	32.86	35.11	38.38	41.23

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394834

Station: LEAD, SD

Climate Division: SD 4 NWS Call Sign: Elevation: 5,350 Feet Lat: 44°21N Lon: 103°46W

										Snov	w (incl	hes)											
		Fall Depth Depth Median Media															Mea	n Nui	nber	of Day	yS (1)		
	Mean	s/Medi	ans (1)	ı					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	22.9	20.6	7	5	24.6	1994	29	80.1	1994	42	1994	30	27	1994	11.2	6.7	2.5	1.2	.2	24.7	19.8	14.0	5.9
Feb	22.3	22.1	5	4	20.3	2000	26	40.9	1991	50	1998	28	31	1994	9.1	5.8	2.4	1.2	.3	20.0	14.9	11.2	3.5
Mar	32.1	28.6	5	2	27.0	1977	30	93.5	1977	67	1998	2	33	1998	11.0	7.3	3.6	1.9	.6	15.1	10.5	7.4	3.3
Apr	33.7	30.3	3	2	35.2	1994	26	86.7	1984	45	1984	27	14	1997	8.9	6.2	3.6	2.0	.7	8.4	5.5	4.2	2.2
May	6.3	2.7	#	#	16.0	1978	8	30.0	1978	26	1984	1	5	1984	2.1	1.3	.7	.5	.2	1.4	1.0	.7	.4
Jun	1.0	.0	#	0	11.2	1995	9	13.0	1998	2	1998	3	#+	1999	.3	.2	.1	.1	@	.1	.0	.0	.0
Jul	.0	.0	#	0	.0	0	0	.0	0	#+	1998	15	#+	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	#	0	.0	0	0	.0	0	#	1998	20	#	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	2.5	.6	#	0	7.6	1996	25	15.4	1985	6	1996	25	#+	2000	1.2	.8	.3	.1	.0	.5	.1	@	.0
Oct	17.8	11.6	1	#	38.9	1996	26	70.2	1995	44	1982	10	11	1982	5.2	3.1	1.5	1.0	.4	4.3	2.6	2.2	1.1
Nov	24.8	23.1	4	3	31.9	2000	1	62.9	2000	32	1993	26	18	2000	8.8	5.8	2.7	1.4	.5	14.2	10.6	8.2	3.5
Dec	23.6	21.3	6	4	17.8	1993	23	59.5	1996	38	1993	24	20	1993	10.6	7.1	3.0	1.5	.3	20.5	15.6	12.2	5.5
Ann	187.0	160.9	N/A	N/A	38.9	Oct 1996	26	93.5	Mar 1977	67	Mar 1998	2	33	Mar 1998	68.4	44.3	20.4	10.9	3.2	109.2	80.6	60.1	25.4

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394834

Lon: 103°46W

Lat: 44°21N

Station: LEAD, SD

Climate Division: SD 4 NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/22	6/15	6/10	6/06	6/02	5/29	5/25	5/20	5/14
32	6/14	6/07	6/02	5/29	5/25	5/21	5/17	5/12	5/06
28	5/19	5/15	5/12	5/09	5/07	5/04	5/02	4/29	4/24
24	5/08	5/03	4/30	4/27	4/25	4/22	4/19	4/16	4/12
20	5/07	4/30	4/24	4/20	4/16	4/12	4/08	4/02	3/26
16	4/26	4/19	4/14	4/10	4/06	4/02	3/28	3/23	3/16
•			Fal	l Freeze Da	tes (Month/D	ay)	•	•	1
To (E)		Pro	bability of ea	rlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/02	9/06	9/08	9/11	9/13	9/15	9/17	9/20	9/23
32	9/11	9/14	9/16	9/18	9/20	9/22	9/24	9/26	9/30
28	9/16	9/22	9/26	9/29	10/03	10/06	10/09	10/14	10/19
24	9/23	9/29	10/04	10/08	10/12	10/15	10/19	10/24	10/31
20	10/04	10/10	10/15	10/20	10/24	10/27	11/01	11/06	11/12
16	10/12	10/18	10/23	10/26	10/30	11/02	11/06	11/11	11/17
•				Freeze F	ree Period	•	•	•	1
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	125	117	111	106	102	97	92	86	78
32	140	132	127	122	117	113	108	102	95
28	170	163	157	153	148	144	139	134	126
24	194	185	179	174	169	164	159	153	145
20	219	209	202	196	190	184	178	171	161
16	232	223	217	212	207	202	196	190	181

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 5,350 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Lon: 103°46W

Elevation: 5,350 Feet Lat: 44°21N

Station: LEAD, SD

Climate Division: SD 4

COOP ID: 394834

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1294	1071	1022	749	469	206	85	107	308	641	1006	1245	8203
60	1139	931	867	599	324	111	28	45	195	486	856	1090	6671
57	1046	847	774	511	245	69	13	24	139	394	766	997	5825
55	984	791	712	454	198	47	7	15	107	334	706	935	5290
50	830	651	557	318	103	15	0	3	47	196	568	781	4069
32	346	229	117	29	1	0	0	0	0	5	171	298	1196

Base															
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	75	83	118	270	556	818	1044	1022	707	387	154	75	5309		
55	0	0	0	5	40	175	338	324	125	3	0	0	1010		
57	0	0	0	2	25	137	282	270	96	1	0	0	813		
60	0	0	0	0	11	90	204	199	62	0	0	0	566		
65	0	0	0	0	2	35	106	106	25	0	0	0	274		
70	0	0	0	0	0	10	39	42	8	0	0	0	99		

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	12	23	50	148	361	622	843	824	520	244	61	19	12	35	85	233	594	1216	2059	2883	3403	3647	3708	3727
45	0 3 19 78 230 473 688 670 386 144 26											2	0	3	22	100	330	803	1491	2161	2547	2691	2717	2719
50	0 0 4 33 129 337 533 516 260 70 9											0	0	0	4	37	166	503	1036	1552	1812	1882	1891	1891
55	0	0	0	12	64	206	386	362	156	29	0	0	0	0	0	12	76	282	668	1030	1186	1215	1215	1215
60	0	0	0	4	24	110	244	223	77	5	0	0	0	0	0	4	28	138	382	605	682	687	687	687
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	6 1 11 41 97 212 376 539 525 317 148 36											9	1	12	53	150	362	738	1277	1802	2119	2267	2303	2312

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

NWS Call Sign:

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf