Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MILFORD GM PROVING GR, MI 1971-2000 COOP ID: 205452

Climate Division: MI10 NWS Call Sign: Elevation: 990 Feet Lat: 42°35N Lon: 83°41W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	29.9	14.3	22.1	66	1950	25	31.5	1989	-23	1994	19	10.8	1977	1330	0	.0	.0	1.1	19.7	29.5	4.8
Feb	32.9	16.0	24.5	67	2000	23	34.1	1998	-16+	1994	10	13.6	1979	1135	0	.0	.0	1.5	15.1	26.7	3.7
Mar	43.3	24.5	33.9	79	1998	30	43.9	1973	-9	1978	2	25.6	1984	964	0	.0	.0	8.6	6.6	24.4	.8
Apr	55.9	35.2	45.6	86	1990	25	51.3	1985	11	1954	3	38.1	1975	584	0	.0	.0	20.7	.5	12.2	.0
May	68.4	46.5	57.5	92	1987	28	64.5	1982	24+	1966	10	49.8	1997	271	36	.0	.1	30.1	.0	1.3	.0
Jun	77.2	56.0	66.6	101	1988	25	71.2	1984	33	1949	8	61.6	1985	64	112	@	1.5	30.0	.0	.0	.0
Jul	81.7	60.3	71.0	100+	1966	3	74.3	1999	41+	2001	2	66.4	2000	11	196	@	3.1	31.0	.0	.0	.0
Aug	79.5	58.6	69.1	98+	1948	27	74.0	1995	38	1977	20	64.3	1992	32	158	.0	1.1	31.0	.0	.0	.0
Sep	71.6	51.2	61.4	96	1954	5	66.0	1971	26	1991	28	55.2	1975	149	42	.0	.3	29.9	.0	.6	.0
Oct	59.3	40.2	49.8	88+	1951	4	58.0	1971	16	1966	30	42.3	1972	479	6	.0	.0	25.3	@	6.6	.0
Nov	46.1	30.7	38.4	78	1950	1	45.1	1975	-1	1958	30	31.4	1976	798	0	.0	.0	10.9	3.1	18.5	.0
Dec	34.4	20.0	27.2	64+	1966	8	35.8	1984	-18	1983	24	13.7	2000	1172	0	.0	.0	2.2	13.6	27.9	2.2
Ann	56.7	37.8	47.3	101	Jun 1988	25	74.3	Jul 1999	-23	Jan 1994	19	10.8	Jan 1977	6989	550	.0	6.1	222.3	58.6	147.7	11.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 072-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205452

Station: MILFORD GM PROVING GR, MI

Climate Division: MI10 NWS Call Sign: Elevation: 990 Feet Lat: 42°35N Lon: 83°41W

										Pı	recipi	tation	(incl	nes)										
			P	recip	itatio	n Total	s			M	ean N	lumbo ays (3	_	Proba	ability th	nat the n				tion wi	ies (1)	ıal to or	less tha	n the
	Mea Medi					Extremes	i			D	aily Pre	cipitatio	n		Th		-		-		bility Levo e gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.52	1.28	1.32	1949	18	3.65	1982	.00+	1998	12.0	4.4	.6	.2	.00	.00	.50	.77	1.02	1.29	1.58	1.93	2.37	3.11	3.80
Feb	1.55	1.15	2.72	1954	16	5.19	1985	.00+	1998	9.0	3.9	.8	.3	.00	.25	.56	.81	1.05	1.31	1.60	1.94	2.39	3.13	3.83
Mar	2.13	1.88	1.74	1949	31	4.75	1974	.70	1988	11.2	5.5	1.3	.2	.65	.85	1.15	1.41	1.67	1.93	2.22	2.56	3.00	3.68	4.32
Apr	2.78	2.74	2.46	1975	18	4.98	1999	1.01	1973	11.0	6.9	1.6	.4	1.23	1.48	1.83	2.11	2.37	2.63	2.92	3.24	3.65	4.28	4.84
May	2.83	2.72	3.10	1998	1	5.56	2000	.88	1971	9.5	5.7	1.7	.7	1.09	1.35	1.73	2.04	2.33	2.63	2.96	3.33	3.81	4.55	5.22
Jun	3.12	2.97	5.86	1968	25	6.94	1993	.25	1988	8.8	6.2	1.9	.7	.66	.95	1.41	1.82	2.24	2.68	3.18	3.79	4.58	5.85	7.04
Jul	2.52	2.22	3.19	1957	11	6.89	1999	.25	1989	8.1	4.8	1.6	.4	.52	.75	1.12	1.46	1.80	2.16	2.57	3.07	3.72	4.77	5.76
Aug	3.07	3.10	4.38	1959	26	7.49	1975	.00	1998	8.8	5.7	2.1	.8	.67	1.10	1.61	2.02	2.41	2.81	3.24	3.75	4.40	5.41	6.35
Sep	3.00	2.85	5.08	1981	30	12.51	1981	.56+	1995	9.4	5.9	1.9	.5	.64	.91	1.35	1.75	2.16	2.58	3.07	3.65	4.41	5.64	6.80
Oct	2.10	2.01	4.14	1954	3	4.96	1990	.47	1974	9.2	5.2	1.2	.3	.73	.93	1.21	1.46	1.69	1.93	2.19	2.49	2.88	3.49	4.04
Nov	2.47	2.35	1.60	1984	10	4.20	1979	.39	1986	10.8	6.1	1.6	.3	.74	.98	1.33	1.63	1.93	2.23	2.57	2.96	3.48	4.27	5.02
Dec	2.19	2.27	1.59	1967	21	4.18	2000	.00+	1997	12.0	6.1	1.1	.2	.00	.57	1.03	1.36	1.67	1.99	2.33	2.73	3.25	4.06	4.81
Ann	29.28	29.62	5.86	Jun 1968	25	12.51	Sep 1981	.00+	Aug 1998	119.8	66.4	17.4	5.0	19.93	21.71	24.00	25.76	27.32	28.84	30.41	32.16	34.29	37.39	40.08

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205452

Station: MILFORD GM PROVING GR, MI

Climate Division: MI10 NWS Call Sign: Elevation: 990 Feet Lat: 42°35N Lon: 83°41W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	nber	of Day	ys (1)		
	Mean	s/Medi	ians (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	12.8	10.6	4	4	11.0	1982	31	29.3	1982	18	1982	31	9	1976	7.1	3.4	.8	.3	.1	-9.9	-9.9	-9.9	-9.9
Feb	8.4	5.3	3	3	7.0	1981	10	30.0	1988	16	1978	8	14	1978	5.8	2.5	.8	.2	.0	-9.9	-9.9	-9.9	-9.9
Mar	4.3	2.7	1	#	9.0	1973	17	10.5	1993	12	1978	4	5	1978	2.9	1.1	.3	.1	.0	3.2	1.2	.5	.2
Apr	.9	.0	#	0	5.0	1975	2	8.0	1975	8	1975	3	1	1993	.6	.3	.1	@	.0	.5	.2	.2	.0
May	#	.0	0	0	#	1990	10	#+	1990	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	2.3	1989	19	2.3	1989	#	1993	31	#	1993	.1	@	.0	.0	.0	.0	.0	.0	.0
Nov	3.4	2.3	#	#	5.0	1977	27	13.0	1972	10	1977	26	1	1977	2.2	1.1	.2	@	.0	1.9	.3	.0	.0
Dec	13.1	12.6	2	1	16.0	1974	1	30.2	1974	17	1974	2	9+	2000	5.8	3.1	.9	.2	@	8.9	4.2	.6	.0
Ann	43.0	33.5	N/A	N/A	16.0	Dec 1974	1	30.2	Dec 1974	18	Jan 1982	31	14	Feb 1978	24.5	11.5	3.1	.8	.1	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20

1971-2000

Elevation: 990 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205452

Lat: 42°35N

Lon: 83°41W

Station: MILFORD GM PROVING GR, MI

Climate Division: MI10

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Tomp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/02	5/27	5/23	5/20	5/16	5/13	5/10	5/06	4/30
32	5/17	5/12	5/09	5/06	5/03	4/30	4/27	4/24	4/19
28	5/06	5/01	4/28	4/25	4/23	4/20	4/17	4/14	4/10
24	4/26	4/22	4/19	4/16	4/14	4/12	4/09	4/06	4/02
20	4/17	4/12	4/09	4/06	4/03	3/31	3/28	3/25	3/20
16	4/09	4/04	3/31	3/28	3/25	3/22	3/19	3/15	3/10
			Fal	l Freeze Da	tes (Month/D	ay)			
Tomn (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/15	9/19	9/22	9/25	9/28	9/30	10/03	10/06	10/10
32	9/20	9/26	9/30	10/04	10/07	10/11	10/14	10/19	10/25
28	10/02	10/08	10/13	10/16	10/20	10/23	10/27	10/31	11/06
24	10/16	10/22	10/26	10/29	11/01	11/05	11/08	11/12	11/18
20	10/27	11/01	11/05	11/08	11/12	11/15	11/18	11/22	11/27
16	11/09	11/15	11/20	11/23	11/27	11/30	12/04	12/09	12/15
				Freeze F	ree Period				
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remh (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	154	147	142	138	134	130	125	120	113
32	177	170	165	160	156	152	148	143	136
28	203	195	189	184	179	174	169	163	155
24	221	214	209	205	201	197	193	188	181
20	242	235	230	226	222	218	213	208	201
		1	1	1		1			

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

251

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

257

Derived from 1971-2000 serially complete daily data

264

273

16

Complete documentation available from:

235

228

219

246

241

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205452

Station: MILFORD GM PROVING GR, MI

Climate Division: MI10 NWS Call Sign: Elevation: 990 Feet Lat: 42°35N Lon: 83°41W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				-
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1330	1135	964	584	271	64	11	32	149	479	798	1172	6989
60	1175	995	809	437	165	20	0	7	68	339	648	1017	5680
57	1082	911	716	352	115	9	0	1	37	265	559	924	4971
55	1020	855	656	300	87	5	0	0	24	220	500	862	4529
50	865	715	511	183	37	1	0	0	6	128	361	715	3522
32	354	264	122	6	0	0	0	0	0	3	44	261	1054

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	48	54	181	412	789	1039	1208	1149	883	554	236	112	6665
55	0	0	1	16	163	353	495	436	216	58	2	0	1740
57	0	0	0	9	129	297	433	375	170	40	1	0	1454
60	0	0	0	3	86	219	340	288	110	22	0	0	1068
65	0	0	0	0	36	112	196	158	42	6	0	0	550
70	0	0	0	0	12	42	85	69	10	0	0	0	218

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	nthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Do													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	2	8	70	218	553	801	963	900	639	318	93	13	2	10	80	298	851	1652	2615	3515	4154	4472	4565	4578
45	0 2 34 127 402 652 808 745 490 198 45												0	2	36	163	565	1217	2025	2770	3260	3458	3503	3507
50	0 0 16 66 264 502 653 590 347 107 17											1	0	0	16	82	346	848	1501	2091	2438	2545	2562	2563
55	0	0	4	31	156	357	498	436	221	51	4	0	0	0	4	35	191	548	1046	1482	1703	1754	1758	1758
60	0	0	0	14	80	226	343	285	121	17	0	0	0	0	0	14	94	320	663	948	1069	1086	1086	1086
Base	Growing Degree Units for Corn (Monthly)														Gı	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	/86 0 3 43 134 327 515 645 591 389 171 46												0	3	46	180	507	1022	1667	2258	2647	2818	2864	2868

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf