### Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 320590** 

Station: BEACH, ND

**NWS Call Sign:** 

**Climate Division: ND 7** Lon: 104°00W Elevation: 2,789 Feet Lat: 46°55N

									ŗ	Гетр	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	25.0	5.3	15.2	61	1995	10	29.4	1992	-34+	1954	21	-1.8	1979	1546	0	.0	.0	.7	19.6	30.7	12.0
Feb	31.7	12.3	22.0	68	1992	2	34.1	1984	-41	1962	28	5.3	1979	1205	0	.0	.0	3.0	13.0	27.4	7.3
Mar	42.5	20.4	31.5	80	1986	29	43.9	1986	-40	1962	1	20.4	1996	1040	0	.0	.0	9.4	7.4	28.7	2.4
Apr	56.6	30.4	43.5	90	1980	22	50.7	1987	-8	1997	8	35.9	1975	645	0	.0	.1	21.3	1.3	18.8	.1
May	68.4	41.4	54.9	99	1980	23	61.5	1988	13	1954	3	49.3	1996	328	14	.0	.4	29.4	@	4.2	.0
Jun	78.0	50.2	64.1	107	1988	24	77.1	1988	30+	1998	4	58.2	1998	127	100	.2	2.4	30.0	.0	.2	.0
Jul	84.7	54.8	69.8	108	1960	21	75.2	1985	35+	1972	4	61.4	1993	45	192	.6	6.6	31.0	.0	.0	.0
Aug	84.6	53.3	69.0	108	1949	8	76.6	1983	28	1994	31	62.8	1985	71	194	.3	6.9	31.0	.0	@	.0
Sep	72.8	43.3	58.1	102+	1998	4	65.8	1998	17	1995	21	53.0	1984	251	43	.2	1.9	28.7	.0	3.3	.0
Oct	58.1	32.1	45.1	93	1953	2	48.5	1973	-5+	1991	31	40.5	1972	618	0	.0	.1	22.6	.7	15.9	.1
Nov	39.5	19.3	29.4	79	1999	7	40.8	1999	-20	1996	24	15.6	1985	1068	0	.0	.0	7.3	8.9	27.7	2.8
Dec	28.9	9.2	19.1	61	1998	1	30.9	1979	-38	1989	22	2.1	1983	1426	0	.0	.0	1.5	16.9	30.6	8.6
Ann	55.9	31.0	43.5	108+	Jul 1960	21	77.1	Jun 1988	-41	Feb 1962	28	-1.8	Jan 1979	8370	543	1.3	18.4	215.9	67.8	187.5	33.3

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 003-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 320590

Station: BEACH, ND

Climate Division: ND 7 NWS Call Sign: Elevation: 2,789 Feet Lat: 46°55N Lon: 104°00W

										Pı	recipi	tation	(incl	nes)											
			P	recip	itatio	on Total	s			M	lean N of D	Numb Pays (3		Proba	ability th		nonthly/	indic	precipita ated am	ation wi	ll be equ		less tha	ın the	
	Medi					Extremes	S			D	aily Pre	cipitatio	n		Th		•	Annual Precipitation vs Probability Levels etermined from the incomplete gamma distribution							
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	
Jan	.43	.34	1.00	1969	27	.99	1971	.00	1992	5.3	1.5	.1	.0	.05	.10	.17	.23	.30	.36	.44	.53	.65	.84	1.02	
Feb	.47	.31	1.01	1998	25	2.49	1998	.00	1983	4.4	1.5	.2	@	.01	.04	.10	.17	.24	.33	.43	.57	.76	1.08	1.40	
Mar	.62	.50	1.10	1989	26	1.87	1989	.00+	1994	5.1	2.4	.2	.1	.00	.08	.20	.30	.40	.51	.63	.77	.97	1.28	1.59	
Apr	1.56	1.48	1.80	1993	19	3.44	1975	.07	1988	7.1	4.0	.9	.1	.21	.33	.56	.77	1.00	1.25	1.54	1.90	2.39	3.18	3.94	
May	2.41	2.27	1.71	1989	29	6.37	1978	.26	1984	9.5	5.4	1.1	.3	.43	.65	1.00	1.33	1.66	2.03	2.44	2.94	3.60	4.68	5.70	
Jun	2.63	2.83	2.73	1957	17	5.49	1991	.76	1979	10.0	5.9	1.5	.5	.89	1.13	1.50	1.81	2.10	2.41	2.74	3.13	3.63	4.40	5.11	
Jul	1.93	1.40	2.45	1971	10	5.58	1993	.17	1973	8.0	4.8	.9	.2	.46	.64	.92	1.17	1.42	1.69	1.98	2.34	2.80	3.53	4.22	
Aug	1.41	1.33	3.88	1968	23	3.86	1980	.20	1994	5.8	3.4	.8	.2	.26	.39	.60	.79	.98	1.19	1.43	1.72	2.10	2.72	3.30	
Sep	1.53	1.06	2.10	1996	18	4.53	1991	.13	1993	6.3	3.7	.9	.3	.21	.34	.55	.77	.99	1.24	1.52	1.87	2.35	3.12	3.87	
Oct	1.20	.80	2.40	1998	5	4.69	1982	.14	1973	4.7	2.5	.8	.2	.07	.14	.29	.45	.63	.85	1.11	1.44	1.91	2.71	3.50	
Nov	.70	.52	2.65	2000	1	5.18	2000	.00+	1990	4.5	1.7	.3	@	.00	.04	.14	.24	.36	.49	.65	.85	1.14	1.61	2.08	
Dec	.37	.30	.43+	2001	5	1.24	1988	.00	1991	5.1	1.2	.0	.0	.03	.08	.14	.19	.25	.30	.37	.45	.56	.73	.90	
Ann	15.26	15.11	3.88	Aug 1968	23	6.37	May 1978	.00+	Mar 1994	75.8	38.0	7.7	1.9	9.38	10.45	11.86	12.95	13.93	14.90	15.91	17.03	18.42	20.45	22.24	

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1948-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 320590** 

**Station: BEACH, ND** 

Climate Division: ND 7 NWS Call Sign: Elevation: 2,789 Feet Lat: 46°55N Lon: 104°00W

										Snov	w (incl	hes)												
						Sn	ow To	tals									Mea	ın Nu	mber	of Day	<b>ys</b> (1)			
	Mean	s/Medi	<b>ans</b> (1)	)					Extre	mes (2)							ow F					Depth resholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	5.2	4.1	4	3	7.5	1993	23	17.5	1971	17	1979	31	15	1979	4.3	1.9	.6	.2	.0	18.1	12.2	8.9	3.4	
Feb	5.0	3.5	3	2	10.0	1998	28	24.0	1998	24	1998	28	18	1979	3.8	1.8	.4	.2	@	10.8	7.2	5.1	3.7	
Mar	4.6	4.2	2	#	8.0	1995	4	15.3	1975	24	1998	1	15	1998	3.3	1.5	.4	.1	.0	8.2	4.8	2.3	1.0	
Apr	4.3	3.0	#	#	12.5	1997	5	15.0	1984	15	1984	28	4	1997	2.0	1.0	.6	.2	.1	2.5	1.2	.8	.4	
May	1.4	.0	#	0	12.0	1983	12	12.4	1983	10	1983	12	1	1983	.4	.3	.1	.1	@	.2	.1	.1	@	
Jun	#	.0	#	0	#	1998	2	#	1998	#	1998	2	#	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.4	.0	#	0	8.0	1972	25	8.6	1972	6	1972	25	#+	1995	.2	.1	@	@	.0	.1	.1	.1	.0	
Oct	1.4	.1	#	0	5.0	1995	30	5.9	1991	5	1972	30	#+	1999	.8	.5	.2	@	.0	.4	.2	.0	.0	
Nov	3.9	3.0	1	#	11.0	2000	2	13.8	1993	14	2000	30	8	2000	3.0	1.8	.6	.2	@	5.5	1.9	1.4	.0	
Dec	4.5	3.8	2	1	4.1	1975	31	9.5	1971	14	1978	31	11	2000	4.2	2.0	.2	.0	.0	17.0	8.5	3.2	1.7	
Ann	30.7	21.7	N/A	N/A	12.5	Apr 1997	5	24.0	Feb 1998	24+	Mar 1998	1	18	Feb 1979	22.0	10.9	3.1	1.0	.1	62.8	36.2	21.9	10.2	

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 320590** 

Station: BEACH, ND Climate Division: ND 7

**NWS Call Sign:** 

Elevation: 2,789 Feet

Lat: 46°55N Lon: 104°00W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated(	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/15	6/08	6/04	5/31	5/27	5/23	5/19	5/14	5/08
32	6/03	5/28	5/23	5/20	5/16	5/13	5/09	5/04	4/28
28	5/19	5/15	5/11	5/09	5/06	5/03	4/30	4/27	4/22
24	5/09	5/05	5/01	4/29	4/26	4/23	4/21	4/17	4/13
20	4/26	4/21	4/18	4/15	4/12	4/10	4/07	4/04	3/30
16	4/15	4/10	4/07	4/04	4/02	3/30	3/27	3/24	3/20
			Fal	l Freeze Da	tes (Month/L	Day)			
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/30	9/03	9/06	9/08	9/10	9/13	9/15	9/18	9/22
32	9/08	9/12	9/15	9/17	9/20	9/22	9/25	9/28	10/02
28	9/15	9/20	9/23	9/26	9/29	10/02	10/05	10/08	10/13
24	9/24	9/30	10/04	10/08	10/11	10/15	10/18	10/23	10/29
20	10/02	10/08	10/12	10/15	10/19	10/22	10/25	10/29	11/04
16	10/10	10/16	10/20	10/24	10/27	10/31	11/03	11/07	11/13
		•	•	Freeze F	ree Period	1		1	· ·
Toman (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	130	122	116	111	106	101	96	90	81
32	150	142	136	131	126	121	116	110	102
28	167	159	154	150	145	141	137	131	124
24	188	181	176	171	167	163	159	154	147
20	211	203	198	193	188	184	179	174	166
16	229	222	216	212	208	204	199	194	187

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 320590** 

Lon: 104°00W

**Station: BEACH, ND** 

**Climate Division: ND 7** 

Elevation: 2,789 Feet Lat: 46°55N

				Deg	ree Days to	o Selected	Base Tem	peratures	( <b>°F</b> )				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1546	1205	1040	645	328	127	45	71	251	618	1068	1426	8370
60	1391	1065	885	498	203	59	14	29	149	463	918	1271	6945
57	1299	990	793	413	143	33	7	16	100	372	828	1178	6172
55	1241	938	735	359	108	22	2	10	73	312	772	1116	5688
50	1098	806	591	236	46	6	0	2	27	179	633	965	4589
32	607	398	188	17	0	0	0	0	0	6	226	477	1919

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	84	117	171	361	709	963	1170	1146	782	411	148	74	6136
55	4	13	5	14	105	295	459	442	165	4	4	0	1510
57	1	9	1	7	77	246	402	387	132	2	0	0	1264
60	0	0	0	2	45	183	316	307	91	0	0	0	944
65	0	0	0	0	14	100	192	194	43	0	0	0	543
70	0	0	0	0	3	42	102	109	17	0	0	0	273

			Growing Degree Units (2)  Growing Degree Units (Monthly)																					
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	5	36	166	449	700	896	873	529	213	32	1	0	5	41	207	656	1356	2252	3125	3654	3867	3899	3900
45	0 0 9 85 309 550 741 718 390 115 10												0	0	9	94	403	953	1694	2412	2802	2917	2927	2927
50	0 0 1 39 185 402 586 565 257 50 1											0	0	0	1	40	225	627	1213	1778	2035	2085	2086	2086
55	0	0	0	13	94	264	432	412	154	15	0	0	0	0	0	13	107	371	803	1215	1369	1384	1384	1384
60	0 0 0 3 41 146 286 269 77 1 0										0	0	0	0	3	44	190	476	745	822	823	823	823	
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	<b>0/86</b> 0 6 39 132 282 429 570 556 337 157 30											0	0	6	45	177	459	888	1458	2014	2351	2508	2538	2538

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

**NWS Call Sign:** 

### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf