Station: LONGVIEW, TX

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 415341

Climate Division: TX 4 NWS Call Sign: Elevation: 330 Feet Lat: 32°28N Lon: 94°44W

									ŗ	Гетр	eratur	e (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	57.1	33.7	45.4	86+	1949	4	53.1	1990	-4	1930	18	35.5	1979	613	0	.0	.0	21.4	1.1	14.6	.0
Feb	62.6	37.0	49.8	90+	1996	23	57.3	1976	3	1951	2	39.2	1978	432	6	.0	@	22.7	.5	10.1	.0
Mar	70.0	44.1	57.1	97	1913	31	63.3	1974	17+	1980	2	52.8	1996	258	12	.0	@	29.6	@	3.2	.0
Apr	77.2	51.2	64.2	98	1942	13	70.2	1981	20	1920	5	59.5	1983	91	68	.0	.1	29.9	.0	.3	.0
May	84.0	61.1	72.6	103	1911	31	77.6	1996	37	1931	7	67.9	1976	10	243	.0	2.9	31.0	.0	.0	.0
Jun	90.5	68.5	79.5	110	1936	21	84.8	1998	52+	1970	3	76.3	1976	0	434	.5	19.1	30.0	.0	.0	.0
Jul	94.5	72.3	83.4	108+	1939	22	89.4	1998	56	1950	1	80.3	1989	0	570	2.9	26.9	31.0	.0	.0	.0
Aug	94.5	70.7	82.6	113	1936	10	86.3	2000	46	1980	16	78.4	1992	0	546	3.1	26.8	31.0	.0	.0	.0
Sep	89.0	64.6	76.8	109+	2000	5	81.6+	1998	38	1920	30	70.3	1974	3	357	.6	14.8	30.0	.0	.0	.0
Oct	79.6	52.8	66.2	101	1938	1	70.1	1971	25	1993	31	59.1	1976	63	100	.0	1.3	30.9	.0	.3	.0
Nov	67.9	43.1	55.5	93+	1944	1	61.2	1973	20+	1992	30	48.5	1976	302	17	.0	.0	28.1	@	4.8	.0
Dec	59.4	35.5	47.5	93	1951	31	55.5	1984	2	1929	23	36.7	1983	547	2	.0	.0	26.6	.1	12.7	@
Ann	77.2	52.9	65.1	113	Aug 1936	10	89.4	Jul 1998	-4	Jan 1930	18	35.5	Jan 1979	2319	2355	7.1	91.9	342.2	1.7	46.0	@

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 171-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1902-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 415341

Station: LONGVIEW, TX

Climate Division: TX 4 NWS Call Sign: Elevation: 330 Feet Lat: 32°28N Lon: 94°44W

										Pı	recipi	tation	(incl	hes)										
	Me	ans/	P	recip	itatio	on Total						ays (3	3)	Proba	ability th		nonthly/	annual j	precipita ated an	babilit ation will nount vs Probal	ll be equ		less tha	ın the
	Medi	ans(1)				Extremes	8			D	aily Pre	cipitatio	n		Th	ese value	s were de	termined	from the	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.79	3.59	4.72	1932	4	8.47	1979	.13	1986	8.8	5.9	2.7	1.1	.52	.83	1.38	1.90	2.46	3.07	3.77	4.63	5.80	7.71	9.55
Feb	3.93	3.43	3.80	1986	4	9.63	1997	.15	1999	7.8	5.4	2.7	1.2	.76	1.12	1.69	2.22	2.76	3.34	3.99	4.78	5.83	7.51	9.10
Mar	4.11	4.02	8.70	1989	29	11.66	1989	.51	1986	8.5	6.0	2.9	1.2	1.33	1.72	2.29	2.78	3.26	3.75	4.28	4.91	5.72	6.98	8.14
Apr	4.19	3.94	6.95	1944	9	12.97	1991	.26	1983	7.7	5.5	2.9	1.4	.64	1.00	1.61	2.19	2.79	3.44	4.20	5.12	6.36	8.37	10.30
May	4.79	4.44	7.00	1991	3	12.53	1991	.44	1988	8.8	6.4	2.9	1.7	.89	1.32	2.02	2.67	3.33	4.05	4.86	5.84	7.14	9.23	11.22
Jun	5.03	4.86	5.85	1993	20	14.41	1993	1.01+	1998	7.8	5.9	2.9	1.5	.98	1.44	2.17	2.85	3.54	4.28	5.12	6.13	7.46	9.61	11.65
Jul	2.83	2.02	6.06	1949	14	7.01	1973	.00	1993	6.9	4.8	2.1	.8	.16	.43	.87	1.28	1.72	2.22	2.79	3.50	4.46	6.04	7.58
Aug	2.71	2.18	5.81	1912	10	10.03	1974	.01	2000	6.4	4.6	1.9	.9	.25	.44	.80	1.18	1.59	2.05	2.60	3.30	4.25	5.84	7.39
Sep	3.81	3.24	4.70	1990	11	9.72	1974	.55	1999	6.7	4.7	2.5	1.3	.49	.79	1.34	1.87	2.43	3.05	3.77	4.66	5.86	7.84	9.75
Oct	4.34	3.31	8.68	1994	8	14.08	1994	.57	1995	7.4	5.3	2.6	1.5	.73	1.11	1.74	2.34	2.95	3.61	4.37	5.29	6.53	8.52	10.42
Nov	4.75	4.90	5.77	1990	9	9.34	1987	.58	1989	8.4	6.0	3.1	1.8	1.08	1.52	2.22	2.84	3.47	4.13	4.88	5.77	6.94	8.80	10.55
Dec	4.78	4.49	4.79	1973	4	12.73	1987	.85	1981	9.3	6.3	3.2	1.5	1.30	1.76	2.45	3.05	3.64	4.26	4.95	5.76	6.82	8.48	10.03
Ann	49.06	46.76	8.70	Mar 1989	29	14.41	Jun 1993	.00	Jul 1993	94.5	66.8	32.4	15.9	33.24	36.25	40.13	43.10	45.75	48.33	51.00	53.96	57.57	62.83	67.41

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1902-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 415341

Lon: 94°44W

Station: LONGVIEW, TX

Climate Division: TX 4 NWS Call Sign:

Elevation: 330 Feet Lat: 32°28N

										Snov	w (incl	nes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.5	.0	#	0	5.0	1977	31	5.0	1977	5	1977	31	#	2000	.2	.1	.1	@	.0	.2	@	@	.0
Feb	.5	.0	#	0	3.5	1996	2	6.0	1978	3	1996	2	#	1996	.3	.2	.1	.0	.0	.2	@	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1994	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.5	1976	13	.5	1976	0	0	0	0	0	.1	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.4	.0	0	0	4.5	1983	16	8.5	1983	0	0	0	0	0	.1	.1	.1	.0	.0	.0	.0	.0	.0
Ann	1.4	.0	N/A	N/A	5.0	Jan 1977	31	8.5	Dec 1983	5	Jan 1977	31	#+	Jan 2000	.7	.4	.3	@	.0	.4	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 415341

Lon: 94°44W

Lat: 32°28N

Station: LONGVIEW, TX

Climate Division: TX 4 NWS Call Sign:

Elevation: 330 Feet

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/18	4/13	4/09	4/06	4/03	3/31	3/28	3/24	3/19
32	4/08	4/01	3/27	3/23	3/19	3/15	3/11	3/06	2/27
28	3/26	3/17	3/11	3/06	3/01	2/24	2/19	2/12	2/04
24	3/06	2/25	2/19	2/13	2/08	2/03	1/28	1/21	1/10
20	2/24	2/12	2/04	1/27	1/20	1/13	1/03	12/20	0/00
16	2/08	1/29	1/21	1/13	1/03	0/00	0/00	0/00	0/00
			Fal	ll Freeze Da	tes (Month/D	ay)		•	
Temp (F)		Pro	bability of e	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/16	10/22	10/26	10/30	11/03	11/06	11/10	11/14	11/20
32	10/28	11/03	11/07	11/11	11/15	11/18	11/22	11/26	12/03
28	11/04	11/11	11/17	11/21	11/26	11/30	12/05	12/10	12/17
24	11/21	11/29	12/04	12/09	12/14	12/19	12/24	12/30	1/08
20	12/02	12/11	12/17	12/23	12/29	1/04	1/11	1/25	0/00
16	12/18	12/29	1/07	1/16	1/27	0/00	0/00	0/00	0/00
			•	Freeze F	ree Period			•	
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	238	229	223	218	213	208	203	196	188
32	266	257	251	245	240	235	229	223	213
28	305	293	284	276	269	262	254	245	233
24	>365	334	323	314	307	300	293	285	274
20	>365	>365	>365	>365	339	326	316	306	293
16	>365	>365	>365	>365	>365	>365	>365	344	324

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 415341

Station: LONGVIEW, TX

Climate Division: TX 4 NWS Call Sign: Elevation: 330 Feet Lat: 32°28N Lon: 94°44W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	613	432	258	91	10	0	0	0	3	63	302	547	2319
60	469	304	139	30	1	0	0	0	0	18	187	404	1552
57	387	235	87	12	0	0	0	0	0	7	133	323	1184
55	336	195	60	6	0	0	0	0	0	3	102	274	976
50	228	115	19	0	0	0	0	0	0	0	46	172	580
32	20	3	0	0	0	0	0	0	0	0	0	8	31

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	435	501	777	967	1256	1424	1593	1569	1343	1060	704	486	12115
55	39	49	124	282	543	734	880	856	653	350	116	39	4665
57	27	33	90	229	481	674	818	794	593	292	87	27	4145
60	16	18	48	157	389	584	725	701	503	210	51	15	3417
65	0	6	12	68	243	434	570	546	357	100	17	2	2355
70	0	0	1	19	124	286	415	391	222	34	3	0	1495

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De 0 227 315 529 722 996 1184 1336 1321 1094 814 451 25													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	227 315 529 722 996 1184 1336 1321 1094 814 451												227	542	1071	1793	2789	3973	5309	6630	7724	8538	8989	9242
45	133 203 386 572 841 1034 1181 1166 944 659 319											144	133	336	722	1294	2135	3169	4350	5516	6460	7119	7438	7582
50	71 122 253 424 686 884 1026 1011 794 504 202											67	71	193	446	870	1556	2440	3466	4477	5271	5775	5977	6044
55	32	64	144	283	531	734	871	856	644	358	117	28	32	96	240	523	1054	1788	2659	3515	4159	4517	4634	4662
60	11 26 69 158 378 584 716 701 496 220 53										9	11	37	106	264	642	1226	1942	2643	3139	3359	3412	3421	
Base	se Growing Degree Units for Corn (Monthly)											Growing Degree Units for Corn (Accumulated Monthly)												
50/86	50/86 152 205 337 464 679 811 898 887 735 537 283 16											169	152	357	694	1158	1837	2648	3546	4433	5168	5705	5988	6157

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf