

Climatography of the United States

No. 20

1971-2000

Station: BARDSTOWN 5 E, KY

COOP ID: 150397

Climate Division: KY 2

NWS Call Sign:

Elevation: 780 Feet

Lat: 37°49N

Lon: 85°23W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	41.4	24.3	32.9	72+	1975	29	41.9	1990	-26	1994	19	17.6	1977	996	0	.0	.0	9.4	6.6	23.5	1.3
Feb	47.4	27.8	37.6	79	1962	14	45.4	1976	-21	1951	2	23.3	1978	768	0	.0	.0	13.6	3.7	18.9	.7
Mar	57.3	36.1	46.7	85	1977	15	53.9	1973	-8	1960	6	40.8	1996	566	0	.0	.0	23.8	.5	13.1	@
Apr	67.4	44.0	55.7	90	1962	30	61.5	1981	19+	1990	7	51.1	1997	289	9	.0	.0	28.7	.0	4.5	.0
May	75.7	53.0	64.4	94	1977	17	69.9	1987	27	1963	1	60.3	1973	117	96	.0	.5	31.0	.0	.3	.0
Jun	82.8	61.5	72.2	100	1954	26	74.9	1984	37	1966	1	68.3	1974	7	221	@	5.4	30.0	.0	.0	.0
Jul	86.5	65.5	76.0	105+	1983	23	79.9	1980	46	1972	7	72.9	1971	0	341	.5	12.3	31.0	.0	.0	.0
Aug	85.4	63.7	74.6	105	1983	20	80.5	1983	43	1964	13	69.5	1992	5	301	.2	9.8	31.0	.0	.0	.0
Sep	79.3	56.7	68.0	103+	1954	6	73.9	1998	33+	1993	30	63.1	1974	49	139	.0	3.6	30.0	.0	.0	.0
Oct	68.4	45.3	56.9	97	1953	1	64.2	1984	19+	1976	28	50.3	1976	281	29	.0	.0	30.6	.0	3.4	.0
Nov	56.1	36.8	46.5	85	1961	2	52.3	1985	-5	1950	25	37.1	1976	558	0	.0	.0	21.4	.2	11.1	.0
Dec	45.6	28.8	37.2	78	1982	3	45.7	1984	-20	1989	22	24.3	1989	861	0	.0	.0	13.1	3.7	20.1	.3
Ann	66.1	45.3	55.7	105+	Aug 1983	20	80.5	Aug 1983	-26	Jan 1994	19	17.6	Jan 1977	4497	1136	.7	31.6	293.6	14.7	94.9	2.3

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1950-2001

(3) Derived from 1971-2000 serially complete daily data

003-A

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: BARDSTOWN 5 E, KY

COOP ID: 150397

Climate Division: KY 2

NWS Call Sign:

Elevation: 780 Feet

Lat: 37°49N

Lon: 85°23W

Precipitation (inches)

	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount											
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution											
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	
Jan	3.60	3.67	3.91	1978	8	8.19	1978	.88	1986	11.8	6.8	2.5	.8	1.10	1.45	1.96	2.39	2.82	3.26	3.75	4.32	5.06	6.21	7.27	
Feb	3.80	3.28	3.42	1989	15	13.80	1989	.93	1978	10.5	6.7	2.6	1.0	1.04	1.40	1.95	2.43	2.90	3.39	3.93	4.58	5.41	6.73	7.95	
Mar	4.80	4.08	5.72	1997	1	15.64	1997	1.67	1981	13.7	8.9	3.0	1.3	1.56	2.02	2.69	3.26	3.81	4.38	5.01	5.74	6.67	8.13	9.48	
Apr	4.42	4.09	4.98	1970	28	13.33	1972	.61	1976	12.2	7.6	3.2	1.0	1.19	1.61	2.24	2.80	3.35	3.93	4.57	5.32	6.31	7.86	9.31	
May	5.28	4.97	4.22	1967	14	10.37	1983	2.63	1988	12.4	8.5	3.5	1.7	2.35	2.82	3.47	4.00	4.50	5.00	5.53	6.15	6.92	8.09	9.15	
Jun	4.60	4.38	3.60	1956	21	10.58	1998	.66	1988	11.0	7.5	3.3	1.1	1.30	1.73	2.39	2.97	3.53	4.12	4.77	5.54	6.54	8.10	9.56	
Jul	4.81	4.85	4.00+	1980	22	8.71	1992	.35	1997	9.9	6.8	3.2	1.4	1.10	1.55	2.25	2.88	3.51	4.18	4.93	5.83	7.01	8.88	10.65	
Aug	3.43	2.85	3.35	1966	20	8.46	1974	.44	1998	8.8	5.9	2.2	.8	.92	1.24	1.74	2.17	2.60	3.05	3.55	4.13	4.90	6.11	7.23	
Sep	3.64	3.07	4.79	1979	21	12.18	1979	1.10	1985	9.0	6.0	2.4	1.1	1.16	1.51	2.02	2.46	2.88	3.31	3.79	4.35	5.07	6.19	7.23	
Oct	2.94	3.03	2.55	1962	2	6.24	1983	.19	2000	8.6	5.4	2.0	.7	.62	.89	1.32	1.71	2.11	2.53	3.00	3.57	4.33	5.53	6.67	
Nov	4.01	3.71	2.30	1957	18	8.13	1984	.40	1976	12.0	7.2	2.9	.9	1.23	1.61	2.18	2.66	3.14	3.63	4.17	4.80	5.62	6.90	8.09	
Dec	4.67	4.39	3.14	1978	8	11.74	1978	1.48	1976	12.0	7.5	3.1	1.4	1.47	1.91	2.57	3.13	3.68	4.24	4.86	5.59	6.53	7.99	9.34	
Ann	50.00	49.24	5.72	Mar 1997	1	15.64	Mar 1997	.19	Oct 2000	131.9	84.8	33.9	13.2	36.72	39.33	42.64	45.15	47.36	49.50	51.70	54.13	57.06	61.30	64.95	

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1950-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: BARDSTOWN 5 E, KY

COOP ID: 150397

Climate Division: KY 2

NWS Call Sign:

Elevation: 780 Feet

Lat: 37°49N

Lon: 85°23W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.5	#	1	#	12.0	1994	17	12.0	1994	18	1978	20	6	1994	1.8	1.6	.4	.2	.1	2.1	.6	.6	.6
Feb	4.3	.6	1	#	8.0	1998	4	17.0	1998	14	1998	6	5	1978	1.3	.9	.5	.2	.0	1.9	.9	.5	.2
Mar	1.6	1.0	#	#	6.0	1972	3	7.0	1996	6	1972	3	#+	2000	.8	.8	.2	.1	.0	.5	.1	.1	.0
Apr	#	.0	#	0	#	1997	17	#+	1997	#+	2000	4	#+	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	#	.0	0	0	#	1989	7	#	1989	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	1989	20	#	1989	#	1993	31	#	1993	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.4	.0	#	0	3.0	1977	27	4.5	1992	3	1992	14	#+	2000	.2	.2	.1	.0	.0	.1	.1	.0	.0
Dec	2.6	1.0	#	#	4.0	1976	29	12.0	2000	3+	2000	31	1+	2000	1.2	1.1	.2	.0	.0	3.1	.8	.0	.0
Ann	10.4	2.6	N/A	N/A	12.0	Jan 1994	17	17.0	Feb 1998	18	Jan 1978	20	6	Jan 1994	5.3	4.6	1.4	.5	.1	7.7	2.5	1.2	.8

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: BARDSTOWN 5 E, KY

COOP ID: 150397

Climate Division: KY 2

NWS Call Sign:

Elevation: 780 Feet

Lat: 37° 49N

Lon: 85° 23W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/19	5/13	5/08	5/04	5/01	4/27	4/23	4/19	4/12
32	5/06	4/30	4/26	4/23	4/20	4/16	4/13	4/09	4/03
28	4/20	4/15	4/11	4/08	4/05	4/02	3/30	3/27	3/22
24	4/12	4/06	4/01	3/29	3/25	3/21	3/18	3/13	3/07
20	3/30	3/23	3/19	3/15	3/11	3/07	3/03	2/27	2/20
16	3/16	3/10	3/05	3/01	2/26	2/22	2/18	2/14	2/08
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/24	9/28	10/01	10/04	10/06	10/09	10/11	10/14	10/18
32	10/03	10/07	10/11	10/13	10/16	10/19	10/21	10/25	10/29
28	10/11	10/17	10/21	10/24	10/27	10/30	11/03	11/06	11/12
24	10/26	11/01	11/05	11/09	11/13	11/16	11/20	11/25	12/01
20	11/02	11/08	11/13	11/17	11/21	11/24	11/28	12/03	12/09
16	11/14	11/22	11/27	12/02	12/06	12/10	12/15	12/21	12/28
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	178	171	166	162	158	154	150	145	138
32	201	193	188	183	179	174	170	164	157
28	223	216	212	208	204	201	197	192	186
24	258	249	242	237	232	227	222	215	206
20	277	269	263	259	254	250	245	239	231
16	307	299	293	287	283	278	272	266	258

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: BARDSTOWN 5 E, KY

COOP ID: 150397

Climate Division: KY 2

NWS Call Sign:

Elevation: 780 Feet

Lat: 37°49N

Lon: 85°23W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	996	768	566	289	117	7	0	5	49	281	558	861	4497
60	841	628	420	166	51	1	0	0	14	171	413	706	3411
57	758	551	336	108	27	0	0	0	6	119	331	622	2858
55	699	499	285	77	17	0	0	0	3	91	280	564	2515
50	556	373	177	25	4	0	0	0	0	39	170	425	1769
32	176	76	9	0	0	0	0	0	0	0	6	93	360

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	203	232	466	710	1002	1204	1364	1319	1081	770	439	255	9045
55	12	11	28	97	306	514	651	606	393	148	23	13	2802
57	9	8	18	68	254	454	589	544	336	115	14	9	2418
60	0	0	9	36	186	365	496	451	255	74	5	0	1877
65	0	0	0	9	96	221	341	301	139	29	0	0	1136
70	0	0	0	1	38	100	195	168	59	8	0	0	569

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	66	120	281	500	782	995	1150	1109	876	557	271	109	66	186	467	967	1749	2744	3894	5003	5879	6436	6707	6816
45	34	69	180	356	627	845	995	954	726	405	166	58	34	103	283	639	1266	2111	3106	4060	4786	5191	5357	5415
50	11	27	103	236	474	695	840	799	576	275	96	29	11	38	141	377	851	1546	2386	3185	3761	4036	4132	4161
55	1	9	53	136	326	545	685	644	431	162	45	8	1	10	63	199	525	1070	1755	2399	2830	2992	3037	3045
60	0	1	22	69	196	396	530	489	295	82	15	0	0	1	23	92	288	684	1214	1703	1998	2080	2095	2095
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	37	78	176	317	504	677	788	758	577	356	156	61	37	115	291	608	1112	1789	2577	3335	3912	4268	4424	4485

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf