Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 418523

Lon: 101°11W

Station: SPEARMAN, TX

Climate Division: TX 1

NWS Call Sign:

Temperature (°F) Degree Days (1) Mean (1) Mean Number of Days (3) **Extremes** Base Temp 65 Max Max Max Max Min Min Highest Lowest Daily Daily Highest Lowest Month(1) Month(1) Cooling >= >= >= <= <= <= Month Mean Year Day Year Year Day Year Heating Max Min Daily(2) Daily(2) Mean Mean 100 90 50 32 32 0 52.7 22.4 37.6 83 1943 22 46.9 1986 -22 1959 4 26.3 1979 851 0 .0 18.2 3.7 26.9 .8 Jan 58.5 26.5 42.5 92 1981 20 49.9 1976 -13+1951 2 30.6 1978 631 0 .0 @ 20.1 2.5 20.5 .4 Feb Mar 66.9 33.6 50.3 95 1971 27 57.0 1986 -12 1948 6 44.6 1998 459 .0 .2 27.4 .5 13.9 0. 42.2 22 50.5 1997 42 Apr 75.4 58.8 100 1989 65.2 1981 10 +1940 12 228 (a) 1.3 29.0 .0 3.8 0. May 82.6 52.1 67.4 105 +2000 23 74.1 1996 26 +1954 3 61.0 1995 74 148 .7 5.3 30.9 .0 .1 .0 27 12 71.8 Jun 91.4 61.4 76.4 110 +1998 81.5 1990 41 +1928 1995 4 345 2.9 16.9 30.0 .0 .0 .0 Jul 95.5 65.9 80.7 1934 31 85.8 50+ 1990 14 77.6 1975 487 5.4 25.2 31.0 0. 110 1980 0 .0 .0 1992 93.6 64.7 79.2 111 1936 13 86.5 2000 47+ 1988 29 75.1 0 438 3.5 22.2 31.0 .0 .0 .0 Aug 30 17 Sep 87.1 56.9 72.0 109 2000 4 78.3 1998 1985 30 65.4 1974 227 .9 11.0 29.9 .0 .1 .0 77.4 53.9 154 37 Oct 45.1 61.3 101 2000 1 65.5 1998 13 1993 30 1976 .1 1.7 30.5 (a) 2.1 .0 63.3 32.5 47.9 87+ 1980 8 55.8 1999 0 +1976 28 38.8 1972 514 .0 24.2 14.9 @ Nov 1 .0 .5 Dec 53.8 24.4 39.1 87 1955 25 44.5 1994 -11 1932 12 26.2 1983 802 0 .0 .0 18.9 2.8 25.9 .7 Aug Aug Jan Dec 74.9 44.0 59.4 111 1936 13 86.5 2000 -22 1959 4 26.2 1983 3734 1726 13.5 83.8 321.1 10.0 108.2 1.9 Ann

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 274-A

(1) From the 1971-2000 Monthly Normals

Elevation: 3,094 Feet Lat: 36°11N

- (2) Derived from station's available digital record: 1920-2001
- (3) Derived from 1971-2000 serially complete daily data

⁺ Also occurred on an earlier date(s)

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPEARMAN, TX

COOP ID: 418523

Climate Division: TX 1 NWS Call Sign: Elevation: 3,094 Feet Lat: 36°11N Lon: 101°11W

		Precipitation (inches)																								
	Mea Medi		P	recipi	itatio	on Total Extremes					ean N of D	ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution												
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		
Jan	.53	.49	1.54	1990	19	1.59	1980	.00+	1998	3.5	1.6	.2	@	.00	.05	.13	.22	.31	.40	.52	.66	.85	1.17	1.49		
Feb	.62	.59	1.40	1928	6	1.59	1982	.00+	1991	3.6	1.9	.3	.0	.00	.00	.07	.16	.26	.39	.54	.75	1.03	1.53	2.02		
Mar	1.52	1.11	2.15	1926	30	6.15	1973	.00	1997	5.3	3.6	1.1	.3	.03	.12	.32	.53	.77	1.06	1.41	1.85	2.47	3.54	4.59		
Apr	1.58	1.08	3.10	1985	29	6.57	1997	.00	1996	4.9	3.1	1.1	.4	.04	.14	.35	.58	.83	1.12	1.48	1.93	2.56	3.63	4.68		
May	2.83	2.39	5.80	1965	14	6.77	1978	.52	1974	8.6	5.5	1.9	.5	.73	.99	1.40	1.77	2.13	2.50	2.93	3.42	4.08	5.11	6.07		
Jun	2.97	2.95	4.22	1942	8	7.49	2000	.06	1998	7.8	4.9	2.1	.9	.42	.66	1.09	1.50	1.93	2.41	2.96	3.63	4.54	6.02	7.45		
Jul	2.77	2.49	3.02	1961	8	8.56	1996	.05	1980	6.5	4.2	1.9	.9	.36	.58	.97	1.36	1.76	2.21	2.74	3.38	4.25	5.68	7.06		
Aug	2.38	2.03	3.50	1939	8	4.93	1992	.35	1988	6.6	4.6	1.7	.6	.36	.56	.91	1.24	1.58	1.95	2.39	2.91	3.62	4.77	5.87		
Sep	2.08	1.33	4.35	1996	18	8.16	1996	.05+	1992	6.0	3.3	1.4	.5	.09	.20	.43	.70	1.02	1.41	1.88	2.49	3.36	4.86	6.36		
Oct	1.35	.90	4.90	1968	16	5.90	1998	.00	1975	3.9	2.4	.9	.3	.01	.07	.21	.38	.60	.85	1.18	1.61	2.22	3.29	4.37		
Nov	1.01	.68	3.90	1971	17	5.19	1971	.00+	1999	4.0	2.3	.6	.1	.00	.00	.20	.37	.55	.75	.98	1.26	1.65	2.30	2.93		
Dec	.66	.46	2.38	1959	17	2.98	1991	.02	1976	3.5	2.1	.3	.0	.06	.11	.20	.29	.39	.50	.64	.81	1.04	1.43	1.81		
Ann	20.30	20.70	5.80	May 1965	14	8.56	Jul 1996	.00+	Nov 1999	64.2	39.5	13.5	4.5	14.54	15.66	17.09	18.18	19.14	20.08	21.04	22.10	23.39	25.26	26.87		

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1920-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 418523

Station: SPEARMAN, TX

Climate Division: TX 1 NWS Call Sign: Elevation: 3,094 Feet Lat: 36°11N Lon: 101°11W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	VS (1)		
	Mean	s/Medi	ians (1)	1	Extremes (2)												ow Fa		Snow Depth >= Thresholds				
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.7	4.2	#	#	8.0	1984	18	17.5	1987	9	1987	18	2	1979	2.7	1.9	.6	.2	.0	4.4	2.4	.6	.0
Feb	5.1	2.5	#	#	9.0	1990	21	17.0	1982	11	1971	22	3	1982	1.9	1.5	.7	.2	.0	2.5	1.7	1.0	@
Mar	2.7	1.0	#	#	14.0	1988	17	21.5	1987	14	1988	17	1	1994	1.2	1.1	.4	.1	.1	1.0	.5	.2	.1
Apr	.9	.0	#	0	6.0	1973	8	7.0	1983	6	1973	8	#+	1995	.5	.4	.1	@	.0	.4	.1	@	.0
May	.2	.0	#	0	3.0	1978	4	5.5	1978	3	1978	3	#	1978	.1	.1	@	.0	.0	@	@	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1985	29	#+	1985	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.4	.0	#	0	5.0	1979	31	5.0	1979	5	1979	31	#+	1996	.1	.1	.1	@	.0	.1	.1	@	.0
Nov	2.2	1.0	#	#	8.0	1992	25	21.5	1972	8	1972	21	2	1972	1.2	1.0	.3	.1	.0	1.1	.4	.1	.0
Dec	3.6	1.6	#	#	12.0	1987	14	15.5	1983	14	1997	25	3	1997	1.6	1.2	.5	.3	.1	2.1	1.0	.4	.1
Ann	19.8	10.3	N/A	N/A	14.0	Mar 1988	17	21.5+	Mar 1987	14+	Dec 1997	25	3+	Dec 1997	9.3	7.3	2.7	.9	.2	11.6	6.2	2.3	.2

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 418523

Lon: 101°11W

Lat: 36°11N

Elevation: 3.094 Feet

Station: SPEARMAN, TX

Climate Division: TX 1 NWS Call Sign:

Freeze Data Spring Freeze Dates (Month/Day) Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F) .10 .20 .30 .40 .70 .80 .90 36 5/12 5/07 5/03 4/30 4/27 4/24 4/21 4/17 4/12 32 4/23 4/13 4/28 4/20 4/18 4/16 4/11 4/08 4/03 28 4/14 4/09 4/06 4/03 4/01 3/29 3/27 3/24 3/19 3/05 24 4/10 4/04 3/30 3/27 3/23 3/20 3/16 3/11 20 4/06 3/30 3/24 3/20 3/16 3/11 3/07 3/01 2/22 3/20 3/08 3/03 16 3/29 3/14 2/26 2/21 2/14 2/05 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 10/05 36 9/25 10/01 10/09 10/12 10/16 10/19 10/23 10/29 32 10/07 10/13 10/16 10/20 10/23 10/26 10/29 11/02 11/07 28 10/20 10/25 10/29 11/01 11/04 11/07 11/10 11/14 11/19 24 10/28 11/02 11/06 11/09 11/12 11/15 11/18 11/22 11/27 20 11/03 11/10 11/15 11/19 11/23 11/26 11/30 12/05 12/12 11/23 11/28 12/02 12/15 12/22 16 11/11 11/18 12/06 12/10 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 189 182 176 172 168 163 159 153 36 146 32 205 200 196 193 189 186 183 179 173 28 238 231 225 221 212 207 202 194 216 24 259 250 244 238 233 228 223 216 207 251 235 20 276 268 262 256 246 241 226

280

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

288

Derived from 1971-2000 serially complete daily data

297

309

16

Complete documentation available from:

258

249

237

273

266

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SPEARMAN, TX

COOP ID: 418523

Climate Division: TX 1 NWS Call Sign: Elevation: 3,094 Feet Lat: 36°11N Lon: 101°11W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	851	631	459	228	74	4	0	0	17	154	514	802	3734		
60	697	500	314	133	28	0	0	0	3	67	373	647	2762		
57	608	422	235	88	14	0	0	0	0	36	295	556	2254		
55	551	373	189	64	8	0	0	0	0	22	247	497	1951		
50	409	261	98	23	1	0	0	0	0	5	147	356	1300		
32	71	33	1	0	0	0	0	0	0	0	5	41	151		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	243	326	567	804	1096	1331	1510	1461	1200	906	482	262	10188
55	9	21	42	177	391	641	797	748	510	215	34	5	3590
57	4	15	26	142	335	581	735	686	450	167	22	2	3165
60	1	9	12	96	257	491	642	593	363	105	10	0	2579
65	0	0	1	42	148	345	487	438	227	37	1	0	1726
70	0	0	0	14	70	212	332	290	120	8	0	0	1046

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)			Growing Degree Units (Accumulated Monthly)													
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	86	160	327	553	837	1079	1251	1202	945	639	259	99	86	246	573	1126	1963	3042	4293	5495	6440	7079	7338	7437
45	37	84	214	410	683	929	1096	1047	796	489	152	39	37	121	335	745	1428	2357	3453	4500	5296	5785	5937	5976
50	11	30	117	280	530	779	941	892	648	346	77	11	11	41	158	438	968	1747	2688	3580	4228	4574	4651	4662
55	0	8	58	167	379	629	786	737	503	217	29	1	0	8	66	233	612	1241	2027	2764	3267	3484	3513	3514
60	0	0	19	81	239	481	631	582	366	115	5	0	0	0	19	100	339	820	1451	2033	2399	2514	2519	2519
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	100	154	260	377	532	699	810	784	616	421	199	98	100	254	514	891	1423	2122	2932	3716	4332	4753	4952	5050

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf