

Climatography of the United States

No. 20

1971-2000

Station: AINSWORTH, NE

COOP ID: 250050

Climate Division: NE 2

NWS Call Sign:

Elevation: 2,510 Feet Lat: 42° 33N

Lon: 99° 51W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.7	12.8	23.3	69+	1987	12	34.5	1990	-28	1966	29	7.8	1979	1296	0	.0	.0	4.4	12.9	29.1	6.9
Feb	39.4	18.1	28.8	77	1962	3	37.3	1999	-26	1996	2	15.0	1978	1015	0	.0	.0	8.1	9.3	25.0	3.5
Mar	48.8	25.9	37.4	86	1978	30	43.9	1986	-20	1980	1	29.6	1996	857	0	.0	.0	15.4	4.2	22.8	.8
Apr	60.6	35.9	48.3	97	1992	30	56.4	1981	6	1950	13	41.8	1997	506	3	.0	.4	23.9	.5	10.8	.0
May	71.4	47.3	59.4	97	1967	25	64.6	1977	20	1954	3	53.5	1995	207	30	.0	.2	30.4	.0	1.1	.0
Jun	81.4	56.7	69.1	105	1952	15	76.1	1988	35+	1998	3	63.9	1982	39	161	.3	4.6	30.0	.0	.0	.0
Jul	87.1	62.2	74.7	109	1954	13	80.1	1974	39	1950	13	67.6	1992	7	305	1.4	12.1	31.0	.0	.0	.0
Aug	85.4	60.7	73.1	106	1955	26	79.1	1983	37	1964	12	67.3	1992	14	264	.4	9.4	31.0	.0	.0	.0
Sep	76.8	50.8	63.8	103	1960	3	70.2	1998	24	1951	28	59.7	1993	114	77	@	3.5	29.6	.0	.7	.0
Oct	64.3	39.2	51.8	94	1963	4	55.6	1973	7	1991	31	48.0	1976	412	0	.0	.3	27.0	.3	6.7	.0
Nov	45.7	25.5	35.6	84	1999	7	47.1	1999	-13+	1985	28	20.6	1985	882	0	.0	.0	11.8	5.2	22.4	.9
Dec	36.5	16.0	26.3	72	1998	2	34.4	1979	-30	1989	22	7.7	1983	1201	0	.0	.0	5.8	11.1	29.0	4.2
Ann	60.9	37.6	49.3	109	Jul 1954	13	80.1	Jul 1974	-30	Dec 1989	22	7.7	Dec 1983	6550	840	2.1	30.5	248.4	43.5	147.6	16.3

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

002-A

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: AINSWORTH, NE

COOP ID: 250050

Climate Division: NE 2

NWS Call Sign:

Elevation: 2,510 Feet Lat: 42°33N

Lon: 99°51W

Precipitation (inches)

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.42	.33	.95	1988	19	1.41	1988	.04	1989	5.2	1.1	.1	.0	.06	.10	.16	.21	.27	.34	.42	.51	.63	.84	1.03
Feb	.58	.44	1.48	1977	23	1.87	1971	.01	1982	5.0	1.7	.2	@	.03	.06	.13	.21	.30	.40	.53	.69	.92	1.32	1.71
Mar	1.42	.92	2.04	1977	11	4.93	1977	.08	1997	7.8	3.3	.9	.2	.14	.24	.43	.63	.85	1.09	1.38	1.73	2.22	3.04	3.83
Apr	2.28	2.26	2.50	1970	12	4.69	1995	.39	1989	9.3	5.1	1.7	.2	.57	.78	1.11	1.41	1.70	2.00	2.35	2.75	3.28	4.12	4.91
May	3.39	2.89	2.76	1973	27	7.98	1977	.84	1994	11.2	6.6	2.2	.8	1.01	1.33	1.82	2.23	2.64	3.06	3.52	4.07	4.78	5.88	6.91
Jun	3.29	3.19	3.01	1967	7	7.41	1998	.75	1981	10.2	6.2	2.3	.5	1.19	1.50	1.94	2.32	2.67	3.04	3.43	3.89	4.48	5.39	6.22
Jul	3.57	3.11	4.95	1962	1	8.15	1993	.73	1980	9.8	5.9	2.1	.9	.86	1.20	1.72	2.18	2.64	3.13	3.67	4.32	5.17	6.51	7.78
Aug	2.61	2.75	3.40	1981	4	9.03	1981	.02	2000	7.9	4.4	1.6	.8	.38	.60	.98	1.34	1.72	2.13	2.61	3.19	3.97	5.25	6.47
Sep	2.50	2.08	3.03	1988	19	7.95	1986	.12	1980	6.8	4.0	1.5	.8	.20	.37	.70	1.04	1.42	1.86	2.38	3.04	3.95	5.48	6.99
Oct	1.52	1.43	1.89	1949	10	4.15	1982	.09	1988	5.8	3.1	1.2	.3	.17	.29	.50	.72	.94	1.19	1.49	1.86	2.35	3.18	3.98
Nov	1.01	.96	2.28	1972	2	3.81	1972	.05	1980	5.4	2.5	.6	.2	.07	.14	.26	.40	.56	.74	.95	1.23	1.61	2.25	2.89
Dec	.40	.37	1.07	1987	27	1.36	1987	.00	1991	5.0	1.2	.1	@	.01	.05	.10	.16	.22	.30	.39	.50	.65	.90	1.15
Ann	22.99	24.14	4.95	Jul 1962	1	9.03	Aug 1981	.00	Dec 1991	89.4	45.1	14.5	4.7	13.74	15.41	17.62	19.33	20.89	22.41	24.01	25.81	28.01	31.27	34.15

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: AINSWORTH, NE

COOP ID: 250050

Climate Division: NE 2

NWS Call Sign:

Elevation: 2,510 Feet

Lat: 42°33N

Lon: 99°51W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	5.4	4.5	3	2	20.0	1988	19	26.5	1988	30	1988	20	17	1988	3.1	2.1	.6	.4	@	15.4	9.0	4.1	1.0
Feb	5.7	4.8	2	1	9.0	1971	19	18.0	1984	17	1988	6	12	1988	2.9	2.1	.6	.2	.0	10.8	6.7	3.2	1.1
Mar	8.2	7.0	1	1	8.0	1977	3	24.0	1987	12	1977	3	3	1978	3.6	3.1	1.0	.4	.0	6.7	3.6	1.6	.1
Apr	5.1	2.5	#	#	15.0	1995	18	29.0	1995	12	1995	18	2	1995	1.7	1.4	.6	.3	@	1.7	.7	.4	@
May	.0	.0	0	0	.5	1979	10	.5+	1980	0	0	0	0	0	.1	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	#	0	.0	0	0	.0	0	#	1977	22	#	1977	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	#	0	.0	0	0	.0	0	#	1981	24	#	1981	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	#	0	.0	0	0	.0	0	#	1976	14	#	1976	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.3	.0	#	0	4.0	1985	28	5.0	1985	3	1985	28	#+	1985	.2	.1	@	.0	.0	@	@	.0	.0
Oct	1.8	.0	#	0	8.0	1995	23	10.0	1995	6	1995	23	#+	1997	.7	.6	.3	@	.0	.7	.2	@	.0
Nov	7.0	5.8	1	#	18.0	1985	15	32.5	1985	20+	1985	15	8	1985	2.8	2.3	.9	.3	.1	7.4	4.1	2.0	.6
Dec	5.3	5.0	2	1	16.0	1987	27	19.0	1978	22	1983	20	11	1983	3.0	2.5	.4	.2	.1	12.1	4.9	2.1	.9
Ann	38.8	29.6	N/A	N/A	20.0	Jan 1988	19	32.5	Nov 1985	30	Jan 1988	20	17	Jan 1988	18.1	14.2	4.4	1.8	.2	54.8	29.2	13.4	3.7

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: AINSWORTH, NE

COOP ID: 250050

Climate Division: NE 2

NWS Call Sign:

Elevation: 2,510 Feet

Lat: 42° 33N

Lon: 99° 51W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/22	5/18	5/15	5/12	5/10	5/07	5/05	5/02	4/27
32	5/13	5/09	5/06	5/04	5/02	4/30	4/28	4/25	4/21
28	5/07	5/02	4/28	4/25	4/23	4/20	4/17	4/13	4/09
24	4/26	4/21	4/18	4/15	4/12	4/10	4/07	4/04	3/30
20	4/14	4/10	4/06	4/03	4/01	3/29	3/26	3/23	3/18
16	4/12	4/05	3/31	3/27	3/23	3/19	3/14	3/09	3/02
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/14	9/18	9/21	9/23	9/26	9/28	9/30	10/03	10/07
32	9/20	9/26	9/30	10/04	10/07	10/10	10/14	10/18	10/24
28	9/28	10/03	10/07	10/11	10/14	10/17	10/20	10/24	10/30
24	10/10	10/14	10/18	10/21	10/23	10/26	10/29	11/01	11/06
20	10/18	10/24	10/27	10/31	11/03	11/06	11/09	11/13	11/18
16	10/26	11/01	11/06	11/10	11/13	11/16	11/20	11/25	12/01
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	155	149	145	142	138	135	131	127	122
32	176	169	165	161	157	154	150	145	139
28	195	187	182	178	174	169	165	160	152
24	214	207	202	197	193	189	184	179	172
20	237	229	224	219	215	211	206	201	193
16	265	255	247	241	235	229	222	215	204

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: AINSWORTH, NE

COOP ID: 250050

Climate Division: NE 2 NWS Call Sign: Elevation: 2,510 Feet Lat: 42°33N Lon: 99°51W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1296	1015	857	506	207	39	7	14	114	412	882	1201	6550
60	1141	875	702	366	107	10	0	2	45	262	732	1046	5288
57	1049	799	609	289	65	3	0	0	21	183	651	953	4622
55	989	747	549	242	45	1	0	0	12	137	594	894	4210
50	846	616	406	144	13	0	0	0	1	59	459	750	3294
32	381	243	65	4	0	0	0	0	0	1	124	302	1120

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	109	152	231	491	846	1112	1321	1273	953	613	231	124	7456
55	3	11	2	39	178	423	608	560	275	36	12	2	2149
57	1	7	0	25	137	365	546	498	224	20	8	0	1831
60	0	0	0	13	85	282	453	407	159	6	0	0	1405
65	0	0	0	3	30	161	305	264	77	0	0	0	840
70	0	0	0	0	6	75	172	144	29	0	0	0	426

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	16	35	115	289	606	881	1083	1034	722	392	90	22	16	51	166	455	1061	1942	3025	4059	4781	5173	5263	5285
45	0	12	57	182	455	731	928	879	574	262	42	3	0	12	69	251	706	1437	2365	3244	3818	4080	4122	4125
50	0	3	21	102	311	581	773	724	431	156	18	0	0	3	24	126	437	1018	1791	2515	2946	3102	3120	3120
55	0	0	4	52	187	434	618	569	298	78	5	0	0	0	4	56	243	677	1295	1864	2162	2240	2245	2245
60	0	0	0	21	94	292	464	414	185	29	0	0	0	0	0	21	115	407	871	1285	1470	1499	1499	1499
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	12	35	90	194	368	570	717	686	456	247	67	23	12	47	137	331	699	1269	1986	2672	3128	3375	3442	3465

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf