Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 025512

Station: MIAMI, AZ

Climate Division: AZ 4

NWS Call Sign:

Elevation: 3,560 Feet Lat: 33°24N Lon: 110°52W

	onth Daily Max Daily Mean Highest Daily(2) Year Day Month(1) Mean Vear Daily(2) Year Day Month(1) Mean M																				
	Mea	n (1)						Extr	emes						•		Mean	Numb	er of I	Days (3)	
Month			Mean	-	Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	
Jan	57.4	33.6	45.5	81	2000	21	52.6	2000	8	1962	11	40.1	1979	604	0	.0	.0	26.5	.1	13.8	.0
Feb	61.5	36.4	49.0	84	1986	27	55.1	1999	14	1939	10	44.3	1975	451	0	.0	.0	25.1	.1	6.7	.0
Mar	66.3	40.9	53.6	89+	1999	30	60.6	1972	19	1971	2	45.9	1973	369	14	.0	.0	29.6	.0	2.4	.0
Apr	74.5	47.2	60.9	99	2000	28	69.1	1989	29	1921	5	52.8	1975	182	57	.0	.8	29.7	.0	.5	.0
May	83.4	55.7	69.6	106	2000	29	77.6	2000	32+	1975	6	64.4	1977	48	188	.5	6.8	31.0	.0	@	.0
Jun	93.9	64.6	79.3	111	1994	30	83.7	1994	46	1917	1	74.7	1991	1	429	6.2	23.4	30.0	.0	.0	.0
Jul	96.4	70.4	83.4	112+	1998	16	87.5	2000	48	1978	23	79.9	1986	0	570	9.5	27.7	31.0	.0	.0	.0
Aug	94.4	68.6	81.5	109	2001	27	85.6	1998	56+	1979	23	78.4	1984	0	510	4.6	26.1	31.0	.0	.0	.0
Sep	89.5	63.0	76.3	108	1950	1	82.1	2000	43	1986	30	71.3	1985	4	342	1.6	16.1	30.0	.0	.0	.0
Oct	78.8	52.0	65.4	101+	2000	2	71.4	1999	26	1971	30	58.3	1971	102	115	.1	3.6	30.9	.0	.1	.0
Nov	66.0	40.4	53.2	87+	2001	4	63.1	1999	20	1975	30	47.0	1972	364	10	.0	.0	28.8	.0	3.8	.0
Dec	57.6	33.8	45.7	78	1998	31	50.6	2000	14	1953	23	40.4	1971	598	0	.0	.0	26.4	@	12.9	.0
Ann	76.6	50.6	63.6	112+	Jul 1998	16	87.5	Jul 2000	8	Jan 1962	11	40.1	Jan 1979	2723	2235	22.5	104.5	350.0	.2	40.2	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 055-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1914-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MIAMI, AZ

COOP ID: 025512

Climate Division: AZ 4 NWS Call Sign: Elevation: 3,560 Feet Lat: 33°24N Lon: 110°52W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3	5)	Proba	bility th		nonthly/	annual _I indic	precipita ated am	nount	ies (1)		less tha	in the
	Medi	ans(1)				Extremes	;			п	aily Pre	сірітатіо	n		Th	ese value	s were det	ermined i	from the i	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.13	1.65	2.62	1993	11	10.29	1993	.00+	1996	5.9	3.9	1.5	.4	.00	.08	.35	.65	1.00	1.42	1.93	2.58	3.50	5.09	6.68
Feb	2.08	1.65	2.32	1980	15	8.11	1980	.00+	1984	5.7	4.2	1.2	.5	.00	.15	.48	.80	1.14	1.54	2.00	2.57	3.36	4.68	5.98
Mar	2.17	1.72	3.96	1954	23	6.69	1991	.00+	1984	6.1	4.2	1.6	.4	.00	.10	.40	.72	1.08	1.51	2.02	2.66	3.56	5.10	6.63
Apr	.57	.42	1.86	1929	5	2.06	1999	.00+	1996	3.1	1.6	.3	.1	.00	.00	.00	.12	.23	.36	.52	.71	.98	1.43	1.87
May	.47	.16	1.27	1973	5	2.51	1992	.00+	2000	2.5	1.1	.2	@	.00	.00	.00	.03	.10	.20	.33	.52	.80	1.31	1.85
Jun	.32	.07	3.23	1922	27	1.84	1972	.00+	1998	2.0	.9	.2	@	.00	.00	.00	.00	.01	.07	.17	.32	.55	.97	1.40
Jul	2.19	1.81	2.88	2001	30	8.63	1984	.20	1995	8.2	4.8	1.3	.3	.31	.49	.81	1.11	1.43	1.78	2.18	2.68	3.34	4.43	5.47
Aug	2.71	2.58	2.81	1951	27	5.90	1992	.33	1976	8.7	5.6	1.6	.6	.66	.92	1.31	1.66	2.01	2.38	2.79	3.28	3.91	4.92	5.87
Sep	1.55	1.37	2.72	1970	6	5.24	1983	.00+	2000	4.7	2.9	1.1	.4	.00	.00	.21	.45	.71	1.03	1.41	1.90	2.58	3.76	4.93
Oct	1.73	1.04	4.75	1959	30	7.59	1972	.00+	1999	4.4	2.7	1.2	.6	.00	.00	.15	.41	.72	1.08	1.53	2.11	2.93	4.32	5.73
Nov	1.57	1.42	2.99	1978	12	7.11	1978	.00	1999	4.1	2.6	1.0	.4	.05	.16	.37	.59	.84	1.13	1.48	1.92	2.53	3.55	4.57
Dec	2.00	1.14	3.48	1978	18	7.51	1978	.00+	1996	4.8	3.3	1.3	.4	.00	.00	.21	.49	.82	1.23	1.74	2.41	3.35	5.01	6.68
Ann	19.49	18.54	4.75	Oct 1959	30	10.29	Jan 1993	.00+	Sep 2000	60.2	37.8	12.5	4.1	10.92	12.42	14.44	16.02	17.46	18.88	20.38	22.07	24.17	27.28	30.03

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1914-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MIAMI, AZ

Climate Division: AZ 4 NWS Call Sign:

Elevation: 3,560 Feet Lat: 33°24N

Lon: 110°52W

COOP ID: 025512

		Snow (inches) Snow Totals Extremes (2) Highest Highest Monthly																					
			Snow Fall Snow Depth Median Snow Fall Snow Fall Snow Fall O														Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean		Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	#	0	.1	1973	2	.1	1973	2	1979	29	#+	1979	@	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.6	.0	#	0	7.0	1985	4	13.0	1985	1	1975	22	#+	1975	.2	.1	.1	.1	.0	@	.0	.0	.0
Mar	.1	.0	#	0	2.5	1976	4	2.5	1976	3	1976	4	#+	1977	@	@	.0	.0	.0	@	@	.0	.0
Apr	.1	.0	#	0	2.0	1976	16	2.0	1976	2	1976	16	#	1976	@	@	.0	.0	.0	@	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1971	29	#	1971	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.2	.0	#	0	4.0	1975	29	4.0	1975	4	1975	29	#	1975	@	@	@	.0	.0	@	@	.0	.0
Dec	.3	.0	#	0	5.0	1974	26	5.0	1974	5	1974	26	#+	1978	.1	.1	@	@	.0	.1	@	@	.0
Ann	1.3	.0	N/A	N/A	7.0	Feb 1985	4	13.0	Feb 1985	5	Dec 1974	26	#+	Jan 1979	.3	.2	.1	.1	.0	.1	@	@	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 025512

Lon: 110°52W

Lat: 33°24N

Station: MIAMI, AZ **Climate Division: AZ 4**

NWS Call Sign:

Elevation: 3,560 Feet

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/25	4/18	4/13	4/08	4/04	3/30	3/26	3/21	3/13
32	4/17	4/05	3/27	3/19	3/12	3/05	2/25	2/16	2/04
28	3/08	2/26	2/18	2/12	2/05	1/30	1/24	1/16	1/06
24	2/15	2/05	1/28	1/19	1/04	0/00	0/00	0/00	0/00
20	2/01	1/11	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		-	Fal	l Freeze Da	tes (Month/L	Day)		•	
T (E)		Pro	bability of ea	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/21	10/27	10/31	11/03	11/06	11/10	11/13	11/17	11/23
32	11/07	11/12	11/15	11/18	11/21	11/24	11/27	12/01	12/06
28	11/16	11/24	11/29	12/04	12/09	12/13	12/19	12/25	1/03
24	12/05	12/19	12/30	1/13	0/00	0/00	0/00	0/00	0/00
20	12/27	1/25	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
		1		Freeze F	ree Period	1		1	
Town (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	243	233	227	221	216	211	205	199	189
32	295	281	270	262	253	245	237	226	212
28	351	330	319	311	303	296	288	279	267
24	>365	>365	>365	>365	>365	>365	>365	318	300
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 025512

Station: MIAMI, AZ

Climate Division: AZ 4 NWS Call Sign: Elevation: 3,560 Feet Lat: 33°24N Lon: 110°52W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	604	451	369	182	48	1	0	0	4	102	364	598	2723
60	449	317	240	99	15	0	0	0	0	45	237	444	1846
57	360	241	178	61	7	0	0	0	0	24	172	354	1397
55	303	195	142	42	3	0	0	0	0	15	135	297	1132
50	175	104	69	14	0	0	0	0	0	4	64	170	600
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	419	473	669	866	1164	1418	1593	1533	1328	1036	636	425	11560
55	9	24	98	218	454	728	880	820	638	338	81	10	4298
57	5	15	71	177	395	668	818	758	578	285	58	4	3832
60	0	6	41	124	311	578	725	665	489	213	33	1	3186
65	0	0	14	57	188	429	570	510	342	115	10	0	2235
70	0	0	3	20	96	285	415	355	207	50	2	0	1433

										Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)														
Base					Growing	g Degree	Units (M	(Ionthly)								Growi	ng Degre	e Units (Accumu	lated Mo	nthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	195	278	432	635	926	1192	1355	1292	1095	794	406	202	195	473	905	1540	2466	3658	5013	6305	7400	8194	8600	8802
45	5 83 153 285 489 771 1042 1200 1137 945 639 264												83	236	521	1010	1781	2823	4023	5160	6105	6744	7008	7098
50	26 69 162 343 618 892 1045 982 795 488 146											22	26	95	257	600	1218	2110	3155	4137	4932	5420	5566	5588
55	2	21	72	221	463	742	890	827	645	342	64	1	2	23	95	316	779	1521	2411	3238	3883	4225	4289	4290
60	0	0	24	113	315	592	735	672	495	211	18	0	0	0	24	137	452	1044	1779	2451	2946	3157	3175	3175
Base	ase Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•		
50/86	50/86 134 184 268 395 596 760 880 848 722 503 253 133												134	318	586	981	1577	2337	3217	4065	4787	5290	5543	5681

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf