### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 089430

Station: WEEKI WACHEE, FL

Climate Division: FL 3 NWS Call Sign:

Elevation: 20 Feet Lat: 28°31N Lon: 82°35W

									ŗ	Гетр	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	70.1	44.9	57.5	88+	1991	2	67.7	1974	13	1981	13	46.4	1981	298	50	.0	.0	30.4	.0	5.0	.0
Feb	71.9	46.7	59.3	91	1971	27	66.9	1990	21	2000	7	49.9	1978	210	49	.0	@	27.9	.1	3.1	.0
Mar	76.7	51.8	64.3	92	1991	27	73.0	1997	21	1980	3	58.4	1996	117	93	.0	.5	31.0	.0	.8	.0
Apr	81.6	56.2	68.9	96	1991	29	76.0	1991	34	1974	7	64.8	1987	33	150	.0	2.2	30.0	.0	.0	.0
May	86.9	63.0	75.0	100	1990	3	79.4	1990	44	1971	5	72.6	1973	1	308	@	8.7	31.0	.0	.0	.0
Jun	90.2	70.2	80.2	100	1981	18	84.4	1998	47	1984	1	78.0	1974	0	455	@	19.3	30.0	.0	.0	.0
Jul	91.5	71.9	81.7	105	1971	17	83.8	1992	60	1981	1	79.3	1974	0	518	.1	25.8	31.0	.0	.0	.0
Aug	91.4	71.8	81.6	98+	1999	3	83.9	1990	63	1976	30	80.0	1994	0	514	.0	26.0	31.0	.0	.0	.0
Sep	90.1	69.9	80.0	98	1991	5	82.2	1989	48	1981	20	77.7	1996	0	449	.0	19.8	30.0	.0	.0	.0
Oct	84.6	61.5	73.1	97	1990	4	79.4	1995	36	1973	30	68.4	1976	17	265	.0	5.1	31.0	.0	.0	.0
Nov	78.4	54.0	66.2	91+	1988	20	72.3	1986	23	1970	25	60.3	1976	81	117	.0	.2	30.0	.0	.5	.0
Dec	71.9	46.7	59.3	90+	1991	3	66.2	1990	19+	1989	25	51.3	1989	236	59	.0	.1	30.6	.0	3.3	.0
Ann	82.1	59.1	70.6	105	Jul 1971	17	84.4	Jun 1998	13	Jan 1981	13	46.4	Jan 1981	993	3027	.1	107.7	363.9	.1	12.7	.0

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 083-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1969-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 089430

Station: WEEKI WACHEE, FL

Climate Division: FL 3 NWS Call Sign: Elevation: 20 Feet Lat: 28°31N Lon: 82°35W

										Pı	recipit	tation	(incl	nes)										
	Ma	ans/	P	recip	itatio	on Total	S			М	ean N of D	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita cated an	babilit ation withount	ll be equ		less tha	ın the
		ans(1)				Extremes	S			D	aily Pre	cipitatio	n		Th		•		•	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.74	3.26	5.70	1998	6	11.24	1994	.26	1974	6.1	4.7	2.4	1.1	.75	1.09	1.64	2.14	2.65	3.19	3.81	4.55	5.53	7.10	8.59
Feb	3.09	2.47	4.87	1971	8	12.05	1998	.12	1999	5.7	3.9	2.0	.7	.25	.46	.86	1.29	1.76	2.30	2.94	3.75	4.87	6.75	8.59
Mar	4.10	3.43	6.00	1972	31	12.62	1987	.48	1992	5.8	4.7	2.6	1.4	.74	1.11	1.71	2.26	2.83	3.45	4.15	5.00	6.13	7.94	9.68
Apr	2.44	2.33	2.90	1995	1	7.11	1997	.00+	1998	4.4	3.1	1.8	1.0	.00	.17	.55	.93	1.34	1.80	2.34	3.02	3.95	5.51	7.05
May	2.74	1.99	3.32	1976	23	11.95	1976	.00+	1998	5.3	4.0	2.0	1.1	.00	.22	.68	1.11	1.56	2.07	2.67	3.40	4.41	6.09	7.73
Jun	5.99	5.68	6.20	1972	19	17.24	1974	.40	1998	10.3	7.7	3.5	1.9	1.48	2.04	2.92	3.69	4.46	5.27	6.17	7.24	8.65	10.87	12.95
Jul	8.43	8.07	4.28	1974	13	14.80	1990	3.39	1997	13.3	10.5	5.3	3.0	4.38	5.07	6.01	6.75	7.44	8.12	8.84	9.65	10.67	12.20	13.56
Aug	7.54	7.12	4.16	1977	22	12.99	1977	1.75	1998	13.4	10.4	5.1	2.4	2.97	3.66	4.65	5.47	6.25	7.04	7.89	8.88	10.13	12.06	13.81
Sep	6.55	5.67	5.07	1988	6	18.35	1988	.28	1972	9.5	7.8	4.2	2.3	1.59	2.20	3.16	4.01	4.86	5.75	6.74	7.93	9.48	11.94	14.25
Oct	2.23	1.69	3.80	1997	28	8.29	1997	.00	2000	4.3	3.3	1.3	.7	.12	.32	.66	.99	1.34	1.73	2.19	2.75	3.52	4.80	6.04
Nov	2.22	1.91	3.50	1980	15	6.95	1980	.00+	1994	4.8	3.5	1.4	.7	.00	.30	.72	1.08	1.44	1.82	2.26	2.77	3.47	4.60	5.69
Dec	2.49	1.37	5.32	1972	22	8.10	1997	.25	1992	5.5	3.9	1.4	.8	.16	.31	.62	.96	1.34	1.79	2.32	3.01	3.97	5.60	7.21
Ann	51.56	51.00	6.20	Jun 1972	19	18.35	Sep 1988	.00+	Oct 2000	88.4	67.5	33.0	17.1	38.20	40.82	44.16	46.68	48.91	51.06	53.27	55.70	58.64	62.88	66.53

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1969-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 089430** 

**Station: WEEKI WACHEE, FL** 

Climate Division: FL 3 NWS Call Sign: Elevation: 20 Feet Lat: 28°31N Lon: 82°35W

		Snow Fall Snow Depth Median Mean Median Fall Highest Snow Fall Pay Snow Fall Highest Monthly Snow Fall Highest Monthly Snow Bepth Daily Snow Depth Depth Depth Depth Depth Snow Depth Dept																					
		Snow Totals   Snow   Snow   Snow   Depth   Median   Med															Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ans (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	ghest aily now Fall Highest Day Snow Fall Highest Daily Snow Depth Highest Daily Snow Depth Depth Highest Day Monthly Snow Depth Depth									0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.0	.0	N/A	N/A	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 089430** 

**Station: WEEKI WACHEE, FL** 

Climate Division: FL 3 NWS Call Sign:

Call Sign: Elevation: 20 Feet Lat: 28°31N Lon: 82°35W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/01	3/23	3/16	3/11	3/06	2/28	2/23	2/16	2/07
32	3/19	3/10	3/03	2/26	2/20	2/15	2/09	2/02	1/22
28	2/28	2/19	2/12	2/06	2/01	1/25	1/18	1/07	0/00
24	2/15	2/04	1/27	1/19	1/10	12/25	0/00	0/00	0/00
20	1/11	12/25	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
1		1	Fal	ll Freeze Da	tes (Month/L	Day)	•	•	1
To (E)		Pro	bability of e	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	11/02	11/13	11/20	11/27	12/03	12/10	12/16	12/24	1/04
32	11/17	11/27	12/05	12/11	12/18	12/24	12/31	1/08	1/20
28	12/03	12/15	12/24	1/01	1/08	1/17	1/26	2/10	0/00
24	12/21	1/01	1/09	1/17	1/28	0/00	0/00	0/00	0/00
20	1/06	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
				Freeze F	ree Period				
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	312	296	286	277	270	262	254	244	231
32	>365	323	309	301	293	287	280	271	261
28	>365	>365	>365	348	336	326	318	308	296
24	>365	>365	>365	>365	>365	>365	>365	342	320
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: WEEKI WACHEE, FL

COOP ID: 089430

Climate Division: FL 3 NWS Call Sign: Elevation: 20 Feet Lat: 28°31N Lon: 82°35W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	298	210	117	33	1	0	0	0	0	17	81	236	993
60	206	128	50	7	0	0	0	0	0	4	29	146	570
57	157	88	26	2	0	0	0	0	0	1	14	102	390
55	128	65	16	0	0	0	0	0	0	0	8	76	293
50	67	27	4	0	0	0	0	0	0	0	1	33	132
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base	Cooling Degree Days (1)           Jan         Feb         Mar         Apr         May         Jun         Jul         Aug         Sep         Oct         Nov         Dec         Ann           791         763         999         1107         1330         1445         1541         1537         1439         1272         1026         846         14096														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	791	763	999	1107	1330	1445	1541	1537	1439	1272	1026	846	14096		
55	206	184	302	418	617	755	828	824	749	559	344	210	5996		
57	173	151	250	359	555	695	766	762	689	497	290	173	5360		
60	129	107	181	274	462	605	673	669	599	407	216	125	4447		
65	50	49	93	150	308	455	518	514	449	265	117	59	3027		
70	32	19	34	63	165	305	363	359	300	148	49	23	1860		

										Gro	wing	Degre	e Uni	ts (2)											
Base														Growing Degree Units (Accumulated Monthly)											
	Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov   Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	560	569	764	875	1083	1206	1291	1286	1191	1021	796	613	560	1129	1893	2768	3851	5057	6348	7634	8825	9846	10642	11255	
45	414	429	611	725	928	1056	1136	1131	1041	866	646	466	414	843	1454	2179	3107	4163	5299	6430	7471	8337	8983	9449	
50	284	304	460	575	773	906	981	976	891	711	496	327	284	588	1048	1623	2396	3302	4283	5259	6150	6861	7357	7684	
55	175	191	315	425	618	756	826	821	741	557	358	210	175	366	681	1106	1724	2480	3306	4127	4868	5425	5783	5993	
60	94	101	192	281	463	606	671	666	591	404	228	119	94	195	387	668	1131	1737	2408	3074	3665	4069	4297	4416	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)			
50/86	/ <b>86</b> 369 370 499 582 741 843 892 894 828 697 528 4											407	369	739	1238	1820	2561	3404	4296	5190	6018	6715	7243	7650	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf