Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411903

Lon: 100°54W

 ${\bf Station:\ COLORADO\ CITY,\ TX}$

Climate Division: TX 2 NWS Call Sign:

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base T	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	57.0	27.0	42.0	91	1911	30	47.1	2000	-7	1947	4	34.4	1979	713	0	.0	.0	23.7	1.2	20.5	@
Feb	63.5	31.5	47.5	99	1904	25	54.5	1976	-1	1951	1	38.6	1978	491	0	.0	@	23.6	.9	16.4	@
Mar	70.9	39.0	55.0	98	1946	31	61.3	1974	8	1948	11	50.6	1996	316	6	.0	.8	29.9	.1	4.8	.0
Apr	79.9	47.9	63.9	101+	1972	12	69.4	1972	23+	1973	9	57.9	1997	116	84	.1	4.2	29.9	.0	.8	.0
May	87.0	58.7	72.9	110	2000	25	80.1	1996	27	1907	4	68.5	1976	20	263	1.7	11.2	31.0	.0	.0	.0
Jun	92.5	66.3	79.4	115	1907	30	85.1	1998	42	1919	3	75.8	1997	0	431	4.3	21.0	30.0	.0	.0	.0
Jul	95.9	69.5	82.7	112	1912	30	88.2	1998	51	1905	10	78.3	1976	0	549	6.6	27.2	31.0	.0	.0	.0
Aug	94.2	68.4	81.3	110	1959	30	85.5	2000	51	1915	30	75.2	1971	0	504	3.7	26.1	31.0	.0	.0	.0
Sep	87.6	61.3	74.5	107+	2000	5	80.0	1977	33	1908	28	66.8	1974	12	294	1.2	14.7	30.0	.0	@	.0
Oct	78.8	49.7	64.3	103	2000	2	68.6	1998	22	1993	31	56.9	1976	93	69	.2	3.4	30.7	.0	.4	.0
Nov	66.9	37.0	52.0	91+	1996	21	58.4	1973	3	1911	29	45.7	1976	399	8	.0	.1	27.7	.1	8.6	.0
Dec	58.7	28.4	43.6	88+	1954	4	48.7	1984	2	1953	24	33.7	1983	665	0	.0	.0	24.8	1.0	18.8	.1
Ann	77.7	48.7	63.3	115	Jun 1907	30	88.2	Jul 1998	-7	Jan 1947	4	33.7	Dec 1983	2825	2208	17.8	108.7	343.3	3.3	70.3	.1

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 072-A

(1) From the 1971-2000 Monthly Normals

Elevation: 2,105 Feet Lat: 32°23N

- (2) Derived from station's available digital record: 1898-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411903

Station: COLORADO CITY, TX

Climate Division: TX 2 NWS Call Sign: Elevation: 2,105 Feet Lat: 32°23N Lon: 100°54W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s			M	lean N of D	Numb Oays (3		Proba	ability th		nonthly/	annual _j indic	precipita ated an		ll be equ		· less tha	in the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.44	.40	1.73	1939	8	1.75	1973	.00+	1997	4.2	1.9	.4	@	.00	.00	.12	.20	.27	.35	.44	.55	.70	.94	1.17
Feb	.89	.64	2.70	1997	20	3.90	1997	.00+	1999	4.4	2.4	.4	.1	.00	.08	.23	.37	.52	.68	.87	1.10	1.42	1.94	2.45
Mar	1.07	.86	4.60	2000	23	5.00	2000	.00	1971	4.3	2.1	.3	.1	.05	.14	.29	.45	.62	.81	1.03	1.31	1.70	2.34	2.97
Apr	1.33	1.12	8.65	1900	6	3.80	1997	.12	1998	4.9	3.0	.8	.3	.21	.32	.51	.70	.89	1.10	1.34	1.63	2.02	2.66	3.27
May	2.49	2.36	4.45	1961	19	5.72	1995	.42	1984	7.4	4.8	1.8	.6	.67	.91	1.26	1.58	1.89	2.21	2.57	3.00	3.55	4.42	5.24
Jun	2.84	2.41	4.05+	1926	18	6.85	1997	.42	1998	6.9	4.3	1.6	.7	.70	.96	1.38	1.74	2.11	2.49	2.92	3.43	4.10	5.15	6.14
Jul	1.23	.85	6.14	1919	20	8.09	1975	.01	1995	5.2	2.8	.8	.3	.05	.11	.24	.40	.59	.82	1.10	1.47	2.00	2.91	3.83
Aug	2.29	1.91	3.71	1971	1	9.18	1971	.00	2000	4.5	3.0	1.0	.5	.18	.43	.80	1.13	1.48	1.86	2.29	2.82	3.54	4.69	5.81
Sep	3.09	3.44	6.88	1926	4	7.42	1974	.00	2000	6.5	4.6	1.9	.8	.29	.64	1.15	1.60	2.06	2.56	3.13	3.81	4.73	6.21	7.62
Oct	2.22	1.51	2.54	1924	6	5.21	1983	.09	1992	5.8	3.8	1.5	.5	.26	.43	.74	1.05	1.38	1.75	2.18	2.71	3.43	4.62	5.78
Nov	.90	.62	2.41	1920	8	3.10	1996	.00	1999	4.0	2.0	.6	.1	.06	.15	.30	.43	.57	.72	.90	1.11	1.41	1.89	2.35
Dec	.64	.55	2.35	1913	2	2.54	1991	.00+	1999	4.5	2.1	.5	.1	.00	.00	.11	.23	.35	.48	.63	.81	1.07	1.47	1.87
Ann	19.43	19.17	8.65	Apr 1900	6	9.18	Aug 1971	.00+	Sep 2000	62.6	36.8	11.6	4.1	12.43	13.73	15.42	16.72	17.90	19.04	20.24	21.57	23.20	25.59	27.68

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1898-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411903

Station: COLORADO CITY, TX

Climate Division: TX 2 NWS Call Sign: Elevation: 2,105 Feet Lat: 32°23N Lon: 100°54W

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	#	#	#	0	#	1994	31	#+	1994	#+	1997	7	#+	1997	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Feb	.0	.0	0	0	.2	1971	7	.2	1971	0	0	0	0	0	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Mar	#	.0	#	0	#	1972	30	#+	1972	#	1971	2	#	1971	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Apr	.0	.0	#	0	.0	0	0	.0	0	3	1996	6	#	1996	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	0	0	#	1972	29	#	1972	0	0	0	0	0	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Dec	#	.0	#	0	#	1995	31	#	1995	#	1995	31	#	1995	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0
Ann	#	#	N/A	N/A	.2	Feb 1971	7	.2	Feb 1971	3	Apr 1996	6	#+	Jan 1997	-9.9	-9.9	-9.9	-9.9	-9.9	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411903

Lon: 100°54W

Lat: 32°23N

Station: COLORADO CITY, TX

Climate Division: TX 2 NWS Call Sign:

WS Call Sign: Elevation: 2,105 Feet

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/01	4/24	4/19	4/15	4/11	4/07	4/02	3/28	3/21
32	4/13	4/07	4/02	3/29	3/25	3/22	3/18	3/13	3/06
28	4/06	3/30	3/25	3/20	3/16	3/12	3/07	3/02	2/23
24	3/27	3/19	3/13	3/09	3/04	2/28	2/23	2/17	2/09
20	3/15	3/07	3/01	2/24	2/19	2/14	2/09	2/03	1/26
16	3/02	2/21	2/14	2/08	2/03	1/28	1/22	1/13	0/00
		•	Fal	l Freeze Da	tes (Month/D	ay)			
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/08	10/14	10/18	10/22	10/25	10/28	11/01	11/05	11/11
32	10/20	10/27	10/31	11/04	11/07	11/11	11/14	11/19	11/25
28	10/29	11/03	11/07	11/10	11/13	11/16	11/19	11/23	11/28
24	11/03	11/10	11/15	11/20	11/24	11/28	12/02	12/07	12/14
20	11/18	11/25	11/30	12/04	12/09	12/13	12/17	12/22	12/29
16	11/30	12/08	12/14	12/19	12/24	12/29	1/05	1/15	0/00
		•		Freeze F	ree Period				
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	221	213	207	202	197	192	187	181	172
32	254	244	237	232	226	221	215	208	199
28	267	258	252	247	242	237	231	225	216
24	293	283	276	270	264	258	252	245	235
20	324	313	305	298	292	286	279	271	260
16	>365	>365	>365	336	324	314	305	296	283

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 411903

Station: COLORADO CITY, TX

Climate Division: TX 2 NWS Call Sign: Elevation: 2,105 Feet Lat: 32°23N Lon: 100°54W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	713	491	316	116	20	0	0	0	12	93	399	665	2825
60	559	359	185	49	5	0	0	0	2	33	269	512	1973
57	471	284	123	25	1	0	0	0	0	14	203	422	1543
55	413	237	89	15	0	0	0	0	0	8	165	366	1293
50	278	142	31	3	0	0	0	0	0	1	89	234	778
32	19	4	0	0	0	0	0	0	0	0	1	10	34

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	328	437	712	957	1266	1421	1572	1527	1273	1000	600	368	11461
55	10	26	88	282	553	731	859	814	583	295	74	11	4326
57	5	17	60	232	492	671	797	752	523	239	52	5	3845
60	1	8	29	167	403	581	704	659	434	165	28	1	3180
65	0	0	6	84	263	431	549	504	294	69	8	0	2208
70	0	0	0	32	149	285	394	351	175	20	0	0	1406

	Growing Degree Growing Degree Units (Monthly)																							
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	201 261 535 744 977 1199 1166 1296 1044 799 414												201	462	997	1741	2718	3917	5083	6379	7423	8222	8636	8845
45	104 160 390 595 822 1049 1011 1141 894 645 286											111	104	264	654	1249	2071	3120	4131	5272	6166	6811	7097	7208
50	47	85	258	450	667	899	856	986	744	494	179	51	47	132	390	840	1507	2406	3262	4248	4992	5486	5665	5716
55	14	36	147	314	513	749	701	831	597	349	90	18	14	50	197	511	1024	1773	2474	3305	3902	4251	4341	4359
60	0	11	68	190	362	599	546	676	452	214	39	1	0	11	79	269	631	1230	1776	2452	2904	3118	3157	3158
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	/ 86 176 223 360 487 629 791 722 859 687 523 288 17											177	176	399	759	1246	1875	2666	3388	4247	4934	5457	5745	5922

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf