Station: NEIHART 8 NNW, MT

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 246008

Climate Division: MT 4 NWS Call Sign: Elevation: 5,230 Feet Lat: 47°02N Lon: 110°47W

									ŗ	Temp	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2) Year Day Highest Month(1) Mean Hear			Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	34.3	13.8	24.1	67	1981	22	35.2	1986	-39	1971	11	9.5	1979	1271	0	.0	.0	2.5	11.3	29.1	7.4
Feb	38.6	17.2	27.9	64	1992	27	36.3	1991	-46	1989	3	11.6	1989	1038	0	.0	.0	4.9	6.8	26.1	4.7
Mar	44.3	21.7	33.0	69	1978	30	41.5	1986	-30	1976	2	26.7	1996	992	0	.0	.0	10.3	4.2	28.0	1.8
Apr	52.8	28.3	40.6	82	1987	28	47.8	1987	-19	1975	1	30.4	1975	734	0	.0	.0	17.9	1.3	23.6	.2
May	61.6	35.8	48.7	85+	1993	11	53.4	1993	11	1972	1	43.7	1974	506	0	.0	.0	26.8	.1	12.9	.0
Jun	70.6	42.6	56.6	96+	1990	30	65.6	1988	19	1969	13	51.3	1998	267	14	.0	.4	29.7	.0	2.4	.0
Jul	78.4	46.7	62.6	94+	2000	31	68.3	1985	28	1972	4	55.3	1993	133	58	.0	1.9	30.9	.0	.3	.0
Aug	79.0	46.4	62.7	97	1969	24	69.5	1971	27	1992	25	56.6	1974	157	86	.0	2.2	30.9	.0	.7	.0
Sep	68.7	39.0	53.9	93+	1998	4	60.8	1990	4+	1985	30	45.4	1985	354	19	.0	.4	27.6	.1	7.9	.0
Oct	57.3	32.0	44.7	89	1992	1	49.1	1988	-9	1991	30	39.0	1984	630	0	.0	.0	23.1	.8	18.0	.3
Nov	41.3	22.5	31.9	73	1999	15	42.2	1999	-26+	1985	27	15.2	1985	994	0	.0	.0	7.3	5.4	25.6	2.5
Dec	35.0	15.6	25.3	60	1969	1	33.6	1991	-44	1983	24	10.5	1983	1231	0	.0	.0	2.4	10.7	29.1	5.6
Ann	55.2	30.1	42.7	97	Aug 1969	24	69.5	Aug 1971	-46	Feb 1989	3	9.5	Jan 1979	8307	177	.0	4.9	214.3	40.7	203.7	22.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 115-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1967-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 246008

Station: NEIHART 8 NNW, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 5,230 Feet Lat: 47°02N Lon: 110°47W

										Pı	recipi	tation	(incl	hes)										
	Me	ans/	P	recip	itatio	on Total					ean N of D	ays (3	3)	Proba	ability th	nat the m	nonthly/	annual j indic	precipita ated am		ll be equ		less tha	in the
	Medi	ans(1)				Extremes	•				any 116	стриацо	11		Th	ese value	s were det	ermined	from the	incomplet	te gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.95	.88	1.46	1968	1	1.98	1978	.13	1983	6.8	3.6	.3	.0	.34	.43	.56	.67	.77	.88	.99	1.13	1.29	1.56	1.80
Feb	.66	.63	.93	1985	25	1.58	1985	.12	1992	5.3	2.6	.1	.0	.18	.24	.34	.42	.50	.59	.68	.80	.94	1.17	1.38
Mar	1.36	1.18	.85+	1987	27	2.80	1981	.51	1986	7.6	4.5	.5	@	.50	.63	.81	.97	1.11	1.26	1.42	1.61	1.85	2.22	2.56
Apr	1.84	1.63	1.70	1991	11	4.94	1991	.58+	1972	7.9	5.2	.9	.3	.51	.68	.95	1.18	1.41	1.65	1.91	2.22	2.63	3.26	3.86
May	3.49	2.93	3.26	1980	25	11.42	1981	.33	1973	10.9	7.5	2.2	.6	.82	1.15	1.66	2.12	2.57	3.05	3.59	4.23	5.07	6.40	7.66
Jun	3.32	3.16	2.38	1969	26	7.64	1998	.75	1990	11.2	7.9	1.9	.6	1.10	1.42	1.88	2.27	2.65	3.03	3.46	3.96	4.60	5.59	6.50
Jul	2.28	1.86	2.40	1983	10	9.49	1993	.16	1984	8.7	5.7	1.2	.3	.28	.46	.78	1.10	1.44	1.81	2.25	2.78	3.51	4.71	5.87
Aug	2.14	1.81	1.70	1993	29	5.77	1974	.33	2000	8.4	5.5	1.4	.3	.45	.64	.96	1.24	1.53	1.84	2.18	2.60	3.15	4.03	4.86
Sep	1.98	1.83	1.85	1978	12	5.91	1985	.00	1990	7.2	5.3	1.3	.3	.36	.63	.97	1.23	1.50	1.77	2.07	2.43	2.89	3.61	4.29
Oct	1.38	1.31	1.27	1981	12	2.85	1975	.29	1987	6.2	4.3	.8	.1	.39	.53	.72	.90	1.06	1.24	1.43	1.66	1.96	2.43	2.86
Nov	1.01	1.03	1.09	1993	4	1.90	1976	.21	1971	6.2	3.6	.3	.1	.30	.40	.54	.67	.79	.91	1.05	1.21	1.42	1.75	2.05
Dec	1.01	.91	.75+	1973	25	2.85	1989	.26+	1995	6.2	3.9	.3	.0	.29	.39	.53	.66	.78	.91	1.05	1.22	1.43	1.77	2.09
Ann	21.42	20.41	3.26	May 1980	25	11.42	May 1981	.00	Sep 1990	92.6	59.6	11.2	2.6	13.28	14.77	16.73	18.25	19.62	20.96	22.36	23.93	25.85	28.68	31.17

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1967-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 246008

Station: NEIHART 8 NNW, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 5,230 Feet Lat: 47°02N Lon: 110°47W

										Snov	w (incl	hes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	16.0	16.5	10	9	11.0	1981	25	28.5	1984	29	1994	31	21+	1979	5.8	4.7	1.5	.9	.2	28.4	27.2	24.7	13.0
Feb	11.1	10.5	10	11	10.0	1985	25	19.0	1988	31	1994	1	23+	1994	4.7	3.6	1.4	.6	.1	23.7	21.5	18.4	10.2
Mar	18.1	16.5	7	6	16.0	1988	28	37.0	1988	42	1977	30	22	1985	6.8	5.6	2.8	1.2	.1	16.6	13.1	10.5	5.8
Apr	15.2	11.8	3	1	20.0	1991	28	63.0	1991	36	1975	9	14	1975	3.7	3.3	1.8	1.0	.2	6.6	4.7	3.2	1.3
May	6.9	1.6	1	#	18.0	1981	12	38.5	1982	35	1982	30	6	1974	1.2	1.1	.9	.5	.2	1.4	.9	.7	.4
Jun	.3	.0	#	0	6.0	1981	14	6.0	1981	16	1982	1	1	1982	.1	.1	.1	.1	.0	.2	.2	.2	.1
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	1.0	1992	23	1.0	1992	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Sep	3.0	.0	#	0	12.0	1988	18	19.0	1988	12	1988	18	1	1988	.6	.6	.4	.2	@	.6	.4	.2	.1
Oct	9.2	8.5	1	#	13.5	1981	12	25.0	1981	14	1981	12	3	1984	2.7	2.3	1.2	.6	.1	3.4	1.8	1.1	.2
Nov	8.8	6.0	2	2	15.0	1993	4	21.5	1983	20	1976	29	8	1978	4.7	3.8	1.5	.8	.2	11.5	7.2	4.8	1.1
Dec	14.9	12.0	6	5	12.0	1991	2	33.0	1982	25	1993	23	16	1978	6.1	5.2	2.2	1.0	.1	22.8	18.1	14.8	7.3
Ann	103.5	83.4	N/A	N/A	20.0	Apr 1991	28	63.0	Apr 1991	42	Mar 1977	30	23+	Feb 1994	36.4	30.3	13.8	6.9	1.2	115.2	95.1	78.6	39.5

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 246008

Lon: 110°47W

Lat: 47°02N

Station: NEIHART 8 NNW, MT

Climate Division: MT 4 NWS Call Sign:

				Freez	e Data								
			Spri	ng Freeze D	ates (Month/	Day)							
Freeze Date Spring Freeze Dates (Month/Day)													
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	7/26	7/20	7/16	7/12	7/09	7/05	7/02	6/27	6/21				
32	7/08	7/01	6/25	6/20	6/16	6/12	6/07	6/01	5/25				
28	6/12	6/06	6/01	5/28	5/24	5/21	5/17	5/12	5/06				
24	5/19	5/14	5/11	5/08	5/05	5/02	4/29	4/26	4/21				
20	5/09	5/03	4/29	4/25	4/22	4/19	4/15	4/11	4/05				
16	4/29	4/23	4/19	4/16	4/13	4/09	4/06	4/02	3/27				
•			Fal	l Freeze Da	tes (Month/D	ay)	•	1	•				
Tomar (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)					
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	8/03	8/09	8/13	8/17	8/20	8/24	8/28	9/01	9/07				
32	8/19	8/25	8/29	9/02	9/05	9/09	9/12	9/17	9/23				
28	9/04	9/09	9/12	9/14	9/17	9/19	9/22	9/25	9/29				
24	9/14	9/19	9/23	9/26	9/29	10/02	10/06	10/10	10/15				
20	9/20	9/26	9/30	10/04	10/07	10/10	10/14	10/18	10/24				
16	9/30	10/05	10/10	10/13	10/17	10/20	10/24	10/28	11/03				
-		1		Freeze F	ree Period			П					
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))					
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	69	60	53	47	42	37	31	24	15				
32	113	102	94	87	80	74	67	59	47				
28	140	131	125	120	115	110	104	98	89				
24	171	162	156	151	146	142	137	131	122				
20	192	184	178	172	167	162	157	151	142				
		+	1	191	186	182	176	170	162				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 5,230 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 246008

Station: NEIHART 8 NNW, MT

Climate Division: MT 4 NWS Call Sign: Elevation: 5,230 Feet Lat: 47°02N Lon: 110°47W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1271	1038	992	734	506	267	133	157	354	630	994	1231	8307
60	1116	898	837	584	355	152	56	81	233	476	844	1076	6708
57	1023	814	744	497	271	99	26	48	173	384	754	983	5816
55	961	758	682	440	219	71	15	33	137	323	698	921	5258
50	815	623	529	306	114	23	2	11	67	187	558	774	4009
32	342	212	104	28	1	0	0	0	0	4	170	306	1167

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	94	98	135	284	517	737	948	951	655	397	166	98	5080
55	0	0	0	7	23	118	250	271	102	3	4	0	778
57	0	0	0	3	13	87	199	225	77	1	0	0	605
60	0	0	0	0	4	49	135	164	48	0	0	0	400
65	0	0	0	0	0	14	58	86	19	0	0	0	177
70	0	0	0	0	0	2	16	33	6	0	0	0	57

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	4	12	35	108	272	480	686	688	414	195	36	4	4	16	51	159	431	911	1597	2285	2699	2894	2930	2934
45												0	0	0	6	56	210	543	1074	1608	1890	1995	2009	2009
50	0 0 0 0 13 73 206 379 380 171 47 1											0	0	0	0	13	86	292	671	1051	1222	1269	1270	1270
55	0	0	0	1	28	106	231	241	84	13	0	0	0	0	0	1	29	135	366	607	691	704	704	704
60	0	0	0	0	1	39	115	118	31	2	0	0	0	0	0	0	1	40	155	273	304	306	306	306
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 1 6 30 96 202 319 453 458 296 156 25											1	1	7	37	133	335	654	1107	1565	1861	2017	2042	2043

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf