Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CAPITOL REEF NATL PARK, UT

COOP ID: 421171

Climate Division: UT 7 NWS Call Sign: Elevation: 5,500 Feet Lat: 38°18N Lon: 111°16W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	38.0	17.8	27.9	69+	1971	20	37.3	1999	-9	1971	7	17.8	1973	1150	0	.0	.0	5.2	6.2	30.2	.5
Feb	45.2	24.1	34.7	71	1986	26	44.3	1995	-7	1989	6	26.2	1979	850	0	.0	.0	11.3	1.5	23.5	.2
Mar	54.9	31.3	43.1	79	1972	18	49.8	1972	10+	1969	9	36.7	1973	680	0	.0	.0	25.7	@	15.5	.0
Apr	63.4	38.5	51.0	89	1981	30	58.6	1992	18+	1973	8	42.4	1975	433	12	.0	.0	28.1	.0	6.1	.0
May	73.6	47.5	60.6	97+	2000	28	65.9	1984	28	1968	6	55.9	1980	183	46	.0	1.1	30.9	.0	.4	.0
Jun	84.8	57.1	71.0	104	1970	26	76.4	1994	35	1988	1	65.9	1995	30	209	1.0	12.5	30.0	.0	.0	.0
Jul	90.0	63.4	76.7	104	1985	5	80.1	1996	44	1968	1	73.8	1983	0	364	1.8	22.2	31.0	.0	.0	.0
Aug	87.0	61.8	74.4	102+	1969	6	77.3	1994	44	1968	23	71.2	1999	1	292	.5	15.5	31.0	.0	.0	.0
Sep	78.9	53.6	66.3	98	1977	7	71.2	1979	32	1978	21	62.1	1986	55	92	.0	4.2	30.0	.0	@	.0
Oct	65.7	42.3	54.0	91+	1979	2	60.9	1988	17	1971	30	47.6	1984	354	13	.0	.1	29.5	.0	2.9	.0
Nov	49.7	28.7	39.2	77+	1973	8	44.8	1999	5	1976	28	33.5	2000	774	0	.0	.0	17.4	.3	19.9	.0
Dec	39.5	19.9	29.7	69	1977	7	37.7	1980	-7	1990	24	21.5	1978	1094	0	.0	.0	4.8	3.8	29.8	.1
Ann	64.2	40.5	52.4	104+	Jul 1985	5	80.1	Jul 1996	-9	Jan 1971	7	17.8	Jan 1973	5604	1028	3.3	55.6	274.9	11.8	128.3	.8

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 017-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1967-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 421171

Station: CAPITOL REEF NATL PARK, UT

Climate Division: UT 7 NWS Call Sign: Elevation: 5,500 Feet Lat: 38°18N Lon: 111°16W

										Pı	recipit	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s			М	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated am	nount	ll be equ		· less tha	ın the
		ans(1)				Extremes	s			D	aily Pre	cipitatio	n	Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.52	.25	1.12	1980	19	2.32	1993	.00+	1998	3.5	1.3	.3	@	.00	.00	.02	.08	.17	.27	.41	.60	.88	1.37	1.88
Feb	.38	.19	.90	1971	20	2.13	1993	.00+	1997	3.1	1.0	.2	.0	.00	.00	.05	.10	.16	.24	.34	.46	.64	.95	1.25
Mar	.64	.40	1.45	1983	4	2.25	1981	.00+	1999	4.1	1.8	.3	@	.00	.00	.09	.21	.32	.46	.61	.81	1.08	1.51	1.95
Apr	.52	.34	1.30	1997	3	2.07	1997	.00+	2000	4.5	1.7	.1	@	.00	.00	.08	.16	.25	.36	.48	.64	.86	1.24	1.61
May	.64	.53	.85	1989	14	2.08	1992	.00	1974	5.2	2.0	.2	.0	.02	.06	.14	.23	.33	.45	.60	.78	1.03	1.47	1.90
Jun	.37	.32	1.14	1969	17	1.52	1984	.00+	1978	3.3	1.2	.1	@	.00	.01	.05	.10	.16	.24	.33	.44	.61	.90	1.20
Jul	.95	.71	1.39	1985	17	2.81	1985	.09	1979	6.9	3.1	.3	@	.11	.18	.32	.45	.59	.75	.93	1.16	1.47	1.98	2.47
Aug	1.19	1.07	1.26	1984	20	3.28	1982	.09	1978	7.8	3.6	.4	.1	.15	.24	.41	.57	.75	.95	1.17	1.46	1.84	2.47	3.08
Sep	.83	.60	1.73	1980	10	3.21	1997	.00	1979	5.4	2.3	.4	@	.02	.08	.19	.31	.44	.59	.78	1.01	1.34	1.89	2.44
Oct	.76	.57	1.23	1972	19	2.94	2000	.00+	1999	4.7	2.4	.2	@	.00	.00	.09	.20	.33	.49	.68	.92	1.27	1.87	2.47
Nov	.61	.30	1.68	1972	12	2.84	1978	.00+	1999	3.2	1.7	.3	@	.00	.01	.07	.15	.25	.37	.52	.72	1.01	1.51	2.02
Dec	.27	.15	.90	1986	20	1.42	1986	.00+	1989	2.7	.8	.1	.0	.00	.00	.03	.07	.12	.18	.24	.33	.45	.65	.84
Ann	7.68	7.28	1.73	Sep 1980	10	3.28	Aug 1982	.00+	Apr 2000	54.4	22.9	2.9	.1	4.32	4.91	5.70	6.32	6.89	7.45	8.03	8.69	9.51	10.73	11.81

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1967-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 421171

Station: CAPITOL REEF NATL PARK, UT

Climate Division: UT 7 NWS Call Sign: Elevation: 5,500 Feet Lat: 38°18N Lon: 111°16W

										Snov	w (incl	hes)												
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)			
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					now Depth Thresholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	5.6	2.0	1	#	14.0	1993	31	23.3	1982	24	1997	14	4	1992	2.3	1.6	.5	.3	.1	6.3	3.7	1.8	.1	
Feb	2.1	.6	1	#	10.0	1971	20	13.2	1975	12	1993	1	4	1979	.8	.4	.2	.1	@	2.7	1.2	.6	.0	
Mar	3.0	1.0	#	0	14.0	1985	28	14.7	1985	7	1995	29	#+	1998	1.0	.8	.4	.1	@	.3	.1	.1	.0	
Apr	.5	.0	#	0	4.0	1997	3	5.5	1975	2	1999	4	#+	1999	.5	.3	.1	.0	.0	.1	.0	.0	.0	
May	.1	.0	#	0	2.5	1979	8	2.5	1979	#	1982	11	#	1982	.1	@	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	#	0	.0	0	0	.0	0	#+	1996	2	#+	1996	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.6	.0	#	0	10.1	1971	29	10.1	1971	5	1971	29	#+	2000	.1	.1	.1	@	@	.1	@	@	.0	
Nov	2.2	.5	#	#	8.5	1972	12	13.7	1972	5	1975	28	1	1994	.8	.7	.3	.1	.0	1.3	.4	@	.0	
Dec	2.2	1.0	#	#	6.0	1984	20	8.2	1979	6	1979	27	1	1983	1.6	.9	.2	.1	.0	1.3	.3	.2	.0	
Ann	16.3	5.1	N/A	N/A	14.0+	Jan 1993	31	23.3	Jan 1982	24	Jan 1997	14	4+	Jan 1992	7.2	4.8	1.8	.7	.1	12.1	5.7	2.7	.1	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 421171

Lon: 111°16W

Lat: 38°18N

Station: CAPITOL REEF NATL PARK, UT

Climate Division: UT 7

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze Da	ates (Month/	Day)			
Temp (F)		P	robability of	later date in	n spring (thr	u Jul 31) tha	n indicated(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/02	5/25	5/20	5/15	5/11	5/06	5/02	4/26	4/19
32	5/16	5/08	5/03	4/28	4/24	4/19	4/14	4/09	4/01
28	4/25	4/18	4/13	4/08	4/04	3/31	3/26	3/21	3/14
24	4/10	4/02	3/28	3/23	3/19	3/14	3/09	3/04	2/24
20	3/29	3/20	3/13	3/08	3/02	2/25	2/20	2/13	2/04
16	3/09	2/28	2/21	2/15	2/10	2/05	1/30	1/24	1/15
			Fal	l Freeze Dat	es (Month/D	ay)			
Tomp (F)		Pro	bability of ea	arlier date in	ı fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/29	10/04	10/08	10/11	10/14	10/18	10/21	10/25	10/30
32	10/10	10/15	10/19	10/22	10/25	10/27	10/30	11/03	11/08
28	10/23	10/28	10/31	11/03	11/05	11/08	11/11	11/14	11/19
24	10/31	11/04	11/07	11/09	11/12	11/14	11/17	11/20	11/24
20	11/07	11/12	11/15	11/18	11/21	11/24	11/27	11/30	12/05
16	11/15	11/23	11/29	12/03	12/08	12/13	12/18	12/24	1/01
		•		Freeze F	ree Period				
Temp (F)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)		
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	183	174	167	161	156	151	145	138	129
32	211	201	194	189	183	178	172	165	156
28	240	232	225	220	215	210	204	198	189
24	266	256	249	243	238	232	226	219	209
20	293	282	275	269	263	257	250	243	233
16	331	321	313	306	300	294	288	280	269

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 5,500 Feet

Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CAPITOL REEF NATL PARK, UT

COOP ID: 421171

Climate Division: UT 7 NWS Call Sign: Elevation: 5,500 Feet Lat: 38°18N Lon: 111°16W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1150	850	680	433	183	30	0	1	55	354	774	1094	5604		
60	995	710	530	303	93	8	0	0	15	229	624	939	4446		
57	902	626	444	236	56	3	0	0	6	166	535	846	3820		
55	840	570	389	197	38	1	0	0	3	130	476	784	3428		
50	692	438	264	116	11	0	0	0	0	64	336	629	2550		
32	239	87	22	4	0	0	0	0	0	0	31	170	553		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	113	162	366	572	886	1169	1387	1315	1028	682	247	99	8026
55	0	0	20	75	211	480	674	602	340	99	3	0	2504
57	0	0	13	54	167	422	612	540	283	73	1	0	2165
60	0	0	6	31	111	337	519	447	203	43	0	0	1697
65	0	0	0	12	46	209	364	292	92	13	0	0	1028
70	0	0	0	2	14	110	212	150	26	2	0	0	516

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	9	51	196	391	682	971	1180	1108	831	494	112	9	9	60	256	647	1329	2300	3480	4588	5419	5913	6025	6034
45	0 16 95 259 528 821 1025 953 681 346 46												0	16	111	370	898	1719	2744	3697	4378	4724	4770	4770
50	0 1 38 148 379 671 870 798 531 221 15												0	1	39	187	566	1237	2107	2905	3436	3657	3672	3672
55	0	0	7	71	244	521	715	643	384	122	0	0	0	0	7	78	322	843	1558	2201	2585	2707	2707	2707
60	0	0	0	24	128	373	560	488	247	50	0	0	0	0	0	24	152	525	1085	1573	1820	1870	1870	1870
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	10/86 10 39 142 257 433 624 766 738 535 303 79												10	49	191	448	881	1505	2271	3009	3544	3847	3926	3934

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf